

General Information

CONTACT INFORMATION

Corporate Office

139 Victor Street
St. Louis, Missouri 63104
800-325-9995 (Sales and Service)
800-255-3590 (Main Office)
314-772-4400 (Local Main Office)
800-782-0149 (Fax)
314-772-0744 (Local Fax)
webmaster@hagerco.com
www.hagerco.com

Montgomery Plant

150 Folmar Parkway
Montgomery, AL 36105
334-284-4700 (Main Phone)

Montgomery Distribution Center

200 County Court Lane
Montgomery, AL 36105
334-288-0432 (Main Phone)

Arizona Distribution Center

901 South 86th Avenue
Building 2, Suite 101
Tolleson, AZ 85353
623-936-5070 (Main Phone)

Southwest Office

17316 Edwards Road, Suite B105
Cerritos, CA 90703.
855-557-0010 (Main Phone)

Canada Office

P.O. Box 124
Kitchener, Ontario N2G 3W9
800-255-3590 (Main Phone)
800-552-1926 (Main Fax)



A CLEANER, GREENER PRICE BOOK

- Our Paper** is FSC® (Forest Stewardship Council) Certified, which means that it is sourced from responsibly managed forests. Our paper contains 30% post consumer waste.
- Our Printer** uses sophisticated ink-mixing technology that reduces VOCs and reduces ink waste to less than one percent. They consistently recycle, reuse, and reduce both paper and ink consumption.
- Our Inks** are soy-based, reducing harmful VOCs and preventing harmful chemicals from entering the wastewater system.
- Our Company** is concerned about how our company and products affect the environment. As a result, we've taken steps to minimize our impact—and we're continually reviewing ways to do more. Throughout the production of this Price Book, we made every effort to recycle and use both sides of the paper.





General Information

DISCOUNTS

Customer Number	
Architectural Hinges	
Residential Hinges	
Roton Continuous Geared Hinges	
Stainless Steel Continuous Hinges	
Trim & Auxiliary	
Thresholds & Weatherstripping	
Sliding Door Hardware	
Locks	
Door Closers	
Exit Devices	
Electrified Products	

Notes





General Information

TERMS AND CONDITIONS

General

Prices indicated will be in effect from the date on the cover and are subject to change without notice. If, under any law now or hereafter passed, the seller is required to pay a tax on sales or an excise tax, the amount of these taxes will be added to the invoice value. We shall not be responsible for any loss or damage resulting from delay in filling orders caused by fire, flood, strikes, differences with workmen, government regulations, accidents, transportation delays, shortages of materials, or other causes beyond our control. Should raw material prices rise substantially, it may become necessary to add a surcharge by material type at the time of shipment. Orders are processed in order of receipt, but lead times will vary in relation to production specifications. Errors or omissions in published prices are subject to correction.

Payments

Accounts are net cash 30 days, or 1% for cash if paid within 15 days following the date of invoice. Accounts unpaid at expiration of 60 days from the date of invoice will be subject to a late payment charge of 1-1/2% per month of the total balance. Also, accounts unpaid after 60 days will be subject to C.O.D. shipments. Accounts unpaid after 90 days will be placed for collection. All collection charges, attorney fees, and court costs will be added to the amount due. An NSF (insufficient fund) check fee in the amount of \$30.00 will be added to the account.

Minimum Order Charges

Orders with a net value of less than \$50.00 will be invoiced at \$50.00.

Minimum Annual Purchase Requirement

A minimum annual amount of \$15,000.00 is required to maintain open account status with Hager Companies.

Packaging

- A charge of \$50.00 net will be made when requested to itemize and special package in accordance with such schedules.
- A charge of \$25.00 net will be made when requested to make changes on itemized jobs after the orders have been processed.
- A charge of \$15.60 net for crating certain products will be added to invoices at time of shipment.

Quick Ship

The items throughout this price book that have prices in **bold and red** are items included in the Hager Quick Ship Program - they will ship in three days or less. When ordering these products, please visit www.hagerco.com and click on 'Quick Ship' in the footer. You will be prompted to log in with your My Hager account name and password and then you may begin ordering.

Shipments and Freight Charges

All shipments are F.O.B. Point of Origin. Freight prepaid on shipments having a value of \$2,000.00 net or more, route of our selection. Less than \$2,000.00 net shipped prepay and add. Shipments by Express, Air Freight, or United Parcel Service are F.O.B. Point of Origin, without any freight allowance. Any request for shipments not falling under these guidelines may be subject to a handling charge. Hager will not provide consignee or third party freight billing.

There will be a \$25.00 net charge for furnishing proof of delivery receipt. This charge will be canceled if delivery was not made. Proof of delivery may be obtained by visiting www.hagerco.com and establishing an account with "My Hager." Due to size limitations by certain carriers, some orders may require LTL shipment.

Please note that for next day air shipments, written consent with an authorized signature must be sent via fax or e-mail to Hager Companies before an order will be released for overnight delivery. Next day air requests must be received prior to 1:00 p.m. CDT.



General Information

Cancellations and Make-to-Order Items

Orders for non-stock goods, accepted by Hager, are non-cancelable except with prior written consent, and then subject to a service charge based on the manufacturing expenses incurred. Under no circumstances will non-stock, make-to-order or discontinued product be accepted for return unless it is due to a Hager error.

Return Goods Policy

No credit will be issued for returned goods unless such return is authorized by our St. Louis office. There will be a minimum 35% handling and restocking charge invoked in connection with the return. Freight terms will be specified on return goods authorization forms. Return goods must be in saleable condition or no credit will be issued and goods will be destroyed. No goods will be accepted for return after 1 year. No return goods authorization will be issued for less than \$25.00.

Warranty Returns

A credit in the amount of the original purchase order will be issued after the returned product is inspected and the defect is found to be valid.

Inspection and Delivery

Customer will inspect all product deliveries immediately upon receipt. Hager will assume acceptance of delivered product if not notified within 7 days of receipt of product.

Claims

All claims should be submitted to Hager as follows:

- All claims for pricing adjustments must be submitted within 30 days of invoice date
- All claims for order quantity discrepancies must be submitted within 10 days
- All claims for damaged material prior to acceptance by customer must be submitted within 7 days

Limited Warranty

Subject to the limitations of liability set forth below, Hager Companies (the "Company") warrants to purchasers that the products which the Company sells under the "Hager" trademark or trade name are free from defects in workmanship and materials under normal use and regular service and maintenance from date of delivery.

This is the sole and exclusive warranty given by the company with respect to the products and is in lieu of any and all other warranties, express or implied, arising by operation of law or otherwise. All implied warranties, including but not limited to the warranties of merchantability, non-infringement and fitness for a particular purpose, are hereby excluded.

This warranty does not cover defects or damage arising from improper installation, incorrect application, lack of or improper maintenance, improper storage, shipping and handling, excessive wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized products or parts.

The sole and exclusive liability of the Company under this warranty or otherwise, shall be limited to the repair or replacement of any product or component part which shall prove defective to the original purchaser from the Company. The Company will not pay for the costs or repair performed other than in accordance with this warranty. The company shall not be liable for damages caused by delay in performance and in no event, regardless of the form of the claim or cause of action (whether based on contract, infringement, negligence, strict liability, other tort or otherwise), shall the company's liability to purchaser and/or its customers exceed the price paid by purchaser for the specific products giving rise to the claim or cause of action. Purchaser agrees that in no event shall the company's liability to purchaser and/or its customers extend to include incidental, consequential or punitive damages resulting from use of these products, or arising out of any breach of this warranty. The term "consequential damages" shall include, but not limited to, loss of anticipated profits, business interruption, loss of use or revenue, cost of capital or loss or damage to property or



General Information

equipment. The foregoing limitations and exclusions are intended to be effective to the maximum extent permitted by law. This warranty is governed by the law of the State of Missouri without regard to its conflicts of law principles. The company and purchaser agree that the United Nations Convention on Contracts for the International Sale of Goods and the United Nations Convention on the Limitation Period in the International Sale of Goods shall not apply to sales of the products covered by this warranty.

Written notice of a product believed to be defective as covered by this warranty should be sent to Hager Companies, 139 Victor Street, St. Louis, Missouri 63104 within 30 days from the discovery of the alleged defects, and should include the purchaser's name and address, identification of the product, and brief description of the defect. Upon receipt of such notice, the Company will inform the purchaser where to ship such product, shipping charges prepaid, for examination. In the event such examination reveals a defect covered by this warranty, the Company will, at its own option, repair or replace the product, and return it or the replacement to the purchaser, with charge only for transportation.

Full Line Distributor Program

Please note that the terms of your Full Line Distributor Program override any terms found in this price book. If you are not active in our Full Line Distributor Program and would like to take advantage of the many benefits, please contact your Hager Sales Representative today.

CODES AND ILLUSTRATIONS

Units of Measure

EACH	Item in a box either with or without screws.
PACK	Items poly bagged (1 or more) per bag.
PAIR	Items (1 or more) pair per box.
SET	Items (1 or more) sets per box.

Illustrations

Pictures shown in this Price Book are for general product information only and are not meant to be used as templates. Contact Hager Companies Sales and Service for final product identification for installation, or go to www.hagerco.com to download templates or installation instructions.

Packaging

The following codes have been established to provide clarification of packaging methods. The basic code letter(s) are shown in parenthesis in the unit column of each page. The letter designation refers to the standard Hager Pack.

Hager Companies reserves the right to change the packaging methods when deemed necessary and to increase or decrease quantities to make full case quantities on a specific item.

B = Boxed
PB = Poly Bag
BLK = Bulk Pack
SET = Set



Architectural Hinges

TABLE OF CONTENTS

A	
Architectural Finish Symbols.....	3-4
B	
Back Plate	12
E	
ECCO	75-77
Emergency Stop Release.....	14
D	
Detention Food Pass Through Hinge.....	31
Detention Hinge (IHT)	20, 27, 30
Detention Utility Hinge.....	31
H	
Hinge Additions/Modifications	5-11
Hinges - Air.....	5-6
Hinges - Electric	5-7
Hinges – Brass or Stainless Steel	
BALL BEARING FIVE KNUCKLE	
Anchor	38, 46
Full Mortise.....	40-42, 47-48, 67
Full Surface.....	69
Half Mortise	31
Half Surface	70
Swing Clear	66
Wide Throw	44-45, 49
CONCEALED BEARING THREE KNUCKLE	
Anchor	74-75
Full Mortise.....	22, 25
Full Surface.....	24, 27
Half Mortise	24, 27
Half Surface	24, 27
Wide Throw	23-24, 26-27
PLAIN BEARING FIVE KNUCKLE	
Full Mortise.....	38-39, 67
Wide Throw	43-44
PLAIN BEARING THREE KNUCKLE	
Full Mortise.....	21-22
CONCEALED BEARING FIVE KNUCKLE	
Full Mortise.....	42
CONCEALED BEARING TWO KNUCKLE	
Full Mortise.....	30

Hinges – Steel

BALL BEARING FIVE KNUCKLE	
Anchor	32-34
Full Mortise.....	34-35, 55-59, 59-61
Full Surface.....	70-71
Half Mortise	31-33
Half Surface	37
Swing Clear	53-55
Wide Throw	36-37, 64-65
CONCEALED BEARING THREE KNUCKLE	
Anchor	73
Full Mortise.....	16, 17-19
Full Surface.....	18-21
Half Mortise	18, 20-21
Half Surface	18
Swing Clear	72-74
Wide Throw	17-20
PLAIN BEARING FIVE KNUCKLE	
Full Mortise.....	55-58
Half Mortise	31
Half Surface	37
Swing Clear	53
Welding	69
Wide Throw	62-63
PLAIN BEARING THREE KNUCKLE	
Full Mortise.....	15-16
CONCEALED BEARING TWO KNUCKLE	
Full Mortise.....	28-30
PLAIN BEARING TWO KNUCKLE	
Full Mortise.....	28
Hinges – Spring	
Double Acting	66
Full Mortise.....	50-53, 55
Full Mortise - Stainless Steel.....	32
Half Surface	51
Reverse Action.....	52-53
Spring Hinge Sets.....	51-52

L

Lead Times	3
------------------	---

M

Molly Jack Nut	12
Mortar Box.....	12



Architectural Hinges

P

Pivots..... 13-15
Pivots Rack & Pinion 14
Pivot Reinforcing 12

R

Reinforcement Plate 12

S

Set Screws (Set)..... 12
Sleeve Bolt..... 13
Specialty Hinges 78-79
Strike - Combination Rescue 13
Strike - Double Lip..... 12-13

T

Tip Kits..... 68



Architectural Hinges

LEAD TIMES

Products with prices in **bold and red** are part of our Quick Ship Program and ship in 3 days or less. Stock items will typically ship within 5 business days. Non-stock items will typically ship within 2-3 weeks depending on seasonal volume and order complexity. Made-to-order industrials, items that require outside finishing, and unusual large demands require scheduling. The anticipated ship date will be included with each order acknowledgement.

ARCHITECTURAL FINISH SYMBOLS

These additions apply to the BASE HINGE LIST PRICE as listed in the book. Not all products are available in all finishes. Contact Hager Companies Sales and Service (1-800-325-9995) for more specific information.

BHMA Symbol Base Material

US & HAGER	DESCRIPTION	PRICING INSTRUCTIONS	STEEL	BRASS & BRONZE	STAINLESS STEEL
2C	Plain Zinc Plate	20% above US10A or US10B price	603	N/A	N/A
H2H x BP	Mechanical Galvanized; Steel Only	25% above US10A price	N/A	N/A	N/A
3	Bright Brass	Use price of US10B	632	605	N/A
3A	Bright Brass - Unlacquered	Use price of US3	N/A	N/A	N/A
3SC	Brass SecureCoat® Lifetime Bright Brass Finish	Price on Application	N/A	N/A	N/A
4	Satin Brass	Use price of US10	633	606	N/A
5	Satin Brass, Oxidized	Use price of 10A/10B	638	609	N/A
9	Bright Bronze	20% above US10A or US10B price	637	611	N/A
10	Satin Bronze	As listed	639	612	N/A
10A (US11)	Antique Bronze, Lacquered	As listed (steel only)	641/643	N/A	N/A
10B	Antique Bronze, Oiled	Use price of US10A	640	613	N/A
10Z	Antiqued Bronze-SPL	Use price of US10A/US10B	N/A	N/A	N/A
10D	Black Nickel, Oiled	Use price of US10B	640	613	N/A
SS/10Z	Antique Bronze, Stainless Steel	30% above 32D	N/A	N/A	N/A
14	Bright Nickel	20% above US10A or US10B	645	618	N/A
14B	Black Nickel, Bright	20% above US10A or US10B	N/A	N/A	N/A
15	Satin Nickel	Use price of US10A or US10B	646	619	N/A
15A	Satin Nickel, Nickel Oxidized & Highlighted	20% above US10A or US10B	647	620	N/A
17A	Black Nickel, Dull	20% above US10A or US10B	648	621	N/A
26	Bright Chromium Plated	Use price of US10A or US10B	651	625	N/A
26D	Satin Chromium Plated	As listed	652	626	N/A
32	Stainless Steel Metal, Bright	Use price of US32D	N/A	N/A	629
32D	Stainless Steel Metal, Satin (304)	As listed	N/A	N/A	630
32D (316)	Stainless Steel Metal, Satin (316)	POA	N/A	N/A	630
32D (CLR)	Stainless Steel Metal, Satin (Clear Coat)	30% above US32D	N/A	N/A	630
P	Prime Coat	Use price of US10	600	600	N/A
PS	Plain Steel	Use price of US4 or USP	N/A	N/A	N/A
L1	Flat Black	Use price of US10	693	693	N/A
L2	Dark Bronze	Use price of US10	695	695	N/A
L3	Medium Bronze	Use price of US10	694	694	N/A
LS	Luma Sheen®	Use price of US10	689	689	N/A



Architectural Hinges

Colors By Hager

US & HAGER	DESCRIPTION	PRICING INSTRUCTIONS	HEWI #
13P	White	20% above US10 price	1
14P	Off White	20% above US10 price	5A
15P	Grey	20% above US10 price	5
33P	Yellow	20% above US10 price	14
34P	Red	20% above US10 price	33
35P	Green	20% above US10 price	6
36P	Blue	20% above US10 price	52
83P	Black	20% above US10 price	8
84P	Olive	20% above US10 price	62
85P	Brown	20% above US10 price	9
86P	Burgundy	20% above US10 price	30
87P	Dark Green	20% above US10 price	60
88P	Dark Blue	20% above US10 price	50
Notes: -Colors by Hager are available only on architectural grade full mortise plain bearing hinges, full mortise ball bearing hinges, both standard and heavy weight, in both steel and brass material. -For any finish not listed in this price book, or explained above, price and availability on request.			

Whenever possible, Hager Companies employs the latest technologies in metal finishing to provide the best long-term performance for our customers. These finishes may not comply completely with BHMA (Builders Hardware Manufacturing Association) Standard A156.18 specifications with regard to plating process. However, they match BHMA color standards and exceed all BHMA performance criteria with regard to such tests as salt spray corrosion resistance, ultraviolet light deterioration resistance, solvent resistance, perspiration resistance, and finish hardness. For the convenience of our customers, we refer to the most appropriate finish symbols to indicate similarity of appearance using BHMA standard nomenclature including the "US" and numerical designation. Dissimilar metals are plated to match or be compatible to the finishes indicated. Finish numbers indicated on each product are the most equivalent to the old "US" symbol numbers and carry the BHMA finish symbol in parenthesis adjacent to the finish: Example — US3 (605) - Bright Brass or US26D (626) - Satin Chrome.

Hager's finishes are durable, high quality finishes obtained by careful processing of steel, brass, and stainless steel materials. It is important to consider usage and climatic conditions when selecting finishes. This is especially true in areas subjected to strong corrosive chemical conditions, humid climate or salt air which may have a damaging effect on metal finishes in a very short period of time. The longevity and preservation of the finish appearance are determined by base metal and finish process.

Care and maintenance of clear protective coatings or other organic finishing applications may require different methods of cleaning and care. As an example, all hardware finishes should not be cleaned with solvents or abrasives; surfaces should periodically be cleaned with a mild, non-abrasive soap and dried lightly with a soft, clean cloth. The type of base material and finishing techniques must be considered when applying any cleaning or preservative method. Contact Hager's Sales and Service Department for further information on the care of hardware finishes.

Note: Hager only warrants US10B finish over brass or bronze base material. If steel base material is necessary, Hager recommends US10A lacquer finish.



Architectural Hinges

HINGE ADDITIONS/MODIFICATIONS


These additions apply to the BASE HINGE LIST PRICE as listed in the book. They do not apply to the price of any hinges listed with additions in this book. If the hinge to be priced has additions, START WITH THE PRICE OF THE BASE HINGE, THEN ADD "FOR ADDITIONS WHERE NOT LISTED."

Antimicrobial powder coat protection - Symbol is 'MV5' (use as suffix). List price is \$18.70.


Bearings

Ball bearings (symbol 'BB') and anti-friction bearings (symbol 'AB') regularly furnished. Oilite bearings (symbol 'OB') and CB (concealed bearing) available at same price as ball bearings.

Concealed Air Transfer Hinge Modification


	CONCEALED AIR TRANSFER HINGE	
	Description	List
	Continuous air tubing with quick connect fittings capable of 80-100 PSI.	Extra charge \$349.65 per hinge for steel and brass.
	Available in 4-1/2" x 4", 4-1/2" x 4-1/2", 5" x 4", 5" x 4-1/2", and 5" x 5" full mortise ball bearing, standard weight and heavy weight in steel, stainless steel and brass material. NRP not necessary. To order, use symbol 'AIR' as suffix.	Extra charge \$357.80 per hinge for stainless steel.

Exposed Electric Hinge Modification

	EXPOSED ELECTRIC CONTACTS	
	Description	List
	4" hinge - 2 or 3 contacts 4-1/2" and 5" hinge - 2, 3, or 4 contacts	Extra charge \$121.65 per each contact.
	Only one hinge per door requires electric contact.	
	To order, use symbol 'E' as suffix and the number of contacts desired.	
Note: All exposed contact hinges must be ordered with NRP feature. Patent No. 3,650,063.		





Architectural Hinges

	EXPOSED ELECTRIC SWITCH	
	Description	List
	<p>Miniature push button switch that is incorporated in the hinge leaves. Available on 4", 4-1/2", and 5" hinges.</p> <p>Only one hinge per door requires electric switch.</p> <p>To order, use symbol 'E1S' as suffix.</p>	Extra charge \$121.65 per each contact.
Note: All exposed contact hinges must be ordered with NRP feature. Patent No. 3,715,537.		

Concealed Electric Hinge Modification


Available in Tri-Con and Five Knuckle. **For swing clear, wide throw, half surface, half mortise, raised barrel, and jamb surface mount, add \$160.00 to list price of hinge.**

	CONCEALED ELECTRIC MONITOR		
	Description	Steel/Brass List	Stainless Steel List
	<p>Miniature snap action switch is incorporated into the frame leaf. Available in 4" through 8". Full mortise ball bearing hinges. Concealed electric monitor, per hinge.</p>	\$352.35	\$460.15
NRP not necessary as hinges are cross pinned and are not field removable. To order, use symbol 'EMN' as suffix.			

	CONCEALED ELECTRIC THROUGH-WIRE		
	Description	Steel/Brass List	Stainless Steel List
	<p>Four continuous electric conductors (28 gauge wire). Available in 4" through 8". Full mortise ball bearing, standard weight and heavy weight in steel and brass material. NRP not necessary as hinges are cross pinned and are not field removable. To order, use symbol 'ETW' as suffix.</p> <p><u>Extra charges (each)</u></p> <p>ETW-4 (4 wire) \$314.05 \$392.55</p> <p>ETW-6 (6 wire) \$348.25 \$435.30</p> <p>ETW-8 (8 wire) \$385.10 \$481.35</p> <p>ETW-10 (10 wire) \$487.45 \$609.35</p> <p>ETW-12 (12 wire) \$576.25 \$720.35</p>		
	<p>ETW-2 (18 GA)** \$414.55 \$517.00</p> <p>ETW-6-1828 (2-18 GA, 4-28 GA)*/** \$459.65 \$574.60</p> <p>ETW-8-1828(2-18 GA, 6-28 GA)*/** \$508.40 \$634.45</p>		

* Not available on three knuckle hinges. ** Not available on swing clear.

Architectural Hinges

CONCEALED ELECTRIC THROUGH-WIRE & MONITOR			
	Description	Steel/Brass List	Stainless Steel List
	This combines the four continuous electrical conductors and the miniature snap action switch to provide continuous circuit and monitor capabilities. Available in 4" through 8". Full mortise ball bearing or anti-friction bearing, standard weight and heavy weight in steel and brass material. NRP not necessary as hinges are cross pinned and are not field removable. To order, use symbol 'ETM' as suffix.		
	<u>Extra charges (each)</u>		
	ETM-4 (4 wire)	\$666.40	\$833.00
	ETM-6 (6 wire)	\$697.75	\$872.20
	ETM-8 (8 wire)	\$730.50	\$913.15
	ETM-10 (10 wire)	\$764.65	\$955.75
The hospital tip feature is available on concealed electric hinges.			

STANDARD WIRE LEAD - 8" per side: 18 or 28 gauge wire
Additional wire leads - must be bought in 4, 8, and 12 feet lengths. Price includes both sides.

Description	List
4-wire hinge; per foot	\$7.45
6-wire hinge; per foot	\$7.45
8-, 10-, 12-wire hinge; per foot	\$7.45

Quick Connect

Extra charge \$43.40 per hinge.

QUICK CONNECT HARNESS CABLES - connectors installed on one end, pigtails on the other for easy install in the field

Part Number	Description	List Price
1-479-0007	3" Wire Harness Assembly	\$55.90
1-479-0008	6" Wire Harness Assembly	\$58.30
1-479-0012	12" Wire Harness Assembly	\$72.00
1-479-0026	26" Wire Harness Assembly	\$85.70
1-479-0032	32" Wire Harness Assembly	\$86.75
1-479-0038	38" Wire Harness Assembly	\$89.25
1-479-0044	44" Wire Harness Assembly	\$92.60
1-479-0400	50" Wire Harness Assembly	\$94.30
1-479-1500	15'2 Wire Harness Assembly	\$168.00

Electric Hinge Repair

Extra charge \$243.40 list per hinge. Contact Hager Companies Sales and Service for instructions.

Five Knuckle Concealed Bearing Hinges (CB)

Available on standard weight, heavy weight full mortise 3-1/2", 4", 4-1/2", and 5". Price same as Ball Bearing (BB).



Architectural Hinges

Prices and Part Numbers for Hinge Pins (Boxes of 10 Each)

Contract Grade Pins Size 4-1/2"

STANDARD WEIGHT		
STEEL - FINISH	PART NUMBER	LIST (10/BOX)
US3	1-890-7550	\$63.45 per box
US4	1-890-7619	\$63.45 per box
US10	1-890-7695	\$63.45 per box
US10A/US10B	1-890-7733	\$63.45 per box
US26	1-890-7625	\$63.45 per box
US26D	1-890-7657	\$63.45 per box
USP	1-890-7771	\$63.45 per box
L1	1-890-7772	\$63.45 per box

HEAVY WEIGHT		
STEEL - FINISH	PART NUMBER	LIST (10/BOX)
US3	1-890-8269	\$77.60 per box
US10	1-890-8270	\$77.60 per box
US10A/US10B	1-890-8267	\$77.60 per box
US26D	1-890-8305	\$77.60 per box
USP	1-890-8268	\$77.60 per box

Non-Removable Pins (Medium Security)

Symbol	Description	List
NRP*	Set screw in barrel	\$6.60 ea.
FRP*	Pin spun or riveted at both ends	\$24.75 ea.

*This modification is intended as a deterrent only. It is not to be considered suitable for high-security applications or abusive environments.

Pins Not Regularly Furnished in Complete Hinge

Symbol	Description	List
BP	Brass Pin	\$7.90 - 3" and under \$11.40 - 3-1/2" to 4" \$15.35 - 4-1/2" to 5" \$21.20 - 6"
SP	Stainless Steel Pin	\$7.90 - 3" and under \$11.40 - 3-1/2" to 4" \$15.35 - 4-1/2" to 5" \$21.20 - 6"

Raised Barrel Hinges

- Specify handing and door thickness.
- Not available on 8" x 6" or 8" x 8" hinges.
- Prices apply to both standard and heavyweight hinges.
- **Prices listed for 1-3/8" and 1-3/4" doors only.**
- **For 2" or greater doors add 30%.**

Symbol	Description	List
RBB	Raised Barrel for Mortised Jamb Leaf, Beveled Edge Door Leaves Equal	\$44.75 ea.
RBS	Raised Barrel for Mortised Jamb Leaf, Square Edge Door Leaves Equal	\$44.75 ea.
JSM	Raised Barrel for Jamb Surface Mount, Leaves Equal	\$44.75 ea.



Architectural Hinges

Clear Coat

<u>Symbol</u>	<u>List</u>
CLR	Add 30% to list price of hinge

Round Corners

Round corners (1/4" and 5/8" radius). Specify radius desired; standard radius 1/4".

<u>Symbol</u>	<u>List</u>
RC	\$8.50 ea.

Rust Resistant Undercoat with Painted Finishes

<u>Symbol</u>	<u>List</u>
CP/Plain bearing, all sizes	\$14.15 ea.
Ball bearing, all sizes	\$16.55 ea.

Safety Stud

Security offered to prevent slipping leaves past one another when hinge is closed. Stud attached to one leaf projects into hole in matching leaf.

<u>Symbol</u>	<u>List</u>
SH*	\$19.05 ea.

This feature not necessary on anchor hinges

* This modification is intended as a deterrent only. It is not to be considered suitable for high-security applications or abusive environments.

Reverse Safety Stud

Reverse safety studs extend into reinforcing plate of door & frame to help prevent screw shearing.

<u>Symbol</u>	<u>List</u>
RSS	\$29.40 ea.

Note: Available on steel, stainless steel detention or institutional tip hinges only. Not available on solid brass hinges.

Slip-In Hinges

1277/1278 & BB1277/BB1278 - Add to 1279/BB1279

List: \$105.35 ea.

1577/1578 & BB1577/BB1578 - Add to 1191/BB1191

List: \$105.35 ea.

Special Applications

In the event you do not find the particular hinge which will meet your requirements, we recommend that you contact Hager Companies Sales and Service and provide us with your specification.

Special Screws

All butt hinges are regularly packed with flat Phillips head wood or machine screws or bolts. All other types are special.

Extra for spanner head screws

<u>Description</u>	<u>List</u>
Steel	\$1.50 per screw 12.00 hinge
Brass	\$2.45 per screw 19.60 hinge
Stainless steel	\$5.25 per screw 42.00 hinge

Extra for tamper proof torx screws

<u>Description</u>	<u>List</u>
Steel	\$1.50 per screw 12.00 hinge
Stainless steel	\$1.95 per screw 15.60 hinge



Architectural Hinges

Standard Screw Packs for Full Mortise Architectural Hinges

PART NUMBER	SIZE	FINISH	SCREWS
700, AB700, 1279, BB1279, EC1100, EC1105, 1250 (with or without NRP), ECBB1100	4-1/2" x 4-1/2"	US3, US4, US5, US10, US10A (US11), US10B, US15, US15A, US26, US26D, USP	AMS & AWS
Other than listed above	4-1/2"	Other than listed above	AMS & 1/2 WS
All	3-1/2"	All	AWS & 1/2 MS
All	4"	All	AWS & 1/2 MS
All	5"	All	AMS & 1/2 WS
All hinges with decorative tips	All	All	AWS
Note: Hinge additions listed on pages 5-9 will affect standard screw packaging.			

Prices and Part Numbers for Bulk Packed Screws Contract grade hinges size 4", 4-1/2", and 5"

WOOD SCREWS 1-1/4" x 12 FPHW - STEEL			MACHINE SCREWS 12-24 x 1/2" FPHM - STEEL		
PART NUMBER	FINISH	LIST (100/BOX)	PART NUMBER	FINISH	LIST (100/BOX)
1-810-5824	US3	\$108.80 per box	1-800-7225	US3	\$54.20 per box
1-810-5952	US4	\$108.80 per box	1-800-7275	US4	\$54.20 per box
1-810-6208	US10	\$108.80 per box	1-800-7375	US10	\$54.20 per box
1-810-6336	US10A/US10B	\$108.80 per box	1-800-7425	US10A (US11)/US10B	\$54.20 per box
1-810-6848	US26	\$108.80 per box	1-800-7575	US26	\$54.20 per box
1-810-5696	US26D	\$108.80 per box	1-800-7175	US26D	\$54.20 per box
1-810-6976	USP	\$108.80 per box	1-800-7625	USP	\$54.20 per box
1-810-7232	L1	\$108.80 per box	1-800-7725	L1	\$54.20 per box

WOOD SCREWS 1-1/4" x 12 FPHW - BRASS			MACHINE SCREWS 12-24 x 1/2" FPHM - BRASS		
PART NUMBER	FINISH	LIST (100/BOX)	PART NUMBER	FINISH	LIST (100/BOX)
1-811-5824	US3	\$215.80 per box	1-801-7225	US3	\$108.05 per box
1-811-5952	US4	\$215.80 per box	1-801-7275	US4	\$108.05 per box
1-811-6208	US10	\$215.80 per box	1-801-7375	US10	\$108.05 per box
1-811-6336	US10A/US10B	\$215.80 per box	1-801-7425	US10A (US11)/US10B	\$108.05 per box
1-811-6848	US26	\$215.80 per box	1-801-7575	US26	\$108.05 per box
1-811-5696	US26D	\$215.80 per box	1-801-7175	US26D	\$108.05 per box
1-811-6976	USP	\$215.80 per box	1-801-7625	USP	\$108.05 per box
1-811-7232	L1	\$215.80 per box	1-801-7725	L1	\$108.05 per box

WOOD SCREWS 1-1/4" x 12 FPHW - STAINLESS STEEL			MACHINE SCREWS 12-24 x 1/2" FPHM - STAINLESS STEEL		
PART NUMBER	FINISH	LIST (100/BOX)	PART NUMBER	FINISH	LIST (100/BOX)
1-813-2500	US32	\$215.80 per box	1-803-2500	US32	\$108.05 per box
1-813-2499	US32D	\$215.80 per box	1-803-2499	US32D	\$108.05 per box



Architectural Hinges

Stainless Steel Balls and Raceways

Furnished if desired on steel or brass ball bearing hinges.

Description	List
Standard weight two ball bearing hinge.....	\$22.35 ea.
Heavy weight four ball bearing hinge.....	\$28.25 ea.

Swaging

Swaging, no holes or flat surface, add 30% to list price of hinge.

Tips - Exposed

Symbol	Description	List
ET*	Button tip for three knuckle hinges only.....	N/C
*Exposed Tip	(ET standard on 5 knuckle)	

Tips - Hospital

Symbol	Description	List
HT*	Standard Weight and Heavy Weight Hinges	\$30.10





*Hospital Tip

Tips - Decorator

Regular decorator tips are available on brass or steel hinges, three and five knuckle, for the type and size shown below. To order hinges with regular decorator tips, give the catalog number of the hinge, the size, the finish and the tip style.

Regular Decorator Tips:

For example: BB1199 – 5" x 5" US3 Ball Tip
 BB1279 – 4-1/2" x 4-1/2" US10A Steeple Tip
 AB700 – 4-1/2" x 4-1/2" US3 Ball Tip

REGULAR DECORATOR TIPS (Supplied with all wood screws unless otherwise specified)			LIST
Acorn Tip		Standard Weight - 3-1/2", 4", 4-1/2", 5", and 6" Heavy Weight - 4-1/2", 5", 6", and 8"	\$46.95 \$46.95
Ball Tip		Standard Weight - 3", 3-1/2", 4", 4-1/2", 5", and 6" Heavy Weight - 4-1/2", 5", 6", and 8"	\$29.40 \$29.40
Steeple Tip		Standard Weight - 3", 3-1/2", 4", 4-1/2", 5", and 6" Heavy Weight - 4-1/2", 5", 6", and 8"	\$29.40 \$29.40
Urn Tip		Standard Weight - 3-1/2", 4", 4-1/2", 5", and 6" Heavy Weight - 4-1/2", 5", 6", and 8"	\$46.95 \$46.95

Note: Certain hinge additions/modifications may not be applicable. Please contact Hager Companies Customer Service before ordering.











Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
100 Set Screw Set		PS	360.05	001076		10
251 Full Surface Reinforcing Pivot for 3-1/2" (89 mm) wide hinges (specify handing).		LH US2C	186.80	001119		10
		RH US2C	186.80	001120		
252 Full Surface Reinforcing Pivot for 4" (102 mm) wide hinges, non-handed.		LH US2C	186.80	001121		10
		RH US2C	186.80	001122		
253 Full Surface Reinforcing Pivot for 4-1/2" (114 mm) wide hinges, non-handed.		US2C	186.80	121571	1	10
254 Full Surface Reinforcing Pivot for 5" (127 mm) wide hinges, non-handed.		US2C	186.80	121572	1	10
263 Thru Bolts for reinforcing 1-3/4" (45 mm) doors. Pack of 100		US2C	255.00	001141	1 pack	
265 Molly Jack Nuts (8S JN) for Reinforcing Pivot Pack of 100		US2C	135.90	001143	1 pack of 100	
305 Hinge Reinforcement Plate	4-1/2" (114 mm)	PS	8.45	001153		50
417 Back Plate for Wood Doors Half Surface Hinges or Full Surface Hinges	4-1/2" (114 mm)	USP	30.70	001195	10	100
		US10	30.70	001187		
		US26D	30.70	001190		
	5" (127 mm)	USP	32.55	001203	10	100
		US10	32.55	078619		
		US26D	32.55	001199		
430 Mortar Box		H2H	78.00	001206	1	
451 Double Lipped Strike Center Hung *Other sizes available	5-3/4" (146 mm)	US26D	196.50	001208	1	
452 Double Lipped Strike Center Hung *Other sizes available	6-3/4" (172 mm)	US26D	196.50	001209	1	
453 Double Lipped Strike 1/8" Inset *Other sizes available	5-3/4" (146 mm)	US26D	196.50	001210	1	



Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	454 Double Lipped Strike 1/8" Inset *Other sizes available	6-3/4" (172 mm)	US26D	196.50	001211	1	
	455 Center Hung Combination Rescue Door Stop and Two Way Strike Plates Specify Handing *Other sizes available	5-3/4" (146 mm)	LH US26D RH US26D	561.65 561.65	001218 001219	1	
	456 Center Hung Combination Rescue Door Stop and Two Way Strike Plates Specify Handing *Other sizes available	6-3/4" (172 mm)	LH US26D RH US26D	589.65 589.65	001222 001223	1	
	457 1/8" Inset Combination Rescue Door Stop and Two Way Strike Plates Specify Handing *Other sizes available	5-3/4" (146 mm)	LH US26D RH US26D	561.65 561.65	001224 001225	1	
	458 1/8" Inset Combination Rescue Door Stop and Two Way Strike Plates Specify Handing *Other sizes available	6-3/4" (172 mm)	LH US26D RH US26D	589.65 589.65	001226 001227	1	
*Other Sizes Available:		4 3/4" thru 8 3/4" greater than 8 3/4"	add \$80 to list add \$125 to list				
	495 Forged Bronze - Full Mortise Ball Bearing Adjustable Top Pivot Hinge		US10 US10B US26D	244.65 244.65 244.65	001228 001231 001236	1	
	496 Forged Bronze - Full Mortise Ball Bearing Adjustable Intermediate Pivot Hinge Specify Handing		LH US10 RH US10 LH US10B RH US10B LH US26D RH US26D	351.90 351.90 351.90 351.90 351.90 351.90	001242 001243 001244 001245 001250 001251	1	
	497 Forged Bronze - Full Mortise Ball Bearing Adjustable Bottom Pivot Hinge Specify Handing		LH US10 RH US10 LH US10B RH US10B LH US26D RH US26D	564.80 564.80 564.80 564.80 564.80 564.80	001257 001258 001259 001260 001265 001266	1	



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
500 Brass - Full Mortise - Standard Weight Rack and Pinion Pivot		US4	500.40	001276	1	16
		US26D	514.85	001274		
510 Mortise Application - Hospital Set Wood Floor - Less Release		US26D	347.25	001278	1	10
511 Mortise Application - Hospital Set Masonry Floor - Less Release		US26D	414.10	001281	1	10
512 Surface Application - Hospital Set Masonry Floor - Less Release		US26D	414.10	001283	1	10
550 Brass - Full Mortise - Heavy Weight Rack and Pinion Pivot		US4	598.95	001290	1	10
		US26D	617.80	001288		
551 Brass - Full Mortise - Extra Heavy Weight Rack and Pinion Pivot		US4	658.90	113313	1	10
		US26D	678.30	113311		
600 Mortise Application - Hospital Set Wood Floor		US26D	619.75	001293	1	10
610 Emergency Stop Release		US26D	266.75	001296	1	10
611 Mortise Application - Hospital Set Masonry Floor		US26D	686.45	001298	1	10



Architectural Hinges

Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
612 Surface Application - Hospital Set Masonry Floor		US26D	686.45	001301	1	10
615 Steel - Heavy Weight Pivot Set for Frameless Openings		US26D	146.93	042688	1	10
700 Steel - Full Mortise Standard Weight Plain Bearing Three Knuckle	3-1/2" x 3-1/2" (89 mm x 89 mm)	LS USP US3 US4 US10 US10A (US11) US10B US26 US26D	11.80 8.75 18.45 9.75 11.80 18.45 18.45 18.45 15.65	- 000926 001311 001312 001303 001304 069448 001308 001309	2	100
	4" x 4" (102 mm x 102 mm)	LS USP US3 US4 US10 US10A (US11) US10B US26 US26D	18.05 10.80 19.90 13.90 15.95 19.90 19.90 19.90 17.55	- 001326 001323 005175 001317 001318 046652 001320 001321	3	48
	4-1/2" x 4" (114 mm x 102 mm)	LS USP US3 US4 US10 US10A (US11) US10B US26 US26D	13.80 11.40 20.20 10.60 12.30 20.20 20.20 20.20 15.90	085393 001350 001343 001344 001328 001329 001332 001336 001340	3	48
	4-1/2" x 4-1/2" (114 mm x 114 mm)	LS USP US3 US4 US10 US10A (US11) US10B US26 US26D	12.05 10.40 19.80 10.40 12.05 19.80 19.80 19.80 15.60	- 001390 001372 001376 001352 001355 001360 001364 001367	3	48



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
700	5" x 4"	LS	40.35	-	3	24
Continued	(127 mm x 102 mm)	USP	37.10	001399		
		US3	54.10	-		
		US4	37.10	-		
		US10	40.35	-		
		US10A (US11)	54.10	-		
		US10B	54.10	109332		
		US26	54.10	-		
		US26D	47.75	104223		
	5" x 4-1/2"	LS	47.75	-	3	24
	(127 mm x 114 mm)	USP	39.25	067157		
		US3	65.80	-		
		US4	43.50	123152		
		US10	47.75	038706		
		US10A (US11)	65.80	-		
		US10B	65.80	-		
		US26	65.80	065399		
		US26D	44.55	001403		
	5" x 5"	LS	47.75	-	3	24
	(127 mm x 127 mm)	USP	39.25	042507		
		US3	59.40	-		
		US4	39.25	-		
		US10	47.75	041251		
		US10A (US11)	64.70	115621		
		US10B	64.70	038084		
		US26	64.70	-		
		US26D	44.25	068632		
AB700	3-1/2" x 3-1/2"	LS	43.85	124088	2	100
Steel - Full Mortise	(89 mm x 89 mm)	USP	38.95	045449		
Standard Weight		US3	45.10	044765		
Concealed Anti-Friction Bearing		US4	35.65	016859		
Three Knuckle		US10	44.10	029909		
		US10A (US11)	45.10	012038		
		US10B	45.10	033999		
		US26	45.10	053130		
		US26D	42.05	091472		
	4" x 4"	LS	48.20	-	3	48
	(102 mm x 102 mm)	USP	31.30	001501		
		US3	44.60	001497		
		US4	31.30	001499		
		US10	33.60	098013		
		US10A (US11)	44.60	068298		
		US10B	44.60	034156		
		US26	44.60	022969		
		US26D	38.45	001495		
	4-1/2" x 4"	LS	28.55	085392	3	48
	(114 mm x 102 mm)	USP	24.90	001559		
		US3	34.45	001543		
		US4	24.65	095580		
		US10	25.65	001502		
		US10A (US11)	34.45	001507		
		US10B	34.45	001515		
		US26	34.45	001526		
		US26D	30.80	001533		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
AB700	4-1/2" x 4-1/2"	LS	28.55	122473	3	48
Continued	(114 mm x 114 mm)	USP	24.90	001682		
		US3	34.45	001645		
		US4	24.65	001654		
		US10	25.65	001574		
		US10A (US11)	34.45	001585		
		US10B	34.45	001597		
		US26	34.45	001607		
		US26D	30.80	001620		
	5" x 4"	LS	48.40	-	3	24
	(127 mm x 102 mm)	USP	41.10	069644		
		US3	62.95	046335		
		US4	45.25	017201		
		US10	47.85	047777		
		US10A (US11)	62.95	033653		
		US10B	62.95	047266		
		US26	62.95	001706		
		US26D	55.10	001709		
	5" x 4-1/2"	LS	51.60	-	3	24
	(127 mm x 114 mm)	USP	46.35	001748		
		US3	71.80	001738		
		US4	49.00	091318		
		US10	51.60	098518		
		US10A (US11)	71.80	097200		
		US10B	71.80	028451		
		US26	71.80	019133		
		US26D	55.10	001727		
	5" x 5"	LS	51.60	-	3	24
	(127 mm x 127 mm)	USP	46.35	001773		
		US3	63.90	020279		
		US4	46.35	017173		
		US10	46.35	001758		
		US10A (US11)	65.40	008276		
		US10B	65.40	048588		
		US26	65.40	016080		
		US26D	48.50	025276		
	4-1/2" x 5"	LS	110.70	-	3	24
	(114 mm x 127 mm)	USP	108.25	065577		
		US3	124.00	069940		
		US10	110.70	043251		
		US10A (US11)	124.00	030958		
		US10B	124.00	007941		
		US26	124.00	069304		
		US26D	116.00	001446		
	4-1/2" x 6"	LS	110.70	-	3	24
	(114 mm x 152 mm)	USP	108.25	023667		
		US3	124.00	026730		
		US10	110.70	065978		
		US10A (US11)	124.00	065835		
		US10B	124.00	075797		
		US26	124.00	062172		
		US26D	116.00	001458		



WTAB700
Wide Throw Hinge
Steel - Full Mortise
Standard Weight
Concealed Anti-Friction Bearing
Three Knuckle



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTAB700	4-1/2" x 7"	LS	121.65	-	3	24
Continued	(114 mm x 178 mm)	USP	119.35	032001		
		US3	136.15	011172		
		US10	121.65	091490		
		US10A (US11)	136.15	047357		
		US10B	136.15	104122		
		US26	136.15	001467		
		US26D	127.50	039039		
	4-1/2" x 8"	LS	119.35	-	3	24
	(114 mm x 203 mm)	USP	118.95	046359		
		US3	136.15	011806		
		US10	121.65	-		
		US10A (US11)	136.15	063050		
		US10B	136.15	104121		
		US26	136.15	081758		
		US26D	127.25	001469		
	5" x 6"	LS	158.60	-	3	24
	(127 mm x 152 mm)	USP	150.95	110219		
		US3	188.70	054746		
		US10	158.60	077240		
		US10A (US11)	188.70	-		
		US10B	188.70	030049		
		US26	188.70	-		
		US26D	173.65	047936		
	5" x 7"	LS	158.60	-	3	24
	(127 mm x 178 mm)	USP	150.95	134948		
		US3	188.70	-		
		US10	158.60	-		
		US10A (US11)	188.70	044063		
		US10B	188.70	045970		
		US26	188.70	-		
		US26D	173.90	088534		
	5" x 8"	LS	155.50	-	3	24
	(127 mm x 203 mm)	USP	148.00	-		
		US3	185.00	-		
		US10	155.50	-		
		US10A (US11)	185.00	085769		
		US10B	185.00	104124		
		US26	185.00	-		
		US26D	170.50	040817		
AB701	4-1/2" (114 mm)	USP	73.35	001851	3	48
Steel - Half Mortise		US10	79.05	003060		
Standard Weight		US10A (US11)	114.95	060882		
Concealed Anti-Friction Bearing		US10B	114.95	-		
Three Knuckle		US26D	88.15	092567		
AB702	4-1/2" (114 mm)	USP	89.45	001859	3	48
Steel - Full Surface		US10	107.65	-		
Standard Weight		US10A (US11)	140.40	-		
Concealed Anti-Friction Bearing		US10B	140.40	141799		
Three Knuckle		US26D	122.20	016632		
AB703	4-1/2" (114 mm)	USP	97.80	097744	3	48
Steel - Half Surface		US10	106.90	072359		
Standard Weight		US10A (US11)	153.35	030194		
Concealed Anti-Friction Bearing		US10B	153.35	074016		
Three Knuckle		US26D	118.80	001866		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
AB750	4-1/2" x 4"	LS	70.15	-	3	24
Steel - Full Mortise		USP	64.90	096935		
Heavy Weight		US3	86.85	073827		
Concealed Anti-Friction Bearing		US4	64.90	071658		
Three Knuckle		US10	64.85	001909		
		US10A (US11)	86.85	001911		
		US10B	86.85	065832		
		US26	86.85	001914		
		US26D	55.15	092641		
	4-1/2" x 4-1/2"	LS	68.40	114475	3	24
		USP	64.90	002006		
		US3	81.40	001982		
		US4	64.90	001987		
		US10	64.85	001936		
		US10A (US11)	81.40	001944		
		US10B	81.40	001956		
		US26	81.40	001965		
		US26D	55.15	001970		
	5" x 4-1/2"	LS	81.65	-	3	24
		USP	76.55	002093		
		US3	94.65	002078		
		US4	76.55	002081		
		US10	75.30	092589		
		US10A (US11)	94.65	002044		
		US10B	94.65	002055		
		US26	94.65	016351		
		US26D	77.20	002064		
	5" x 5"	LS	82.20	-	3	24
		USP	79.55	023577		
		US3	105.20	030368		
		US4	79.55	002131		
		US10	82.20	002109		
		US10A (US11)	105.20	002113		
		US10B	105.20	017886		
		US26	105.20	006052		
		US26D	78.75	002125		
WTAB750	4-1/2" x 5"	LS	160.00	-	3	24
Wide Throw	(114 x 127 mm)	USP	173.50	115754		
Steel		US3	195.00	-		
Full Mortise		US10	160.00	065696		
Heavy Weight		US10A (US11)	195.00	093406		
Concealed Anti-Friction Bearing		US10B	195.00	076857		
Three Knuckle		US26	195.00	092976		
		US26D	165.00	022959		
	4-1/2" x 6"	LS	160.75	-	3	24
	(114 mm x 152 mm)	USP	174.25	063855		
		US3	196.00	043920		
		US10	160.75	045850		
		US10A (US11)	196.00	090251		
		US10B	196.00	086471		
		US26	196.00	089046		
		US26D	168.25	097881		







Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTAB750	4-1/2" x 7"	LS	216.25	-	3	24
Continued	(114 mm x 178 mm)	USP	234.60	-		
		US3	263.95	-		
		US10	216.25	071083		
		US10A (US11)	263.95	100602		
		US10B	263.95	008253		
		US26	263.95	-		
		US26D	226.45	067308		
	4-1/2" x 8"	LS	221.50	-	3	24
	(114 mm x 203 mm)	USP	240.00	130101		
		US3	270.00	116852		
		US10	221.50	-		
		US10A (US11)	270.00	-		
		US10B	270.00	106119		
		US26	270.00	-		
		US26D	231.75	003472		
	5" x 6"	LS	216.00	-	3	24
	(127 mm x 152 mm)	USP	234.00	082907		
		US3	262.00	010751		
		US10	216.00	021555		
		US10A (US11)	262.00	010915		
		US10B	262.00	099390		
		US26	262.00	-		
		US26D	224.00	001905		
	5" x 7"	LS	219.25	-	3	24
	(127 mm x 178 mm)	USP	237.50	082905		
		US3	265.75	055700		
		US10	219.25	107846		
		US10A (US11)	265.75	-		
		US10B	265.75	141294		
		US26	265.75	-		
		US26D	227.25	045843		
	5" x 8"	LS	228.75	-	3	24
	(127 mm x 203 mm)	USP	247.75	069579		
		US3	277.50	-		
		US10	228.75	-		
		US10A (US11)	277.50	109588		
		US10B	277.50	000774		
		US26	277.50	-		
		US26D	237.00	020835		
IHTAB750	4-1/2" x 4-1/2"	LS	114.30	082386	3	24
MADE IN USA	(114 mm x 114 mm)	USP	135.00	081222		
Steel - Full Mortise		US26D	119.70	081223		
Concealed Anti-Friction Bearing	5" x 4-1/2"	LS	125.05	-	3	24
Heavy Weight	(127 x 114 mm)	USP	143.50	005416		
Institutional or Prison;		US26D	131.25	089127		
Welded Hospital Tip						
Three Knuckle						
TORX Screws - add \$12 to list						
AB751	4-1/2" (114 mm)	USP	202.05	093988	3	36
Steel - Half Mortise		US10	212.45	-		
Concealed Anti-Friction Bearing		US10A (US11)	285.25	120634		
Heavy Weight		US10B	285.25	120635		
		US26D	248.05	002195		



Architectural Hinges

Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
 AB751 Continued	5" (127 mm)	USP	257.80	070348	3	24
		US10	270.75	-		
		US10A (US11)	352.65	-		
		US10B	352.65	-		
		US26D	306.75	016683		
 AB752 Steel - Full Surface Concealed Anti-Friction Bearing Heavy Weight Three Knuckle	4-1/2" (114 mm)	USP	331.05	020969	3	36
		US10	386.65	-		
		US10A (US11)	452.70	-		
		US10B	452.70	136055		
		US26D	405.60	018283		
	5" (127 mm)	USP	399.90	110383	3	24
		US10	419.90	-		
		US10A (US11)	560.30	-		
		US10B	560.30	-		
		US26D	487.25	073873		
 AB753 Steel Half Surface Concealed Anti-Friction Bearing Three Knuckle Heavy Weight	4-1/2" (114 mm)	USP	131.30	002220	3	36
		US10	153.40	126783		
		US10A (US11)	179.70	-		
		US10B	179.70	119027		
		US26D	143.55	094539		
	5" (127 mm)	USP	150.80	020673	3	24
		US10	176.30	-		
		US10A (US11)	204.90	-		
		US10B	204.90	074015		
		US26D	164.35	006188		
 800 Brass or Stainless Full Mortise Standard Weight Plain Bearing Three Knuckle	3-1/2" x 3-1/2" (89 mm x 89 mm)	US3	89.45	002239	2	100
		US10	70.00	125628		
		US10B	89.45	002236		
		US26	89.45	018814		
		US26D	79.95	017876		
		US32D	84.60	002240		
	4" x 4" (102 mm x 102 mm)	US3	77.65	002247	3	48
		US10	66.90	131214		
		US10B	77.65	013109		
		US26	101.75	032743		
		US26D	79.45	002246		
		US32D	82.30	002249		
	4-1/2" x 4" (114 mm x 102 mm)	US3	76.90	024497	3	48
		US10	57.60	-		
		US10B	76.90	023835		
		US26	76.90	-		
		US26D	67.95	032689		
		US32D	71.30	071727		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	75.75	002279	3	48
		US10	53.75	005530		
		US10B	75.75	002268		
		US26	75.75	002271		
		US26D	66.30	002274		
		US32D	71.30	002284		
	5" x 4" (127 mm x 102 mm)	US3	117.00	-	3	24
		US10	94.40	-		
		US10B	117.00	061899		
		US26	117.00	-		
		US26D	102.65	092717		
		US32D	129.90	097552		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
800 Continued	5" x 4-1/2" (127 x 114 mm)	US3	119.60	019910	3	24
		US10	95.45	-		
		US10B	119.60	067358		
		US26	119.60	-		
		US26D	103.00	107933		
		US32D	130.95	006935		
	5" x 5" (127 mm x 127 mm)	US3	121.20	016629	3	24
		US10	95.45	-		
		US10B	121.20	126436		
		US26	121.20	103826		
		US26D	106.35	085018		
		US32D	131.60	019417		
AB800 Brass or stainless Full Mortise Standard Weight Concealed Anti-Friction Bearing Three Knuckle	3-1/2" x 3-1/2" (89 mm x 89 mm)	US3SC	POA	-	2	100
		US3	113.30	053131		
		US10	98.35	-		
		US10B	113.30	026128		
		US26	113.30	062177		
		US26D	93.65	041155		
	4" x 4" (102 mm x 102 mm)	US32D	127.40	038024		
		US3SC	POA	-	3	48
		US3	113.30	033633		
		US10	98.35	002339		
		US10B	113.30	002340		
		US26	113.30	002345		
	4-1/2" x 4" (114 mm x 102 mm)	US26D	93.65	002347		
		US32D	127.40	002349		
		US3SC	POA	-	3	48
		US3	94.10	002371		
		US10	68.80	002353		
		US10B	94.10	002354		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US26	94.10	031110		
		US26D	78.65	002366		
		US32D	81.40	002379		
		US3SC	POA	-	3	48
		US3	94.10	002430		
		US10	68.80	002390		
	5" x 4" (127 mm x 102 mm)	US10B	94.10	002397		
		US26	94.10	095263		
		US26D	78.65	002416		
		US32D	81.40	002441		
		US3SC	POA	-	3	24
		US3	139.90	138239		
	5" x 4-1/2" (127 mm x 114 mm)	US10	108.95	014350		
		US10B	139.90	053030		
		US26	139.90	-		
		US26D	126.25	041703		
		US32D	130.80	002477		
		US3SC	POA	-	3	24
	5" x 5" (127 mm x 127 mm)	US3	139.90	-		
		US10	108.95	129221		
		US10B	139.90	037911		
		US26	139.90	-		
		US26D	103.00	096274		
		US32D	130.80	002500		
	5" x 5" (127 mm x 127 mm)	US3SC	POA	-	3	24
		US3	139.90	032238		
		US10	108.95	129222		
		US10B	139.90	021424		
		US26	139.90	065762		
		US26D	126.40	009938		
		US32D	130.80	095163		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTAB800	4-1/2" x 5"	LS	162.25	-	3	24
Wide Throw	(114 mm x 127 mm)	US3	214.25	051926		
Brass or Stainless		US10	162.25	074633		
Full Mortise		US10B	214.25	002306		
Standard Weight		US26	214.25	-		
Concealed Anti-Friction Bearing		US26D	184.00	081811		
Three Knuckle		US32	226.75	-		
		US32D	226.75	022382		
	4-1/2" x 6"	LS	177.75	-	3	24
	(114 mm x 152 mm)	US3	231.50	016264		
		US10	177.75	144616		
		US10B	231.50	047131		
		US26	231.50	114753		
		US26D	209.75	015281		
		US32	243.75	065657		
		US32D	243.75	078170		
	4-1/2" x 7"	LS	186.75	-	3	24
	(114 mm x 178 mm)	US3	243.25	121348		
		US10	186.75	-		
		US10B	243.25	021385		
		US26	243.25	-		
		US26D	220.25	121347		
		US32	256.00	-		
		US32D	256.00	017222		
	4-1/2" x 8"	LS	189.00	-	3	24
	(114 mm x 203 mm)	US3	243.50	117869		
		US10	189.00	-		
		US10B	243.50	115804		
		US26	243.50	143234		
		US26D	212.50	037781		
		US32	255.75	143233		
		US32D	255.75	113887		
	5" x 6"	LS	344.75	-	3	24
	(127 mm x 152 mm)	US3	451.50	-		
		US10	344.75	-		
		US10B	451.50	043722		
		US26	451.50	-		
		US26D	399.00	122338		
		US32	479.25	-		
		US32D	479.25	045622		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTAB800	5" x 7"	LS	362.00	-	3	24
Continued	(127 mm x 178 mm)	US3	474.25	-		
		US10	362.00	140083		
		US10B	474.25	-		
		US26	474.25	-		
		US26D	411.25	-		
		US32	502.50	140555		
		US32D	502.50	140540		
	5" x 8"	LS	399.75	-	3	24
	(127 mm x 203 mm)	US3	493.60	-		
		US10	399.75	-		
		US10B	493.60	-		
		US26	493.60	-		
		US26D	431.25	-		
		US32	515.25	-		
		US32D	515.25	088291		
AB801	4-1/2" (114 mm)	US26D	266.15	002551	3	48
Brass or Stainless		US32D	319.30	002553		
Half Mortise	5" (127 mm)	US26D	358.80	-	3	24
Standard Weight		US32D	417.30	114328		
Concealed Anti-Friction Bearing						
Three Knuckle						
AB802	4-1/2" (114 mm)	US26D	266.15	005532	3	48
Brass or Stainless		US32D	319.30	002558		
Full Surface	5" (127 mm)	US26D	358.80	141526	3	24
Standard Weight		US32D	417.30	046137		
Concealed Anti-Friction Bearing						
Three Knuckle						
AB803	4-1/2" (114 mm)	US26D	266.15	005101	3	48
Brass or Stainless		US32D	319.30	014229		
Half Surface	5" (127 mm)	US26D	358.80	060966	3	24
Standard Weight		US32D	417.30	025450		
Concealed Anti-Friction Bearing						
Three Knuckle						



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
AB850	4-1/2" x 4"	US3SC	POA	-	3	24
Brass or Stainless	(114 mm x 102 mm)	US3	134.25	046338		
Full Mortise		US10	107.60	045488		
Heavy Weight		US10B	134.25	001714		
Concealed Anti-Friction Bearing		US26	150.20	-		
Three Knuckle		US26D	118.00	002599		
		US32D	129.55	093039		
	4-1/2" x 4-1/2"	US3SC	POA	-	3	24
	(114 mm x 114 mm)	US3	150.45	098711		
		US10	111.05	002615		
		US10B	150.45	094812		
		US26	154.95	002631		
		US26D	114.95	002638		
		US32D	117.00	002654		
	5" x 4"	US3SC	POA	-	3	24
	(127 mm x 102 mm)	US3	194.25	-		
		US10	163.30	014351		
		US10B	194.25	100720		
		US26	194.25	081818		
		US26D	152.40	057422		
		US32D	167.70	002683		
	5" x 4-1/2"	US3SC	POA	-	3	24
	(127 mm x 114 mm)	US3	173.00	091548		
		US10	143.75	008334		
		US10B	173.00	002691		
		US26	173.00	002700		
		US26D	137.60	002704		
		US32D	150.80	002721		
	5" x 5"	US3SC	POA	-	3	24
	(127 mm x 127 mm)	US3	173.00	032239		
		US10	143.75	033916		
		US10B	173.00	095231		
		US26	173.00	112488		
		US26D	150.80	002743		
		US32D	152.80	024905		
	6" x 4-1/2"	US3	451.40	124252	3	24
	(152 mm x 114 mm)	US10	358.80	025004		
		US10B	451.40	043245		
		US26	451.40	-		
		US26D	398.60	074191		
		US32D	437.25	002758		
	6" x 5"	US3	451.40	-	3	24
	(152 mm x 127 mm)	US10	358.80	-		
		US10B	451.40	034166		
		US26	451.40	-		
		US26D	398.60	022892		
		US32D	437.25	001925		
	6" x 6"	US26D	419.65	026100	3	24
	(152 mm x 152 mm)	US32D	460.50	002771		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTAB850	4-1/2" x 5"	LS	534.20	-	3	24
Wide Throw	(114 mm x 127 mm)	US3	665.60	119032		
Brass or Stainless Steel		US10	534.20	089830		
Full Mortise		US10B	665.60	041693		
Heavy Weight		US26	665.60	-		
Concealed Anti-Friction Bearing		US26D	590.40	014202		
Three Knuckle		US32	718.50	-		
		US32D	718.50	073360		
	4-1/2" x 6"	LS	560.65	-	3	24
	(114 mm x 152 mm)	US3	686.20	119033		
		US10	560.65	-		
		US10B	686.20	030057		
		US26	686.20	-		
		US26D	619.20	004168		
		US32	739.10	-		
		US32D	739.10	024258		
	4-1/2" x 7"	LS	576.55	-	3	24
	(114 mm x 178 mm)	US3	703.65	146198		
		US10	576.55	-		
		US10B	703.65	062830		
		US26	703.65	-		
		US26D	641.50	147246		
		US32	756.75	-		
		US32D	756.75	017221		
	4-1/2" x 8"	LS	602.65	-	3	24
	(114 mm x 203 mm)	US3	731.05	-		
		US10	602.65	126847		
		US10B	731.05	113225		
		US26	731.05	-		
		US26D	650.40	025417		
		US32	786.35	-		
		US32D	786.35	035073		
	5" x 6"	LS	660.00	-	3	24
	(127 mm x 152 mm)	US3	770.00	095930		
		US10	660.00	-		
		US10B	770.00	011469		
		US26	770.00	-		
		US26D	710.00	-		
		US32	850.00	099689		
		US32D	850.00	045352		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTAB850	5" x 7"	LS	660.00	-	3	24
Continued	(127 mm x 178 mm)	US3	797.50	-		
		US10	660.00	-		
		US10B	797.50	104539		
		US26	797.50	-		
		US26D	715.00	-		
		US32	769.00	-		
		US32D	769.00	081554		
	5" x 8"	LS	710.00	-	3	24
	(127 mm x 203 mm)	US3	830.50	106302		
		US10	710.00	-		
		US10B	830.50	019906		
		US26	830.50	-		
		US26D	743.00	-		
		US32	907.50	-		
		US32D	907.50	015599		
IHTAB850	4-1/2" x 4-1/2"	US32D	128.05	079272	3	24
MADE IN USA	(114 x 114 mm)					
Stainless - Full Mortise	5" x 4-1/2"	US32D	176.30	095240	3	24
Heavy Weight	(127 mm x 114 mm)					
Concealed Anti-Friction Bearing						
Institutional or Prison						
Welded Hospital Tip						
Three Knuckle						
TORX Screws - add \$16.50 to list						
AB851	4-1/2" (114 mm)	US26D	640.30	085147	3	36
Brass or Stainless		US32D	914.55	002796		
Half Mortise	5" (127 mm)	US26D	749.60	054599	3	24
Heavy Weight		US32D	1071.05	031247		
Concealed Anti-Friction Bearing	6" (152 mm)	US26D	1033.20	-	3	12
		US32D	1343.05			
AB852	4-1/2" (114 mm)	US26D	621.05	025134	3	36
Brass or Stainless		US32D	886.95	002809		
Full Surface	5" (127 mm)	US26D	728.00	072313	3	24
Heavy Weight		US32D	1040.50	069984		
Concealed Anti-Friction Bearing	6" (152 mm)	US26D	1033.20	110834	3	12
		US32D	1343.05	076455		
AB853	4-1/2" (114 mm)	US26D	698.25	054923	3	36
Brass or Stainless		US32D	914.55	098010		
Half Surface	5" (127 mm)	US26D	817.10	072526	3	24
Heavy Weight		US32D	1071.05	014097		
Concealed Anti-Friction Bearing	6" (152 mm)	US26D	1032.60	022454	3	12
		US32D	1342.15	074529		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
920	4-1/2" x 4"	LH USP	12.85	002850	3	48
Steel	(114 mm x 102 mm)	RH USP	12.85	002851		
Full Mortise		LH US10	16.10	002828		
Standard Weight		RH US10	16.10	002830		
Plain Bearing		LH US10A (US11)	31.25	074625		
Two Knuckle		RH US10A (US11)	31.25	002833		
Specify Handing		LHUS10B	31.25	073260		
		RH US10B	31.25	073258		
		LH US26D	22.80	002836		
		RH US26D	22.80	002837		
	4-1/2" x 4-1/2"	LH USP	12.85	002888	3	48
	(114 mm x 114 mm)	RH USP	12.85	002889		
		LH US10	16.10	002852		
		RH US10	16.10	002853		
		LH US10A (US11)	31.25	002854		
		RH US10A (US11)	31.25	002856		
		LHUS10B	31.25	002858		
		RH US10B	31.25	002859		
		LH US26D	22.80	002867		
		RH US26D	22.80	002869		
AB920	4-1/2" x 4"	LH USP	25.70	002914	3	48
Steel	(114 mm x 102 mm)	RH USP	25.70	002915		
Full Mortise		LH US10	27.95	002890		
Standard Weight		RH US10	27.95	002892		
Concealed Anti-Friction Bearing		LH US10A (US11)	43.75	002894		
Two Knuckle		RH US10A (US11)	43.75	002895		
Specify Handing		LHUS10B	43.75	017887		
Available with ETW		RH US10B	43.75	017888		
		LH US26D	32.45	002900		
		RH US26D	32.45	002901		
	4-1/2" x 4-1/2"	LH USP	25.70	002958	3	48
	(114 mm x 114 mm)	RH USP	25.70	002963		
		LH US10	27.95	002918		
		RH US10	27.95	002919		
		LH US10A (US11)	43.75	002921		
		RH US10A (US11)	43.75	002924		
		LHUS10B	43.75	002926		
		RH US10B	43.75	002927		
		LH US26D	32.45	002936		
		RH US26D	32.45	002937		






Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
AB923	4-1/2" x 4"	LH US3	91.40	037373	3	48
Brass or Stainless	(114 mm x 102 mm)	RH US3	91.40	037374		
Full Mortise		LH US4	71.60	-		
Standard Weight		RH US4	71.60	-		
Concealed Anti-Friction Bearing		LH US10	71.60	053643		
Two Knuckle		RH US10	71.60	053640		
Specify Handing		LH US10B	91.40	064730		
Available with ETW		RH US10B	91.40	064731		
		LH US26	91.40	048404		
		RH US26	91.40	048405		
		LH US26D	81.25	057100		
		RH US26D	81.25	057102		
		LH US32	106.45	039538		
		RH US32	106.45	085667		
		LH US32D	106.45	040225		
		RH US32D	106.45	031930		
	4-1/2" x 4-1/2"	LH US3	91.40	048410	3	48
	(114 mm x 114 mm)	RH US3	91.40	048411		
		LH US4	71.60	-		
		RH US4	71.60	-		
		LH US10	71.60	041925		
		RH US10	71.60	041924		
		LH US10B	91.40	027478		
		RH US10B	91.40	027479		
		LH US26	91.40	020180		
		RH US26	91.40	035847		
		LH US26D	81.25	039586		
		RH US26D	81.25	027480		
		LH US32	106.45	030201		
		RH US32	106.45	030202		
		LH US32D	106.45	021425		
		RH US32D	106.45	021427		










Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	AB930	4-1/2" x 4-1/2"	LH USP	66.75	025731	3	24
	Steel	(114 mm x 114 mm)	RH USP	66.75	025733		
	Full Mortise		LH US10	77.90	077404		
	Heavy Weight		RH US10	77.90	077403		
	Two Knuckle		LH US10A (US11)	94.85	041175		
	Concealed Anti-Friction Bearing		RH US10A (US11)	94.85	042218		
	Specify Handing		LH US10B	94.85	014739		
	Available with ETW		RH US10B	94.85	014740		
			LH US26D	73.65	026754		
			RH US26D	73.65	026705		
	AB933	4-1/2" x 4-1/2"	LH US3	136.50	029686	3	24
	Brass or Stainless	(114 mm x 114 mm)	RH US3	136.50	045591		
	Full Mortise		LH US4	111.65	123743		
	Heavy Weight		RH US4	111.65	106820		
	Two Knuckle		LH US10	111.65	-		
	Concealed Anti-Friction Bearing		RH US10	111.65	-		
	Specify Handing		LH US10B	136.50	027506		
	Available with ETW		RH US10B	136.50	067676		
			LH US26	136.50	036291		
			RH US26	136.50	079694		
			LH US26D	120.40	054219		
			RH US26D	120.40	054119		
			LH US32	159.30	-		
			RH US32	159.30	-		
			LH US32D	159.30	043454		
			RH US32D	159.30	043455		
	IHTHB953	4-1/2" x 4-1/2"	US32D	127.40	051344	3	24
	Stainless Steel	(114 mm x 114 mm)					
	Full Mortise						
	Heavy Weight						
	Concealed Bearing						
	Institutional or Prison						
	Welded Hospital Tip						
	Standard with RSS and Torx Screws						



Architectural Hinges


	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	990	3" x 4" (76 mm x 102 mm)	USP	163.00	079393	2	10
	Steel						
	Detention						
	Utility Hinge						
	Full Surface						
	Welded Tip						
	992	3" x 4" (76 mm x 102 mm)	USP	364.05	079398	1	12
	Steel						
	Detention						
	Food Pass Through Hinge						
	Full Surface With Stop						
	Welded Tip						
	Set of 2 hinges with 2 stops						
	BB1109	4-1/2" (114 mm)	US10	134.65	004145	3	48
	Brass or Stainless		US10B	168.20	085217		
	Half Mortise		US26D	144.95	004149		
	Standard Weight		US32D	196.25	004154		
	Ball Bearing	5" (127 mm)	US10	176.30	045318	3	24
			US10B	199.25	-		
			US26D	171.95	004165		
			US32D	236.85	004170		
	1129	4-1/2" (114 mm)	USP	26.95	004186	3	48
	Steel		US10	31.15	004175		
	Half Mortise		US10A (US11)	46.25	007852		
	Standard Weight		US10B	46.25	065372		
	Plain Bearing		US26D	35.30	004180		
	BB1129	4-1/2" (114 mm)	USP	59.65	004209	3	48
	Steel		US10	64.15	004188		
	Half Mortise		US10A (US11)	93.80	004190		
	Standard Weight		US10B	93.80	004193		
	Ball Bearing		US26D	71.95	004197		
		5" (127 mm)	USP	83.90	004223	3	24
			US10	99.10	004215		
			US10A (US11)	124.85	113352		
			US10B	124.85	015737		
			US26D	107.50	004218		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1138	4-1/2" (114 mm)	26D	167.25	004235	3	36
Steel		USP	128.40	004241		
Half Mortise		US10	134.90	018079		
Heavy Weight		US10A (US11)	192.25	-		
Ball Bearing		US10B	192.25	022712		
	5" (127 mm)	26D	178.75	004250	3	24
		USP	164.35	004254		
		US10	176.25	004245		
		US10A (US11)	212.10	007305		
		US10B	212.10	-		
	6" x 1-3/4" (152 mm x 45 mm)	26D	622.20	016401	3	12
		USP	504.05	040951		
		US10	529.25	-		
		US10A (US11)	715.50	-		
		US10B	715.50	100343		
1150	4-1/2" x 4" (114 mm x 102 mm)	US32	148.85	047217	3	48
Stainless Steel		US32D	140.45	023378		
Full Mortise		10Z	182.55	177119	3	48
Standard Weight	4-1/2" x 4-1/2" (114 mm x 114 mm)	US32	148.85	028073	3	48
Spring Hinge		US32D	140.45	023379		
		10Z	182.55	177118	3	48
BB1160	5" x 4-1/2" (127 mm x 114 mm)	LH USP	219.60	004227	1	10
Steel		RH USP	219.60	004228		
Full Mortise		LH US10	271.20	050338		
Heavy Weight		RH US10	271.20	050326		
Ball Bearing		LH US10A (US11)	332.45	006254		
Anchor Hinge		RH US10A (US11)	332.45	006654		
Specify Handing		LH US10B	332.45	-		
NRP Standard		RH US10B	332.45	-		
		LH US26D	266.30	075799		
		RH US26D	266.30	075798		
BB1162	5" x 4-1/2" (127 mm x 114 mm)	LH USP	219.60	064527	1	10
Steel		RH USP	219.60	064368		
Full Mortise		LH US10	271.20	007231		
Heavy Weight		RH US10	271.20	007230		
Ball Bearing		LH US10A (US11)	332.45	052985		
Anchor Hinge		RH US10A (US11)	332.45	052978		
Specify Handing		LH US10B	332.45	091567		
NRP Standard		RH US10B	332.45	091568		
		LH US26D	266.30	062572		
		RH US26D	266.30	062573		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1163	4-1/2" (114 mm)	LS	125.05	042617	3	36
Steel		USP	107.10	004316		
Half Surface		US3	146.45	023227		
Heavy Weight		US10	125.05	004299		
Ball Bearing		US10A (US11)	146.45	004301		
		US10B	146.45	018544		
		US26	146.45	017557		
		US26D	117.15	004306		
	5" (127 mm)	LS	143.75	-	3	24
		USP	123.05	004328		
		US3	167.25	035797		
		US10	143.75	034771		
		US10A (US11)	167.25	082389		
		US10B	167.25	043379		
		US26	167.25	113652		
		US26D	133.95	004321		
	6" x 1-3/4" (152 mm x 45 mm)	USP	489.60	004335	3	12
		US10	515.30	042171		
		US10A (US11)	619.15	-		
		US10B	619.15	139351		
		US26D	538.35	004332		
BB1165	5" x 4-1/2" (127 mm x 114 mm)	LH USP	219.60	023326	1	10
Steel		RH USP	219.60	077148		
Full Mortise		LH US10	271.20	049205		
Heavy Weight		RH US10	271.20	049206		
Ball Bearing		LH US10A (US11)	332.45	000822		
Anchor Hinge		RH US10A (US11)	332.45	000823		
Specify Handing		LH US10B	332.45	024967		
NRP Standard		RH US10B	332.45	024968		
		LH US26D	266.30	065414		
		RH US26D	266.30	065415		
BB1166	5" x 4-1/2" (127 mm x 114 mm)	LH USP	226.90	062019	1	10
Steel		RH USP	226.90	062022		
Full Mortise		LH US10	280.35	105791		
Heavy Weight		RH US10	280.35	029041		
Ball Bearing		LH US10A (US11)	343.60	112720		
Anchor Hinge		RH US10A (US11)	343.60	112721		
Beveled Edge Doors		LH US10B	343.60	078375		
Specify Handing		RH US10B	343.60	090234		
NRP Standard		LH US26D	275.20	062321		
		RH US26D	275.20	062320		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1167	5" x 4-1/2"	LH USP	227.90	065571	1	10
Steel	(127 mm x 114 mm)	RH USP	227.90	065572		
Full Mortise		LH US10	281.55	001853		
Heavy Weight		RH US10	281.55	001854		
Ball Bearing		LH US10A (US11)	345.15	014464		
Anchor Hinge		RH US10A (US11)	345.15	014474		
Beveled Edge Doors		LH US10B	345.15	-		
Specify Handing		RH US10B	345.15	067685		
NRP Standard		LH US26D	276.45	070342		
		RH US26D	276.45	070341		
BB1168	4-1/2" x 4"	LS	57.25	-	3	24
Steel	(114 mm x 102 mm)	USP	62.80	004540		
Full Mortise		US3	70.95	004529		
Heavy Weight		US10	57.90	004501		
Ball Bearing		US10A (US11)	70.95	004505		
		US10B	70.95	004510		
		US15	70.95	084310		
		US26	70.95	004512		
		US26D	53.05	004517		
	4-1/2" x 4-1/2"	LS	55.95	004735	3	24
	(114 mm x 114 mm)	USP	62.55	004744		
		US3	66.45	004671		
		US10	56.00	004547		
		US10A (US11)	66.45	004564		
		US10B	66.45	004585		
		US15	66.45	004592		
		US26	66.45	004601		
		US26D	52.05	004616		
	5" x 4"	LS	66.50	-	3	24
	(127 mm x 102 mm)	USP	73.50	004794		
		US3	88.20	010504		
		US10	64.95	071777		
		US10A (US11)	88.20	004779		
		US10B	88.20	059153		
		US15	88.20	035760		
		US26	88.20	047535		
		US26D	64.10	004785		
	5" x 4-1/2"	LS	66.50	128700	3	24
	(127 mm x 114 mm)	USP	73.50	004922		
		US3	88.20	004881		
		US10	64.95	004802		
		US10A (US11)	88.20	004813		
		US10B	88.20	004826		
		US15	88.20	004830		
		US26	88.20	004836		
		US26D	64.10	004850		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1168 Continued	5" x 5" (127 mm x 127 mm)	LS	65.80	-	3	24
		USP	72.75	005029		
		US3	87.35	004998		
		US10	64.25	004947		
		US10A (US11)	87.35	004956		
		US10B	87.35	004974		
		US15	87.35	022614		
		US26	87.35	004975		
		US26D	63.45	004981		
	6" x 4-1/2" (152 mm x 114 mm)	LS	199.40	-	3	12
		USP	192.95	005069		
		US3	245.85	005064		
		US10	199.40	035454		
		US10A (US11)	245.85	057799		
		US10B	245.85	068270		
		US15	245.85	033562		
		US26	245.85	005054		
		US26D	208.90	005057		
	6" x 5" (152 mm x 127 mm)	USP	192.95	005102	3	12
		US10	199.40	007229		
		US10A (US11)	245.85	020131		
		US10B	245.85	078457		
		US15	245.85	030967		
	6" x 6" (152 mm x 152 mm)	US26D	208.90	005086		
		USP	185.50	005128	3	12
		US10	191.70	030639		
		US10A (US11)	236.40	011627		
		US10B	236.40	065303		
	8" x 6" (203 mm x 152 mm)	US15	236.40	016874		
		US26D	200.85	005113		
		USP	445.55	005145	3	12
		US10	460.55	026481		
		US10A (US11)	567.90	047621		
	8" x 8" (203 mm x 203 mm)	US10B	567.90	039286		
		US15	567.90	-		
		US26D	482.45	064840		
		USP	445.55	005158	3	12
		US10	460.55	079431		
		US10A (US11)	567.90	005148		
		US10B	567.90	017141		
		US15	567.90	-		
		US26D	482.45	005151		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTBB1168 Wide Throw Steel Full Mortise Heavy Weight Ball Bearing	4-1/2" x 5" (114 mm x 127 mm)	LS	130.45	-	3	24
		USP	141.40	097956		
		US3	159.05	004408		
		US10	130.45	012221		
		US10A (US11)	159.05	004403		
		US10B	159.05	007916		
		US26	159.05	015160		
		US26D	134.55	092594		
	4-1/2" x 6" (114 mm x 152 mm)	LS	131.05	-	3	24
		USP	142.15	004427		
		US3	159.90	004422		
		US10	131.05	099482		
		US10A (US11)	159.90	098167		
		US10B	159.90	004417		
		US26	159.90	004419		
		US26D	137.20	004420		
	4-1/2" x 7" (114 mm x 178 mm)	LS	173.05	-	3	24
		USP	187.70	040653		
		US3	211.10	015930		
		US10	173.05	003123		
		US10A (US11)	211.10	010920		
		US10B	211.10	058190		
		US26	211.10	050632		
		US26D	181.20	004435		
	4-1/2" x 8" (114 mm x 203 mm)	LS	180.60	-	3	24
		USP	195.85	004450		
		US3	220.30	078934		
		US10	180.60	045774		
		US10A (US11)	220.30	019132		
		US10B	220.30	062081		
		US26	220.30	066672		
		US26D	189.05	004446		
	5" x 6" (127 mm x 152 mm)	LS	176.25	-	3	24
		USP	190.95	008259		
		US3	213.80	004463		
		US10	176.25	020214		
		US10A (US11)	213.80	031197		
		US10B	213.80	019659		
		US26	213.80	004459		
		US26D	182.70	004461		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTBB1168 Continued	5" x 7" (127 mm x 203 mm)	LS	178.85	-	3	24
		USP	193.80	066742		
		US3	216.80	067657		
		US10	178.85	023928		
		US10A (US11)	216.80	020805		
		US10B	216.80	073756		
		US26	216.80	143181		
		US26D	185.40	004475		
	5" x 8" (127 mm x 203 mm)	LS	186.55	-	3	24
		USP	202.15	004495		
		US3	226.30	008357		
		US10	186.55	034739		
		US10A (US11)	226.30	015855		
		US10B	226.30	026651		
		US26	226.30	057245		
		US26D	193.35	098271		
1173 Steel Half Surface Standard Weight Plain Bearing	3-1/2" (89 mm)	USP	28.55	005304	3	48
		US10	33.00	005292		
		US10A (US11)	41.25	005293		
		US10B	41.25	024439		
		US26D	35.10	005295		
	4" (102 mm)	USP	49.05	005319	3	48
		US10	52.15	005306		
		US10A (US11)	63.30	046712		
		US10B	63.30	044390		
		US26D	53.90	005309		
	4-1/2" (114 mm)	USP	29.70	005337	3	48
		US10	32.55	005321		
		US10A (US11)	48.40	005323		
		US10B	48.40	001848		
		US26D	34.85	005326		
BB1173 Steel Half Surface Standard Weight Ball Bearing	4" (102 mm)	USP	65.30	005356	3	48
		US10	80.35	005349		
		US10A (US11)	103.40	001845		
		US10B	103.40	091863		
		US26D	89.05	005351		
	4-1/2" (114 mm)	USP	50.70	005389	3	48
		US10	57.85	005358		
		US10A (US11)	84.55	005360		
		US10B	84.55	005364		
		US26D	61.10	005367		
	5" (127 mm)	USP	75.80	005410	3	36
		US10	94.90	005395		
		US10A (US11)	119.60	005397		
		US10B	119.60	015735		
		US26D	86.55	005401		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1190	5" x 4-1/2"	LH US10	366.35	004485	1	10
Brass or Stainless	(127 mm x 114 mm)	RH US10	366.35	004484		
Full Mortise		LH US10B	437.95	063136		
Heavy Weight		RH US10B	437.95	073977		
Ball Bearing		LH US26D	411.35	065999		
Anchor Hinge		RH US26D	411.35	066000		
Specify Handing		LH US32D	472.55	087614		
		RH US32D	472.55	087615		
1191	3" x 3"	US3	153.95	005484	2	100
Brass or Stainless	(76 mm x 76 mm)	US4	135.90	005496		
Full Mortise		US10	135.90	065549		
Standard Weight		US10B	173.25	005475		
Plain Bearing		US15	173.25	005478		
Specify if all wood screws are required.		US26	173.25	005479		
		US26D	153.50	005481		
		US32	192.70	005490		
		US32D	192.70	005491		
	3-1/2" x 3-1/2"	US3	71.50	006934	2	100
	(89 mm x 89 mm)	US4	56.00	006952		
		US10	56.00	006911		
		US10B	71.50	006913		
		US15	71.50	006920		
		US26	71.50	006923		
		US26D	64.00	006929		
		US32	71.65	006943		
		US32D	67.55	006945		
	4" x 3-1/2"	US3	89.40	097274	3	48
	(102 mm x 89 mm)	US4	68.30	005502		
		US10	68.30	121560		
		US10B	89.40	069063		
		US15	89.40	035011		
		US26	89.40	011778		
		US26D	77.95	029852		
		US32	98.50	132157		
		US32D	81.60	088102		
	4" x 4"	US3	62.00	005535	3	48
	(102 mm x 102 mm)	US4	53.50	005562		
		US10	53.50	005503		
		US10B	62.00	005508		
		US15	62.00	052318		
		US26	81.30	005522		
		US26D	63.50	005528		
		US32	89.80	005549		
		US32D	65.85	005552		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1191 Continued	4-1/2" x 4" (114 mm x 102 mm)	US3	69.90	005597	3	48
		US4	52.30	005620		
		US10	52.30	052272		
		US10B	69.90	005582		
		US15	69.90	005586		
		US26	69.90	005590		
		US26D	61.80	005592		
		US32	70.40	005611		
		US32D	64.15	005614		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	65.40	005690	3	48
		US4	55.05	005724		
		US10	49.25	005629		
		US10B	65.40	005640		
		US15	65.40	005652		
		US26	73.85	005664		
		US26D	55.40	005673		
		US32	75.55	005709		
		US32D	63.60	005713		
	5" x 4" (127 mm x 102 mm)	US3	97.60	005752	3	24
		US4	77.90	110512		
		US10	77.90	-		
		US10B	97.60	012964		
		US15	97.60	047207		
		US26	97.60	043361		
		US26D	86.70	033877		
		US32	108.55	046989		
		US32D	90.05	005755		
	5" x 4-1/2" (127 mm x 114 mm)	US3	97.60	005771	3	24
		US4	77.90	005783		
		US10	77.90	105329		
		US10B	97.60	005763		
		US15	97.60	032825		
		US26	97.60	128711		
		US26D	86.70	005768		
		US32	108.55	125488		
		US32D	90.05	005779		
	5" x 5" (127 mm x 127 mm)	US3	98.80	005803	3	24
		US4	77.90	027281		
		US10	77.90	128170		
		US10B	97.60	005791		
		US15	97.60	030280		
		US26	97.60	005799		
		US26D	86.65	005800		
		US32	108.55	009578		
		US32D	98.80	005815		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1191 Brass or Stainless Full Mortise Standard Weight Ball Bearing Specify if all wood screws are required.	3-1/2" x 3-1/2" (89 mm x 89 mm)	US3	84.85	007012	2	100
		US4	79.05	007026		
		US10	79.05	006997		
		US10B	84.85	007000		
		US15	84.85	039663		
		US26	84.85	007006		
		US26D	83.05	007008		
		US32	117.40	007020		
		US32D	103.75	007021		
	4" x 3-1/2" (102 mm x 89 mm)	US3	128.50	080659	3	48
		US4	98.55	-		
		US10	98.55	-		
		US10B	128.50	091160		
		US15	128.50	095215		
		US26	128.50	-		
		US26D	123.95	072201		
		US32	155.40	085839		
		US32D	128.95	006219		
	4" x 4" (102 mm x 102 mm)	US3	88.40	006246	3	48
		US4	71.75	006269		
		US10	71.75	006221		
		US10B	88.40	006225		
		US15	88.40	006232		
		US26	88.40	006235		
		US26D	75.85	006240		
		US32	106.75	006261		
		US32D	101.00	006263		
	4-1/2" x 4" (114 mm x 102 mm)	US3	79.95	006321	3	48
		US4	58.50	006343		
		US10	58.50	006286		
		US10B	79.95	006289		
		US15	79.95	006302		
		US26	79.95	006306		
		US26D	66.85	006311		
		US32	89.65	006332		
		US32D	69.20	006335		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1191 Continued	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	79.95	006489	3	48
		US4	58.50	006562		
		US10	58.50	006373		
		US10B	79.95	006393		
		US15	79.95	006426		
		US26	79.95	006446		
		US26D	66.85	006462		
		US32	89.65	006528		
		US32D	69.20	006537		
	5" x 4" (127 mm x 102 mm)	US3	114.20	006630	3	24
		US4	88.95	069057		
		US10	88.95	020761		
		US10B	114.20	006621		
		US15	114.20	043259		
		US26	114.20	006623		
		US26D	102.95	006627		
		US32	128.60	047877		
		US32D	106.75	006636		
	5" x 4-1/2" (127 mm x 114 mm)	US3	114.20	006681	3	24
		US4	88.95	006707		
		US10	88.95	006644		
		US10B	114.20	006655		
		US15	114.20	006665		
		US26	114.20	065277		
		US26D	84.05	006672		
		US32	128.60	006693		
		US32D	95.00	006696		
	5" x 5" (127 mm x 127 mm)	US3	114.20	006761	3	24
		US4	88.95	006791		
		US10	88.95	006727		
		US10B	114.20	006733		
		US15	114.20	068939		
		US26	114.20	006746		
		US26D	102.95	006752		
		US32	128.60	006779		
		US32D	106.75	006784		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1191 Continued	6" x 4-1/2" (152 mm x 114 mm)	US3	350.55	006813	3	24
		US4	281.00	030956		
		US10	281.00	010566		
		US10B	357.55	007519		
		US15	357.55	-		
		US26	357.55	099318		
		US26D	321.55	006811		
		US32	390.85	084160		
		US32D	390.85	006817		
	6" x 5" (152 mm x 127 mm)	US3	357.55	006830	3	24
		US4	281.00	081058		
		US10	281.00	031360		
		US10B	357.55	069067		
		US15	357.55	117950		
		US26	357.55	-		
		US26D	321.55	019124		
		US32	390.85	-		
		US32D	390.85	006832		
	6" x 6" (152 mm x 152 mm)	US3	343.80	006843	3	24
		US4	270.20	046772		
		US10	270.20	012558		
		US10B	343.80	006838		
		US15	343.80	070946		
		US26	343.80	147729		
		US26D	309.15	006842		
		US32	375.80	106911		
		US32D	375.80	006850		
CB1191 Stainless Full Mortise Standard Weight Concealed Anti-Friction Bearing	4" x 3-1/2" (102 mm x 89 mm) 4" x 4" (102 mm x 102 mm) 4-1/2" x 4" (114 mm x 102 mm) 4-1/2" x 4-1/2" (114 mm x 114 mm) 5" x 4" (127 mm x 102 mm) 5" x 4-1/2" (127 mm x 114 mm) 5" x 5" (127 mm x 127 mm)	US3SC	POA	-	3	24
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
		US3SC	POA	-		
			All other finishes	Price same as BB		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WT1191	3-1/2" x 5"	US3	143.80	070264	3	24
Wide Throw	(89 mm x 127 mm)	US4	110.95	098588		
Brass or Stainless		US10	110.95	126551		
Full Mortise		US10B	143.80	097064		
Standard Weight		US26	143.80	129250		
Plain Bearing		US26D	124.90	083295		
		US32	175.15	-		
		US32D	175.15	071213		
	3-1/2" x 6"	US3	149.65	071621	3	24
	(89 mm x 152 mm)	US4	115.75	024983		
		US10	115.75	109711		
		US10B	149.65	002745		
		US26	149.65	097158		
		US26D	138.70	033869		
		US32	181.15	-		
		US32D	181.15	008883		
	4" x 5"	US3	185.60	006020	3	24
	(102 mm x 127 mm)	US4	143.05	054265		
		US10	143.05	124057		
		US10B	185.60	006017		
		US26	185.60	024408		
		US26D	162.25	011512		
		US32	190.40	-		
		US32D	190.40	006023		
	4" x 6"	US3	192.65	006031	3	24
	(102 mm x 152 mm)	US4	150.30	111414		
		US10	150.30	-		
		US10B	192.65	098910		
		US26	192.65	024409		
		US26D	167.85	073757		
		US32	197.50	027634		
		US32D	197.50	006033		
	4" x 7"	US3	202.40	006040	3	24
	(102 mm x 178 mm)	US4	158.10	032692		
		US10	158.10	127572		
		US10B	202.40	050661		
		US26	202.40	047103		
		US26D	178.60	023517		
		US32	207.35	-		
		US32D	207.35	006044		
	4-1/2" x 5"	US3	164.65	019147	3	24
	(114 mm x 127 mm)	US4	122.15	123508		
		US10	122.15	-		
		US10B	164.65	090355		
		US26	164.65	074546		
		US26D	139.90	016877		
		US32	174.70	072927		
		US32D	174.70	006058		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WT1191 Continued	4-1/2" x 6" (114 mm x 152 mm)	US3	178.60	006066	3	24
		US4	134.75	007123		
		US10	134.75	088979		
		US10B	178.60	006063		
		US26	178.60	117014		
		US26D	160.95	044443		
		US32	188.55	116767		
		US32D	188.55	006070		
	5" x 6" (127 mm x 152 mm)	US3	294.90	054836	3	24
		US4	229.55	-		
		US10	229.55	137784		
		US10B	294.90	041753		
		US26	294.90	-		
		US26D	257.65	-		
		US32	302.20	-		
		US32D	301.90	050822		
WTBB1191 Wide Throw Brass or Stainless Full Mortise Standard Weight Ball Bearing	3-1/2" x 5" (89 mm x 127 mm)	US3	152.85	067005	3	24
		US4	118.80	026605		
		US10	118.80	121849		
		US10B	152.85	075305		
		US26	152.85	129251		
		US26D	134.10	118052		
		US32	183.70	000080		
		US32D	183.70	032663		
	3-1/2" x 6" (89 mm x 152 mm)	US3	153.50	040163	3	24
		US4	123.10	-		
		US10	123.10	-		
		US10B	153.50	113815		
		US26	153.50	-		
		US26D	138.30	130243		
		US32	190.65	138152		
		US32D	190.65	076662		
	4" x 5" (102 mm x 127 mm)	US3	191.90	010124	3	24
		US4	151.05	037602		
		US10	151.05	086104		
		US10B	191.90	070966		
		US26	191.90	041818		
		US26D	168.80	038964		
		US32	206.20	-		
		US32D	206.20	075139		
	4" x 6" (102 mm x 152 mm)	US3	199.50	006119	3	24
		US4	157.70	012392		
		US10	157.70	146501		
		US10B	199.50	006117		
		US26	199.50	096937		
		US26D	175.15	009831		
		US32	213.45	114550		
		US32D	213.45	006121		
	4" x 7" (102 mm x 178 mm)	US3	208.20	092349	3	24
		US4	165.95	089839		
		US10	165.95	-		
		US10B	208.20	039719		
		US26	208.20	069207		
		US26D	182.40	088865		
		US32	222.30	099920		
		US32D	222.30	048155		







Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTBB1191 Continued	4-1/2" x 5" (114 mm x 127 mm)	US3	171.40	094007	3	24
		US4	129.75	101381		
		US10	129.75	046401		
		US10B	171.40	025650		
		US26	171.40	001393		
		US26D	147.15	092728		
		US32	181.25	121467		
		US32D	181.25	006144		
	4-1/2" x 6" (114 mm x 152 mm)	US3	188.80	095253	3	24
		US4	144.95	036949		
		US10	144.95	024066		
		US10B	188.80	006152		
		US26	188.80	020291		
		US26D	171.15	065373		
		US32	198.75	052335		
		US32D	198.75	092901		
	4-1/2" x 7" (114 mm x 178 mm)	US3	183.70	080909	3	24
		US4	148.65	041505		
		US10	148.65	-		
		US10B	183.70	024545		
		US26	183.70	049886		
		US26D	172.20	069011		
		US32	204.25	076444		
		US32D	204.25	099811		
	4-1/2" x 8" (114 mm x 203 mm)	US3	198.70	072567	3	24
		US4	154.05	116184		
		US10	154.05	137974		
		US10B	198.70	034770		
		US26	198.70	060370		
		US26D	173.35	008143		
		US32	208.70	-		
		US32D	208.70	098630		
	5" x 6" (127 mm x 152 mm)	US3	368.20	006199	3	24
		US4	281.25	067616		
		US10	281.25	028304		
		US10B	368.20	046882		
		US26	368.20	-		
		US26D	325.60	033730		
		US32	391.05	046097		
		US32D	391.05	040909		
	5" x 7" (127 mm x 178 mm)	US3	386.95	067159	3	24
		US4	295.40	140565		
		US10	295.40	-		
		US10B	386.95	035145		
		US26	386.95	-		
		US26D	335.55	065278		
		US32	410.00	-		
		US32D	410.00	036859		
	5" x 8" (127 mm x 203 mm)	US3	402.90	074194	3	24
		US4	326.15	-		
		US10	326.15	038873		
		US10B	402.90	020027		
		US26	402.90	-		
		US26D	351.85	025454		
		US32	420.30	-		
		US32D	420.30	072530		



Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	BB1192	5" x 4-1/2"	LH US10	366.35	067133	1	10
	Brass or Stainless	(127 mm x 114 mm)	RH US10	366.35	067237		
	Full Mortise		LH US10B	437.95	069389		
	Heavy Weight		RH US10B	437.95	069390		
	Ball Bearing		LH US26D	411.35	065079		
	Anchor Hinge		RH US26D	411.35	065078		
	Specify Handing		LH US32D	472.55	072244		
			RH US32D	472.55	072245		
	BB1195	5" x 4-1/2"	LH US10	366.35	037675	1	10
	Brass or Stainless	(127 mm x 114 mm)	RH US10	366.35	037676		
	Full Mortise		LH US10B	437.95	079470		
	Heavy Weight		RH US10B	437.95	079471		
	Ball Bearing		LH US26D	411.35	065411		
	Anchor Hinge		RH US26D	411.35	065412		
	Specify Handing		LH US32D	472.55	062056		
			RH US32D	472.55	062057		
	BB1196	5" x 4-1/2"	LH US10	366.35	085583	1	10
	Brass or Stainless	(127 mm x 114 mm)	RH US10	366.35	085582		
	Full Mortise		LH US10B	437.95	065640		
	Heavy Weight		RH US10B	437.95	065641		
	Ball Bearing		LH US26D	411.35	073416		
	Anchor Hinge for Beveled Edge Doors		RH US26D	411.35	073415		
	Specify Handing		LH US32D	472.55	063230		
			RH US32D	472.55	063231		
	BB1197	5" x 4-1/2"	LH US10	366.35	003650	1	10
	Brass or Stainless	(127 mm x 114 mm)	RH US10	366.35	088543		
	Full Mortise		LH US10B	437.95	067686		
	Heavy Weight		RH US10B	437.95	067687		
	Ball Bearing		LH US26D	411.35	074907		
	Anchor Hinge		RH US26D	411.35	074908		
	Beveled Edge Doors		LH US32D	472.55	079648		
	Specify Handing		RH US32D	472.55	079649		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1199 Brass or Stainless Full Mortise Heavy Weight Ball Bearing	4-1/2" x 4" (114 mm x 102 mm)	US3	139.55	007369	3	24
		US4	115.30	007381		
		US10	102.90	019651		
		US10B	139.55	007354		
		US15	139.55	035768		
		US26	139.55	007362		
		US26D	104.60	007364		
		US32	105.65	007376		
		US32D	105.65	007378		
	4-1/2" x 4-1/2" (114 mm x 114 mm)	US3	139.55	007469	3	24
		US4	115.30	007520		
		US10	102.90	007390		
		US10B	139.55	007406		
		US15	139.55	007424		
		US26	139.55	007437		
		US26D	104.60	007445		
		US32	105.65	007496		
		US32D	105.65	007502		
	5" x 4" (127 mm x 102 mm)	US3	158.45	007564	3	24
		US4	133.25	069122		
		US10	133.25	064950		
		US10B	158.45	007557		
		US15	158.45	087838		
		US26	158.45	091928		
		US26D	124.35	007561		
		US32	136.75	138846		
		US32D	136.75	007567		
	5" x 4-1/2" (127 mm x 114 mm)	US3	156.20	007619	3	24
		US4	131.50	007651		
		US10	131.50	007576		
		US10B	156.20	007585		
		US15	156.20	065583		
		US26	156.20	007601		
		US26D	122.50	007607		
		US32	134.05	007634		
		US32D	134.05	007639		
	5" x 5" (127 mm x 127 mm)	US3	159.55	007717	3	24
		US4	134.25	007752		
		US10	134.25	007678		
		US10B	159.55	007689		
		US15	159.55	040362		
		US26	159.55	007703		
		US26D	138.15	007707		
		US32	140.05	007738		
		US32D	140.25	007742		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1199 Continued	6" x 4-1/2" (152 mm x 114 mm)	US3	405.45	011566	3	12
		US4	263.40	018196		
		US10	263.40	099882		
		US10B	405.45	094854		
		US15	405.45	031525		
		US26	405.45	-		
		US26D	285.20	007775		
		US32	386.55	058406		
		US32D	386.55	007783		
	6" x 5" (152 mm x 127 mm)	US3	386.15	007803	3	12
		US4	250.85	013028		
		US10	250.85	019745		
		US10B	386.15	007792		
		US15	386.15	055244		
		US26	386.15	-		
		US26D	272.30	007800		
		US32	368.30	048380		
		US32D	368.30	007807		
	6" x 6" (152 mm x 152 mm)	US3	371.30	007827	3	12
		US4	241.20	007838		
		US10	241.20	007816		
		US10B	371.30	007820		
		US15	371.30	040565		
		US26	371.30	116381		
		US26D	261.80	007825		
		US32	354.15	073209		
		US32D	354.15	007832		
	8" x 6" (203 mm x 152 mm)	USP	593.65	054124	3	12
		US3	842.50	017553		
		US10	623.20	071278		
		US10B	842.50	072364		
		US15	842.50	095022		
		US26D	732.70	003819		
		US32D	976.75	007853		
	8" x 8" (203 mm x 203 mm)	USP	593.65	046441	3	12
		US3	842.50	073590		
		US10	623.20	025171		
		US10B	842.50	007857		
		US15	842.50	124169		
		US26D	732.70	032486		
		US32D	976.75	007863		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTBB1199 Wide Throw Brass or Stainless Full Mortise Heavy Weight Ball Bearing	4-1/2" x 5" (114 mm x 127 mm)	US3	586.70	007267	3	24
		US4	462.90	065299		
		US10	462.90	031727		
		US10B	586.70	021314		
		US26	586.70	017632		
		US26D	508.50	007274		
		US32	629.05	089866		
		US32D	629.05	098011		
	4-1/2" x 6" (114 mm x 152 mm)	US3	603.60	023840	3	24
		US4	478.85	068984		
		US10	478.85	048525		
		US10B	603.60	055190		
		US26	603.60	033508		
		US26D	542.65	076837		
		US32	645.80	015353		
		US32D	645.80	007302		
	4-1/2" x 7" (114 mm x 178 mm)	US3	637.50	103595	3	24
		US4	530.40	051679		
		US10	530.40	013416		
		US10B	637.50	007306		
		US26	637.50	-		
		US26D	612.00	018563		
		US32	688.50	-		
		US32D	688.50	099677		
	4-1/2" x 8" (114 mm x 203 mm)	US3	688.50	028182	3	24
		US4	586.50	091502		
		US10	586.50	087891		
		US10B	688.50	039213		
		US26	688.50	069204		
		US26D	637.50	105127		
		US32	744.60	051771		
		US32D	744.60	020980		
	5" x 6" (127 mm x 152 mm)	US3	714.00	048922	3	24
		US4	612.00	021718		
		US10	612.00	125775		
		US10B	714.00	032471		
		US26	714.00	-		
		US26D	657.90	030677		
		US32	795.60	095695		
		US32D	795.60	007332		
	5" x 7" (127 mm x 178 mm)	US3	739.50	046417	3	24
		US4	612.00	109376		
		US10	612.00	102105		
		US10B	739.50	065989		
		US26	739.50	-		
		US26D	663.00	048069		
		US32	805.80	145249		
		US32D	805.80	030561		
	5" x 8" (127 mm x 203 mm)	US3	770.10	084305	3	24
		US4	657.90	142606		
		US10	657.90	146648		
		US10B	770.10	005340		
		US26	770.10	-		
		US26D	688.50	034917		
		US32	841.50	-		
		US32D	841.50	019520		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1250	3-1/2" x 3-1/2"	USP	24.85	007989	2	80
Steel	(89 mm x 89 mm)	US3	39.70	007984		
Full Mortise		US4	30.90	007986		
Standard Weight		US10	37.50	007974		
Spring Hinge		US10A (US11)	39.70	007975		
Available with Raised Barrel		US10B	39.70	007977		
Available with hospital tip (voids UL)		US26D	40.55	007981		
	4" x 4"	USP	31.15	008006	3	48
	(102 mm x 102 mm)	US3	47.95	008001		
		US4	32.75	008003		
		US10	41.85	007991		
		US10A (US11)	47.95	007992		
		US10B	47.95	007994		
		US26D	44.30	007999		
	4-1/2" x 4"	USP	61.70	008020	3	48
	(114 mm x 102 mm)	US3	74.75	008014		
		US4	63.60	008015		
		US10	71.30	008008		
		US10A (US11)	74.75	008009		
		US10B	74.75	008010		
		US26D	73.10	008013		
	4-1/2" x 4-1/2"	USP	57.85	008050	3	48
	(114 mm x 114 mm)	US3	68.85	008039		
		US4	60.95	008041		
		US10	68.35	008021		
		US10A (US11)	68.85	008023		
		US10B	68.85	008025		
		US26	68.85	008034		
		US26D	68.50	008037		
1251	3-1/2" x 3-1/2"	USP	28.30	008066	2	80
Steel	(89 mm x 89 mm)	US3	49.45	008059		
1/4" Round Corner		US4	32.30	008060		
Radius, Full Mortise		US10	43.20	012954		
Standard Weight		US10A (US11)	49.45	008054		
Spring Hinge		US10B	49.45	064255		
		US26D	42.20	008057		
	4" x 4"	USP	31.20	008079	3	48
	(102 mm x 102 mm)	US3	45.25	008073		
		US4	31.55	008074		
		US10	45.00	008067		
		US10A (US11)	45.25	008069		
		US10B	45.25	067122		
		US26D	44.00	008072		
	4-1/2" x 4"	USP	61.45	008086	3	48
	(114 mm x 102 mm)	US3	87.15	003696		
		US4	75.90	008084		
		US10	75.90	012636		
		US10A (US11)	87.15	072921		
		US10B	87.15	038047		
		US26D	83.80	008082		
	4-1/2" x 4-1/2"	USP	61.45	008093	3	48
	(114 mm x 114 mm)	US3	87.15	008091		
		US4	75.90	008092		
		US10	75.90	008087		
		US10A (US11)	87.15	008088		
		US10B	87.15	020899		
		US26D	83.80	008090		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1252	3-1/2" x 3-1/2"	USP	28.30	008101	2	80
Steel	(89 mm x 89 mm)	US3	49.45	008098		
5/8" Round Corner		US4	32.30	008099		
Radius		US10	43.20	008094		
Full Mortise		US10A (US11)	49.45	073193		
Standard Weight		US10B	49.45	034664		
Spring Hinge		US26D	42.20	008097		
	4" x 4"	USP	31.20	008111	3	48
	(102 mm x 102 mm)	US3	45.25	008106		
		US4	31.55	008107		
		US10	45.00	008102		
		US10A (US11)	45.25	008103		
		US10B	45.25	079680		
		US26D	44.00	008105		
	4-1/2" x 4"	USP	61.45	094477	3	48
	(114 mm x 102 mm)	US3	87.15	131917		
		US4	75.90	128797		
		US10	75.90	-		
		US10A (US11)	87.15	-		
		US10B	87.15	066475		
		US26D	83.80	008112		
	4-1/2" x 4-1/2"	USP	61.45	008116	3	48
	(114 mm x 114 mm)	US3	87.15	072949		
		US4	75.90	008115		
		US10	75.90	110806		
		US10A (US11)	87.15	004677		
		US10B	87.15	090888		
		US26D	83.80	008113		
1253	4-1/2" (114 mm)	USP	101.35	008126	3	48
Steel		US3	140.30	008122		
Half Surface		US4	101.35	008123		
Standard Weight		US10	121.95	068449		
Spring Hinge		US10A (US11)	140.30	040132		
		US10B	140.30	029321		
		US26D	133.90	008121		
1255	4-1/2" x 4-1/2"	USP	144.30	059982	1	16
Steel, Full Mortise	(114 mm x 114 mm)	US3	203.10	069391		
Standard Weight		US4	153.75	072216		
Spring Hinge Set		US10B	204.70	015725		
2 ea. 1250 and 1 ea. AB700		US26D	188.90	050862		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1256	4-1/2" x 4-1/2"	USP	128.60	066379	1	16
Steel	(114 mm x 114 mm)	US3	188.05	066381		
Full Mortise		US4	138..90	066382		
Standard Weight		US10B	195.80	078188		
Spring Hinge Set						
2 ea. 1250 and 1 ea. BB1279		US26D	180.30	066380		
1257	3-1/2" x 3-1/2"	USP	31.05	092328	2	80
Steel	(89 mm x 89 mm)	US3	49.60	067841		
Reverse Action (opens door)		US4	38.65	039089		
Spring Hinge		US10	46.85	137319		
Full Mortise		US10A (US11)	49.60	-		
Standard Weight		US10B	49.60	060356		
		US26D	50.70	040710		
	4" x 4"	USP	38.95	073648	3	48
	(102 mm x 102 mm)	US3	59.95	025750		
		US4	40.85	038768		
		US10	52.35	070295		
		US10A (US11)	60.00	043768		
		US10B	60.00	002584		
		US26D	56.25	032167		
	4-1/2" x 4"	USP	77.15	035215	3	48
	(114 mm x 102 mm)	US3	93.40	068150		
		US4	79.50	007310		
		US10	89.15	101197		
		US10A (US11)	93.40	068555		
		US10B	93.40	054881		
		US26D	88.10	028649		
	4-1/2" x 4-1/2"	USP	72.40	028435	3	48
	(114 mm x 114 mm)	US3	86.20	043734		
		US4	76.20	031889		
		US10	85.45	025898		
		US10A (US11)	86.20	053642		
		US10B	86.20	028288		
		US26D	85.65	023280		
1258	4" x 4"	USP	39.00	089659	3	48
Steel	(102 mm x 102 mm)	US3	56.50	073758		
Reverse Action (opens door)		US4	39.45	024870		
Spring Hinge		US10	56.25	103534		
1/4" Round Corner Radius		US10A (US11)	56.50	014734		
Full Mortise		US10B	56.50	-		
Standard Weight		US26D	53.15	059064		
	4-1/2" x 4"	USP	73.95	-	3	48
	(114 mm x 102 mm)	US3	104.85	-		
		US4	91.25	-		
		US10	91.25	-		
		US10A (US11)	104.85	090908		
		US10B	104.85	050348		
		US26D	100.80	018075		
	4-1/2" x 4-1/2"	USP	73.95	070595	3	48
	(114 mm x 114 mm)	US3	104.85	047076		
		US4	91.25	146899		
		US10	91.25	-		
		US10A (US11)	104.85	064308		
		US10B	104.85	077955		
		US26D	100.80	004667		







Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1259	4" x 4"	USP	37.70	057105	3	48
Steel	(102 mm x 102 mm)	US3	56.50	022378		
Reverse Action (opens door)		US4	39.25	003583		
Spring Hinge		US10	55.90	095173		
5/8" Round Corner Radius		US10A (US11)	56.50	045428		
Full Mortise		US10B	56.50	003805		
Standard Weight		US26D	55.00	066746		
	4-1/2" x 4"	USP	76.80	095677	3	48
	(114 mm x 102 mm)	US3	109.00	-		
		US4	94.85	-		
		US10	94.85	-		
		US10A (US11)	109.00	-		
		US10B	109.00	-		
		US26D	104.70	117570		
	4-1/2" x 4-1/2"	USP	76.80	119644	3	48
	(114 mm x 114 mm)	US3	109.00	034821		
		US4	94.85	136373		
		US10	94.85	-		
		US10A (US11)	109.00	-		
		US10B	109.00	028805		
		US26D	104.70	013126		
1260	3-1/2" (89 mm)	USP	71.20	008132	3	48
Steel		US3	106.55	008130		
Full Mortise		US4	77.70	008131		
Standard Weight		US10	88.20	008127		
Swing Clear		US10A (US11)	106.55	057903		
		US10B	106.55	019620		
		US26	106.55	008128		
		US26D	84.45	008129		
	4" (102 mm)	USP	84.45	008134	3	36
		US3	108.95	051811		
		US4	80.35	051756		
		US10	91.15	052043		
		US10A (US11)	108.95	097783		
		US10B	108.95	018275		
		US26	108.95	008133		
		US26D	86.90	053701		
BB1260	4-1/2" (114 mm)	USP	150.80	008150	3	36
Steel		US10	157.00	008137		
Full Mortise		US10A (US11)	185.45	008140		
Standard Weight		US10B	185.45	062238		
Ball Bearing		US26D	146.95	008142		
Swing Clear	5" (127 mm)	USP	150.80	008157	3	36
RH Standard (Reversible to LH)		US10	157.00	016025		
		US10A (US11)	185.45	008154		
		US10B	185.45	061702		
		US26D	146.95	008156		
BB1261	4-1/2" (114 mm)	USP	150.80	008174	3	36
Steel		US10	157.00	008161		
Full Mortise		US10A (US11)	185.45	008163		
Standard Weight		US10B	185.45	098270		
Ball Bearing		US26D	146.95	008166		
Swing Clear	5" (127 mm)	USP	150.80	032933	3	36
Beveled Edge Doors		US10	157.00	083843		
RH Standard (Reversible to LH)		US10A (US11)	185.45	008175		
		US10B	185.45	073019		
		US26D	146.95	008177		









Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	BB1262	4-1/2" (114 mm)	USP	186.55	008193	3	24
	Steel		US10	189.15	008181		
	Full Mortise		US10A (US11)	227.25	008182		
	Heavy Weight		US10B	227.25	080232		
	Ball Bearing		US26D	172.35	008186		
	Swing Clear	5" (127 mm)	USP	186.60	008205	3	24
	RH Standard (Reversible to LH)		US10	189.25	008195		
			US10A (US11)	227.30	007128		
			US10B	227.30	022873		
			US26D	172.60	008199		
	BB1263	4-1/2" (114 mm)	USP	186.55	008223	3	24
	Steel		US10	189.15	008212		
	Full Mortise		US10A (US11)	227.25	008214		
	Heavy Weight		US10B	227.25	008216		
	Ball Bearing		US26D	172.35	008218		
	Swing Clear	5" (127 mm)	USP	186.60	008236	3	24
	Beveled Edge Doors RH Standard (Reversible to LH)		US10	189.25	008225		
			US10A (US11)	227.30	008227		
			US10B	227.30	018189		
			US26D	172.60	008229		
	BB1264	5" (127 mm)	USP	415.00	008249	3	24
	Steel		US10	435.75	025668		
	Half Mortise		US10A (US11)	589.15	036300		
	Heavy Weight		US10B	589.15	039396		
	Ball Bearing		US26D	512.40	008246		
	Swing Clear						
	BB1265	5" (127 mm)	USP	415.00	008336	3	24
	Steel		US10	435.75	088701		
	Half Mortise		US10A (US11)	589.15	-		
	Heavy Weight		US10B	589.15	-		
	Ball Bearing		US26D	512.40	002311		
	Swing Clear						
	Beveled Edge Doors						





Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	BB1266	5" (127 mm)	USP	365.40	008266	3	12
	Steel		US10	383.50	071003		
	Full Surface		US10A (US11)	576.05	026077		
	Heavy Weight		US10B	576.05	060302		
	Ball Bearing		US26D	456.60	008261		
	Swing Clear						
	1267	4-1/2" (114 mm)	USP	188.45	135773	3	36
	Steel		US3	219.50	121383		
	Full Mortise		US10	198.30	-		
	Swing Clear Spring Hinge		US10A (US11)	219.50	-		
	Square Edge Doors		US10B	219.50	-		
	Use with BB1260/AB7001		US26	219.50	-		
			US26D	208.65	113387		
	BB1270	5" (127 mm)	USP	365.40	008282	3	12
	Steel		US10	383.50	062242		
	Half Surface		US10A (US11)	576.05	108714		
	Heavy Weight		US10B	576.05	034690		
	Ball Bearing		US26D	456.60	008277		
	Swing Clear						
	1277			103.30*	-	3	48
	Made to Order			*Add to price of 1279			
	Full Mortise						
	Standard Weight						
	BB1277			103.30*	-	3	48
	Made to Order			*Add to price of BB1279			
	Steel						
	Full Mortise						
	1278			103.30*	-	3	48
	Steel			*Add to price of 1279			
	Full Mortise						
	Standard Weight						
	Plain Bearing						
	One Leaf Tapped						
	Specify Handing						



Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	BB1278			103.30*	-	3	48
	Steel			*Add to price of BB1279			
	Full Mortise						
	Standard Weight						
	Ball Bearing						
	One Leaf Tapped						
	Specify Handing						
	1279	2" x 2"	LS	29.15	-	10	200
	Steel	(51 mm x 51 mm)	H2H	59.30	008408		
	Full Mortise		USP	21.50	008413		
	Standard Weight		US3	54.65	008409		
	Plain Bearing		US4	21.50	008410		
			US10	29.15	-		
			US10A (US11)	54.65	008404		
			US10B	54.65	086159		
			US15	54.65	022754		
			US26	54.65	010503		
			US26D	45.55	008406		
		2-1/2" x 2-1/2"	LS	29.15	062063	10	200
		(64 x 64 mm)	H2H	59.30	008420		
			USP	21.50	008426		
			US3	54.65	008421		
			US4	21.50	008423		
			US10	29.15	008415		
			US10A (US11)	54.65	008416		
			US10B	54.65	070557		
			US15	54.65	014986		
			US26	54.65	008417		
			US26D	45.55	008418		
		3" x 3"	LS	26.70	008460	2	100
		(76 mm x 76 mm)	H2H	54.10	008448		
			USP	19.65	008461		
			US3	49.95	008449		
			US4	19.65	008454		
			US10	26.70	008427		
			US10A (US11)	49.95	008429		
			US10B	49.95	064052		
			US15	49.95	008435		
			US26	49.95	008439		
			US26D	41.50	008442		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1279 Continued	3-1/2" x 3-1/2" (89 mm x 89 mm)	LS	9.30	010919	2	100
		H2H	18.85	010881		
		USP	6.90	010923		
		US3	14.65	010886		
		US4	7.65	010897		
		US10	9.30	010819		
		US10A (US11)	14.65	010829		
		US10B	14.65	010839		
		US15	14.65	010850		
		US26	14.65	010859		
		US26D	12.55	010870		
	4" x 3-1/2" (102 x 89 mm)	LS	17.20	-	3	48
		H2H	27.95	-		
		USP	13.20	000695		
		US3	24.30	008469		
		US4	13.20	096337		
		US10	15.55	015158		
		US10A (US11)	24.30	063165		
		US10B	24.30	025812		
		US15	24.30	041310		
		US26	24.30	056835		
		US26D	21.10	088103		
	4" x 4" (102 mm x 102 mm)	LS	14.05	008583	3	48
		H2H	22.45	008532		
		USP	8.50	008585		
		US3	15.60	008540		
		US4	10.80	008555		
		US10	12.45	008470		
		US10A (US11)	15.60	008477		
		US10B	15.60	008488		
		US15	15.60	008496		
		US26	15.60	008507		
		US26D	13.75	008517		
	4-1/2" x 4" (114 mm x 102 mm)	LS	12.60	008648	3	48
		H2H	24.30	067471		
		USP	10.45	008650		
		US3	18.35	008629		
		US4	9.60	008637		
		US10	11.05	008599		
		US10A (US11)	18.35	008602		
		US10B	18.35	008608		
		US15	18.35	008612		
		US26	18.35	008617		
		US26D	15.75	008622		




Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1279	4-1/2" x 4-1/2"	LS	11.05	008826	3	48
Continued	(114 mm x 114 mm)	H2H	25.40	008748		
		USP	10.45	008833		
		US3	18.35	008762		
		US4	9.60	008785		
		US10	11.05	008657		
		US10A (US11)	18.35	008671		
		US10B	18.35	008687		
		US15	18.35	008698		
		US26	18.35	008709		
		US26D	15.75	008720		
<hr/>						
	5" x 4"	LS	38.20	-	3	24
	(127 mm x 102 mm)	H2H	48.55	038234		
		USP	31.40	008871		
		US3	52.90	008863		
		US4	34.90	008865		
		US10	38.20	088473		
		US10A (US11)	51.70	009784		
		US10B	51.70	008536		
		US15	51.70	068578		
		US26	51.70	064843		
		US26D	35.40	008862		
<hr/>						
	5" x 4-1/2"	LS	38.20	-	3	24
	(127 mm x 114 mm)	H2H	48.55	031063		
		USP	31.40	008911		
		US3	52.90	008895		
		US4	34.90	008900		
		US10	38.20	008875		
		US10A (US11)	51.70	008879		
		US10B	51.70	008882		
		US15	51.70	083724		
		US26	51.70	008884		
		US26D	35.40	008887		
<hr/>						
	5" x 5"	LS	38.20	081132	3	24
	(127 mm x 127 mm)	H2H	97.05	019652		
		USP	31.40	008963		
		US3	47.00	008944		
		US4	31.40	008956		
		US10	38.20	008923		
		US10A (US11)	51.70	008925		
		US10B	51.70	008929		
		US15	51.70	067162		
		US26	51.70	008934		
		US26D	35.40	008938		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1279	3-1/2" x 3-1/2"	LS	35.10	019111	2	100
Steel	(89 mm x 89 mm)	H2H	46.20	-		
Full Mortise		USP	31.05	011038		
Standard Weight		US3	41.45	011013		
Ball Bearing		US4	31.05	011021		
		US10	35.25	010983		
		US10A (US11)	41.45	010988		
		US10B	41.45	010995		
		US15	41.45	060839		
		US26	51.80	010998		
		US26D	37.75	011003		
<hr/>						
	4" x 3-1/2"	LS	41.55	-	3	48
	(102 mm x 89 mm)	H2H	61.85	-		
		USP	37.95	072989		
		US3	54.90	009726		
		US4	37.95	028772		
		US10	41.55	006898		
		US10A (US11)	54.90	070929		
		US10B	54.90	014742		
		US15	54.90	029388		
		US26	54.90	000728		
		US26D	47.25	009725		
<hr/>						
	4" x 4"	LS	38.05	009805	3	48
	(102 mm x 102 mm)	H2H	40.10	020230		
		USP	24.80	009808		
		US3	35.55	009778		
		US4	24.80	009792		
		US10	26.90	009727		
		US10A (US11)	35.55	009731		
		US10B	35.55	009738		
		US15	35.55	009747		
		US26	35.55	009755		
		US26D	30.50	009763		
<hr/>						
	4-1/2" x 4"	LS	26.45	009933	3	48
	(114 mm x 102 mm)	H2H	41.10	045582		
		USP	23.05	009937		
		US3	32.00	009888		
		US4	22.85	009900		
		US10	23.70	009817		
		US10A (US11)	32.00	009825		
		US10B	32.00	009841		
		US15	32.00	009849		
		US26	32.00	009857		
		US26D	28.55	009868		




Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1279 Continued	4-1/2" x 4-1/2" (114 mm x 114 mm)	LS	23.85	010310	3	48
		H2H	41.10	010172		
		USP	23.05	010322		
		US3	32.00	010189		
		US4	22.85	010230		
		US10	23.70	009957		
		US10A (US11)	32.00	009990		
		US10B	32.00	010029		
		US15	32.00	010048		
		US26	32.00	010073		
		US26D	28.55	010108		
	5" x 4" (127 mm x 102 mm)	LS	47.85	-	3	24
		H2H	69.30	-		
		USP	43.00	010411		
		US3	55.95	010397		
		US4	45.40	010403		
		US10	47.85	010377		
		US10A (US11)	55.95	010380		
		US10B	55.95	071584		
		US15	55.95	035721		
		US26	55.95	010385		
		US26D	44.95	010390		
	5" x 4-1/2" (127 mm x 114 mm)	LS	47.85	055246	3	24
		H2H	69.30	-		
		USP	43.00	010515		
		US3	55.95	010479		
		US4	45.40	010493		
		US10	47.85	010416		
		US10A (US11)	55.95	010429		
		US10B	55.95	010438		
		US15	55.95	010444		
		US26	55.95	010447		
		US26D	44.95	010457		
	5" x 5" (127 mm x 127 mm)	LS	47.85	-	3	24
		H2H	69.30	105812		
		USP	43.00	010620		
		US3	60.60	010586		
		US4	45.40	010602		
		US10	47.85	010537		
		US10A (US11)	60.60	010546		
		US10B	60.60	010556		
		US15	60.60	010559		
		US26	60.60	010564		
		US26D	44.95	010570		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB1279 Continued	6" x 4-1/2" (152 mm x 114 mm)	LS	118.30	-	3	24
		H2H	180.35	-		
		USP	118.30	010651		
		US3	159.10	010644		
		US4	118.30	010649		
		US10	118.30	010632		
		US10A (US11)	159.10	009996		
		US10B	159.10	010638		
		US15	159.10	093744		
		US26	159.10	113396		
		US26D	136.60	010641		
	6" x 5" (152 mm x 127 mm)	LS	118.30	-	3	24
		H2H	180.35	-		
		USP	118.30	065930		
		US3	159.10	017680		
		US4	118.30	014005		
		US10	118.30	010656		
		US10A (US11)	159.10	010658		
		US10B	159.10	020934		
		US15	159.10	108871		
		US26	159.10	-		
		US26D	136.60	010660		
	6" x 6" (152 mm x 152 mm)	LS	113.75	-	3	24
		H2H	173.40	-		
		USP	113.75	010696		
		US3	153.00	010685		
		US4	113.75	010689		
		US10	113.75	010674		
		US10A (US11)	153.00	010677		
		US10B	153.00	068156		
		US15	153.00	043949		
		US26	153.00	010679		
		US26D	131.35	010681		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WT1279	3-1/2" x 5"	LS	52.80	-	3	24
Wide Throw	(89 mm x 127 mm)	USP	49.35	009365		
Steel		US3	69.50	009353		
Full Mortise		US10	52.80	009347		
Standard Weight		US10A (US11)	69.25	009348		
Plain Bearing		US10B	69.25	010670		
		US26	69.25	094046		
		US26D	59.50	009350		
	3-1/2" x 6"	LS	52.80	-	3	24
	(89 mm x 152 mm)	USP	49.35	009374		
		US3	69.50	009371		
		US10	52.80	072904		
		US10A (US11)	69.25	000885		
		US10B	69.25	019941		
		US26	69.25	087499		
		US26D	59.50	070928		
	4" x 5"	LS	61.65	002739	3	24
	(102 mm x 127 mm)	USP	59.15	009394		
		US3	73.45	009387		
		US10	61.65	014733		
		US10A (US11)	73.45	009379		
		US10B	73.45	095062		
		US26	73.45	095024		
		US26D	67.00	009384		
	4" x 6"	LS	61.65	-	3	24
	(102 mm x 152 mm)	USP	59.15	009414		
		US3	73.45	009407		
		US10	61.65	009399		
		US10A (US11)	73.45	009401		
		US10B	73.45	097608		
		US26	73.45	009404		
		US26D	67.00	009405		
	4" x 7"	LS	61.65	-	3	24
	(102 mm x 178 mm)	USP	59.15	092857		
		US3	73.45	009422		
		US10	61.65	009114		
		US10A (US11)	73.45	009418		
		US10B	73.45	031445		
		US26	73.45	003245		
		US26D	67.00	009420		
	4-1/2" x 5"	LS	81.20	-	3	24
	(114 mm x 127 mm)	USP	78.85	096227		
		US3	91.90	094028		
		US10	81.20	009430		
		US10A (US11)	91.90	009432		
		US10B	91.90	055540		
		US26	91.90	028836		
		US26D	85.25	009436		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WT1279 Continued	4-1/2" x 6" (114 mm x 152 mm)	LS	81.20	-	3	24
		USP	78.85	009469		
		US3	91.90	009459		
		US10	81.20	009451		
		US10A (US11)	91.90	009452		
		US10B	91.90	090157		
		US26	91.90	068409		
		US26D	85.25	009456		
	4-1/2" x 7" (114 mm x 178 mm)	USP	92.25	095705	3	24
		US3	105.35	009476		
		US10	94.30	079121		
		US10A (US11)	105.35	017142		
		US10B	105.35	034946		
		US26D	98.70	009474		
	4-1/2" x 8" (114 mm x 203 mm)	USP	91.95	009493	3	24
		US3	105.35	007571		
		US10	94.30	093056		
		US10A (US11)	105.35	040703		
		US10B	105.35	034042		
		US26D	98.70	092900		
	5" x 6" (127 mm x 152 mm)	USP	117.15	025818	3	24
		US3	146.30	004903		
		US10	122.95	009496		
		US10A (US11)	146.30	009498		
		US10B	146.30	017125		
		US26D	134.75	032508		
	5" x 7" (127 mm x 178 mm)	USP	117.15	022702	3	24
		US3	146.30	019683		
		US10	122.95	-		
		US10A (US11)	146.30	020684		
		US10B	146.30	006632		
		US26D	134.75	020197		
	5" x 8" (127 mm x 203 mm)	USP	117.15	016079	3	24
		US3	146.30	075451		
		US10	122.95	138544		
		US10A (US11)	146.30	022287		
		US10B	146.30	034952		
		US26D	134.75	062241		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTBB1279 Wide Throw Steel Full Mortise Standard Weight Ball Bearing	3-1/2" x 5" (89 mm x 127 mm)	LS	67.60	-	3	24
		USP	64.85	010918		
		US3	82.70	009518		
		US10	67.60	101108		
		US10A (US11)	82.70	009516		
		US10B	82.70	023424		
		US26	82.70	065499		
		US26D	73.65	011178		
	3-1/2" x 6" (89 mm x 152 mm)	LS	67.60	-	3	24
		USP	64.85	066581		
		US3	82.70	047525		
		US10	67.60	121608		
		US10A (US11)	82.70	132395		
		US10B	82.70	098415		
		US26	82.70	117331		
		US26D	73.65	009523		
	4" x 5" (102 mm x 127 mm)	LS	94.30	-	3	24
		USP	91.10	009537		
		US3	109.95	009531		
		US10	94.30	011977		
		US10A (US11)	109.95	009527		
		US10B	109.95	031902		
		US26	109.95	009684		
		US26D	100.90	092731		
	4" x 6" (102 mm x 152 mm)	LS	94.30	-	3	24
		USP	91.10	009547		
		US3	109.95	009545		
		US10	94.30	014811		
		US10A (US11)	109.95	009540		
		US10B	109.95	006722		
		US26	109.95	022988		
		US26D	100.90	009543		
	4" x 7" (102 mm x 178 mm)	LS	94.30	130408	3	24
		USP	91.10	093245		
		US3	109.95	009552		
		US10	94.30	146515		
		US10A (US11)	109.95	049316		
		US10B	109.95	015456		
		US26	109.95	002586		
		US26D	100.90	009551		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
WTBB1279	4-1/2" x 5"	LS	90.30	-	3	24
Continued	(114 mm x 127 mm)	USP	88.35	009587		
		US3	101.05	009573		
		US10	90.30	009557		
		US10A (US11)	101.05	009559		
		US10B	101.05	009564		
		US26	101.05	009566		
		US26D	94.50	009567		
	4-1/2" x 6"	LS	90.30	-	3	24
	(114 mm x 152 mm)	USP	88.35	009629		
		US3	101.05	009613		
		US10	90.30	009591		
		US10A (US11)	101.05	009596		
		US10B	101.05	009600		
		US26	101.05	009601		
		US26D	94.50	009607		
	4-1/2" x 7"	USP	95.10	009654	3	24
	(114 mm x 178 mm)	US3	108.65	009644		
		US10	97.20	009636		
		US10A (US11)	108.65	097139		
		US10B	108.65	034974		
		US26D	101.75	009642		
	4-1/2" x 8"	USP	95.10	009671	3	24
	(114 mm x 203 mm)	US3	108.65	093992		
		US10	97.20	066950		
		US10A (US11)	108.65	028232		
		US10B	108.65	019076		
		US26D	101.75	009663		
	5" x 6"	USP	120.75	049054	3	24
	(127 mm x 152 mm)	US3	150.85	097745		
		US10	126.75	009676		
		US10A (US11)	150.85	019102		
		US10B	150.85	028233		
		US26D	138.85	009683		
	5" x 7"	USP	120.75	033635	3	24
	(127 mm x 178 mm)	US3	150.85	021386		
		US10	126.75	009694		
		US10A (US11)	150.85	050575		
		US10B	150.85	030684		
		US26D	138.85	036924		
	5" x 8"	USP	120.75	027044	3	24
	(127 mm x 203 mm)	US3	150.85	047665		
		US10	126.75	042602		
		US10A (US11)	150.85	034328		
		US10B	150.85	011281		
		US26D	138.85	094856		







Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1303	3" (76 mm)	USP	38.90	126803	1	10
Double Acting		US3	53.50	126804		
Spring Hinge		US4	47.85	126805		
		US26D	61.20	126807		
	4" (102 mm)	USP	41.50	126808	1	10
		US3	56.10	126809		
		US4	50.25	126810		
		US26D	64.30	126811		
	5" (127 mm)	USP	56.10	126812	1	10
		US3	76.90	126813		
		US4	68.65	126814		
		US26D	87.75	126815		
	6" (152 mm)	USP	61.20	126816	1	10
		US3	84.45	126817		
		US4	75.60	126818		
		US26D	96.55	126819		
BB1360	4-1/2" (114 mm)	US32D	196.00	060909	3	36
Stainless Steel	5" (127 mm)	US32D	196.00	097565	3	36
Full Mortise						
Standard Weight						
Ball Bearing						
Swing Clear						
RH Standard (reversible to LH)						
BB1361	4-1/2" (114 mm)	US32D	196.00	044728	3	36
Stainless Steel	5" (127 mm)	US32D	196.00	094295	3	36
Full Mortise						
Standard Weight						
Ball Bearing						
Swing Clear						
Beveled Edge Doors						
RH Standard (reversible to LH)						
BB1362	4-1/2" (114 mm)	US32D	236.60	045163	3	24
Stainless Steel	5" (127 mm)	US32D	236.60	041420	3	24
Full Mortise						
Heavy Weight						
Ball Bearing						
Swing Clear						
RH Standard (reversible to LH)						
BB1363	4-1/2" (114 mm)	US32D	236.60	042414	3	24
Stainless Steel	5" (127 mm)	US32D	236.60	042845	3	24
Full Mortise						
Heavy Weight						
Ball Bearing						
Swing Clear						
Beveled Edge Doors						
RH Standard (reversible to LH)						











Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	1577			105.35*	-	3	48
	Brass or stainless			*Add to price of 1191			
	Full Mortise						
	Standard Weight						
	Plain Bearing						
	Both Leaves Tapped						
	BB1577			105.35*	-	3	48
	Brass or stainless			*Add to price of BB1191			
	Full Mortise						
	Standard Weight						
	Ball Bearing						
	Both Leaves Tapped						
	1578			105.35*	-	3	48
	Brass or stainless			*Add to price of 1191			
	Full Mortise						
	Standard Weight						
	Plain Bearing						
	One Leaf Tapped						
	Specify Handing						
	BB1578			105.35*	-	3	48
	Brass or stainless			*Add to price of BB1191			
	Full Mortise						
	Standard Weight						
	Ball Bearing						
	One Leaf Tapped						
	Specify Handing						



Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	1712	3-1/2" (89 mm)	ALL	57.85	066653	10	100
	Ball Tip Hinge Kit	4" (102 mm)	ALL	57.85	066654	10	100
	Standard Weight	4-1/2" (114 mm)	ALL	57.85	066655	10	100
		5" (127 mm)	ALL	57.85	066656	10	100
		6" (152 mm)	ALL	57.85	079328	10	100
	1713	4-1/2" (114 mm)	ALL	63.20	066657	10	100
	Ball Tip Hinge Kit	5" (127 mm)	ALL	63.20	066658	10	100
	Heavy Weight	6" (152 mm)	ALL	63.20	072882	10	100
	1716	3-1/2" (89 mm)	ALL	57.85	066638	10	100
	Acorn Tip Hinge Kit	4" (102 mm)	ALL	57.85	066639	10	100
	Standard Weight	4-1/2" (114 mm)	ALL	57.85	066640	10	100
		5" (127 mm)	ALL	57.85	066641	10	100
		6" (152 mm)	ALL	57.85	--	10	100
	1717	4-1/2" (114 mm)	ALL	63.20	015890	10	100
	Acorn Tip Hinge Kit	5" (127 mm)	ALL	63.20	066643	10	100
	Heavy Weight	6" (152 mm)	ALL	63.20	--	10	100
	1722	3-1/2" (89 mm)	ALL	57.85	066644	10	100
	Steeple Tip Hinge Kit	4" (102 mm)	ALL	57.85	066645	10	100
	Standard Weight	4-1/2" (114 mm)	ALL	57.85	066689	10	100
		5" (127 mm)	ALL	57.85	066690	10	100
		6" (152 mm)	ALL	57.85	--	10	100
	1723	4-1/2" (114 mm)	ALL	63.20	066691	10	100
	Steeple Tip Hinge Kit	5" (127 mm)	ALL	63.20	066646	10	100
	Heavy Weight	6" (152 mm)	ALL	63.20	--	10	100
	1728	3-1/2" (89 mm)	ALL	57.85	066647	10	100
	Urn Tip Hinge Kit	4" (102 mm)	ALL	57.85	066648	10	100
	Standard Weight	4-1/2" (114 mm)	ALL	57.85	066649	10	100
		5" (127 mm)	ALL	57.85	066650	10	100
		6" (152 mm)	ALL	57.85	--	10	100
	1729	4-1/2" (114 mm)	ALL	63.20	066651	10	100
	Urn Tip Hinge Kit	5" (127 mm)	ALL	63.20	022876	10	100
	Heavy Weight	6" (152 mm)	ALL	63.20	007875	10	100



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1850	4" x 4"					
Steel - Full Surface	(102 mm x 102 mm)	PS	45.45	042562	10	40
Heavy Weight	4-1/2" x 4-1/2"					
Plain Bearing	(114 mm x 114 mm)	PS	64.65	042564	10	40
No Holes	5" x 5"					
	(127 mm x 127 mm)	PS	83.35	042596	1	10
	6" x 6"					
	(152 mm x 152 mm)	PS	129.35	042597	1	10
1850 LP	6" x 6"					
Loose Oval Pin	(152 mm x 152 mm)	PS	129.35	177161	1	10
BB2098	4-1/2" (114 mm)					
Brass or Stainless		US10	199.50	012708	3	36
Half Mortise		US10B	243.30	087963		
Heavy Weight		US26D	213.75	012711		
Ball Bearing		US32D	283.65	012716		
	5" (127 mm)					
		US10	241.20	-	3	24
		US10B	284.95	110727		
		US26D	255.05	012724		
		US32D	332.10	012728		
	6" x 1-3/4"					
	(152 mm x 45 mm)	US26D	837.80	042103	3	12
		US32D	1196.80	012735		
BB2108	4-1/2" (114 mm)					
Brass or Stainless		US10	511.40	067805	3	36
Full Surface		US10B	623.80	070520		
Heavy Weight		US26D	548.00	004606		
Ball Bearing		US32D	727.25	012747		
	5" (127 mm)					
		US10	588.00	-	3	24
		US10B	795.25	-		
		US26D	691.45	100138		
		US32D	898.60	036742		
	6" (152 mm)					
		US26D	805.55	022939	3	12
		US32D	1150.75	012757		
BB2109	4-1/2" (114 mm)					
Brass or Stainless		US10	588.00	012759	3	36
Full Surface		US10B	795.25	115826		
Heavy Weight		US26D	691.45	012762		
Ball Bearing		US32D	898.60	012765		
	5" (127 mm)					
		US10	588.00	-	3	24
		US10B	795.25	131276		
		US26D	691.45	012768		
		US32D	898.60	012771		
	6" (152 mm)					
		US26D	805.55	086735	3	12
		US32D	1150.75	012778		
BB2110	4-1/2" (114 mm)					
Brass or Stainless		US10	191.80	012793	3	48
Full Surface		US10B	239.75	074876		
Standard Weight		US26D	206.40	012795		
Ball Bearing		US32D	279.70	012796		
	5" (127 mm)					
		US10	211.55	-	3	24
		US10B	285.95	-		
		US26D	248.70	049870		
		US32D	355.10	012803		



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB2112 Brass or Stainless Half Surface Standard Weight Ball Bearing	4" (102 mm)	US10	398.05	056746	3	48
		US10B	501.20	028766		
		US26D	431.20	026917		
		US32D	584.65	006867		
	4-1/2" (114 mm)	US10	191.80	012824	3	48
		US10B	239.75	002499		
		US26D	206.40	012828		
		US32D	279.70	012833		
	5" (127 mm)	US10	202.55	012838	3	36
		US10B	263.30	133233		
		US26D	229.05	012839		
		US32D	297.75	004041		
BB2113 Brass or Stainless Half Surface Heavy Weight Ball Bearing	4-1/2" (114 mm)	US10	218.15	012847	3	36
		US10B	266.00	002056		
		US26D	233.75	012852		
		US32D	306.00	012857		
	5" (127 mm)	US10	253.50	012863	3	24
		US10B	329.45	012864		
		US26D	294.90	012865		
		US32D	384.05	012866		
	6" x 3-1/4" (152 mm x 45 mm)	US26D	909.15	068257	3	12
		US32D	1185.40	012873		
BB2168 Steel Full Surface Heavy Weight Ball Bearing	4-1/2" (114 mm)	USP	302.75	012899	3	36
		US10	315.45	-		
		US10A (US11)	369.30	-		
		US10B	369.30	089570		
	5" (127 mm)	US26D	331.00	012898	3	24
		USP	365.50	012902		
		US10	383.80	141575		
		US10A (US11)	500.15	-		
	6" (152 mm)	US10B	500.15	-	3	12
		US26D	434.95	011313		
		USP	388.25	009661		
		US10	407.70	-		
		US10A (US11)	551.10	-		
		US10B	551.10	-		
		US26D	479.50	012903		



Architectural Hinges




Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
BB2169	4-1/2" (114 mm)	USP	270.15	012914	3	36
Steel		US10	315.50	042983		
Full Surface		US10A (US11)	369.30	061635		
Heavy Weight		US10B	369.30	115013		
Ball Bearing		US26D	331.00	012911		
	5" (127 mm)	USP	326.35	012923	3	24
		US10	342.65	129997		
		US10A (US11)	457.20	-		
		US10B	457.20	080993		
		US26D	397.55	012920		
	6" (152 mm)	USP	435.80	012930	3	12
		US10	457.65	082081		
		US10A (US11)	551.10	-		
		US10B	551.10	-		
		US26D	479.50	012929		
BB2171	4-1/2" (114 mm)	USP	72.70	012946	3	48
Steel		US10	87.70	012934		
Full Surface		US10A (US11)	114.60	012936		
Standard Weight		US10B	114.60	143435		
Ball Bearing		US26D	99.60	012940		
	5" (127 mm)	USP	101.90	012956	3	36
		US10	120.45	026071		
		US10A (US11)	151.90	-		
		US10B	151.90	-		
		US26D	130.70	012952		
AB7001	4-1/2" (114 mm)	LS	184.90	-	3	36
Steel		USP	184.90	122842		
Full Mortise		US3	227.25	028735		
Standard Weight		US10	192.40	-		
Concealed Anti-Friction Bearing		US10A (US11)	227.25	077050		
Swing Clear		US10B	227.25	008284		
		US26	227.25	-		
		US26D	180.20	024377		
	5" (127 mm)	LS	184.90	-	3	36
		USP	184.90	-		
		US3	227.25	102769		
		US10	192.40	-		
		US10A (US11)	227.25	-		
		US10B	227.25	-		
		US26	227.25	079631		
		US26D	180.20	087869		







Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
AB7002	4-1/2" (114 mm)	LS	184.90	-	3	36
Steel		USP	184.90	065541		
Full Mortise		US3	227.25	024690		
Standard Weight		US10	192.40	-		
Concealed Anti-Friction Bearing		US10A (US11)	227.25	103793		
Swing Clear		US10B	227.25	008287		
Beveled Edge Doors		US26	227.25	068502		
		US26D	180.20	094245		
	5" (127 mm)	LS	184.90	-	3	36
		USP	184.90	-		
		US3	227.25	-		
		US10	192.40	-		
		US10A (US11)	227.25	-		
		US10B	227.25	-		
		US26	227.25	-		
		US26D	180.20	013655		
AB7501	4-1/2" (114 mm)	USP	228.80	073850	3	24
Steel		US10	231.95	017299		
Full Mortise		US10A (US11)	278.50	019030		
Heavy Weight		US10B	278.50	122627		
Concealed Anti-Friction Bearing		US26D	211.15	013622		
Swing Clear	5" (127 mm)	USP	228.80	-	3	24
		US10	231.95	027631		
		US10A (US11)	278.50	116946		
		US10B	278.50	-		
		US26D	211.15	013628		
AB7502	4-1/2" (114 mm)	USP	228.80	041605	3	24
Steel		US10	231.95	025196		
Full Mortise		US10A (US11)	278.50	081770		
Heavy Weight		US10B	278.50	085448		
Concealed Anti-Friction Bearing		US26D	211.15	094244		
Swing Clear	5" (127 mm)	USP	228.80	116906	3	24
Beveled Edge Doors		US10	231.95	025197		
		US10A (US11)	278.50	094319		
		US10B	278.50	109409		
		US26D	211.15	013645		
AB7505	5" x 4-1/2"	LH USP	325.45	013659	1	10
Steel	(127 mm x 114 mm)	RH USP	325.45	092796		
Full Mortise		LH US10	331.65	043893		
Heavy Weight		RH US10	331.65	054740		
Concealed Anti-Friction Bearing		LH US10A (US11)	401.50	013652		
Anchor Hinge		RH US10A (US11)	401.50	-		
Specify Handing		LH US10B	401.50	105739		
		RH US10B	401.50	105740		
		LH US26D	319.50	094710		
		RH US26D	319.50	094711		









Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	AB7506	5" x 4-1/2"	LH USP	325.45	013684	1	10
	Steel	(127 mm x 114 mm)	RH USP	325.45	013687		
	Full Mortise		LH US10	331.65	094813		
	Heavy Weight		RH US10	331.65	093244		
	Concealed Anti-Friction Bearing		LH US10A (US11)	401.50	013664		
	Anchor Hinge		RH US10A (US11)	401.50	112521		
	Specify Handing		LH US10B	401.50	124567		
			RH US10B	401.50	124568		
			LH US26D	319.50	013674		
			RH US26D	319.50	013676		
	AB7507	5" x 4-1/2"	LH USP	325.45	018824	1	10
	Steel	(127 mm x 114 mm)	RH USP	325.45	071660		
	Full Mortise		LH US10	331.65	076424		
	Heavy Weight		RH US10	331.65	-		
	Concealed Anti-Friction Bearing		LH US10A (US11)	401.50	-		
	Anchor Hinge		RH US10A (US11)	401.50	-		
	Specify Handing		LH US10B	401.50	100912		
			RH US10B	401.50	100911		
			LH US26D	319.50	013696		
			RH US26D	319.50	096847		
	AB7508	5" x 4-1/2"	LH USP	325.45	013735	1	10
	Steel	(127 mm x 114 mm)	RH USP	325.45	013736		
	Full Mortise		LH US10	331.65	016914		
	Heavy Weight		RH US10	331.65	016885		
	Concealed Anti-Friction Bearing		LH US10A (US11)	401.50	013713		
	Anchor Hinge		RH US10A (US11)	401.50	039369		
	Beveled Edge Doors		LH US10B	401.50	096476		
	Specify Handing		RH US10B	401.50	096475		
			LH US26D	319.50	013721		
			RH US26D	319.50	013722		
	AB7509	5" x 4-1/2"	LH USP	325.45	013753	1	10
	Steel	(127 mm x 114 mm)	RH USP	325.45	095106		
	Full Mortise		LH US10	331.65	036585		
	Heavy Weight		RH US10	331.65	036561		
	Concealed Anti-Friction Bearing		LH US10A (US11)	401.50	-		
	Anchor Hinge		RH US10A (US11)	401.50	-		
	Beveled Edge Doors		LH US10B	401.50	059951		
	Specify Handing		RH US10B	401.50	059965		
			LH US26D	319.50	013748		
			RH US26D	319.50	013749		








Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	AB7511	5" (127 mm)	USP	477.30	110076	3	24
	Steel		US10	443.95	-		
	Half Mortise		US10A (US11)	600.30	-		
	Heavy Weight		US10B	600.30	-		
	Concealed Anti-Friction Bearing		US26D	494.10	013760		
	Swing Clear						
	AB7512	5" (127 mm)	USP	477.30	110077	3	24
	Steel		US10	443.95	-		
	Half Mortise		US10A (US11)	600.30	-		
	Heavy Weight		US10B	600.30	-		
	Concealed Anti-Friction Bearing		US26D	494.10	008559		
	Swing Clear Beveled Edge Doors						
	AB7523	5" (127 mm)	USP	384.90	028670	3	12
	Steel		US10	403.95	-		
	Full Surface		US10A (US11)	606.65	-		
	Heavy Weight		US10B	606.65	129552		
	Concealed Anti-Friction Bearing		US26D	481.20	005548		
	Swing Clear						
	AB7534	5" (127 mm)	USP	384.90	-	3	12
	Steel		US10	403.95	-		
	Half Surface		US10A (US11)	606.65	116947		
	Heavy Weight		US10B	606.65	043778		
	Concealed Anti-Friction Bearing		US26D	481.20	005551		
	Swing Clear						
	AB8505	5" x 4-1/2"	LH US10	340.25	120612	1	10
	Brass or Stainless	(127 mm x 114 mm)	RH US10	340.25	120613		
	Full Mortise		LH US10B	407.40	005892		
	Heavy Weight		RH US10B	407.40	005891		
	Concealed Anti-Friction Bearing		LH US26D	322.95	088541		
	Anchor Hinge		RH US26D	322.95	088542		
	Specify Handing		LH US32D	531.90	013976		
			RH US32D	531.90	013977		
	AB8506	5" x 4-1/2"	LH US10	340.25	038811	1	10
	Brass or Stainless	(127 mm x 114 mm)	RH US10	340.25	038812		
	Full Mortise		LH US10B	407.40	090057		
	Heavy Weight		RH US10B	407.40	090058		
	Concealed Anti-Friction Bearing		LH US26D	322.95	013988		
	Anchor Hinge		RH US26D	322.95	013990		
	Specify Handing		LH US32D	531.90	013996		
			RH US32D	531.90	013998		



Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	AB8507	5" x 4-1/2"	LH US10	340.25	-	1	10
	Brass or Stainless	(127 mm x 114 mm)	RH US10	340.25	-		
	Full Mortise		LH US10B	407.40	046057		
	Heavy Weight		RH US10B	407.40	046058		
	Concealed Anti-Friction Bearing		LH US26D	322.95	092729		
	Anchor Hinge		RH US26D	322.95	092730		
	Beveled Edge Doors		LH US32D	531.90	093601		
	Specify Handing		RH US32D	531.90	094538		
	AB8508	5" x 4-1/2"	LH US10	340.25	057002	1	10
	Brass or Stainless	(127 mm x 114 mm)	RH US10	340.25	057004		
	Full Mortise		LH US10B	407.40	097781		
	Heavy Weight		RH US10B	407.40	014016		
	Concealed Anti-Friction Bearing		LH US26D	322.95	014019		
	Anchor Hinge		RH US26D	322.95	014021		
	Beveled Edge Doors		LH US32D	531.90	014028		
	Specify Handing		RH US32D	531.90	014030		
	AB8509	5" x 4-1/2"	LH US10	340.25	012173	1	10
	Brass or Stainless	(127 mm x 114 mm)	RH US10	340.25	012174		
	Full Mortise		LH US10B	407.40	046059		
	Heavy Weight		RH US10B	407.40	046060		
	Concealed Anti-Friction Bearing		LH US26D	322.95	068077		
	Anchor Hinge		RH US26D	322.95	022626		
	Beveled Edge Doors		LH US32D	531.90	014048		
	Specify Handing		RH US32D	531.90	094613		
	EC1100*	4-1/2" x 4"	US26D	15.15	121894	3	48
	Steel	(114 mm x 102 mm)					
	Full Mortise	4-1/2" x 4-1/2"	USP	5.50	079434	3	48
	Standard Weight	(114 mm x 114 mm)	US3	11.85	079435		
	Plain Bearing		US4	8.60	079441		
			US10B	11.85	075953		
			US15	11.85	108111		
			US26	11.85	108113		
	EC1100 NRP*	4-1/2" x 4"	US26D	17.65	123072	3	48
	Steel	(114 mm x 102 mm)					
	Full Mortise	4-1/2" x 4-1/2"	USP	7.75	084179	3	48
	Standard Weight	(114 mm x 114 mm)	US10B	14.05	075986		
	Plain Bearing		US15	14.25	109256		
			US26	14.25	135223		
			US26D	11.70	082934		

* ECCO hinges are sold in box quantities only

* Some ECCO hinges available in 316 Stainless Steel. Contact Hager Companies Sales and Service for information.



Architectural Hinges



Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
ECBB1100*	4-1/2" x 4"					
Steel	(114 mm x 102 mm)	US26D	20.35	094657	3	48
Full Mortise	4-1/2" x 4-1/2"	USP	10.95	079444	3	48
Standard Weight	(114 mm x 114 mm)	US3	20.35	079445		
Ball Bearing		US4	15.15	079446		
		US10B	20.35	076317		
		US15	21.60	108114		
		US26	21.60	108117		
		US26D	11.25	075048		



ECBB1100 NRP*	4-1/2" x 4"	US26D	22.35	094659	3	48
Steel	(114 mm x 102 mm)					
Full Mortise	4-1/2" x 4-1/2"	USP	12.65	049778	3	48
Standard Weight	(114 mm x 114 mm)	US3	22.20	082125		
Ball Bearing		US4	17.00	082129		
		US10B	22.20	076316		
		US26	23.75	109257		
		US26D	12.95	075049		



ECRC1100*	4" x 4"	US15	11.40	109258	3	48
Round Corner	(102 mm x 102 mm)	US26	11.40	-		
Steel		US26D	7.90	075637		
Full Mortise						
Standard Weight						
Plain Bearing						



ECRCBB1100*	4" x 4"	US15	14.75	109259	3	48
Round Corner	(102 mm x 102 mm)	US26	14.75	-		
Steel		US26D	10.80	073800		
Full Mortise						
Standard Weight						
Ball Bearing						



EC1101*	4-1/2" x 4-1/2"	US15	39.45	128121	3	48
Brass or Stainless Steel	(114 mm x 114 mm)	US26	39.45	125210		
Full Mortise		US32D	35.35	079552		
Standard Weight						
Plain Bearing						









ECBB1101*	4-1/2" x 4-1/2"	US15	41.60	109275	3	48
Brass or Stainless Steel	(114 mm x 114 mm)	US26	41.60	113875		
Full Mortise		US26D	22.90	076319		
Standard Weight		US32D	35.50	079555		
Ball Bearing						

* ECCO hinges are sold in box quantities only

* Other ECCO hinges available in 316 Stainless Steel. Contact Hager Companies Sales and Service for information.



Architectural Hinges

	Description	Size	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
	ECBB1101 NRP*	4-1/2" x 4-1/2"	US15	41.60	109276	3	48
	Brass or Stainless Steel	(114 mm x 114 mm)	US26	41.60	127834		
	Full Mortise		US26D	25.20	076320		
	Standard Weight		US32D	36.50	079557		
	Ball Bearing		US32D/316SS	59.75	-		
	ECBB1102*	4-1/2" x 4-1/2"	USP	23.75	091900	3	24
	Steel	(114 mm x 114 mm)	US15	43.10	109284		
	Full Mortise		US26	43.10	119967		
	Heavy Weight		US26D	29.45	091783		
	Ball Bearing	5" x 4-1/2"	US15	48.25	130049	3	24
		(127 mm x 114 mm)	US26	51.30	140126		
	ECBB1102 NRP*	4-1/2" x 4-1/2"	USP	31.60	091866	3	24
	Steel	(114 mm x 114 mm)	US15	55.45	109608		
	Full Mortise		US26	56.65	127835		
	Heavy Weight		US26D	33.35	091778		
	Ball Bearing	5" x 4-1/2"	US15	55.45	132673	3	24
		(127 mm x 114 mm)	US26	64.65	125212		
	ECBB1103*	4-1/2" x 4-1/2"	US10B	78.80	091741	3	24
	Brass or Stainless Steel	(114 mm x 114 mm)	US15	96.35	129146		
	Full Mortise		US26	96.35	138809		
	Heavy Weight		US32D	92.50	091731		
	Ball Bearing	5" x 4-1/2"	US15	112.45	-	3	24
		(127 mm x 114 mm)	US26	112.45	-		
	ECBB1103 NRP*	4-1/2" x 4-1/2"	US10B	82.20	091732	3	24
	Brass or Stainless Steel	(114 mm x 114 mm)	US26	115.90	-		
	Full Mortise		US32D	96.30	091693		
	Heavy Weight		US32D/316SS	124.75	169967		
	Ball Bearing	5" x 4-1/2"	US15	130.15	-	3	24
		(127 mm x 114 mm)	US26	130.15	-		
	EC1105*	4-1/2" x 4-1/2"	USP	18.90	079571	3	48
	Steel	(114 mm x 114 mm)	US3	38.55	079569		
	Full Mortise		US4	33.60	079570		
	Standard Weight		US10B	38.55	076318		
	Spring Hinge		US15	38.55	109281		
			US26	38.55	109282		
			US26D	28.30	079567		

* ECCO hinges are sold in box quantities only

* Other ECCO hinges available in 316 Stainless Steel. Contact Hager Companies Sales and Service for information.




Architectural Hinges - Specialty Hinges



Description	Size	Finish	2015 List
BB1279 Drop Leaf Steel Full Mortise Standard Weight Ball Bearing NRP Standard Specify Handing	4-1/2" x 4-1/2"	US26D	65.00
BB1168 Drop Leaf Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify Handing	4-1/2" x 4-1/2"	US26D	104.15
BB1191 Drop Leaf Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify Handing	4-1/2" x 4-1/2"	US32D	138.40
BB1199 Drop Leaf Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify Handing	4-1/2" x 4-1/2"	US32D	207.05
BB1279 Short Leaf Steel Full Mortise Standard Weight Ball Bearing Right Hand standard Reversible to Left Hand	4-1/2" x 4-3/8"	US26D	65.40
BB1168 Short Leaf Steel Full Mortise Heavy Weight Ball Bearing Right Hand standard Reversible to Left Hand	4-1/2" x 4-3/8"	US26D	104.15



Architectural Hinges - Specialty Hinges



Description	Size	Finish	2015 List
BB1191 Short Leaf Brass or Stainless Full Mortise Standard Weight Ball Bearing Right Hand standard Reversible to Left Hand	4-1/2" x 4-3/8"	US32D	138.40
BB1199 Short Leaf Brass or Stainless Full Mortise Standard Weight Ball Bearing Right Hand standard Reversible to Left Hand * NRP available upon request	4-1/2" x 4-3/8"	US32D	207.05
BB1279 Unequal Leaf Centered Steel Full Mortise Standard Weight Ball Bearing NRP Standard Specify Handing	5" x 4-1/2"	US26D	100.30
BB1168 Unequal Leaf Centered Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify Handing	5" x 4-1/2"	US26D	142.05
BB1191 Unequal Leaf Centered Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify Handing	5" x 4-1/2"	US32D	177.20
BB1199 Unequal Leaf Centered Steel Full Mortise Heavy Weight Ball Bearing NRP Standard Specify Handing	5" x 4-1/2"	US32D	259.30

* Additional sizes, finishes, and hinges available. Contact Hager Customer Service for information.



Residential Hinges

TABLE OF CONTENTS

D	
Discount Groups	3
M	
Machine Screws	4
N	
Non-Removable Pin	19
P	
Pins - Residential and Decorative Tips	23-24
R	
Residential Finish Symbols	2
S	
Safety Stud.....	15-16, 18, 23
Solid Brass or Stainless Steel.....	4-6, 13-14
Spring	6, 10-14
T	
Template Hinges.....	6, 10
W	
Wood Screws.....	20-21



Residential Hinges

RESIDENTIAL FINISH SYMBOLS

Not all products are available in all finishes. Contact Hager Sales and Service at 1-800-325-9995 for more specific information.

Non-Removable Pins (Medium Security)

Symbol	Description	List
NRP	Set screw in barrel	\$2.60 each

BHMA Symbol Base Material

US & HAGER	DESCRIPTION	STEEL	BRASS	STAINLESS STEEL
1D	Black	N/A	N/A	N/A
2D	Brass Tone Dichromate	N/A	N/A	N/A
2CD	Brushed Zinc Plate	N/A	N/A	N/A
H2H	Mechanical Galvanized	N/A	N/A	N/A
3	Bright Brass	632	605	N/A
3LB	Light Brass	N/A	N/A	N/A
4	Satin Brass	633	606	N/A
10A	Antique Bronze - Lacquered	641	614	N/A
10R	Antique Bronze - Matte Lacquer	N/A	N/A	N/A
15	Satin Nickel	646	619	N/A
26	Bright Chromium Plated	651	625	N/A
26D	Satin Chromium Plated	652	626	N/A
32	Stainless Steel Metal, Bright	N/A	N/A	629
32D	Stainless Steel Metal, Satin	N/A	N/A	630
P	Prime Coat - Beige	600	600	N/A
ABA/US5	Antique Brass	638	609	N/A
AN/15A	Antique Nickel	647	620	N/A

Note: For any finish not listed in this Price Book, price and availability on request.

LEAD TIMES

Items with prices in **bold** within this section are stock items and usually ship within 24 hours. Non-stock items will typically ship within 90 business days depending on seasonal volume and order complexity. The anticipated ship date will be included with each order acknowledgement.



Residential Hinges

RESIDENTIAL DISCOUNT GROUPS

GROUP	DESCRIPTION	DISC %
BB1541 - RCBB1541 - RCBB1542 (3.5)		
80M	3.5 - SS BB (32-32D)	
1741 - RC1741 - RC1842 (3.0, 3.5)		
81A	3.0, 3.5 - PB BOX (10A-ABA-AN-1D-26-26D-3-H2H)	
81C	3.0, 3.5 - PB BOX (10R-15)	
81G	3.0, 3.5 - PB BOX (2D-4-P-3LB)	
BB1741 - RCBB1741 - RCBB1842 (3.5)		
82A	3.5 - BB BOX (10A-ABA-AN-10R-1D-15-26-26D-3)	
82G	3.5 - BB BOX (2D, 4-3LB)	
RC1641 - RC1841 - 7741 - 8741 (3.5)		
83A	3.5 - BULK (10A-ABA-AN-1D-26-26D-3-H2H)	
83C	3.5 - BULK (10R-15)	
83G	3.5 - BULK (2D, 4, P-3LB)	
1541 - RC1541 - RC1542 (3.0, 3.5)		
86A	3.0, 3.5 - BRASS (10A-ABA-AN-10R-15-26-26D-3)	
86G	3.0, 3.5 - BRASS (4)	
86M	3.0, 3.5 - SS (32-32D)	
1750 - 1751 - 1752 (3.5)		
87A	3.5 - SPRING (10A-ABA-AN-1D-10R-15-26-26D-3)	
87G	3.5 - SPRING (2D-4-P-3LB)	
RC1748 (3.5)		
88A	3.5 - RC1748 (10A-ABA-AN-15-26-26D-3)	
88G	3.5 - RC1748 (2D-4-P-3LB)	
RCBB1841 (3.5)		
8CA	3.5 - BB BULK (AN-15-3-10R-26-26D-5)	
8CG	3.5 - BB BULK (2D-4)	
BB1541 - RCBB1541 - RCBB1542 - BB1543 (4.0)		
90A	4.0 - BRASS BB (ABA-AN-10R-15-26-26D-3)	
90G	4.0 - BRASS BB (4)	
90M	4.0 - SS BB (32-32D)	

GROUP	DESCRIPTION	DISC %
1741 - RC1741 - 1842 (4.0)		
91A	4.0 - PB BOX (10A-ABA-AN-10R-1D-15-26-26D-H2H)	
91C	4.0 - PB BOX (10R-15)	
91G	4.0 - PB BOX (2D-4-P-3LB)	
RCBB1741 - RCBB1842 (4.0)		
92A	4.0 - BB BOX (10A-ABA-AN-10R-1D-26-26D-3)	
92G	4.0 - BB BOX (2D-4-P-3LB)	
RC1641 - RC1841 - RC8641 - RC8741 - RC8744 (4.0)		
93A	4.0 - BULK (10A-ABA-AN-1D-26-26D-3)	
93C	4.0 - BULK (10R - 15)	
93G	4.0 - BULK (2D-4-P-3LB)	
RC1542 - 1541 - RC1541 - RC1543 (4.0)		
96A	4.0 - BRASS (ABA-AN-10R-15-26-26D-3)	
96M	4.0 - SS (32-32D)	
1744 - 1750 - 1751 - 1752 - 1754 - 1760 - 1761 - 1762 - 1764 (4.0)		
97A	4.0 SPRING (10A-ABA-AN-10R-1D-15-26-26D-3)	
97G	4.0 SPRING (2D-4-P-3LB)	
97M	4.0 SPRING (32-32D)	
RC1749 (4.0)		
99A	4.0 - RC1749 (10A-ABA-15-26-26D-3-4-L2)	
99G	4.0 - RC1749 (2D-4-P-3LB)	
RC1846 - RC1847 (4.0)		
9AA	4.0 - FRP BOX (3)	
9AG	4.0 - FRP BOX (2D-P)	
RC1846 - RC1847 (4.0)		
9BA	4.0 - FRP BULK (10A-10R-ABA-AN-1D-3-15-26D)	
9BG	4.0 - FRP BULK (2D-P)	
RC1843 (4.0)		
9DA	4.0 - SECURITY BOX (10A-ABA-AN-15-26D-3)	
9DG	4.0 - SECURITY BOX (2D-4)	
RC1843 (4.0)		
9EA	4.0 - SECURITY BULK (10R-15-26-26D-3-ABA-AN)	
9EG	4.0 - SECURITY BULK (2D-P-3LB-4)	
OTHER GROUP CODES		
701	RESIDENTIAL BULK SCREWS	
740	4.0 - SECURITY BOX (32D)	
780	RESIDENTIAL AUXILIARY	








Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
1340	10-24 x 1/2" FPHM	USP	27.80	095782	1 pack	10 packs	701
Machine Screws	with #9 Head	2D	27.80	095781			
U/M - Pack of 400		US3	27.80	095791			
		3LB	27.80	095792			
		US4	27.80	095795			
		ABA/US5	27.80	095796			
		US10A	27.80	095783			
		US10R	27.80	095784			
		US15	27.80	095785			
		AN/US15A	27.80	095787			
		US26	27.80	095788			
		US26D	27.80	095789			
1541	3-1/2" x 3-1/2"	US3	12.60	030141	2 each	100 each	86A
Solid Brass or Stainless	(89 mm x 89 mm)	US10R	12.60	032855			86A
Square Corner		US15	12.60	031539			86A
Full Mortise		US32	12.85	030144			86M
Residential Wt.		US32D	12.85	030146			86M
Plain Bearing with Screws	4" x 4"	US3	14.65	030149	2 each	50 each	96A
U/M - 1 each	(102 mm x 102 mm)	US10R	14.65	033204			96A
		US15	14.65	035737			96A
		US32	14.90	030152			96M
		US32D	14.90	030153			96M
BB1541	3-1/2" x 3-1/2"	US32D	16.75	034377	2 each	100 each	80M
Stainless	(89 mm x 89 mm)						
Square Corner	4" x 4"	US32D	18.50	034534	2 each	50 each	90M
Full Mortise	(102 mm x 102 mm)						
Residential Wt.							
Ball Bearing with Screws							
U/M - 1 each							
RC1541	3-1/2" x 3-1/2"	US3	12.60	030229	2 each	100 each	86A
Solid Brass or Stainless	(89 mm x 89 mm)	US10R	12.60	034358			86A
1/4" Radius		US15	12.60	033818			86A
Round Corner		US26D	12.60	030227			86A
Full Mortise		US32D	12.85	030232			86M
Residential Wt.	4" x 4"	US3	14.65	033004	2 each	50 each	96A
Plain Bearing with Screws	(102 mm x 102 mm)	US10R	14.65	035343			96A
U/M - 1 each		US15	14.65	034837			96A
		US26D	14.65	033003			96A
		US32D	14.90	033008			96M
RCBB1541	3-1/2" x 3-1/2"	US32D	16.75	034378	2 each	100 each	80M
Stainless	(89 mm x 89 mm)						
1/4" Radius	4" x 4"	US32D	18.50	034587	2 each	50 each	90M
Full Mortise	(102 mm x 102 mm)						
Residential Wt.							
Ball Bearing with Screws							
U/M - 1 each							




Residential Hinges

	Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
	RC1542	3-1/2" x 3-1/2"	US3	12.60	030276	2 each	100 each	86A
	Solid Brass or Stainless	(89 mm x 89 mm)	US4	12.60	030291			86G
	5/8" Radius		US10R	12.60	036081			86A
	Round Corner		US15	12.60	035594			86A
	Full Mortise		US26D	12.60	030275			86A
	Residential Wt.		US32	12.85	030288			86M
	Plain Bearing with Screws		US32D	12.85	030289			86M
	U/M - 1 each							
		4" x 4"	US3	14.65	033051	2 each	50 each	96A
		(102 mm x 102 mm)	US10R	14.65	036761			96A
	RCBB1542	3-1/2" x 3-1/2"	US32D	16.75	034381	2 each	100 each	80M
	Stainless	(89 mm x 89 mm)						
	5/8" Radius							
	Round Corner							
	Full Mortise							
	Residential Wt.							
	Ball Bearing with Screws							
	U/M - 1 each							
		4" x 4"	US32D	18.50	034589	2 each	50 each	90M
		(102 mm x 102 mm)						
	1543	4" x 4"	US3	14.65	071461	2 each	50 each	96A
	Solid Brass or Stainless	(102 mm x 102 mm)	US10R	14.65	036911			96A
	Square by 5/8" Radius		US15	14.65	071462			96A
	Full Mortise		US32D	14.90	071531			96M
	Residential Wt.							
	Plain Bearing with Screws							
	U/M - 1 each							
	BB1543	4" x 4"	US3	18.85	071637	2 each	50 each	90A
	Solid Brass or Stainless	(102 mm x 102 mm)	US10R	18.85	036980			90A
	Square by 5/8" Radius		US32D	18.50	071552			90M
	Full Mortise							
	Residential Wt.							
	Ball Bearing with Screws							
	U/M - 1 each							
	RC1641	3-1/2" x 3-1/2"	2D	1.65	029464	-	100 each	83G
	Steel	(89 mm x 89 mm)						
	5/8" Radius		2D	2.40	029559	-	100 each	93G
	Round Corner							
	Full Mortise							
	Residential Wt.							
	6 Knuckle							
	Plain Bearing							
	See style #2617 & #2817							
	for screws							
	U/M - Each - Bulk							



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
1700	3-1/2" (89 mm)	2D	0.65	038152	100 each	1000 each	900
Pins for Residential Wt.		US15	0.65	038173			
Plain Bearing Hinges		US26D	0.65	038174			
Sold full box qty	4" (102 mm)	2D	0.65	038153	100 each	1000 each	900
U/M - 1 Each		US4	0.65	038156			
		US15	0.65	038166			
		US26D	0.65	038175			
1734	4" x 4" (102 mm x 102 mm)	US32D	37.40	169906	2 each	80 each	97M
Stainless Steel							
1/4" Radius Round Corner							
Full Mortise							
Spring Hinge							
Timely Frame All MS 1/2 WS							
U/M - 1 each							
1741	3" x 3" (76 mm x 76 mm)	USP	1.80	029648	2 each	100 each	81G
Steel		2D	1.80	029641			81G
Square Corner		US3	5.15	033133			81A
Full Mortise		US10A	5.15	033129			81A
Residential Wt.		US26	5.15	033131			81A
Plain Bearing - with Screws		US26D	5.15	033132			81A
U/M - 1 each							
	3-1/2" x 3-1/2" (89 mm x 89 mm)	USP	1.80	029661	2 each	100 each	81G
		1D	5.15	030556			81A
		2D	1.80	029658			81G
		US3	5.15	030533			81A
		3LB	1.80	029660			81G
		US4	1.80	029659			81G
		ABA/US5	5.15	030552			81A
		US10A	5.15	030548			81A
		US10R	5.15	037124			81C
		US15	5.15	030555			81C
		AN/US15A	5.15	030620			81A
		US26	5.15	030547			81A
		US26D	5.15	030551			81A
	4" x 4" (102 mm x 102 mm)	USP	2.65	029667	2 each	50 each	91G
		1D	6.10	033144			91A
		2D	2.65	029662			91G
		US3	6.10	033148			91A
		US4	2.65	029664			91G
		ABA/US5	6.10	033197			91A
		US10A	6.10	033141			91A
		US10R	6.10	038067			91C
		US15	6.10	032829			91C
		AN/US15A	6.10	033199			91A
		US26	6.10	033145			91A
		US26D	6.10	033146			91A




Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
BB1741	3-1/2" x 3-1/2"	2D	5.30	034336	2 each	100 each	82G
Steel	(89 mm x 89 mm)	US3	8.65	034274			82A
Square Corner		US4	5.30	034337			82G
Ball Bearing Hinges		ABA/US5	5.30	034332			82A
Full Mortise		US10A	8.65	034330			82A
Residential Wt. with Screws		US10R	8.65	040217			82A
U/M - 1 each		US15	8.65	034333			82A
		AN/US15A	8.65	034334			82A
		US26	8.65	034275			82A
		US26D	8.65	034329			82A
	4" x 4"	2D	6.15	034500	2 each	50 each	92G
	(102 mm x 102 mm)	US3	9.55	034474			92A
		US4	6.15	034502			92G
		ABA/US5	9.55	034497			92A
		US10A	9.55	034483			92A
		US10R	9.55	040724			92A
		US15	9.55	034498			92A
		AN/US15A	9.55	034499			92A
		US26	9.55	034477			92A
		US26D	9.55	034482			92A



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
RC1741	3" x 3"	USP	1.80	029677	2 each	100 each	81G
Steel	(76 mm x 76 mm)	2D	1.80	029673			81G
1/4" Radius		US3	5.15	033512			81A
Round Corner		US4	1.80	029675			81G
Full Mortise		ABA/US5	5.15	032869			81A
Residential Wt.		US26D	5.15	032859			81A
Plain Bearing with screws	3-1/2" x 3-1/2"	USP	1.80	029683	2 each	100 each	81G
U/M - 1 each	(89 mm x 89 mm)	1D	5.15	030680			81A
		2D	1.80	029678			81G
		US3	5.15	030644			81A
		3LB	1.80	029475			81G
		US4	1.80	029681			81G
		ABA/US5	5.15	030648			81A
		US10A	5.15	030645			81A
		US10R	5.15	041116			81C
		US15	5.15	030652			81C
		AN/US15A	5.15	030689			81A
		US26	5.15	030646			81A
		US26D	5.15	030647			81A
	4" x 4"	USP	2.65	029707	2 each	50 each	91G
	(102 mm x 102 mm)	1D	6.10	032881			91A
		2D	2.65	029695			91G
		US3	6.10	033267			91A
		3LB	2.65	029706			91G
		US4	2.65	029698			91G
		ABA/US5	6.10	033523			91A
		US10A	6.10	033514			91A
		US10R	6.10	041269			91C
		US15	6.10	032876			91C
		AN/US15A	6.10	032882			91A
		US26	6.10	033262			91A
		US26D	6.10	033265			91A



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
RC1741	3-1/2" x 3-1/2"	USP	1.65	029477	-	100 each	83G
Steel	(89 mm x 89 mm)	1D	4.75	031633			83A
1/4" Radius		2D	1.65	029472			83G
Round Corner		US3	4.75	030706			83A
Full Mortise		3LB	1.65	029682			83G
Residential Wt.		US4	1.65	029474			83G
Plain Bearing		ABA/US5	4.75	030715			83A
Bulk Assembled		US10R	4.75	041197			83C
See style #2617 & #2817 for screws		US15	4.75	030710			83C
U/M - Each - Bulk		AN/US15A	4.75	030716			83A
		US26	4.75	030714			83A
		US26D	4.75	030708			83A
	4" x 4"	USP	2.40	029569	-	100 each	93G
	(102 mm x 102 mm)	1D	5.60	032697			93A
		2D	2.40	029565			93G
		US3	5.60	033519			93A
		3LB	2.40	029568			93G
		US4	2.40	029566			93G
		US10A	5.60	033600			93A
		US10R	5.60	041270			93C
		US15	5.60	032877			93C
		AN/US15A	5.60	081352			93A
		US26	5.60	038957			93A
		US26D	5.60	033602			93A
RCBB1741	3-1/2" x 3-1/2"	1D	8.65	079451	2 each	100 each	82A
Steel	(89 mm x 89 mm)	US3	8.65	034346			82A
1/4" Radius		US4	5.30	034361			82G
Round Corner		ABA/US5	8.65	034352			82A
Full Mortise		US10R	8.65	038241			82A
Residential Wt.		US15	8.65	034353			82A
Ball Bearing with screws		AN/US15A	8.65	034355			82A
U/M - 1 each		US26	8.65	034348			82A
		US26D	8.65	034349			82A
	4" x 4"	1D	9.55	079453	2 each	50 each	92G
	(102 mm x 102 mm)	2D	6.15	034512			92G
		US3	9.55	034504			92A
		US4	6.15	034514			92G
		ABA/US5	9.55	034509			92A
		US10A	9.55	034508			92A
		US10R	9.55	040073			92A
		US15	9.55	034510			92A
		AN/US15A	9.55	034511			92A
		US26	9.55	034506			92A
		US26D	9.55	034507			92A



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
1744	4" x 4"	USP	15.85	169928	2 each	80 each	97G
Steel	(102 mm x 102 mm)	2D	15.85	169912			97G
1/4" Radius		US3	25.95	169913			97A
Round Corner		US4	15.85	169915			97A
Full Mortise		ABA/US5	25.95	169917			97A
Residential Wt.		US10A	25.95	169907			97A
Spring Hinge		US26	25.95	169989			97A
Template		US26D	25.95	169911			97A
All MS - 1/2 WS							
U/M - 1 each							
RC1748	3-1/2" x 3-1/2"	2D	1.90	029724	2 each	100 each	88G
Steel	(89 mm x 89 mm)	US3	5.15	030693			88A
1/4" Radius		3LB	1.90	029726			88G
Round Corner		US4	1.90	029725			88G
Full Mortise		US10A	5.15	030698			88A
Residential Wt.		US10R	5.15	016929			88A
Plain Bearing		US15	5.15	016936			88A
Template		US26D	5.15	030695			88A
All MS - 1/2 WS							
U/M - 1 each							
RC1749	4" x 4"	USP	3.90	029735	3 each	48 each	99G
Steel	(102 mm x 102 mm)	2D	3.90	029731			99G
1/4" Radius		US3	6.10	033529			99A
Round Corner		3LB	3.90	029734			99G
Full Mortise		US4	3.90	027932			99G
Residential Wt.		ABA/US5	6.10	032889			99A
Plain Bearing		US10A	6.10	032887			99A
Template		US10R	6.10	016902			99A
AMS - 1/2 WS		US15	6.10	016897			99A
U/M - 1 each		US26	6.10	033524			99A
		US26D	6.10	033528			99A



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
1750	3-1/2" x 3-1/2"	USP	14.80	170018	2 each	80 each	87G
Steel	(89 mm x 89 mm)	1D	19.70	169917			87G
Square Corner		2D	14.80	169982			87G
Full Mortise		US3	19.70	169983			87A
Residential Wt.		3LB	14.80	169986			87G
Spring Hinge with Screws		US4	14.80	169985			87G
ALL WS		ABA/US5	19.70	169988			87A
U/M - 1 each		US10A	19.70	169971			87A
		US10R	19.70	169972			87A
		US15	19.70	169974			87A
		AN/US15A	19.70	170017			87A
		US26	19.70	169979			87A
		US26D	19.70	169981			87A
	4" x 4"	USP	15.85	170046	2 each	80 each	97G
	(102 mm x 102 mm)	2D	15.85	170033			97G
		US3	25.95	170035			97A
		3LB	15.85	170037			97G
		US4	15.85	170040			97G
		ABA/US5	25.95	170043			97A
		US10A	25.95	170019			97A
		US10R	25.95	170020			97A
		US15	25.95	170021			97A
		AN/US15A	25.95	170044			97A
		US26	25.95	170023			97A
		US26D	25.95	170031			97A



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
1751	3-1/2" x 3-1/2"	USP	14.80	170220	2 each	80 each	87G
Steel	(89 mm x 89 mm)	1D	19.70	170204			87A
1/4" Radius		2D	14.80	170206			87G
Round Corner		US3	19.70	170207			87A
Full Mortise		3LB	14.80	170213			87G
Residential Wt.		US4	14.80	170215			87G
Spring Hinge with Screws		ABA/US5	19.70	170217			87A
ALL WS		US10A	19.70	170200			87A
U/M - 1 each		US10R	19.70	170202			87A
		US15	19.70	170203			87A
		AN/US15A	19.70	170218			87A
		US26D	19.70	170205			87A
	4" x 4"	USP	15.85	170239	2 each	80 each	97G
	(102 mm x 102 mm)	1D	25.95	170226			97A
		2D	15.85	170230			97G
		US3	25.95	170233			97A
		3LB	15.85	170234			97G
		US4	15.85	170235			97G
		ABA/US5	25.95	170236			97A
		US10A	25.95	170223			97A
		US10R	25.95	170224			97A
		US15	25.95	170225			97A
		AN/US15A	25.95	170237			97A
		US26	25.95	170228			97A
		US26D	25.95	170229			97A





Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
1761	4" x 4"	US32	37.40	170513	2 each	80 each	97M
Stainless Steel	(102 mm x 102 mm)	US32D	37.40	170514			
1/4" Radius							
Round Corner							
Full Mortise							
Residential Wt.							
Spring Hinge with Screws							
ALL WS							
U/M - 1 each							



1762	4" x 4"	US32	37.40	170515	2 each	80 each	97M
Stainless Steel	(102 mm x 102 mm)	US32D	37.40	170516			
5/8" Radius							
Round Corner							
Full Mortise							
Residential Wt.							
Spring Hinge with Screws							
ALL WS							
U/M - 1 each							



1764	4" x 4"	US32	37.40	170517	2 each	80 each	97M
Stainless Steel	(102 mm x 102 mm)	US32D	37.40	170519			
Square by 5/8" Radius							
Full Mortise							
Residential Wt.							
Spring Hinge with Screws							
ALL WS							
U/M - 1 each							



1816	4" x 4"	USP	2.40	069042	-	100 each	93G
Steel	(102 mm x 102 mm)	1D	5.60	089461			93A
Square by 5/8" Radius		2D	2.40	069009			93G
Full Mortise		US3	5.60	069142			93A
Residential Wt.		3LB	2.40	069010			93G
Plain Bearing		ABA/US5	5.60	069097			93A
Bulk Assembled Right Hand		US10R	5.60	041716			93C
See style #2817 for Screws		US15	5.60	069140			93C
U/M - Each - Bulk		AN/US15A	5.60	069099			93A
		US26	5.60	069127			93A
		US26D	5.60	069134			93A



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
BB1816	4" x 4"	2D	6.15	069166	2 each	50 each	92G
Steel	(102 mm x 102 mm)	US3	9.55	070306			92A
Square by 5/8" Radius		US4	6.15	070312			92G
Full Mortise		ABA/US5	9.55	070258			92A
Residential Wt.		US10A	9.55	070188			92A
Ball Bearing with screws		US10R	9.55	041717			92A
Right Hand		US15	9.55	070289			92A
U/M - 1 each		AN/US15A	9.55	070273			92A
		US26D	9.55	070311			92A



1817	4" x 4"	USP	2.40	070416	-	100 each	93G
Steel	(102 mm x 102 mm)	1D	5.60	089462			93A
Square by 5/8" Radius		2D	2.40	070403			93G
Full Mortise		US3	5.60	070496			93A
Residential Wt.		3LB	2.40	070417			93G
Plain Bearing		ABA/US5	5.60	070445			93A
Bulk Assembled Left Hand		US10R	5.60	041719			93C
See style #2817 for Screws		US15	5.60	070459			93C
U/M - Each - Bulk		AN/US15A	5.60	070453			93A
		US26D	5.60	070476			93A



BB1817	4" x 4"	2D	6.15	070498	2 each	50 each	92G
Steel	(102 mm x 102 mm)	US3	9.55	070604			92A
Square by 5/8" Radius		US4	6.15	070612			92G
Full Mortise		ABA/US5	9.55	070534			92A
Residential Wt.		US10R	9.55	041720			92A
Ball Bearing with screws		US15	9.55	070562			92A
Left Hand		AN/US15A	9.55	070556			92A
U/M - 1 each		US26D	9.55	070580			92A



1818	4" x 4"	USP	3.45	070634	-	100 each	9EG
Steel	(102 mm x 102 mm)	2D	3.45	070619			9EG
Square by 5/8" Radius		3LB	3.45	070665			9EG
Full Mortise		US10R	7.60	095609			9EG
Residential Wt.		US15	7.60	070745			9EA
Plain Bearing		AN/US15A	7.60	070738			9EA
Bulk Assembled Right Hand		US26D	7.60	070767			9EA
Safety Stud							
See style #2817 for screws							
U/M - Each - Bulk							



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
1819	4" x 4"	USP	3.45	070900	-	100 each	9EG
Steel	(102 mm x 102 mm)	2D	3.45	070835			9EG
Square by 5/8" Radius		3LB	3.45	070922			9EG
Full Mortise		US10R	7.60	095611			9EA
Residential Wt.		US15	7.60	070942			9EA
Plain Bearing		US26D	7.60	070971			9EA
Bulk Assembled Left Hand							
Safety Stud							
See style #2817 for screws							
U/M - Each - Bulk							
RC1841	3-1/2" x 3-1/2"	USP	1.65	027745	-	100 each	83G
Steel	(89 mm x 89 mm)	1D	4.75	030728			83A
5/8" Radius		2D	1.65	027355			83G
Round Corner		US3	4.75	030718			83A
Full Mortise		3LB	1.65	027360			83G
Residential Wt.		US4	1.65	027526			83G
Plain Bearing		ABA/US5	4.75	030724			83A
Bulk Assembled with Screws		US10A	4.75	030721			83A
See style #2617 & #2817		US10R	4.75	042004			83C
for screws		US15	4.75	030727			83C
U/M - Each - Bulk		AN/US15A	4.75	030842			83A
		US26	4.75	030719			83A
		US26D	4.75	030720			83A
	4" x 4"	USP	2.40	028287	-	100 each	93G
	(102 mm x 102 mm)	1D	5.60	033643			93A
		2D	2.40	027771			93G
		US3	5.60	033308			93A
		3LB	2.40	027995			93G
		US4	2.40	027996			93G
		ABA/US5	5.60	033537			93A
		US10A	5.60	033533			93A
		US10R	5.60	042005			93C
		US15	5.60	032893			93C
		AN/US15A	5.60	033565			93A
		US26	5.60	033535			93A
		US26D	5.60	033307			93A



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
RC1842	3-1/2" x 3-1/2"	USP	1.80	029759	2 each	100 each	81G
Steel	(89 mm x 89 mm)	1D	5.15	030857			81A
5/8" Radius		2D	1.80	029756			81G
Round Corner		US3	5.15	030851			81A
Full Mortise		3LB	1.80	029847			81G
Residential Wt.		US4	1.80	029757			81G
Plain Bearing with screws		ABA/US5	5.15	030853			81A
U/M - 1 each		US10A	5.15	030843			81A
		US10R	5.15	042009			81C
		US15	5.15	030856			81C
		AN/US15A	5.15	030859			81A
		US26	5.15	030845			81A
		US26D	5.15	030846			81A
	4" x 4"	USP	2.65	029774	2 each	50 each	91G
	(102 mm x 102 mm)	1D	6.10	032899			91A
		2D	2.65	029769			91G
		US3	6.10	033312			91A
		3LB	2.65	029771			91G
		US4	2.65	029770			91G
		ABA/US5	6.10	033313			91A
		US10A	6.10	033309			91A
		US10R	6.10	042010			91C
		US15	6.10	032898			91C
		AN/US15A	6.10	033314			91A
		US26	6.10	033310			91A
		US26D	6.10	033311			91A




Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
RCBB1842	3-1/2" x 3-1/2"	1D	8.65	084215	2 each	100 each	82A
Steel	(89 mm x 89 mm)	2D	5.30	034373			82G
5/8" Radius		US3	8.65	034363			82A
Round Corner		3LB	5.30	034375			82G
Full Mortise		US4	5.30	034374			82G
Residential Wt.		ABA/US5	8.65	034367			82A
Ball Bearing with screws		US10A	8.65	034366			82A
U/M - 1 each		US10R	8.65	042006			82A
		US15	8.65	034370			82A
		AN/US15A	8.65	034371			82A
		US26	8.65	034364			82A
		US26D	8.65	034365			82A
	4" x 4"	1D	9.55	084231	2 each	50 each	92A
	(102 mm x 102 mm)	2D	6.15	34526			92G
		US3	9.55	034515			92A
		3LB	6.15	034528			92G
		US4	6.15	034527			92G
		ABA/US5	9.55	034520			92A
		US10A	9.55	034519			92A
		US10R	9.55	042007			92A
		US15	9.55	034523			92A
		AN/US15A	9.55	034524			92A
		US26	9.55	034516			92A
		US26D	9.55	034518			92A
	4" x 4"	2D	3.40	033648	2 each	50 each	9DG
Steel	(102 mm x 102 mm)	US3	7.60	033649			9DA
5/8" Radius		3LB	3.40	081897			9DG
Round Corner		US4	3.40	081896			9DG
Full Mortise		ABA/US5	7.60	036149			9DA
Residential Wt.		US10A	7.60	081890			9DA
Bulk assembled with screws		US10R	7.60	042014			9DA
Safety Stud		US15	7.60	081894			9DA
U/M - 1 each		AN/US15A	7.60	081898			9DA
		US26	7.60	081895			9DA
		US26D	7.60	037158			9DA
RC1843	4" x 4"	USP	3.45	033589	-	100 each	9EG
Steel	(102 mm x 102 mm)	2D	3.45	033588			9EG
5/8" Radius		US3	7.60	037028			9EA
Round Corner		ABA/US5	7.60	126538			9EA
Full Mortise		US10R	7.60	129302			9EA
Residential Wt.		US15	7.60	126539			9EA
Bulk Assembled with screws		AN/US15A	7.60	126540			9EA
See style #2817		US26	7.60	126536			9EA
Safety Stud		US26D	7.60	126537			9EA
U/M - Each - Bulk							



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
RC1846	4" x 4"	2D	3.85	033651	2 each	50 each	9AG
Steel	(102 mm x 102 mm)	US3	9.95	033844			9AA
5/8" Radius		US26D	9.95	033843			9AA
Round Corner							
Full Mortise							
Residential Wt.							
Plain Bearing with screws							
Riveted Pin							
U/M - 1 each							



RC1846	4" x 4"	USP	3.85	029580	-	100 each	9BG
Steel	(102 mm x 102 mm)	2D	3.85	029576			9BG
5/8" Radius		US3	7.10	037092			9BA
Round Corner		3LB	3.85	029579			9BG
Full Mortise		US4	3.85	029578			9BG
Residential Wt.		US10R	7.10	042015			9BA
Plain Bearing		US15	7.10	081371			9BA
Bulk assembled with screws		AN/US15A	7.10	081370			9BA
See style #2817 for screws		US26	7.10	084250			9BA
Riveted Pin		US26D	7.10	083473			9BA
U/M - Each - Bulk							



RC1847	4" x 4"	USP	3.85	033658	2 each	50 each	9AG
Steel	(102 mm x 102 mm)	2D	3.85	033654			9AG
Square by 5/8" Radius		US3	9.95	037777			9AA
Full Mortise							
Residential Wt.							
Plain Bearing with screws							
Riveted Pin							
U/M - 1 each							



RC1847	4" x 4"	USP	3.85	033590	-	100 each	9BG
Steel	(102 mm x 102 mm)	2D	3.85	033594			9BG
Square by 5/8" Radius		US3	7.10	084253			9BA
Full Mortise		ABA/US5	7.10	084254			9BA
Residential Wt.		US10A	7.10	084255			9BA
Bulk Assembled with screws		US10R	7.10	042017			9BA
See style #2817 for screws		US15	7.10	084258			9BA
Riveted Pin		AN/US15A	7.10	084259			9BA
U/M - Each - Bulk		US26D	7.10	084261			9BA



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
1848	4" x 4"	US3	6.10	068746	2 each	50 each	91A
Steel	(102 mm x 102 mm)	ABA/US5	6.10	067438			91A
Unassembled		US10A	6.10	068789			91A
Square by 5/8" Radius		US10R	6.10	042019			91C
Full Mortise		US15	6.10	068735			91C
Residential Wt.		AN/US15A	6.10	068713			91A
Plain Bearing with screws		US26D	6.10	068734			91A
U/M - 1 each							
2617	#9 x 3/4" FPHS	USP	35.40	035459	1 pack	10 packs	701
Screws for Residential Hinges		1D	35.40	034111			
UM - Pack of 600		2D	35.40	034108			
		3LB	35.40	029794			
		US3	35.40	034109			
		US4	35.40	029793			
		ABA/US5	35.40	033323			
		US10A	35.40	033320			
		US10R	35.40	042098			
		US15	35.40	033321			
		AN/US15A	35.40	033324			
		US26	35.40	033322			
		US26D	35.40	034110			



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
2817 Screws for Residential Hinges UM - Pack of 800	#9 x 3/4" FPHS	USP	47.20	033385	1 pack	10 packs	701
		1D	47.20	034124			
		2D	47.20	034129			
		3LB	47.20	039796			
		US3	47.20	033384			
		US4	47.20	029795			
		ABA/US5	47.20	034126			
		US10A	47.20	034303			
		US10R	47.20	042099			
		US15	47.20	034302			
		AN/US15A	47.20	034123			
		US26	47.20	033327			
		US26D	47.20	033329			
	#9 X 1" FPHS	USP	51.05	033386	1 pack	10 packs	701
		1D	51.05	037331			
		2D	51.05	035480			
		3LB	51.05	029798			
		US3	51.05	033387			
		US4	51.05	029797			
		ABA/US5	51.05	035550			
		US10A	51.05	035461			
		US10R	51.05	042100			
		US15	51.05	036448			
		AN/US15A	51.05	035556			
		US26	51.05	035582			
		US26D	51.05	033388			
	#9 x 2-1/2" FPHS	USP	67.45	048598	1 pack	-	701
		2D	67.45	048594			
	#10 x 2-1/2" FPHS	2D	67.45	048601	1 pack	-	701



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
7741	3-1/2" x 3-1/2"	2D	1.65	029502	-	100 each	83G
Steel	(89 mm x 89 mm)	US3	4.75	030868			83A
1/4" Radius		3LB	1.65	029508			83G
Round Corner		US4	1.65	029504			83G
Full Mortise		US10R	4.75	021624			83C
Residential Wt.		US15	4.75	050813			83C
Plain Bearing		AN/US15A	4.75	050817			83A
See style #2617 & #2817 for screws		US26	4.75	030864			83A
		US26D	4.75	030867			83A
Bulk Unassembled with pins	4" x 4"	2D	2.40	029585	-	100 each	93G
U/M - Each - Bulk	(102 x 102 mm)	US3	5.60	033751			93A
		3LB	2.40	029603			93G
		US4	2.40	029586			93G
		US10R	5.60	015750			93C
		US15	5.60	050204			93C
		AN/US15A	5.60	051297			93A
		US26	5.60	033750			93A
		US26D	5.60	075057			93A
8641	3-1/2" x 3-1/2"	2D	1.65	029480	-	100 each	83G
Steel	(89 mm x 89 mm)						
5/8" Radius	4" x 4"	2D	2.40	029610	-	100 each	93G
Round Corner	(102 mm x 102 mm)						
Full Mortise							
Residential Wt.							
6 Knuckle							
Plain Bearing							
Bulk Unassembled with pins							
See style #2617 & #2817 for screws							
U/M - Each - Bulk							
8741	3-1/2" x 3-1/2"	USP	1.65	029500	-	100 each	83G
Steel	(89 mm x 89 mm)	2D	1.65	029486			83G
5/8" Radius		3LB	1.65	029497			83G
Round Corner		US4	4.75	029490			83G
Full Mortise		ABA/US5	4.75	030964			83A
Residential Wt.		US15	4.75	030953			83C
Plain Bearing		US26D	4.75	030962			83A
Bulk Unassembled with pins	4" x 4"	2D	2.40	029621	-	100 each	93G
See style #2617 & #2817 for screws	(102 mm x 102 mm)	US4	2.40	029622			93G
U/M - Each - Bulk		US10R	5.60	066186			93C
		US15	5.60	066183			93C
		US26D	5.60	035794			93A



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
8744	4" x 4"	USP	2.40	029639	-	100 each	93G
Steel	(102 mm x 102 mm)	2D	2.40	029630			93G
Square by 5/8" Radius		US3	5.60	036142			93A
Full Mortise		3LB	2.40	039636			93G
Residential Wt.		US4	5.60	029631			93G
Plain Bearing		US10A	5.60	084235			93A
Bulk Unassembled with pins		US10R	5.60	042101			93C
See style #2817 for screws		US15	5.60	080130			93C
U/M - Each - Bulk		AN/US15A	5.60	084237			93A
		US26D	5.60	036148			93A
8746	4" x 4"	USP	3.45	068828	-	100 each	9EG
Steel	(102 mm x 102 mm)	2D	3.45	068819			9EG
Square by 5/8" Radius		US4	3.45	068989			9EG
Full Mortise		ABA/US5	7.60	068910			9EA
Residential Wt.		US15	7.60	068929			9EA
Plain Bearing		US26D	7.60	038964			9EA
Safety Stud							
Bulk Unassembled with pins							
See style #2817 for screws							
U/M - Each - Bulk							
1710	3-1/2" (89 mm)	US3	10.80	042118	10 packs	100 packs	780
Hinge Tip Kit		US4	10.80	058503			
2 Ball Tips in Solid Brass with		ABA/US5	10.80	058500			
1 Stainless Steel Pin for		US10A	10.80	058506			
One Residential Wgt. Hinge		US10R	10.80	097381			
U/M - Pack of 1 each		US15	10.80	037713			
		AN/US15A	10.80	037940			
		US26	10.80	058559			
		US26D	10.80	058502			
	4" (102 mm)	US3	10.80	042129	10 packs	100 packs	780
		US4	10.80	058965			
		ABA/US5	10.80	058957			
		US10A	10.80	058973			
		US10R	10.80	097383			
		US15	10.80	037848			
		AN/US15A	10.80	037905			
		US26	10.80	058974			
		US26D	10.80	058960			



Residential Hinges



Description	Size	Finish	2015	Stock No.	Box Qty.	Case Qty.	Disc. Code
1720	3-1/2" (89 mm)	US3	10.80	042134	10 packs	100 packs	780
Hinge Tip Kit		US4	10.80	058577			
2 Steeple Tips in Solid Brass		ABA/US5	10.80	058579			
with		US10A	10.80	058576			
1 Stainless Steel Pin for One		US10R	10.80	097693			
Residential Wgt. Hinge		US15	10.80	038014			
U/M - Pack of 1 each		AN/US15A	10.80	034040			
		US26	10.80	058575			
		US26D	10.80	058578			
	4" (102 mm)	US3	10.80	042132	10 packs	100 packs	780
		US4	10.80	059010			
		ABA/US5	10.80	059012			
		US10A	10.80	059006			
		US10R	10.80	097385			
		US15	10.80	038419			
		AN/US15A	10.80	037996			
		US26	10.80	058989			
		US26D	10.80	059011			



Roton Continuous Geared Hinges

TABLE OF CONTENTS

A	
ANSI Standards.....	2

B	
Bearing at Top.....	12
Bearing Replacement Kit.....	13

C	
Cancellation Notification	2
Center Punches	13
Concealed Electric Hinges with Lead Wire.....	7-10
Concealed Electric Monitoring (EMN).....	7-10
Concealed Electric Through-Wire (ETW).....	7-10
Concealed Electric Through-Wire - Removable (RETW)	7-10
Concealed Electric Through-Wire and Monitoring (ETM)	7-10
Custom Hole Pattern	12

D	
Dutch Door Hinges	13

E	
Electrical Modifications	7-10
Exposed Electric Contacts (E).....	10
Exposed Electric Switches (EIS).....	10
Extra Long Hinges.....	12

F	
Fasteners.....	14
Field Modifications.....	3
Fire Ratings	4

H	
Hinges	
Concealed	15, 16, 18-22, 24, 25, 26
Full Surface.....	15, 18, 22, 23, 25
Half Surface	15, 17, 18, 22, 23, 26
Hospital Tip.....	12
How To Order	2

L	
Lead Times	2
Length Specifications.....	3

M	
Marking Jigs.....	13
Mortar Box.....	10

P	
Painted Cover Channels.....	6
Polished Cover Channels	6

Q	
Quick Connect.....	9
Quick Ship.....	2

R	
Replacement Moldings	11

S	
Shim Stock.....	14
Shipping Cartons	14
Short Hinges.....	12
Special Anodizing	6
Special Cover Channels.....	5
Special Finished Hinges.....	6
Special Holes	6
Special Lengths	3
Special Products.....	3
Standard Finishes.....	3
Standard Lengths.....	3

T	
Tamper Resistant Hinge	13
Template Hinges.....	3
The Safety Angle.....	13

V	
Von Duprin EPT-2.....	9
Von Duprin EPT-10	9



Roton Continuous Geared Hinges

HOW TO ORDER:

Example: 780-112HDFUL 119" CLR 1 PK

Stock Number: 048058

Item Number: YS 1121190CLR000001

780

ROTON
ALUMINUM
CONTINUOUS
GEARED
HINGE

112HD

ITEM#

119"

LENGTH

CLR

FINISH

1 PK

STANDARD
SINGLE
PACK

INTRODUCTION

Hager Roton hinges are unique, aluminum geared hinges developed to outperform most other entrance components because the weight of the door is distributed along the full length of the door frame.

Roton continuous hinges have been utilized in hospitals, schools, hotels, offices, airports, stadiums, storefronts, and commercial and industrial buildings in new construction and retrofit applications for over 30 years.

Hager Roton continuous geared hinges are designed for superior performance. Because of this, we offer our lifetime warranty with confidence.

ANSI Standards

- 780 Series Roton continuous geared hinges are approved per ANSI A156.26 Grade 1 for 150 lb. doors
- 780 Series Roton heavy duty hinges are approved per ANSI A156.26 Grade 1 for 300 lb. doors
- 780-111, 780-112, 780-124HD, 780-224, 780-226 standard duty and heavy duty Roton continuous geared hinges are Warnock-Hersey certified in accordance with ANSI A250.13 2003 Standard Severe Windstorm Resistant Components.



Lead Times

Stock orders will typically ship within 5-10 business days and the anticipated ship date will be included with each order acknowledgement.

Made to order products will typically ship within 10 business days depending on seasonal volume and order complexity.

Special orders including industrials, special machining, and large quantities will need to be scheduled. Please contact our customer service for details.

Made to order products requiring special finishes may take longer depending on the quantity and capacity. Please contact our customer service for details.

Lead times are quoted from the time our manufacturing facilities receive the orders placed.

Quick Ship

The items throughout this price book that have prices in **bold and red** are items included in the Hager Quick Ship Program and ship in three days or less. When ordering these products, please visit www.hagerco.com and click on 'Quick Ship' in the footer. You will be prompted to log in with your My Hager account name and password and then you may begin ordering.

Cancellation Notification

Cancellation for made to order items must be completed within 48 hours of order placement.



Roton Continuous Geared Hinges

Standard Lengths

Roton hinges are listed and priced as actual lengths 79" (6'8" opening), 83" (7'0" opening), 85" (7'2" opening), 95" (8'0" opening), and 119" (10'0" opening) for convenience in application to nominal sized doors. Actual length provides for threshold clearance, head clearance and door height allowances for carpeting. Other lengths may be ordered as non-standard items.

Special Lengths

Should a non-standard length be required, please order the next standard length.
(For example, if 86" length is required, use 95" list price.)

Length Specifications

If special lengths to match the actual net door heights are required, please indicate this clearly on your order. A special length should be specified from the net door height, not the nominal height of the opening. To order specify: "Actual Length", or "Net Door Height". Use pricing for the next longer standard length from which the special length can be manufactured. For example, hinges 86-3/4" long will be invoiced at the 95" price.

Field Modifications

While Roton hinges can be cut in the field, any product modifications may void all warranties. Should in-the-field modifications be required, cut only from bottom of hinge. Do not cut through bearings or screw holes. When cutting electric hinges it is extremely important to clamp both hinge leaves securely to prevent hinge "chatter" which can damage the hinge's internal wiring. Consult the St. Louis sales office before proceeding.

Template Hinges

Hager has developed templated hole patterns for Roton hinge models in standard lengths. Drawings are available upon request by contacting Hager Customer Service or accessing the Hager website at www.hagerco.com.

Due to normal variances inherent in the manufacturing process, Roton custom length hinges are deemed by Hager to be non-templated.

Standard Finishes

Roton hinges are available in clear anodized satin aluminum (similar to US28) or in dark bronze exterior anodized coating.

Special Products

A special product is any product not listed in the price book in regard to length, finish, standard hole preparation or leaf combinations not illustrated. Orders for special products are encouraged, but any changes or cancellations on special orders may result in charges related to work performed and/or material loss. Under no circumstance will non-stock or make-to-order products be accepted for return unless due to Hager error.




Roton Continuous Geared Hinges


FIRE RATINGS - UNDERWRITERS LABORATORY FIRE RATING FILE #A14627



780 Series Roton continuous geared hinges with stainless steel studs are approved for use on 4'x10' metal or wood swing type doors. 780 Series Roton continuous geared hinges without stainless steel studs are approved for use on 4'x8' single swing metal doors and 4'x10' single swing wood doors used without stainless steel studs limited to 20 minute fire rating without hose stream.

- Hollow metal, tin-clad, sheet-metal and steel covered composite type rated up to and including 3 hours
- Wood composite doors rated up to and including 1-1/2 hours
- Wood core doors rated up to 20 minutes without hose stream, non-studded
- 780 Series Roton Continuous Geared Hinges meet requirements for positive pressure UL10C, UL10B and UBC7-2 Part 1


UL10C Fire Rated Roton	Fully Concealed	Full Surface	Half Surface	<div>NOTES:</div> <div>1. All Roton hinges will be marked with UL stamp if they are fire-rated.</div> <div>2. Several hinge models cannot be fire-rated. Check each profile.</div> <div>3. Models for which studs are required have an extra charge. Four studs are required for UL stud hinges. Add to the hinge list price before applying buying group discount - \$56.80.</div> <div></div>
20 Minute Fire Rated Wood Core Door x Fire Rated Hollow Metal Frame	UL — FF STANDARD			
20 Minute Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — FF STANDARD			
30 Minute Fire Rated Wood Composite Door x Fire Rated Hollow Metal Frame	UL — FF STANDARD			
30 Minute Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — FF STANDARD			
45 Minute Fire Rated Wood Composite Door x Fire Rated Hollow Metal Frame	UL — FF STANDARD			
45 Minute Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — FF STANDARD			
60 Minute Fire Rated Wood Door x Hollow Metal Frame	UL — FF STANDARD			
60 Minute Fire Rated Metal Door x Hollow Metal Frame	UL — FF STANDARD			
90 Minute Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — FF STANDARD			
90 Minute Fire Rated Wood Composite Door x Fire Rated Hollow Metal Frame	UL — STUD REQUIRED * Must Specify			
3 Hour Fire Rated Metal Door x Fire Rated Hollow Metal Frame	UL — STUD REQUIRED * Must Specify			



FULLY CONCEALED WITH STUD

Fully Concealed


These models are concealed between the frame and the hinge edge of the door. Models available include: 780-041HD, 780-041LL, 780-110HD, 780-111, 780-111HD, 780-111LL, 780-112, 780-112HD, 780-112LL, 780-124HD, 780-124LL, 780-224, 780-224HD, 780-224LL, 780-226, 780-226HD, 780-226LL, and 780-235HD.



HALF SURFACE WITH STUD

Half Surface

These models have the frame leaf concealed between the frame and the edge of the door. The door leaf is mounted to the door with thru-bolts or screws. Models available include: 780-045HD, 780-046HD, 780-053, 780-053HD, 780-054HD, and 780-211HD.



FULL SURFACE WITH STUD

Full Surface

These models have the frame leaf mounted to the face of the frame and the face of the door. The door leaf is mounted to the face of the door with thru-bolts. Models available include: 780-057HD, 780-157, 780-157HD, 780-210, 780-210HD, and 780-257HD.



Roton Continuous Geared Hinges

MODIFICATIONS & ADDITIONS

Special Cover Channels

Special covers for decorative, fluted or rounded effects may be ordered. Availability for hinges with electrical modifications vary. Please consult the St. Louis sales office for confirmation. Add to the hinge list price before applying buying group discount:

Decorative Back Cover Channels*


Clear Anodized

79", 83", 85"	\$25.15
95"	\$31.15
119"	\$40.15

Bronze Anodized

79", 83", 85"	\$50.20
95"	\$56.20
119"	\$64.25

1/2" wide decorative insert



Decorative Back
Decorative insert not available through Hager.

*Not available on electrical prep or painted hinges.

Fluted Back Cover Channels

Clear Anodized

79", 83", 85"	\$25.15
95"	\$31.15
119"	\$40.15

Bronze Anodized

79", 83", 85"	\$50.20
95"	\$56.20
119"	\$64.25



Fluted Back

Round Back Cover Channels

Clear Anodized

79", 83", 85"	\$25.15
95"	\$31.15
119"	\$40.15

Bronze Anodized

79", 83", 85"	\$50.20
95"	\$56.20
119"	\$64.25



Round Back

Note: Special cover channels available only in clear and dark bronze finish.

Roton Cover Channel Compatibility

Hinge Model	Flat FBCC	Round RBCC	Fluted FLCC	Decorative DBCC
750-134	•	•	•	•
750-138	•	•	•	•
780-041	•	•		
780-045	•	•		
780-046	•	•		
780-053	•	•		
780-054	•	•		
780-057	•	•		
780-110	•	•	•	•
780-111	•	•	•	•
780-112	•	•	•	•
780-113	•	•	•	•
780-114	•	•		
780-124	•	•	•	•
780-155	•	•		
780-157	•			
780-208	•		•	•
780-210	•	•		
780-211	•	•		
780-213	•	•		
780-224	•	•	•	•
780-226	•	•	•	•
780-235	•	•	•	•
780-257	•			
780-259	•	•		
780-300	•			



Roton Continuous Geared Hinges

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Painted Cover Channels

For hinges 79", 83" and 85" in length

\$60.30

For hinges 95" in length

\$82.25

For hinges 119" in length

\$122.40

Roton Cover Channels are offered in bone white as a standard stock color option. This is only available on the standard Roton cover channel and should be ordered as Bone White Paint # UC43350.

Polished Cover Channels

CLEAR

GOLD

For hinges 79" in length

\$60.30

\$82.25

For hinges 83" in length

\$60.30

\$82.25

For hinges 85" in length

\$60.30

\$82.25

For hinges 95" in length

\$82.25

\$102.30

For hinges 119" in length

\$121.35

\$140.40

Any hinge may be ordered with a polished clear cover channel (similar to US26) to complement clear anodized hinge leaves or a polished gold cover channel (similar to US3) to complement satin gold hinge leaves.

Special Finished Hinges

Call for quote

Hager Companies can supply unfinished material to selected finishers for special projects that require unusual colors, but will require that final assembly be complete by Hager Companies. Because of special non-removable metal coatings applied to all hinges during assembly, users are cautioned against attempting to refinish any Roton product.

Cannot paint 500 or 1200 series hinges.

Special Anodizing

Add 15% to the DBA hinges for black and gold

Roton hinges are available in various special colors including Black, Gold, and other special anodized finishes with fasteners to match. Example, specify "Black Anodized" or "Gold Anodized." All hinges ordered in special colors should be ordered at the same time to guarantee finish uniformity.

Other anodized colors by quotation only. Supply color chip for best match.

Special Holes


Call for quote

Any hinge may be ordered with special hole locations for unusual frame or door locations. Please provide specification for each leaf.



Roton Continuous Geared Hinges

ELECTRICAL MODIFICATIONS



For ease of ordering, Hager Companies has established standard locations for power transfer cutouts. All standard location dimensions are referenced from the top edge of the door to the centerline of the power transfer cutout. Please specify handing.

NOTE: Full surface hinges are not available with preps.

	Opening	Door Height	Actual Hinge Length	EMN	ETM	ETW	EPT	E1S	E	RETW
79 SD	80"	79-1/8"	78-11/16"	42-12"	41-1/4"	40"	24-1/2"	42-1/2"	42-1/2"	—
79 HD	80"	79-1/8"	78-11/16"	42-1/2"	40-5/8"	38-13/16"	24-1/2"	42-1/2"	42-1/2"	41-7/8"
83 SD	84"	83-18"	83"	46-1/2"	44-5/8"	42-3/4"	28-7/16"	46-1/2"	46-1/2"	—
83 HD	84"	83-1/8"	83"	46-1/2"	45-1/4"	44"	28-7/16"	46-1/2"	46-1/2"	44-1/16"
85 SD	86"	85-1/8"	85"	48-1/2"	47-1/4"	46"	30-7/16"	48-1/2"	48-1/2"	—
85 HD	86"	85-1/8"	85"	48-1/2"	46-5/8"	44-3/4"	30-7/16"	48-1/2"	48-1/2"	45-1/16"
95 SD	96"	95-1/8"	95-1/16"	59-3/4"	57-7/8"	56"	40-1/2"	59-3/4"	59-3/4"	—
95 HD	96"	95-1/8"	95-1/16"	59-3/4"	57-7/8"	56"	40-1/2"	59-3/4"	59-3/4"	56-1/2"
119 SD	120"	119-1/8"	119"	83-3/4"	81-7/8"	80"	64-3/8"	83-3/4"	83-3/4"	—
119 HD	120"	119-1/8"	119"	83-3/4"	81-7/8"	80"	64-3/8"	83-3/4"	83-3/4"	80"

SD = Standard Duty

HD = Heavy Duty



Roton Continuous Geared Hinges

ELECTRICAL MODIFICATIONS (CONTINUED)

	Von Duprin EPT 2 or EPT 10 Power Transfer Preparation	Exposed Electric Contacts	Exposed Electric Switches	Concealed Electric Through-Wire	Concealed Electric Monitoring	Concealed Electric Through-Wire and Monitoring	Removable Electric Through-Wire
Part Number	EPT	E	E1S	ETW	EMN	ETM	RETW
780-045HD	•						
780-046HD	•						
780-053	•						
780-053HD	•						
780-054HD	•						
780-110HD			•				
780-111	•	•	•	•	•	•	
780-111HD	•	•	•	•	•	•	•
780-111LL	•	•	•	•	•	•	
780-112	•	•	•	•	•	•	
780-112HD	•	•	•	•	•	•	•
780-112LL	•	•	•	•	•	•	
780-124HD	•	•	•	•	•	•	•
780-124LL	•	•	•	•	•	•	
780-224	•	•	•	•	•	•	
780-224HD	•	•	•	•	•	•	•
780-224LL	•	•	•	•	•	•	
780-226HD	•	•	•	•	•	•	•
780-226LL	•	•	•	•	•	•	
780-235HD				•			
1200-600	•			•			
1200-650	•			•			



Roton Continuous Geared Hinges

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Quick Connect

\$35.15

Available for ETM, ETW, and RETW options. Top and bottom knockouts for standard conduit fittings.

Concealed Electric Monitoring (EMN)

\$265.75

- Miniature switch is incorporated into the frame leaf.
 - Specify handing and the dimension from the top edge of the door to the centerline of the electric monitoring location.
 - Special Electric Modifications and EPT locations may require additional charges if screw holes have to be moved.
 - Templates regarding location of monitoring switch available upon request.
-

Concealed Electric Through-Wire and Monitoring (ETM)

- Electric Preparation

ETM-4

\$530.40

ETM-6

\$578.60

ETM-8

\$615.65

ETM-10

\$655.70

- All have 28-Gauge continuous conductors.
 - This combines the continuous electric conductors and the miniature switch to provide both power transfer and monitoring.
 - Miniature switch is incorporated into the frame leaf.
 - Specify handing and the dimension from the top edge of the door to the centerline of each electric modification location.
 - Templates regarding location of monitoring switch available upon request.
-

Concealed Electric Through-Wire (ETW)

- Electric Preparation

ETW-4

\$265.75

ETW-6

\$308.85

ETW-8

\$345.95

ETW-10

\$394.05

- All have 28-Gauge continuous conductors.
 - 12" per side required as a suffix.
 - Cut out for prep - 1/2" drilled hole.
 - Transfers power discreetly from building to door hardware.
 - Specify handing and the dimension from the top edge of the the door to the centerline of the electric through-wire location.
 - Special Electric Modifications and EPT locations may require additional charges if screw holes have to be moved.
Contact Hager Customer Service for charges.
 - Templates regarding location of through-wires available upon request.
-

Hager Power Transfer or Von Duprin EPT-2 or EPT-10 Electric Power Transfer Preparation (EPT)

Concealed Leaf

\$103.35

Half Surface

\$62.25

- Hinge leaf cutout to accommodate power transfer device.
 - Specify handing and the dimension from the top edge of the door to the centerline of the power transfer location.
 - Special Electric Modifications and EPT locations may require additional charges if screw holes have to be moved.
-



Roton Continuous Geared Hinges

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Lead Wire for Concealed Electric Hinges

Electric Preparation

4-wire hinge

Per Foot

\$9.15

6-wire hinge

\$13.35

8-wire hinge

\$16.65

10-wire hinge

\$18.85

- Standard wire leads are 12" per side
- Additional wire leads are available

Exposed Electric Switches (E1S)

\$92.85

- Miniature push button switch incorporated in hinge frame leaf to monitor position of the door.
- Three 12" wire leads.
- Each monitoring hinge only needs one E1S Switch.
- Specify handing and the dimension from the top edge of the the door to the centerline of the electric switch location.
- Templates regarding location of contact switch available upon request.


Removable Electric Through-Wire (RETW)

\$546.65

Module Only

\$219.15

- Transfers power discreetly from building to door hardware.
- Removable ETW ten 24-gauge 4" wire module can be easily removed for adjustment for service.
- Available on heavy duty models only.
- Specify handing and the dimension from the top edge of the door to the centerline of the electric through-wire location.
- Templates regarding location of monitoring switch available upon request.
- Prep locations are limited. Please call for locations.



Component

7-102-1860

7-112-1870

7-112-7825

Finish

Clear

Dark Bronze

Gold

Exposed Electric Contacts (E)

\$92.85

- Transfers power to door in closed position.
- Must have at least two (2) contacts to transfer power.
- Specify handing and the dimension from the top edge of the the door to the centerline of the electric contact location.
- Templates regarding location of contacts available upon request.

Mortar Box - 430

\$36.80

- Serves as a mortar shield.
- Overall dimensions: 9" (229 mm) length with tabs, 7" (178 mm) inside, 1-3/4" x 1-3/4" (45 mm x 45 mm) inside dimension.
- Galvanized steel 0.040" (1 mm)



Roton Continuous Geared Hinges

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Replacement Molding

780-052M

Hinge Lengths

79", 83", 85"

95"

119"

Clear Anodized

\$38.20

\$44.15

\$52.70


Dark Bronze Anodized

\$44.15

\$52.70

\$61.20

Replacement door leaf molding for: 780-053, 780-053HD, 780-054HD, 780-155HD, 780-057HD, 780-157, 780-157HD, 780-257HD, and 780-259HD.



Replacement Molding

780-210M

Hinge Lengths

79", 83", 85"

95"

119"

Clear Anodized

\$40.20

\$49.70

\$58.20


Dark Bronze Anodized

\$49.70

\$58.20

\$65.80

Replacement door leaf molding for: 780-210, 780-210HD, 780-211, 780-211HD, 780-213HD, 780-045HD, and 780-046HD.



Replacement Molding

780-247M

Hinge Lengths

79", 83", 85"

95"

119"

Clear Anodized

\$34.15

\$40.20

\$49.70


Dark Bronze Anodized

\$40.20

\$49.70

\$58.20

Replacement door leaf molding
780-157, 780-157HD, 780-257HD



Note: Replacement moldings for 780-052M and 780-210M are shipped in stock lengths for trimming in the field and furnished with Allen head set screw and wrench.



Roton Continuous Geared Hinges

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Short Hinges

\$22.10

Hinges shorter than 79" will be invoiced at the 79" price. Where two or more short hinges can be obtained from a standard length, pricing is based on the number of standard lengths utilized plus an assembly charge for each hinge.

Extra Long Hinges

\$96.50

Hinges over 119" are manufactured as two separate lengths with a staggered joint for on-site connection. Hinge segments are taken from standard sizes for best economics in relation to the quantity required. Hanging specifications are required to position the cuts inconspicuously and to finish symmetrical pairs in double door applications.

Custom Hole Pattern


Call for quote

Any hinge may be ordered with special hole locations for unusual frame or door conditions. Please provide specifications for each leaf.

Bearing At Top

\$41.15


This application allows for the bearing to be set at the very top of the cover channel. The cover channel is flush with the top of the geared hinge, preventing any obstructions or debris from being inserted in the top of the channel.



Hospital Tip

\$121.35

Concealed models only can be prepared with a cover channel tapered at 45° angle at the top of the hinge. These are ideal for use in hospitals and correctional facilities to help provide a clean and safe environment.



Roton Continuous Geared Hinges

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Tamper Resistant Hinge

\$142.40

This application is intended for use in hospital psychiatric areas and places of high security. The hinge is prepared with a hospital tip (concealed models only) and every other bearing is supplied with a set screw to lock against the inside of the cover channel for additional security.

Dutch Door Prep

\$84.30

Furnished as continuous frame leaf, whole door leaf is cut to fit dutch door specified length.

Bearing Replacement Kit

Standard Duty for 780 Series

Heavy Duty for 780 Series

Extra Heavy Duty for 1200 Series

Clear and Dark Bronze

\$43.20

\$82.25


\$163.50

Marking Jigs

\$202.55

Marking jigs are available to locate the centers of the top end frame screws.

These jigs must be ordered at the same time as the hinges to ensure fabrication accuracy.




Center Punches

\$9.15

Self-Centering center punches are available for #12 countersunk screws supplied.

To make sure screw heads seat properly, accurate center punching is required.



Roton Continuous Geared Hinges

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Shim Stock

1/16" x 1-1/2" Wide x 7' Long	\$31.65 each
1/8" x 1-1/2" Wide x 7' Long	\$44.15 each
1/16" x 1-1/2" Wide x 10' Long	\$66.75 each
1/8" x 1-1/2" Wide x 10' Long	\$93.85 each

For clearance between the door and frame which may be excessive, a continuous shim is helpful (applied behind the frame leaf only). Anodized aluminum extrusions are supplied with no holes.

Shipping Carton

\$22.10 each

Extra shipping cartons are available for reshipping hinges in quantities of 2 or less.

Fasteners


All hinges are shipped with appropriate fasteners for metal doors and frames except where noted. **If wood screws are required, please specify on order, and wood screws will be substituted at no extra charge.** Bulk screws are packed separately.

Description	Part Numbers		
	Clear	Dark Bronze	
#12 x 1-1/2" Flat Head Wood Screw	7-080-0050	7-080-0051	\$244.85/box of 500
#12-24 x 11/16" Self-Drilling Flat Head Screw	7-080-0070	7-080-0072	\$218.90/box of 500
#12-24 x 1/2" Spanner Head Machine Screw			\$1.95 each
#12-24 x 11/16" Drill Quick Torx Screw			\$1.95 each
#12-24 x 13/32" Self-Threading Screw (Clear or Bronze)			\$0.80 each
#12-24 x 11/16" Self-Drilling Flat Head Screw (Clear or Bronze)			\$1.10 each
#12-24 x 11/16" Self-Drilling Pan Head Screw (Clear)			\$1.10 each
#12 x 1-1/2" Flat Head Wood Screw (Clear or Bronze)			\$1.10 each
Sexbolts			\$2.90 each


Note: Additional fasteners may be ordered as follows (add to the hinge list price before applying buying group discount).



Roton Continuous Geared Hinges





Description	Size	Finish	2015 List	Stock No.	Case Qty.
500-048 Concealed Leaf With Sheet Metal Screws 1-1/6" Nominal Leaf Thickness	24" (610 mm)	Clear	70.25	068560	1
		Dark Bronze	93.65	068046	
	36" (914 mm)	Clear	79.60	068521	1
		Dark Bronze	105.40	067971	
	48" (1219 mm)	Clear	93.65	068520	1
		Dark Bronze	117.10	067970	
	72" (1829 mm)	Clear	117.10	068509	1
		Dark Bronze	140.45	067969	
500-200 Half Surface With Sheet Metal Screws 1-1/6" Nominal Leaf Thickness	24" (610 mm)	Clear	70.25	067967	1
		Dark Bronze	93.65	067559	
	36" (914 mm)	Clear	82.00	067964	1
		Dark Bronze	105.40	067431	
	48" (1219 mm)	Clear	93.65	067961	1
		Dark Bronze	117.10	067269	
	72" (1829 mm)	Clear	117.10	067959	1
		Dark Bronze	140.45	067266	
500-220 Full Surface With Sheet Metal Screws 1-1/6" Nominal Leaf Thickness	24" (610 mm)	Clear	70.25	067944	1
		Dark Bronze	93.65	067060	
	36" (914 mm)	Clear	82.00	067940	1
		Dark Bronze	105.40	067009	
	48" (1219 mm)	Clear	93.65	067939	1
		Dark Bronze	117.10	067001	
	72" (1829 mm)	Clear	117.10	067938	1
		Dark Bronze	140.45	067000	
750-134 Concealed Leaf With Half Drill Quick and Half Wood Screws 1-3/4" Interior Wood Door	79" (2007 mm)	Clear	151.50	002378	8
		Dark Bronze	209.85	019142	
	83" (2108 mm)	Clear	151.50	060025	8
		Dark Bronze	209.85	014126	
	85" (2159 mm)	Clear	151.50	036922	8
		Dark Bronze	209.85	074623	
	95" (2413 mm)	Clear	192.60	013743	8
		Dark Bronze	254.90	021691	
	119" (3023 mm)	Clear	298.10	011935	6
		Dark Bronze	381.00	017503	




Roton Continuous Geared Hinges






Description	Size	Finish	2015 List	Stock No.	Case Qty.
750-138 Concealed Leaf With Half Drill Quick and Half Wood Screws 1-3/8" Interior Wood Door	79" (2007 mm)	Clear	154.10	063094	8
		Dark Bronze	203.25	021087	
	83" (2108 mm)	Clear	154.10	071365	8
		Dark Bronze	203.25	018414	
	85" (2159 mm)	Clear	154.10	026749	8
		Dark Bronze	203.25	084606	
	95" (2413 mm)	Clear	188.55	019624	8
		Dark Bronze	242.30	021998	
	119" (3023 mm)	Clear	290.80	019072	8
		Dark Bronze	364.40	-	
780-041HD Concealed Leaf Heavy Duty 1-3/4" Door Swing Clear Action	79" (2007 mm)	Clear	362.40	017704	6
		Dark Bronze	476.25	161734	
	83" (2108 mm)	Clear	362.40	014172	6
		Dark Bronze	476.25	023946	
	85" (2159 mm)	Clear	362.40	022882	6
		Dark Bronze	476.25	170751	
	95" (2413 mm)	Clear	444.80	009009	6
		Dark Bronze	585.80	167333	
	119" (3023 mm)	Clear	663.85	077180	2
		Dark Bronze	873.20	157744	
780-041LL Concealed Leaf With Half Drill Quick and Half Wood Screws 1-3/4" Door Lead Lined Heavy Duty Profile Only Swing Clear Action	79" (2007 mm)	Clear	373.20	-	6
		Dark Bronze	488.15	-	
	83" (2108 mm)	Clear	373.20	022711	6
		Dark Bronze	488.15	-	
	85" (2159 mm)	Clear	373.20	-	6
		Dark Bronze	488.15	-	
	95" (2413 mm)	Clear	456.75	170193	6
		Dark Bronze	597.75	-	
	119" (3023 mm)	Clear	674.75	-	2
		Dark Bronze	885.10	-	




Roton Continuous Geared Hinges





Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-045HD Half Surface Heavy Duty	79" (2007 mm)	Clear	425.45	004046	4
		Dark Bronze	568.75	-	
	83" (2108 mm)	Clear	425.45	065575	4
		Dark Bronze	568.75	152230	
	85" (2159 mm)	Clear	425.45	161260	4
		Dark Bronze	568.75	165869	
	95" (2413 mm)	Clear	523.00	104689	4
		Dark Bronze	699.50	168059	
	119" (3023 mm)	Clear	779.15	163204	2
		Dark Bronze	1,040.60	161207	
780-046HD Half Surface Heavy Duty	79" (2007 mm)	Clear	457.95	163916	4
		Dark Bronze	600.65	-	
	83" (2108 mm)	Clear	457.95	026032	4
		Dark Bronze	600.65	149561	
	85" (2159 mm)	Clear	457.95	158054	4
		Dark Bronze	600.65	-	
	95" (2413 mm)	Clear	561.50	025211	4
		Dark Bronze	746.65	162657	
	119" (3023 mm)	Clear	838.85	-	2
		Dark Bronze	1,111.55	-	
780-053 Half Surface	79" (2007 mm)	Clear	222.55	056995	5
		Dark Bronze	306.00	163993	
	83" (2108 mm)	Clear	222.55	001927	5
		Dark Bronze	306.00	014876	
	95" (2413 mm)	Clear	275.70	010247	5
		Dark Bronze	373.00	009044	
780-053HD Half Surface Heavy Duty	79" (2007 mm)	Clear	282.00	013612	5
		Dark Bronze	350.20	082818	
	83" (2108 mm)	Clear	282.00	048054	5
		Dark Bronze	350.20	018175	
	85" (2159 mm)	Clear	282.00	050663	5
		Dark Bronze	350.20	132585	
	95" (2413 mm)	Clear	346.45	014523	5
		Dark Bronze	419.75	018393	
	119" (3023 mm)	Clear	530.30	052397	3
		Dark Bronze	707.95	093628	



Roton Continuous Geared Hinges





Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-054HD Half Surface Heavy Duty	79" (2007 mm)	Clear	308.00	021269	5
		Dark Bronze	375.05	131605	
	83" (2108 mm)	Clear	308.00	013605	5
		Dark Bronze	375.05	027437	
	85" (2159 mm)	Clear	308.00	078989	5
		Dark Bronze	375.05	071971	
	95" (2413 mm)	Clear	377.05	078992	5
		Dark Bronze	446.00	071970	
	119" (3023 mm)	Clear	580.00	026627	3
		Dark Bronze	748.60	159983	
780-057HD Full Surface Heavy Duty Bi-Fold Applications	79" (2007 mm)	Clear	329.90	021238	5
		Dark Bronze	460.00	017850	
	83" (2108 mm)	Clear	329.90	007856	5
		Dark Bronze	460.00	025973	
	85" (2159 mm)	Clear	329.90	025846	5
		Dark Bronze	460.00	174835	
	95" (2413 mm)	Clear	414.15	024478	5
		Dark Bronze	569.50	094331	
	119" (3023 mm)	Clear	617.30	088469	4
		Dark Bronze	848.20	165568	
780-110HD Concealed Leaf Heavy Duty For 1" to 1-3/8" door	79" (2007 mm)	Clear	207.15	009945	8
		Dark Bronze	267.60	127036	
	83" (2108 mm)	Clear	207.15	009549	8
		Dark Bronze	267.60	006241	
	85" (2159 mm)	Clear	207.15	044312	8
		Dark Bronze	267.60	173953	
	95" (2413 mm)	Clear	248.90	100893	8
		Dark Bronze	322.60	161122	
	119" (3023 mm)	Clear	394.25	158984	7
		Dark Bronze	517.70	169966	
780-111 Concealed Leaf	79" (2007 mm)	Clear	163.40	006836	8
		Dark Bronze	211.10	173663	
	83" (2108 mm)	Clear	163.40	032217	8
		Dark Bronze	211.10	072103	
	95" (2413 mm)	Clear	197.15	105549	8
		Dark Bronze	256.30	158705	




Roton Continuous Geared Hinges





Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-111HD Concealed Leaf Heavy Duty	79" (2007 mm)	Clear	203.25	084020	8
		Dark Bronze	262.90	141484	
	83" (2108 mm)	Clear	203.25	017716	8
		Dark Bronze	262.90	022018	
	85" (2159 mm)	Clear	203.25	011544	8
		Dark Bronze	262.90	157970	
	95" (2413 mm)	Clear	244.35	004806	8
		Dark Bronze	316.05	066260	
	119" (3023 mm)	Clear	390.45	084943	7
		Dark Bronze	508.50	159150	
780-111LL Concealed Leaf With Half Drill Quick and Half Wood Screws Lead Lined Heavy Duty Profile Only	79" (2007 mm)	Clear	217.80	128464	8
		Dark Bronze	276.85	-	
	83" (2108 mm)	Clear	217.80	075316	8
		Dark Bronze	276.85	158738	
	85" (2159 mm)	Clear	217.80	-	8
		Dark Bronze	276.85	-	
	95" (2413 mm)	Clear	258.90	175965	8
		Dark Bronze	329.90	163527	
	119" (3023 mm)	Clear	400.95	-	7
		Dark Bronze	523.00	-	
780-112 Concealed Leaf Single Pack w/ Drill Quick Screws	79" (2007 mm)	Clear	137.55	016302	8
		Dark Bronze	177.70	018354	
	83" (2108 mm)	Clear	137.55	048046	8
		Dark Bronze	177.70	048047	
	95" (2413 mm)	Clear	168.50	048048	7
		Dark Bronze	219.70	019047	
780-112 Concealed Leaf Case Pack w/ Drill Quick Screws Must Order Case Quantity	83" (2108 mm)	Clear	123.80	158844	8
		Dark Bronze	159.95	159092	



Roton Continuous Geared Hinges





Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-112HD Concealed Leaf <i>Single Pack w/ Drill Quick Screws</i>	79" (2007 mm)	Clear	170.85	011666	8
		Dark Bronze	220.80	034272	
	83" (2108 mm)	Clear	170.85	048056	8
		Dark Bronze	220.80	048057	
	85" (2159 mm)	Clear	170.85	070633	8
		Dark Bronze	220.80	011667	
	95" (2413 mm)	Clear	205.85	048564	7
		Dark Bronze	271.45	048565	
	119" (3023 mm)	Clear	331.15	048058	7
		Dark Bronze	436.40	159038	
780-112HD Concealed Leaf <i>Case Pack w/ Drill Quick Screws</i> Must Order Case Quantity	83" (2108 mm)	Clear	153.75	153811	8
		Dark Bronze	198.75	168587	
780-112LL Concealed Leaf With Half Drill Quick and Half Wood Screws Lead Lined Heavy Duty Profile Only	79" (2007 mm)	Clear	188.45	050685	8
		Dark Bronze	244.00	-	
	83" (2108 mm)	Clear	188.45	048068	8
		Dark Bronze	244.00	162642	
	85" (2159 mm)	Clear	188.45	023194	8
		Dark Bronze	244.00	-	
	95" (2413 mm)	Clear	227.05	001432	8
		Dark Bronze	291.05	157945	
	119" (3023 mm)	Clear	362.15	162221	7
		Dark Bronze	473.30	-	
780-113HD Concealed Leaf Heavy Duty "Safety Hinge" When Used Without Frame Stop	79" (2007 mm)	Clear	342.55	008721	6
		Dark Bronze	460.60	086160	
	83" (2108 mm)	Clear	342.55	063578	6
		Dark Bronze	460.60	014496	
	85" (2159 mm)	Clear	342.55	092239	6
		Dark Bronze	460.60	086847	
	95" (2413 mm)	Clear	561.50	063579	6
		Dark Bronze	630.50	012154	
	119" (3023 mm)	Clear	696.85	063577	4
		Dark Bronze	823.65	-	




Roton Continuous Geared Hinges



Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-114HD Concealed Leaf Heavy Duty Center Hung Applications	79" (2007 mm)	Clear	339.80	098942	5
		Dark Bronze	450.10	049457	
	83" (2108 mm)	Clear	339.80	016568	5
		Dark Bronze	450.10	139316	
	85" (2159 mm)	Clear	339.80	076856	5
		Dark Bronze	450.10	-	
	95" (2413 mm)	Clear	418.15	084403	5
		Dark Bronze	552.20	117204	
	119" (3023 mm)	Clear	622.55	-	3
		Dark Bronze	823.00	-	
780-124HD Concealed Leaf Heavy Duty profile only Single pack with drill quick screws	79" (2007 mm)	Clear	172.00	161228	8
		Dark Bronze	224.00	169197	
	83" (2108 mm)	Clear	172.00	152428	8
		Dark Bronze	224.00	166643	
	85" (2159 mm)	Clear	172.00	164175	8
		Dark Bronze	224.00	-	
	95" (2413 mm)	Clear	208.00	152433	7
		Dark Bronze	250.00	166645	
	119" (3023 mm)	Clear	338.00	164231	7
		Dark Bronze	443.00	-	
780-124LL Concealed Leaf Heavy Duty profile only With half drill quick and Half Wood Screws Lead Lined	79" (2007 mm)	Clear	194.00	-	8
		Dark Bronze	250.00	-	
	83" (2108 mm)	Clear	194.00	164677	8
		Dark Bronze	250.00	-	
	85" (2159 mm)	Clear	194.00	-	8
		Dark Bronze	250.00	-	
	95" (2413 mm)	Clear	233.00	-	7
		Dark Bronze	294.00	-	
	119" (3023 mm)	Clear	370.00	-	7
		Dark Bronze	480.00	-	





Roton Continuous Geared Hinges



Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-155HD Half Surface Heavy Duty Center Hung and Egress Conversions	79" (2007 mm)	Clear	359.80	016603	5
		Dark Bronze	484.50	128736	
	83" (2108 mm)	Clear	359.80	068088	5
		Dark Bronze	484.50	068371	
	85" (2159 mm)	Clear	359.80	018276	5
		Dark Bronze	484.50	046665	
	95" (2413 mm)	Clear	441.45	063096	5
		Dark Bronze	597.30	056566	
	119" (3023 mm)	Clear	657.05	078745	2
		Dark Bronze	888.00	062632	
780-157 Full Surface Frame Face Dimension Limitations	79" (2007 mm)	Clear	211.60	022092	5
		Dark Bronze	285.80	049196	
	83" (2108 mm)	Clear	211.60	048049	5
		Dark Bronze	285.80	063070	
	95" (2413 mm)	Clear	258.70	021262	5
		Dark Bronze	349.05	009045	
780-157HD Full Surface Heavy Duty Frame Face Dimension Limitations	79" (2007 mm)	Clear	262.20	022028	5
		Dark Bronze	319.70	084386	
	83" (2108 mm)	Clear	262.20	048059	5
		Dark Bronze	319.70	062422	
	85" (2159 mm)	Clear	262.20	019546	5
		Dark Bronze	319.70	035156	
	95" (2413 mm)	Clear	314.55	048060	5
		Dark Bronze	384.05	010547	
	119" (3023 mm)	Clear	516.25	099644	2
		Dark Bronze	672.05	037141	
780-208HD Concealed Leaf Heavy Duty Bi-Fold Applications	79" (2007 mm)	Clear	247.00	086976	7
		Dark Bronze	316.60	099629	
	83" (2108 mm)	Clear	247.00	015254	7
		Dark Bronze	316.60	-	
	85" (2159 mm)	Clear	247.00	040232	7
		Dark Bronze	316.60	-	
	95" (2413 mm)	Clear	270.80	095067	7
		Dark Bronze	389.00	-	
	119" (3023 mm)	Clear	404.20	139585	5
		Dark Bronze	580.00	018910	




Roton Continuous Geared Hinges





Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-210 Full Surface	79" (2007 mm)	Clear	211.60	010064	6
		Dark Bronze	285.80	073030	
	83" (2108 mm)	Clear	211.60	048050	6
		Dark Bronze	285.80	048051	
	95" (2413 mm)	Clear	253.15	063037	6
		Dark Bronze	344.90	020588	
780-210HD Full Surface Heavy Duty	79" (2007 mm)	Clear	258.20	017046	6
		Dark Bronze	313.90	017037	
	83" (2108 mm)	Clear	258.20	048061	6
		Dark Bronze	313.90	048062	
	85" (2159 mm)	Clear	258.20	024124	6
		Dark Bronze	313.90	071974	
	95" (2413 mm)	Clear	304.75	048063	6
		Dark Bronze	374.95	046722	
	119" (3023 mm)	Clear	504.80	025722	2
		Dark Bronze	565.70	000304	
780-211HD Half Surface Heavy Duty Frame Leaf Wrap-Around Reinforcement for Damaged Frames	79" (2007 mm)	Clear	503.15	116360	4
		Dark Bronze	661.10	-	
	83" (2108 mm)	Clear	503.15	010867	4
		Dark Bronze	661.10	120382	
	85" (2159 mm)	Clear	503.15	162789	4
		Dark Bronze	661.10	160923	
	95" (2413 mm)	Clear	619.25	115949	4
		Dark Bronze	813.65	-	
	119" (3023 mm)	Clear	922.50	158595	2
		Dark Bronze	1,212.45	-	
780-213HD Half Surface Heavy Duty Center Hung Doors	79" (2007 mm)	Clear	476.55	023958	4
		Dark Bronze	629.20	107818	
	83" (2108 mm)	Clear	476.55	007660	4
		Dark Bronze	629.20	056801	
	85" (2159 mm)	Clear	476.55	044343	4
		Dark Bronze	629.20	147623	
	95" (2413 mm)	Clear	584.75	012731	4
		Dark Bronze	773.85	038555	
	119" (3023 mm)	Clear	871.40	010262	2
		Dark Bronze	1,153.35	147624	





Roton Continuous Geared Hinges



Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-224 Concealed Leaf 1-3/4" Doors Single Pack w/ Drill Quick Screws	79" (2007 mm)	Clear	139.25	019803	7
		Dark Bronze	181.70	004347	
	83" (2108 mm)	Clear	139.25	048052	7
		Dark Bronze	181.70	071879	
	95" (2413 mm)	Clear	174.90	048053	7
		Dark Bronze	226.00	071878	
780-224 Concealed Leaf 1-3/4" Doors Case Pack w/ Drill Quick Screws Must Order Case Quantity	83" (2108 mm)	Clear	125.30	160135	7
		Dark Bronze	-	-	
780-224HD Concealed Leaf 1-3/4" Doors Single Pack w/ Drill Quick Screws	79" (2007 mm)	Clear	173.75	059400	7
		Dark Bronze	226.00	060889	
	83" (2108 mm)	Clear	173.75	048064	7
		Dark Bronze	226.00	048065	
	85" (2159 mm)	Clear	173.75	049526	7
		Dark Bronze	226.00	063257	
	95" (2413 mm)	Clear	210.45	048066	7
		Dark Bronze	277.20	000725	
	119" (3023 mm)	Clear	344.90	048067	5
		Dark Bronze	449.00	159563	
780-224HD Concealed Leaf 1-3/4" Doors Case Pack w/ Drill Quick Screws Must Order Case Quantity	83" (2108 mm)	Clear	156.40	154078	7
		Dark Bronze	203.50	167461	
780-224LL Concealed Leaf 1-3/4" Doors Lead Lined With Half Drill Quick and Half Wood Screws Heavy Duty Profile Only	79" (2007 mm)	Clear	198.70	073096	7
		Dark Bronze	253.60	084063	
	83" (2108 mm)	Clear	198.70	013673	7
		Dark Bronze	253.60	016303	
	85" (2159 mm)	Clear	198.70	083466	7
		Dark Bronze	253.60	-	
	95" (2413 mm)	Clear	240.25	113157	7
		Dark Bronze	295.80	158591	
	119" (3023 mm)	Clear	377.90	172408	5
		Dark Bronze	487.15	-	



Roton Continuous Geared Hinges




Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-226HD Concealed Leaf Heavy Duty For Doors 2" or Thicker	79" (2007 mm)	Clear	207.85	088199	7
		Dark Bronze	271.50	136659	
	83" (2108 mm)	Clear	207.85	040515	7
		Dark Bronze	271.50	078293	
	85" (2159 mm)	Clear	207.85	027838	7
		Dark Bronze	271.50	158703	
	95" (2413 mm)	Clear	252.95	048626	7
		Dark Bronze	325.30	159236	
	119" (3023 mm)	Clear	406.85	158833	5
		Dark Bronze	528.40	159521	
780-226LL Concealed Leaf For Lead Lined Doors 2" or Thicker With Half Drill Quick and Half Wood Screws Heavy Duty Profile Only	79" (2007 mm)	Clear	223.05	009762	7
		Dark Bronze	284.15	158476	
	83" (2108 mm)	Clear	223.05	100252	7
		Dark Bronze	284.15	-	
	85" (2159 mm)	Clear	223.05	-	7
		Dark Bronze	284.15	-	
	95" (2413 mm)	Clear	269.60	158010	7
		Dark Bronze	324.00	165412	
	119" (3023 mm)	Clear	423.50	068684	5
		Dark Bronze	545.55	158475	
780-235HD Concealed Leaf Heavy Duty Wide Throw	83" (2108 mm)	Clear	478.60	052841	1
		Dark Bronze	626.50	053517	
	95" (2413 mm)	Clear	590.70	052846	1
		Dark Bronze	752.60	053522	
780-257HD Full Surface Heavy Duty Double hinge for hanging two doors from a fixed mullion.	79" (2007 mm)	Clear	500.45	-	2
		Dark Bronze	687.60	-	
	83" (2108 mm)	Clear	500.45	081899	2
		Dark Bronze	687.60	159250	
	85" (2159 mm)	Clear	500.45	112767	2
		Dark Bronze	687.60	158749	
	95" (2413 mm)	Clear	615.90	028146	2
		Dark Bronze	845.50	161153	
	119" (3023 mm)	Clear	918.40	162543	2
		Dark Bronze	1,260.25	-	



Roton Continuous Geared Hinges



Description	Size	Finish	2015 List	Stock No.	Case Qty.
780-259HD Half Surface Heavy Duty For 3/4" or 1" door	79" (2007 mm)	Clear	309.40	026034	5
		Dark Bronze	430.15	103994	
	83" (2108 mm)	Clear	309.40	026035	5
		Dark Bronze	430.15	147628	
	85" (2159 mm)	Clear	309.40	147629	5
		Dark Bronze	430.15	147630	
	95" (2413 mm)	Clear	370.45	045733	5
		Dark Bronze	528.95	147631	
	119" (3023 mm)	Clear	568.75	147632	3
		Dark Bronze	787.75	027583	
780-300HD Half Surface Heavy Duty Center Hung Applications	79" (2007 mm)	Clear	357.20	010212	4
		Dark Bronze	485.25	019206	
	83" (2108 mm)	Clear	357.20	047819	4
		Dark Bronze	485.25	057968	
	85" (2159 mm)	Clear	357.20	061937	4
		Dark Bronze	485.25	038063	
	95" (2413 mm)	Clear	439.40	047821	4
		Dark Bronze	596.10	047822	
	119" (3023 mm)	Clear	654.45	015052	2
		Dark Bronze	889.35	011244	
1200-600XHD Concealed Leaf Extra Heavy Duty For doors from 1-3/4" to 2-3/8" thick.	83" (2108 mm)	Clear	996.50	000590	1
		Dark Bronze	1,394.65	028601	
	95" (2413 mm)	Clear	1,129.15	004040	1
		Dark Bronze	1,527.25	065709	
	119" (3023 mm)	Clear	1,261.95	090770	1
		Dark Bronze	1,660.00	107206	
1200-650XHD Concealed Leaf Extra Heavy Duty For doors 2-3/8" thick or thicker.	83" (2108 mm)	Clear	1,328.25	090353	1
		Dark Bronze	1,726.40	135473	
	95" (2413 mm)	Clear	1,461.00	090439	1
		Dark Bronze	1,859.05	108903	
	119" (3023 mm)	Clear	1,593.70	090440	1
		Dark Bronze	1,991.85	044852	



Stainless Steel Continuous Hinges

TABLE OF CONTENTS

A		M	
ANSI Standards.....	2	Mortar Box.....	5
C		N	
Cancellation Notification	2	No Hole (Blank) Hinges	2
Concealed Electric Through-Wire.....	5	P	
Custom Hole Pattern	2	Powder Coat	3
Custom Length Hinges	2	Q	
D		Quick Connect.....	5
Dust Free Bearings.....	3	Quick Ship.....	2
Dutch Door Hinges	3	R	
E		Raised Barrel.....	3
Electrical Modifications Standard Locations.....	4-5	Replacement Moldings	3
Exposed Electric Switches	5	S	
Extra Long Hinges	2	Security Fasteners.....	3
F		Security Studs.....	3
Fasteners.....	4	Sheared Leaf	3
Fire Rating	2	Standard Lengths	2
H		T	
Hinges		Tamper Resistant Hospital Tips.....	3
Concealed Leaf	6-7	V	
Full Surface.....	7	Von Duprin EPT-2.....	5
Half Surface	6-7	Von Duprin EPT-10	5
Half Mortise.....	6	W	
How To Order.....	1	Wide Throw	3
L			
Lead Times	2		
Lead Lined.....	2		

HOW TO ORDER:

Example: 790-900 83 1/8" US32D 1 PK

Stock Number: 023043

Item Number: PS90083B32D000001

790

STAINLESS
STEEL
CONTINUOUS
HINGE

900

ITEM#

83

LENGTH

1/8"

FRACTION

US32D

FINISH

1 PK

STANDARD
SINGLE
PACK



Stainless Steel Continuous Hinges

ANSI Standards

790 Series stainless steel continuous hinges are approved for ANSI A156.26 Grade 1 for 150-pound doors.

Fire Rating

Hager 790 Series hinges are approved by Underwriters Laboratories, Inc. Fire Rated label for up to 3 hours for metal doors and 90 minutes for wood composite doors.



Lead Times

Stock orders will typically ship within 5-10 business days and the anticipated ship date will be included with each order acknowledgement. Made to order products will typically ship within 10 business days depending on seasonal volume and order complexity. Special orders including industrials, special machining, and large quantities will need to be scheduled. Please contact Customer Service for details. Made to order products requiring special finishes may take longer depending on the quantity and capacity. Please contact Customer Service for details. Lead times are quoted from the time our manufacturing facility receives the order.

Quick Ship

The items throughout this price book that have prices in **bold and red** are items included in the Hager Quick Ship Program and ship in three days or less. When ordering these products, please visit www.hagerco.com and click on 'Quick Ship' in the footer. You will be prompted to log in with your My Hager account name and password and then you may begin ordering.

Cancellation Notification

Cancellation for made to order items must be completed within 48 hours of order placement.

Standard Lengths

Stainless steel hinges are listed and priced as actual lengths 83-1/8" (7'0" opening), 85" (7'2" opening), 95" (8'0" opening), and 119" (10'0" opening) for convenience in application to nominal sized doors. Other lengths may be ordered as non-standard items.

Extra Long Hinges

Hinges over 119" are manufactured as two separate lengths with staggered joints for on-site connection.

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Custom Length Hinges

Actual door height may be specified at an additional charge outlined:

- | | |
|-------------------------------------|--|
| • For hinges 40" to 83" in length | \$68.15 to 7' list price. |
| • For hinges 83" to 95" in length | \$68.15 to 8' list price. |
| • For hinges 95" to 119" in length | \$68.15 to 10' list price. |
| • For hinges 119" to 192" in length | \$156.00 to the list price of two (2 each) 8' hinges. |

Custom Hole Pattern

- Any hole pattern or shape other than Hager's standard hole pattern.

Call for quote

No Hole (Blank) Hinges

- Holes omitted for special applications (i.e. welded installation).

Call for quote

Lead Lined Hole Pattern

- Only available on Models 790-900, 790-911 and 790-915.

Call for quote



Stainless Steel Continuous Hinges

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Powder Coat

- Available in aluminum, dark bronze, satin bronze, satin brass, black, or white.

Call for quote

Tamper Resistant Hospital Tips (HT)

- Custom lengths
- Available on concealed leaf models 790-900, 790-905, 790-907, 790-915, for standard lengths.

\$113.65

Call for quote

Dutch Door Prep (DUTCH)

- Furnished as a continuous frame leaf while door leaf is cut to fit dutch door specified height.

\$113.65

Wide Throw

- Specify distance from pin centerline to heel edge of hinge.

Call for quote

Raised Barrel (SWAGED)

- Available on concealed and half surface models.

Call for quote

Sheared Leaf

- Available on models except 790-904, 790-906 and 790-907.
- Specify distance from pin centerline to extreme edge of hinge when ordering.

Call for quote

Security Studs

- Stainless steel security studs mounted through frame leaf into door frame.
- Door and frame must be specifically prepped to accommodate security studs.
- Door leaf is drilled to accommodate studs.
- Three studs supplied with hinges up to 85".
- Four studs supplied with hinges over 85".

\$80.00

Dust Free Bearings (DFB)

- Provide clean and quiet hinge operation and prevent metal on metal wearing.

\$45.35

Replacement Moldings (M)

Hinge lengths:

79", 83", 85"

95"

119"

\$168.10

\$181.70

\$198.95



- Shipped in stock lengths for trimming in the field.
- Brush aluminum & furnished with 5 each molding clips, 5 each 1/4"-14 x 1" panhead 2C screws.
- Available on models 790-903, 790-904, 790-906, 790-909, 790-935,.

Security Fasteners

- Torx and Spanner Head available in place of standard fasteners.

\$79.55



Stainless Steel Continuous Hinges

MODIFICATIONS & ADDITIONS

Additional Fasteners

#10-24 x 5/8" Torx Head Machine Screw

\$2.80 /ea

#10-16 x 1-1/4" Thread Forming Flat Head Screw

\$1.20 /ea

1/4"-14 x 1" Thread Forming Pan Head Screw

\$1.75 /ea

#10-24 x 5/8" Self-Drilling Flat Head Screw

\$1.75 /ea

1/4"-20 x 3/4" Self-Drilling Pan Head Screw

\$1.50 /ea

Adjustment Stud With Flat Head Screw


\$8.40 /ea

Sexbolt and Nut

\$5.20 /ea

STANDARD LOCATIONS FOR ELECTRICAL MODIFICATIONS

	79"	83"	85"	95"	119"
Opening	80"	84"	86"	96"	120"
Door Height	79-1/8"	83-1/8"	85-1/8"	95-1/8"	119-1/8"
Hinge Length	79-3/16"	83-1/8"	85-1/8"	95"	118-3/4"
ETW	41-1/2"	43-1/2"	45-1/2"	55-3/8"	79-1/8"
EPT	24-1/2"	28-7/16"	30-7/16"	40-1/2"	64-7/16"
E1S	41-1/2"	43-1/2"	45-1/2"	55-3/8"	79-1/8"



Stainless Steel Continuous Hinges

MODIFICATIONS & ADDITIONS

ADDITION TO LIST PRICE

Quick Connect

\$55.60

Available for ETW.

Von Duprin EPT-2 or EPT-10 Electric Power Transfer Preparation (EPT)

\$130.25

- Hinge leaf cutout to accommodate power transfer device.
- Specify handing and dimension from top of hinge to centerline of power transfer cutout location. Please note the clearance from top of hinge to underside of header, typically 1/16" to 1/8" (1.6 mm to 3.2 mm).
- Available on models 790-900, 790-903, 790-904, and 790-915.

Exposed Electric Switches (E1S)

\$200.55

- Each monitoring hinge only needs one E1S switch.
- Specify handing and dimension from top of hinge to centerline of electric switch.
- Miniature push button switch is incorporated in the hinge frame leaf to monitor position of the door.

Concealed Electric Through-Wire (ETW)

Electric Through Wire	ETW - 4	\$579.55
Electric Through Wire	ETW - 8	\$866.95
Electric Through Wire	ETW - 10	\$1,169.05

- 24-gauge 12" wire leads available on 790-900 and 790-915.
- Transfers power discretely from building to door hardware.
- Specify handing and dimension from top of hinge to centerline of electric through-wire location.
Please note the clearance from top of hinge to underside of header, typically 1/16" to 1/8" (1.6 mm to 3.2 mm).





Mortar Box - 430

\$55.55

- Serves as mortar shield.
- Top and bottom knockouts for standard conduit fittings.
- Overall dimensions are 9" (229 mm) length with tabs 7" (178 mm). Inside is 1-3/4" x 1-3/4" (45 mm x 45 mm).
- Galvanized steel .040" (1 mm).




Stainless Steel Continuous Hinges




Description	Size	Finish	2015 List	Stock No.	Case Qty.
790-900 Concealed Leaf, 1/8" Inset Door of Any Material	79" (2007 mm)	US32D	637.90	027336	1
	83" (2108 mm)	US32D	637.90	023243	1
	85" (2159 mm)	US32D	661.20	027921	1
	95" (2413 mm)	US32D	744.10	023250	1
	119" (3023 mm)	US32D	897.00	023251	1
790-903 Half Surface, 1/8" Inset Door of Any Material Optional sex bolts available (specify when ordering).	79" (2007 mm)	US32D	661.20	042721	1
	83" (2108 mm)	US32D	661.20	023254	1
	85" (2159 mm)	US32D	684.50	053025	1
	95" (2413 mm)	US32D	767.55	023256	1
	119" (3023 mm)	US32D	932.45	023260	1
790-904 Half Mortise, 1/8" Inset Door of Any Material	79" (2007 mm)	US32D	661.20	071952	1
	83" (2108 mm)	US32D	661.20	052990	1
	85" (2159 mm)	US32D	684.50	092025	1
	95" (2413 mm)	US32D	767.55	052993	1
	119" (3023 mm)	US32D	932.45	052994	1
790-905 Concealed Leaf, 1/8" Inset Door of Any Material	79" (2007 mm)	US32D	826.05	065223	1
	83" (2108 mm)	US32D	826.05	023266	1
	85" (2159 mm)	US32D	838.15	036876	1
	95" (2413 mm)	US32D	932.45	023265	1
	119" (3023 mm)	US32D	1,145.00	023267	1
790-906 Half Mortise, Edge Guard Door of Any Material	79" (2007 mm)	US32D	716.30	092102	1
	83" (2108 mm)	US32D	716.30	092103	1
	85" (2159 mm)	US32D	783.20	092105	1
	95" (2413 mm)	US32D	869.15	092107	1
	119" (3023 mm)	US32D	1,050.55	092110	1
790-907 Concealed Leaf, Flush Mount Door of Any Material	79" (2007 mm)	US32D	885.80	113084	1
	83" (2108 mm)	US32D	885.80	023268	1
	85" (2159 mm)	US32D	897.00	-	1
	95" (2413 mm)	US32D	979.95	026768	1
	119" (3023 mm)	US32D	1,191.60	026769	1




Stainless Steel Continuous Hinges




Description	Size	Finish	2015 List	Stock No.	Case Qty.
790-909	79" (2007 mm)	US32D	779.70	038978	1
Full Surface, 1/8" Inset	83" (2108 mm)	US32D	779.70	023270	1
Swing Clear	85" (2159 mm)	US32D	802.85	047643	1
Door of Any Material	95" (2413 mm)	US32D	897.00	023271	1
Optional sex bolts available (specify when ordering).	119" (3023 mm)	US32D	1,097.40	023279	1




790-911	79" (2007 mm)	US32D	708.70	009412	1
Concealed Leaf	83" (2108 mm)	US32D	708.70	023284	1
Swing Clear	85" (2159 mm)	US32D	744.10	089831	1
Door of Any Material	95" (2413 mm)	US32D	814.90	023285	1
	119" (3023 mm)	US32D	1,026.65	023286	1



790-915	79" (2007 mm)	US32D	767.55	033963	1
Concealed Leaf, 1/16" Inset	83" (2108 mm)	US32D	767.55	023287	1
Door of Any Material	85" (2159 mm)	US32D	790.70	040111	1
	95" (2413 mm)	US32D	873.75	023288	1
	119" (3023 mm)	US32D	1,086.20	023289	1



790-926	79" (2007 mm)	US32D	991.10	045597	1
Concealed Leaf	83" (2108 mm)	US32D	991.10	026760	1
Swing Clear	85" (2159 mm)	US32D	1,026.65	050336	1
Door of Any Material	95" (2413 mm)	US32D	1,145.00	026761	1
	119" (3023 mm)	US32D	1,451.70	026762	1



790-935	79" (2007 mm)	US32D	790.70	060940	1
Half Surface, 1/8" Inset	83" (2108 mm)	US32D	790.70	026756	1
Swing Clear	85" (2159 mm)	US32D	814.90	-	1
Door of Any Material	95" (2413 mm)	US32D	909.10	026758	1
Optional sex bolts available (specify when ordering).	119" (3023 mm)	US32D	1,109.45	026759	1



Exit Devices

TABLE OF CONTENTS

A

Accessories, 4500 Series Grade 1

Alarm Kit.....	30
Alarm Kit Latchbolt Monitor Switch	32
Alarm Kit Tamper Switch	33
Concealed Vertical Rod Bottom Latch Assembly.....	33
Concealed Vertical Rod Top Latch Assembly.....	33
Cylinder Dogging Conversion Kit.....	27
End Cap Replacement Pack.....	30
Extension Rod Kit - 24".....	29
Extension Rod Kit - 36".....	29
Hex Key for Dogging.....	33
Less Bottom Rod Fire Bolt Kit	32
Less Bottom Rod Replacement Cover Plug	32
Retaining Cup Conversion Assembly Kit.....	32
Replacement Head Covers.....	29
Rod to Rod Connector	33
Rod Guide Replacement Pack.....	30
Spring Gage/Hanging Pin Replacement Pack.....	31
Surface Vertical Rod Top Latch Assembly.....	28
Surface Vertical Rod Bottom Latch Assembly	28
Screwpacks	31-32
Top or Bottom Latch Cover Replacement Pack.....	31
Top or Bottom Rod Replacement Kits.....	28

Accessories, 4600 Series Grade 1 Narrow Stile

Alarm Kit.....	40
Alarm Kit Latchbolt Monitor Switch	41
Alarm Kit Tamper Switch	41
Cylinder Dogging Conversion Kit.....	40
End Cap Replacement Kit.....	41
Hex Key for Dogging.....	41
Rim Replacement Head Cover	41

Accessories, 4700 Series Standard Duty

Bottom Latch Assembly.....	48
Bottom Latch Cover	50
End Cap Replacement Pack.....	51
Extension Rod Kit - 24".....	49
Extension Rod Kit - 36".....	49
Hex Key for Dogging.....	51
Replacement Dogging Plates.....	49
Replacement Head Covers.....	49
Rod to Rod Connector	51
Rod Guide Replacement.....	50
Screwpacks	50-51
Top Latch Assembly.....	48

Top Latch Cover.....	50
Top or Bottom Rod Replacement Kit.....	48
Trim Hanging Pin.....	50

C

Cylinders

Cylinder Collar, 4500 Trim	55
Cylinder Collar, 4700 Trim	55
Mortise.....	54
Retaining Cup.....	55
Rim.....	54

E

Exit Devices, Grade 1

How to Order	6
4500 Rim Device	9
4500 Mortise Lock Exit Device.....	13
4500 Concealed Vertical Rod Device	11
4500 Concealed Vertical Rod Device Less Bottom Rod	12
4500 Dummy Push Pad Device.....	13
4500 Surface Vertical Rod Device.....	10
4500 Surface Vertical Rod Device Less Bottom Rod.....	9
4500 Electric Modifications, Power Supplies, and Alarmed Devices.....	4-5

Exit Devices, Grade 1 Narrow Stile

How to Order	7
4600 Narrow Stile Rim Device.....	34
4600 Electric Modifications, Power Supplies, and Alarmed Devices.....	4-5

Exit Devices, Standard Duty

How to Order	8
4700 Rim Device	42
4700 Surface Vertical Rod Device.....	42

M

Mullions

Mullion Set - Keyed Removable.....	53
Mullion Set - Non-Keyed Removable	52
Mullion Tube - Keyed Removable	53
Mullion Tube - Non-Keyed Removable	52
Stabilizer - Keyed Removable.....	53
Stabilizer - Non-Keyed Removable	52
Top/Bottom Bracket Set - Keyed Removable.....	53
Top/Bottom Bracket Set - Non-Keyed Removable	52



Exit Devices

S

Shim Kit, 4500 Series Grade 1

Shim Kit, Rim Device..... 29

Shim Kit, Surface Vertical Rod..... 29

Shim Kit, 4600 Series Grade 1 Narrow Stile

Shim Kit, Narrow Stile Rim Device..... 41

Shim Kit, 4700 Series Standard Duty

Shim Kit, Rim Device..... 48

Shim Kit, Surface Vertical Rod..... 48

Strikes, 4500 Series Grade 1

Concealed Vertical Rod, Top Strike, Fire Rated..... 30

Concealed Vertical Rod, Top Strike, Standard..... 30

Double Door Strike, Standard..... 27

Mullion, Strikes 52,53

Rim Device, Fire Rated 26

Rim Device, Standard 26

Surface Vertical Rod, Bottom Strike, Fire Rated 27

Surface Vertical Rod, Bottom Strike, Standard 27

Surface Vertical Rod, Top Strike, Fire Rated 27

Surface Vertical Rod, Top Strike, Standard..... 27

Threshold Strike, Standard..... 26

Strikes, 4600 Series Grade 1 Narrow Stile

Blade Stop 40

Rim, Fire Rated 40

Rim, Standard 40

Semi-Flush Mount 41

Single Rabbit..... 41

Strikes, 4700 Series Standard Duty

Double Door Strike, Standard..... 48

Mullion, Strikes 52,53

Rim Device, Standard 48

Surface Vertical Rod, Bottom Strike, Standard 48

Surface Vertical Rod, Top Strike, Standard..... 48

Threshold Strike, Standard..... 48

T

Trim, 4500 Series Grade 1

Blank Escutcheon 14

Blank Escutcheon, Mortise 16

Cylinder Escutcheon 17

Cylinder Escutcheon, Mortise 19

Dummy Trim..... 20

Dummy Trim, Mortise..... 22

Night Latch 23

Night Latch, Mortise 25

Pull Plate Trim 26

Trim, 4600 Series Grade 1 Narrow Stile

Blank Escutcheon 35

Cylinder Escutcheon 36

Dummy Trim..... 37

Night Latch 39

Night Lever 38

Trim, 4700 Series Standard Duty

Blank Escutcheon 43

Cylinder Escutcheon 43

Dummy Trim..... 44

Key-In-Lever Trim 45-46

Night Latch 44

Pull Plate Trim..... 47

Raised Lip - Dummy 47

Raised Lip - Night Latch..... 47



Exit Devices

INTRODUCTION

Every model in Hager's line of exit devices is designed and engineered to assure you and your customers years of superior performance. Hager exit devices use fewer moving parts and are constructed with high-quality features--like die cast caps on our lifetime warranty Grade 1 devices, and die cast head covers on all our models. All Hager exit devices meet UL specifications for panic devices and are fire rated for up to three hours.

Hager exit devices were designed with ease of installation in mind. We package our exit devices for convenience and versatility, with thru-bolts included for every model, slotted strikes, and non-handed designs. Hager offers escutcheon trim available in four functions, along with many other trim options.

Quick Ship


The items throughout this price book that have prices in **bold and red** are items included in the Hager Quick Ship Program - they will ship within three days or less. When ordering these products, please visit www.hagerco.com and click on 'Quick Ship' in the footer. You will be prompted to log in with your My Hager account name and password and then you may begin ordering.

Lead Times


Stock items will typically ship within 5-10 business days and the anticipated ship date will be included with each order acknowledgement. Non-stock items will typically ship within 10 business days depending on seasonal volume and order complexity. The anticipated ship date will be included with each order acknowledgement. Custom orders that require a request for quote are subject to longer lead times. Non-master keyed trim items will be subject to standard lead time and process for stock orders. Master keyed trim items will be processed in 20 working days after receipt of all appropriate information and paperwork.

APPLICATIONS


Single Door with Rim Exit Device




Double Door with Two Surface Vertical Rod Exit Devices



Double Door with Rim Exit Device and Surface Vertical Rod Exit Device



Double Door with Mullion



Exit Devices

ELECTRIC MODIFICATIONS - For use with 4500 Series and 4600 Series exit devices

FUNCTION	FUNCTION #	DESCRIPTION	ADD TO LIST PRICE
Electric Latch Retraction	ELR	Provides the means of locking or unlocking exit devices remotely. Requires the use of Hager 2901 or 2902 power supply or warranty voided. <i>Note: Mortise Exits will require Motor Driven Latch Retraction.</i>	\$779.00
Electric Dogging	ED	Provides continuous latch retraction and dogging simultaneously.	\$619.00
Request to Exit	RX	Used to shunt an alarm, activate an alarm, provide release of magnetic locks, or signal a console.	\$249.00
Electric Latch Retraction with Request to Exit	ELRX	Provides the means of locking or unlocking exit devices remotely, along with an SPDT switch. Requires the use of Hager 2901 or 2902 power supply or warranty voided. <i>Note: Mortise Exits will require Motor Driven Latch Retraction.</i>	\$889.00
Electric Dogging with Request to Exit	EDRX	Provides continuous latch retraction and dogging simultaneously along with an SPDT switch.	\$749.00
Dual Request to Exit	RX2	Features two SPDT switches	\$299.00
Latchbolt Monitoring	LM	An internal SPDT switch that monitors the latchbolt to signal both egress and access of an opening	\$249.00
Latchbolt Monitoring/ Request to Exit	RXLM	Two internal SPDT switches that monitor the latchbolt and the pushbar simultaneously	\$309.00
Electric Trim*	ET*	Provides the means of locking or unlocking outside lever trim controls remotely. Specify Fail Safe (EL) or Fail Secure (EU) and voltage (12V or 24V).	\$459.00
Authorized Ingress/Key Monitoring*	AI*	An internal SPDT switch that monitors the operation of the outside trim, available for use with either the 45BE, 45CE or 45NL trim. Must be ordered with the device.	\$259.00
Request to Exit/Authorized Ingress*	RXAI*	Two internal SPDT switches that monitor the pushbar and the outside trim simultaneously, available for use with either the 45CE or 45NL trim. Must be ordered with the device.	\$309.00
Delayed Egress	DE	Delays egress for 15 or 30 seconds when unauthorized egress is initiated. Wall mount controller (2-679-0630) provides digital countdown display with verbal instructions or alarm tone only and must be ordered separately, list price \$981.75.	\$550.00
Motor Driven Electric Latch Retraction	MLR	Provides the means of locking or unlocking exit devices remotely using an electric motor. Requires the use of Hager 2903 or 2904 Power Supply or warranty voided.	\$934.80
Motor Driven Electric Latch Retraction with Request to Exit	MLRX	Provides the means of locking or unlocking exit devices remotely using an electric motor, along with an SPDT switch. Requires the use of Hager 2903 or 2904 Power Supply or warranty voided.	\$1058.40
Electrified Mortise Exit Device	EU/EL	Provides the means of locking or unlocking outside lever trim controls remotely. Specify Fail Safe (EL) or Fail Secure (EU) and voltage (12V or 24V).	\$459.00

*Available on 4500 Series only.



Exit Devices

POWER SUPPLIES

PRODUCT #	DESCRIPTION	LIST PRICE
2901	For use with 4500/4600 Series electric latch retraction	\$579.00
2902	For use with 4500/4600 Series electric latch retraction in a day/night mode of operation	\$639.00
2903	Provides 24 Volt DC power for Fail Safe or Fail Secure locking devices and interface with building alarm controls, card readers, keypads, and other door controls	\$499.00
2904	Provides 24 Volt DC power and control for openings with an electrified locking device and automatic door operator	\$529.00
2908	Provides up to 1 amp of 12 or 24 Volt DC power for all Hager Electrified Products.	\$345.00

ALARMED DEVICES

4501/4601 ALK

Add \$289.00 to the list price of the device

4501/4601 ALM - ALK with Latch Monitor Switch (recommended for use with SVR devices)

Add \$388.00 to the list price of the device

4501/4601 ALT - ALK with Tamper Switch

Add \$388.00 to the list price of the device

4501/4601 ALL - ALK with Latch Monitor and Tamper Switch

Add \$487.00 to the list price of the device

Note: Alarm kit components may be purchased separately.
See pages 30, 32, 33, 40 and 41.



Exit Devices

4500 SERIES HOW TO ORDER

4501	RIM	F	36"	US3	1-3/4"	ELR
Type		Finish		Electric Modifications		
RIM -	Rim Device	US3		AI - Authorized Ingress ***		
SVR -	Surface Vertical Rod	US4		ALK - Alarm Kit		
LBR -	Surface Vertical Rod *	US10		ALL - Alarm Kit w/ Tamper Switch and Latch Monitor		
	Less Bottom Rod	US10B		ALM - Alarm Kit w/ Latch Monitor		
CVR -	Concealed Vertical Rod	US26		ALT - Alarm Kit w/ Tamper Switch		
CLB -	Concealed Vertical Rod	US26D		ED - Electric Dogging		
	Less Bottom Rod *	US32D		EDRX - Electric Dogging w/ Request to Exit		
DMY -	Dummy Push Pad	Size**		ELR - Electric Latch Retraction		
MRT -	Mortise Device (MC, MB, MD)	36"		ELRX - Electric Latch Retraction w/ Request to Exit		
MRTN -	Mortise Device (MN)	48"		LM - Latchbolt Monitor ***		
Product Group		Rating		Door Thickness		
4500 Series, Grade 1		FR - Fire Rated		1-5/8"		
		O - Non-Fire Rated		1-3/4"		
		CD - Cylinder Dogging		2"		
		WR - Windstorm Rated		2-1/2"		
		W - Windstorm and Fire Rated		3"		
				RX - Request to Exit		
				RX2 - Dual Request to Exit		
				RXAI - Request to Exit w/ Authorized Ingress ***		
				RXLM - Request to Exit w/ Latchbolt Monitor ***		
				MLR - Motor Driven Electric Latch Retraction		
				MLRX - Motor Driven Electric Latch Retraction w/ Request to Exit		

*Fire rated LBR and CLB devices must be ordered in pairs for the vertical rod devices or can be used in conjunction with an approved automatic or constant latching flush bolt. When ordering pairs, specify one device LBR and second device LBR with fire bolt, for example: 4501 LBR Fire 36" x 84" plus 4501 LBR Fire 36" x 84" EO with bolt -OR- 4501 LBR Fire 36" x 84" plus an approved automatic or constant latching flush bolt. Add \$43.00 to list price for firebolt kit.

** 24" size available. Add \$329.00 to 36" list price. (Requires extended lead-time).

*** Not available on Mortise devices

4500 SERIES TRIM HOW TO ORDER

45	CE	ARC	US3	1-3/4"	EL24
Product Group	Trim/Function	Lever Style	Finish	Door Thickness	Options
45 - 4500 Series, Grade 1		ARC - Archer	US3	1-5/8"	EL12- Fail Safe, 12 Volt *
BE -	Blank Escutcheon	AUG - August	US4	1-3/4"	EL24 - Fail Safe, 24 Volt *
	Function 14, always operable	WLM- William	US10	2"	EU12- Fail Secure, 12 Volt *
CE -	Cylinder Escutcheon	WTN - Withnell	US10B	2-1/2"	EU24 - Fail Secure, 24 Volt *
	Function 08, key locks/unlocks	CHA - Charles	US26	3"	TW - Tactile Warning
DT -	Dummy Trim	JHN - Johnston***	US26D		A- Antimicrobial Coating
	Function 02, pull when dogged down	JOS- Joshua	US32D (pull plate trim only)		
NL -	Night Latch (1-3/4" to 2-1/2" doors)	LOU - Louis			
	Function 03, key retracts latchbolt	WRN - Warren***			
PD -	Pull Plate Dummy Trim (Not available for CVR device)				
	Function 02, pull when dogged down				
PN -	Pull Plate Night Latch (Not available for CVR device)				
	Function 03, key retracts latchbolt				
PT -	Thumbpiece Entrance (Not available for CVR device)				
	Function 05, key locks or unlocks thumbpiece				
MB -	Mortise Blank Escutcheon (14)**				
MC -	Mortise Cylinder Escutcheon (08) **				
MD -	Mortise Dummy Trim (02) **				
MN -	Mortise Night Latch (03) **				

Notes:

1. Mortise cylinder 3902 is required for use with cylinder escutcheon trim and pull plate with thumb piece trim and is sold separately.
2. Rim cylinder with long tailpiece 3901 is required for use with night latch trim and is sold separately.
3. For more cylinder information, please refer to general information in the Locks section of the catalog.
4. If using shim kit, specify total door thickness including shims.

** Mortise trim does not match centerline of other 4500 series trim.

*** Johnston and Warren lever designs are handed - specify LHR/RH or RHR/LH when ordering.



Exit Devices

4600 SERIES HOW TO ORDER

4601

Product Group

4600 Series, Grade 1

RIM

Type

RIM - Rim Device
CVR - Concealed Vertical Rod
CLB- Concealed Vertical Rod
Less Bottom Rod

F

Rating

F - Fire Rated
O - Non-Fire Rated
C - Cylinder Dogging

36"

Size

36"
48"
36" x 84"
36" x 96"
48" x 84"
48" x 96"

US3

Finish

ALM
DBZ
US3
US4
US10
US10B
US26
US26D
US32D

1-3/4"

Door Thickness

1-5/8"
1-3/4"
2"
2-1/2"
3"

ELR

Electric Modifications

ALK - Alarm Kit
ALL - Alarm Kit w/ Tamper Switch and Latch Monitor
ALM - Alarm Kit w/ Latch Monitor
ALT - Alarm Kit w/ Tamper Switch
ED - Electric Dogging
EDRX - Electric Dogging w/ Request to Exit
ELR - Electric Latch Retraction
ELRX - Electric Latch Retraction w/ Request to Exit
LM - Latchbolt Monitor ***
RX - Request to Exit
RX2 - Dual Request to Exit
RXLM - Request to Exit w/ Latchbolt Monitor ***
MLR - Motor Driven Electric Latch Retraction
MLRX - Motor Driven Electric Latch Retraction w/ Request to Exit

4600 SERIES TRIM HOW TO ORDER

46

Product Group

46 - 4600 Series, Grade 1

CE

Trim/Function

BE - Blank Escutcheon
Function 14, always operable
CE - Cylinder Escutcheon
Function 08, key locks/unlocks lever
DT - Dummy Trim
Function 02, pull when dogged down
NL - Night Latch (Not available for 3" door)
Function 03, key retracts latchbolt
(for use with 4600 Rim Device only)

ARC

Lever Style

ARC - Archer
AUG - August
WLM - William
WTN - Withnell

US3

Finish

ALM
DBZ
US3
US4
US10
US10B
US26
US26D

1-3/4"

Door Thickness

1-5/8"
1-3/4"
2"
2-1/2"
3"

TW

Options

TW - Tactile Warning
A - Antimicrobial
Coating

Notes:

1. Mortise cylinder 3902 with 3976 L cam is required for use with cylinder escutcheon trim and is sold separately.
2. Rim cylinder with long tailpiece 3901 is required for use with night latch trim and is sold separately.
3. For more cylinder information, please refer to general information in the Locks section of the catalog.
4. If using shim kit, specify total door thickness including shims.



Exit Devices

4700 SERIES HOW TO ORDER

4701	RIM	F	36"	US3	2"
Product Group	Type	Rating	Size	Finish	Door Thickness
	RIM - Rim Device SVR - Surface Vertical Rod		36" 48" 36" x 84" 36" x 96" 48" x 84" 48" x 96"	US3 US32D ALM DBZ	1-5/8" 1-3/4" 2" 2-1/4"
4700 Series, Standard Duty		F - Fire Rated O - Non-Fire Rated			

4700 SERIES TRIM HOW TO ORDER

47	CE	RH	ARC	US3	2"	TW
Product Group	Trim/Function	Handing	Lever Style	Finish	Door Thickness	Options
	CE - Cylinder Escutcheon BE - Blank Escutcheon NL - Night Latch DT - Dummy Trim KD - Key in Lever - Dummy Trim KE - Key in Lever - Entrance KN - Key in Lever - Night Latch KP - Key in Lever - Passage PD - Pull Plate Dummy Trim PN - Pull Plate Night Latch RD - Raised Lip Pull - Dummy Trim RN - Raised Lip Pull - Night Latch BT - Thumbpiece Passage PT - Thumbpiece Entrance		ARC - Archer AUG - August WTN - Withnell APL - Apollo knob		1-5/8" 1-3/4" 2" 2-1/4"	
47 - 4700 Series, Standard Duty		RH - Right Handed / LHR LH - Left Handed / RHR		US3 US32D ALM DBZ		TW - Tactile Warning

Notes:

1. Handing is required for the 4700 Series trim.
2. Mortise cylinder, 3902, is sold separately.
3. For more cylinder information, please refer to General Information in the lock section of the catalog.
4. Maximum door thickness compatibility for key-in-lever (Entrance, Night Latch, and Passage) trim is 1-3/4" (44 mm)



Exit Devices - 4500 Series



Description	Length	Finish	2015 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
4501 RIM	36"	US3	854.50	158092	975.50	158111	3
Grade 1	Exit Only	US4	854.50	158094	975.50	158107	
Non-Handed		US10	854.50	158087	975.50	115725	
		US10B	854.50	158088	975.50	158103	
Cylinder Dogging (specify CD), add \$36.95 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26	854.50	158089	975.50	158109	
		US26D	825.00	158090	945.00	158104	
		US32D	854.50	158093	975.50	158105	
	48"	US3	885.00	156140	1,013.50	156145	3
Severe Windstorm Rated device, add \$46.20 to list price and specify WR.	Exit Only	US4	885.00	156141	1,013.50	156146	
		US10	885.00	156138	1,013.50	156142	
		US10B	885.00	156139	1,013.50	156143	
Refer to page 4 for electric modification pricing.		US26	885.00	158180	1,013.50	156144	
		US26D	863.50	156135	981.50	154983	
Anti-microbial coating - add \$40.00 to list price.		US32D	885.00	156136	1,013.50	156137	
4501 SVR LBR	36" x 84"	US3	1,259.00	129450	1,364.50	126690	3
Grade 1	Exit Only	US4	1,259.00	131538	1,364.50	135130	
Non-Handed		US10	1,259.00	130713	1,364.50	144325	
		US10B	1,259.00	127645	1,364.50	126438	
Cylinder Dogging (specify CD), add \$36.95 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26	1,259.00	-	1,364.50	146277	
		US26D	1,162.50	124387	1,275.50	124389	
		US32D	1,259.00	124388	1,364.50	170442	
	36" x 96"	US3	1,305.50	-	1,425.50	-	3
Fire rated LBR devices must be ordered in pairs of less bottom rod vertical rod devices and with a spring loaded fire latch (Part # 2-649-0166 - add \$43.00 to list price) to ensure the device's fire rating.	Exit Only	US4	1,305.50	152521	1,425.50	173396	
		US10	1,305.50	-	1,425.50	153887	
		US10B	1,305.50	143515	1,425.50	126441	
		US26	1,305.50	-	1,425.50	155427	
		US26D	1,237.50	127422	1,349.50	133810	
		US32D	1,305.50	133952	1,425.50	124391	
Refer to page 4 for electric modification.	48" x 84"	US3	1,349.50	-	1,464.00	146813	3
	Exit Only	US4	1,349.50	131540	1,464.00	147614	
		US10	1,349.50	148071	1,464.00	-	
Refer to page 29 for extension rod kits for doors over 8 feet in height. Note that these are not fire rated for the LBR.		US10B	1,349.50	161824	1,464.00	127646	
		US26	1,349.50	-	1,464.00	-	
		US26D	1,275.50	129506	1,379.50	127252	
Anti-microbial coating - add \$40.00 to list price.		US32D	1,349.50	138585	1,464.00	156237	
	48" x 96"	US3	1,373.50	-	1,486.00	-	3
	Exit Only	US4	1,373.50	-	1,486.00	141078	
		US10	1,373.50	-	1,486.00	-	
		US10B	1,373.50	173468	1,486.00	137024	
		US26	1,373.50	-	1,486.00	-	
		US26D	1,349.50	147312	1,425.50	129948	
		US32D	1,373.50	149138	1,486.00	138708	



Exit Devices - 4500 Series



Description	Length	Finish	2015 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
4501 SVR	36" x 84"	US3	1,259.00	157344	1,364.50	157393	3
Grade 1	Exit Only	US4	1,259.00	157346	1,364.50	157395	
Non-Handed		US10	1,259.00	157398	1,364.50	169257	
		US10B	1,259.00	157341	1,364.50	157422	
Cylinder Dogging (specify CD), add \$36.95 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26	1,259.00	157342	1,364.50	158058	
		US26D	1,162.50	157343	1,275.50	157392	
		US32D	1,259.00	157345	1,364.50	157394	
	36" x 96"	US3	1,305.50	157400	1,425.50	157426	3
Severe Windstorm Rated device, add \$46.20 to list price and specify WR.	Exit Only	US4	1,305.50	157401	1,425.50	158068	
		US10	1,305.50	157548	1,425.50	158064	
Refer to page 4 for electric modification pricing.		US10B	1,305.50	157399	1,425.50	157424	
		US26	1,305.50	157568	1,425.50	157425	
		US26D	1,237.50	157390	1,349.50	157396	
		US32D	1,305.50	157391	1,425.50	157397	
Refer to page 29 for extension rod kits for panic rated doors over 8 feet in height.	36" x 120"	US3			1,496.00	157419	3
	Exit Only	US4			1,496.00	157421	
		US10			1,496.00	157402	
Anti-microbial coating - add \$40.00 to list price.		US10B			1,496.00	157887	
		US26			1,496.00	157417	
		US26D			1,393.50	157418	
		US32D			1,496.00	157420	
	48" x 84"	US3	1,349.50	157895	1,464.00	156229	3
	Exit Only	US4	1,349.50	156152	1,464.00	158070	
		US10	1,349.50	157734	1,464.00	158070	
		US10B	1,349.50	156149	1,464.00	154982	
		US26	1,349.50	156150	1,464.00	156227	
		US26D	1,275.50	156147	1,379.50	156148	
		US32D	1,349.50	156151	1,464.00	156230	
	48" x 96"	US3	1,373.50	157901	1,486.00	158076	3
	Exit Only	US4	1,373.50	157906	1,486.00	156235	
		US10	1,373.50	157899	1,486.00	158075	
		US10B	1,373.50	157900	1,486.00	156231	
		US26	1,373.50	156153	1,486.00	156232	
		US26D	1,349.50	156154	1,425.50	156233	
		US32D	1,373.50	157905	1,486.00	156234	
	48" x 120"	US3			1,559.50	156224	3
	Exit Only	US4			1,559.50	156226	
		US10			1,559.50	156155	
		US10B			1,559.50	156156	
		US26			1,559.50	156157	
		US26D			1,451.50	158069	
		US32D			1,559.50	156225	



Exit Devices - 4500 Series



Description	Length	Finish	2015 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
4501 CVR	36" x 84"	US3	1,741.00	149481	1,951.00	149489	3
Grade 1 - for wood or metal doors	Exit Only	US4	1,741.00	149482	1,951.00	149512	
Non-Handed		US10	1,741.00	149484	1,951.00	150548	
		US10B	1,741.00	149310	1,951.00	150549	
Cylinder Dogging (specify CD), add \$36.95 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26	1,741.00	149485	1,951.00	150550	
		US26D	1,741.00	149305	1,951.00	173051	
		US32D	1,741.00	149312	1,951.00	149313	
	36" x 96"	US3	1,778.00	150573	1,988.00	150763	3
Refer to page 4 for electric modification pricing.	Exit Only	US4	1,778.00	150574	1,988.00	149314	
		US10	1,778.00	150758	1,988.00	150764	
Refer to page 29 for extension rod kits for doors over 8 feet in height.		US10B	1,778.00	151032	1,988.00	149315	
		US26	1,778.00	150760	1,988.00	150765	
		US26D	1,778.00	150761	1,988.00	149316	
Anti-microbial coating - add \$40.00 to list price.		US32D	1,778.00	150762	1,988.00	149317	
	48" x 84"	US3	1,812.00	168177	2,022.00	150783	3
	Exit Only	US4	1,812.00	168179	2,022.00	150784	
		US10	1,812.00	168173	2,022.00	150785	
		US10B	1,812.00	168174	2,022.00	150786	
		US26	1,812.00	168175	2,022.00	150787	
		US26D	1,812.00	168176	2,022.00	150788	
		US32D	1,812.00	168178	2,022.00	156236	
	48" x 96"	US3	1,849.00	168182	2,059.00	150796	3
	Exit Only	US4	1,849.00	168184	2,059.00	150797	
		US10	1,849.00	168180	2,059.00	150798	
		US10B	1,849.00	168172	2,059.00	150799	
		US26	1,849.00	168181	2,059.00	150800	
		US26D	1,849.00	168167	2,059.00	150801	
		US32D	1,849.00	168183	2,059.00	150802	



Exit Devices - 4500 Series



Description	Length	Finish	2015 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
4501CLB	36" x 84"	US3	1,741.00	-	1,951.00	-	3
Grade 1 - for wood or metal doors	Exit Only	US4	1,741.00	-	1,951.00	-	
Non-Handed		US10	1,741.00	-	1,951.00	-	
Cylinder Dogging (specify CD), add \$36.95 to list price. 3902 mortise cylinder with standard cam must be ordered separately.		US10B	1,741.00	161859	1,951.00	-	
		US26	1,741.00	-	1,951.00	-	
		US26D	1,741.00	161858	1,951.00	161863	
		US32D	1,741.00	161854	1,951.00	161871	
<hr/>							
Fire rated LBR devices must be ordered in pairs of less bottom rod vertical rod devices and with a spring loaded fire bolt (Part # 2-649-0166, add \$43.00 to list price) to ensure the device's fire rating.	36" x 96"	US3	1,778.00	-	1,988.00	-	3
	Exit Only	US4	1,778.00	-	1,988.00	-	
		US10	1,778.00	-	1,988.00	-	
		US10B	1,778.00	-	1,988.00	161874	
		US26	1,778.00	-	1,988.00	-	
		US26D	1,778.00	161872	1,988.00	161875	
Refer to page 4 for electric modification pricing.		US32D	1,778.00	161873	1,988.00	161876	
<hr/>							
Refer to page 29 for extension rod kits for doors over 8 feet in height	48" x 84"	US3	1,812.00	-	2,022.00	-	3
	Exit Only	US4	1,812.00	-	2,022.00	-	
		US10	1,812.00	-	2,022.00	-	
		US10B	1,812.00	169856	2,022.00	-	
Anti-microbial coating - add \$40.00 to list price.		US26	1,812.00	-	2,022.00	-	
		US26D	1,812.00	161877	2,022.00	173691	
		US32D	1,812.00	-	2,022.00	161879	
<hr/>							
	48" x 96"	US3	1,849.00	-	2,059.00	-	3
	Exit Only	US4	1,849.00	-	2,059.00	-	
		US10	1,849.00	-	2,059.00	-	
		US10B	1,849.00	-	2,059.00	-	
		US26	1,849.00	-	2,059.00	-	
		US26D	1,849.00	-	2,059.00	-	
		US32D	1,849.00	161881	2,059.00	-	



Exit Devices - 4500 Series



Description	Length	Finish	2015 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
-------------	--------	--------	-----------	-----------	-----------------	-----------	-----------

4501 Mortise Lock Exit Device

Grade 1


Non-Handed

Cylinder Dogging (specify CD), add \$36.95 to list price. 3902 mortise cylinder with standard cam must be ordered separately.

Refer to page 4 for electric modification pricing.

Anti-microbial coating - add \$40.00 to list price.

4501M (Pair with MB, MC, MD trim)	36"	US3	1,588.00	162895	1,745.50	162900	3
		Exit Only	US4	1,588.00	1,745.50	162901	
			US10	1,588.00	1,745.50	162947	
			US10B	1,588.00	1,745.50	162829	
			US26	1,588.00	1,745.50	162948	
			US26D	1,533.00	1,686.50	162830	
			US32D	1,588.00	1,745.50	162831	
	48"	US3	1,609.00	162949	1,766.50	162953	3
		Exit Only	US4	1,609.00	1,766.50	162954	
			US10	1,609.00	1,766.50	163724	
			US10B	1,609.00	1,766.50	162836	
			US26	1,609.00	1,766.50	162956	
			US26D	1,554.00	1,705.50	162835	
			US32D	1,609.00	1,766.50	162837	
4501N (Pair with MN trim)	36"	US3	1,588.00	-	1,745.50	-	3
		Exit Only	US4	1,588.00	1,745.50	-	
			US10	1,588.00	1,745.50	-	
			US10B	1,588.00	163023	163735	
			US26	1,588.00	-	-	
			US26D	1,533.00	163737	163544	
			US32D	1,588.00	163736	163524	
	48"	US3	1,609.00	-	1,766.50	-	3
		Exit Only	US4	1,609.00	1,766.50	-	
			US10	1,609.00	1,766.50	-	
			US10B	1,609.00	163734	163731	
			US26	1,609.00	-	-	
			US26D	1,554.00	163733	163730	
			US32D	1,609.00	163732	163729	
4501D Dummy Push Pad Non-handed For use with 4500 and 4600 Series Exit Devices	36"	US3	538.50	149393			3
		US10B	538.50	149392			
		US26D	472.50	149391			
		US32D	538.50	149390			
	48"	US3	559.50	149397			3
		US10B	559.50	149396			
		US26D	493.50	149395			
		US32D	559.50	149394			



Exit Devices - 4500 Series



Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
45BE						
Blank Escutcheon						
Tactile Warning - add \$36.45 to list price.						
Anti-microbial coating - add \$25.00 to list price.						
Archer Lever	14	US3	436.00	122812		6
	Always	US4	436.00	122814		
	Operable	US10	436.00	122804		
		US10B	436.00	122806		
		US26	436.00	122808		
		US26D	420.00	122810		
August Lever		US3	436.00	122796		6
		US4	436.00	122797		
		US10	436.00	122792		
		US10B	436.00	122793		
		US26	436.00	122794		
		US26D	420.00	122795		
Charles Lever		US3	436.00	-		6
		US4	436.00	-		
		US10	436.00	-		
		US10B	436.00	178079		
		US26	436.00	-		
		US26D	420.00	176196		
Johnston Lever Must specify handing		US3	436.00	-	-	6
		US4	436.00	178146	-	
		US10	436.00	178136	178142	
		US10B	436.00	177946	177951	
		US26	436.00	178130	178133	
		US26D	420.00	177384	177387	
Joshua Lever		US3	436.00	-		6
		US4	436.00	-		
		US10	436.00	-		
		US10B	436.00	178087		
		US26	436.00	-		
		US26D	420.00	178084		



Exit Devices - 4500 Series

Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
Louis Lever*	14	US3	436.00	177349		6
	Always Operable	US4	436.00	177356		
		US10	436.00	177291		
		US10B	436.00	177296		
		US26	436.00	177301		
		US26D	420.00	177305		
Warren Lever*		US3	436.00	-	-	6
Must specify handing		US4	436.00	-	-	
		US10	436.00	-	-	
		US10B	436.00	178053	178057	
		US26	436.00	-	-	
		US26D	420.00	178031	178048	
William Lever		US3	436.00	165845		6
		US4	436.00	165846		
		US10	436.00	165841		
		US10B	436.00	165842		
		US26	436.00	165843		
		US26D	420.00	165844		
Withnell Lever		US3	436.00	122813		6
		US4	436.00	122815		
		US10	436.00	122805		
		US10B	436.00	122807		
		US26	436.00	122809		
		US26D	420.00	122811		

* Contact factory for availability prior to July 2015



Exit Devices - 4500 Series



Description	Function	Finish	2015 List	Stock No.	Case Qty.
45MB					
Blank Escutcheon for use with 4501M Mortise Lock Exit Device					
Mortise trim does not match centerline of other 4500 Series trim					
Tactile Warning - add \$36.45 to list price.					
Anti-microbial coating - add \$25.00 to list price.					
Archer Lever	14	US3	436.00	163557	6
	Always	US4	436.00	163596	
	Operable	US10	436.00	163600	
		US10B	436.00	163696	
		US26	436.00	163699	
		US26D	420.00	163559	
August Lever		US3	436.00	163593	6
		US4	436.00	163597	
		US10	436.00	163601	
		US10B	436.00	163697	
		US26	436.00	163700	
		US26D	420.00	163560	
William Lever		US3	436.00	163594	6
		US4	436.00	163598	
		US10	436.00	163602	
		US10B	436.00	163698	
		US26	436.00	163701	
		US26D	420.00	163624	
Withnell Lever		US3	436.00	163595	6
		US4	436.00	163599	
		US10	436.00	163695	
		US10B	436.00	163558	
		US26	436.00	163702	
		US26D	420.00	163561	



Exit Devices - 4500 Series



Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
45CE						
Cylinder Escutcheon						
Requires a 3902 mortise cylinder (with standard cam) sold separately						
Tactile Warning - add \$36.45 to list price.						
Anti-microbial coating - add \$25.00 to list price.						
Refer to page 4 for electric modification pricing.						
Archer Lever	08	US3	436.00	122824		6
	Key locks or unlocks lever	US4	436.00	122826		
		US10	436.00	122816		
		US10B	436.00	122818		
		US26	436.00	122820		
		US26D	420.00	122822		
August Lever	US3		436.00	122802		6
	US4		436.00	122803		
	US10		436.00	122798		
	US10B		436.00	122799		
	US26		436.00	122800		
	US26D		420.00	122801		
Charles Lever	US3		436.00	-		6
	US4		436.00	-		
	US10		436.00	-		
	US10B		436.00	178080		
	US26		436.00	-		
	US26D		420.00	176193		
Johnston Lever Must specify handing	US3		436.00	-	-	6
	US4		436.00	178147	-	
	US10		436.00	178137	178143	
	US10B		436.00	177948	177952	
	US26		436.00	178131	178134	
	US26D		420.00	177385	177386	
Joshua Lever	US3		436.00	-		6
	US4		436.00	-		
	US10		436.00	-		
	US10B		436.00	178088		
	US26		436.00	-		
	US26D		420.00	178085		



Exit Devices - 4500 Series

Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
Louis Lever*	08	US3	436.00	177350		6
	Key locks or unlocks lever	US4	436.00	177357		
		US10	436.00	177292		
		US10B	436.00	177298		
		US26	436.00	177302		
		US26D	420.00	177306		
Warren Lever* Must specify handing		US3	436.00	-	-	6
		US4	436.00	-	-	
		US10	436.00	-	-	
		US10B	436.00	178054	178058	
		US26	436.00	-	-	
		US26D	420.00	178032	178049	
William Lever		US3	436.00	159126		6
		US4	436.00	159127		
		US10	436.00	159128		
		US10B	436.00	159121		
		US26	436.00	159129		
		US26D	420.00	159109		
Withnell Lever		US3	436.00	122825		6
		US4	436.00	122827		
		US10	436.00	122817		
		US10B	436.00	122819		
		US26	436.00	122821		
		US26D	420.00	122823		

* Contact factory for availability prior to July 2015



Exit Devices - 4500 Series



Description	Function	Finish	2015 List	Stock No.	Case Qty.
45MC					
Cylinder Escutcheon for use with 4501M Mortise Lock Exit Device					
Mortise trim does not match centerline of other 4500 Series trim					
Requires a 3902 mortise cylinder (1-5/8" with standard cam) sold separately.					
Tactile Warning - add \$36.45 to list price.					
Anti-microbial coating - add \$25.00 to list price.					
Archer Lever	08	US3	436.00	163703	6
	Key locks	US4	436.00	163708	
	or unlocks	US10	436.00	163711	
	lever	US10B	436.00	163562	
		US26	436.00	163717	
		US26D	420.00	163523	
August Lever		US3	436.00	163704	6
		US4	436.00	163709	
		US10	436.00	163712	
		US10B	436.00	163715	
		US26	436.00	163718	
		US26D	420.00	163564	
William Lever		US3	436.00	163705	6
		US4	436.00	163625	
		US10	436.00	163713	
		US10B	436.00	163716	
		US26	436.00	163719	
		US26D	420.00	163626	
Withnell Lever		US3	436.00	163707	6
		US4	436.00	163710	
		US10	436.00	163714	
		US10B	436.00	163563	
		US26	436.00	163720	
		US26D	420.00	163565	



Exit Devices - 4500 Series



Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
45DT						
Dummy Trim						
Tactile Warning - add \$36.45 to list price.						
Anti-microbial coating - add \$25.00 to list price.						
Archer Lever	02	US3	436.00	014036		6
	Pull when	US4	436.00	014023		
	device is	US10	436.00	014049		
	dogged	US10B	436.00	014038		
	down	US26	436.00	060033		
		US26D	420.00	060018		
August Lever		US3	436.00	107837		6
		US4	436.00	107838		
		US10	436.00	107833		
		US10B	436.00	107834		
		US26	436.00	107835		
		US26D	420.00	107836		
Charles Lever		US3	436.00	-		6
		US4	436.00	-		
		US10	436.00	-		
		US10B	436.00	178082		
		US26	436.00	-		
		US26D	420.00	178078		
Johnston Lever		US3	436.00	-	-	6
Must specify handing		US4	436.00	178148	-	
		US10	436.00	178138	178144	
		US10B	436.00	177949	177953	
		US26	436.00	178132	178135	
		US26D	420.00	177937	177940	
Joshua Lever		US3	436.00	-		6
		US4	436.00	-		
		US10	436.00	-		
		US10B	436.00	178089		
		US26	436.00	-		
		US26D	420.00	178086		



Exit Devices - 4500 Series

Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
Louis Lever*	02	US3	436.00	177354		6
	Pull when device is dogged down	US4	436.00	177358		
		US10	436.00	177295		
		US10B	436.00	177299		
		US26	436.00	177303		
		US26D	420.00	177307		
Warren Lever*		US3	436.00	-	-	6
Must specify handing		US4	436.00	-	-	
		US10	436.00	-	-	
		US10B	436.00	178055	178059	
		US26	436.00	-	-	
		US26D	420.00	178046	178050	
William Lever		US3	436.00	159142		6
		US4	436.00	165851		
		US10	436.00	165847		
		US10B	436.00	165848		
		US26	436.00	165849		
		US26D	420.00	165850		
Withnell Lever		US3	436.00	014035		6
		US4	436.00	014020		
		US10	436.00	014045		
		US10B	436.00	014037		
		US26	436.00	060027		
		US26D	420.00	060017		

* Contact factory for availability prior to July 2015



Exit Devices - 4500 Series



Description	Function	Finish	2015 List	Stock No.	Case Qty.
45MD					
Dummy Trim for use with 4501M Mortise Lock Exit Device					
Mortise trim does not match centerline of other 4500 Series trim					
Tactile Warning - add \$36.45 to list price.					
Anti-microbial coating - add \$25.00 to list price.					
Archer Lever	02	US3	436.00	-	6
	Pull when	US4	436.00	-	
	device is	US10	436.00	-	
	dogged	US10B	436.00	-	
	down	US26	436.00	-	
		US26D	420.00	-	
August Lever		US3	436.00	-	6
		US4	436.00	-	
		US10	436.00	-	
		US10B	436.00	-	
		US26	436.00	-	
		US26D	420.00	-	
William Lever		US3	436.00	-	6
		US4	436.00	-	
		US10	436.00	-	
		US10B	436.00	-	
		US26	436.00	-	
		US26D	420.00	-	
Withnell Lever		US3	436.00	-	6
		US4	436.00	-	
		US10	436.00	-	
		US10B	436.00	163728	
		US26	436.00	-	
		US26D	420.00	163727	



Exit Devices - 4500 Series



Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
45NL						
Night Latch						
Requires a 3901 rim cylinder (with long tailpiece) sold separately.						
Tactile Warning - add \$36.45 to list price.						
Anti-microbial coating - add \$25.00 to list price.						
Maximum door thickness compatibility is 2-1/2" (38 mm)						
Archer Lever	03	US3	436.00	014003		6
	Key	US4	436.00	013984		
	retracts	US10	436.00	014015		
	latchbolt	US10B	436.00	014011		
		US26	436.00	060009		
		US26D	420.00	060000		
August Lever		US3	436.00	107844		6
		US4	436.00	107845		
		US10	436.00	107840		
		US10B	436.00	107841		
		US26	436.00	107842		
		US26D	420.00	107843		
Charles Lever		US3	436.00	-		6
		US4	436.00	-		
		US10	436.00	-		
		US10B	436.00	178083		
		US26	436.00	-		
		US26D	420.00	178429		
Johnston Lever Must specify handing		US3	436.00	-	-	6
		US4	436.00	178149	-	
		US10	436.00	178139	178145	
		US10B	436.00	177950	177954	
		US26	436.00	177955	177956	
		US26D	420.00	177938	177941	
Joshua Lever		US3	436.00	-		6
		US4	436.00	-		
		US10	436.00	-		
		US10B	436.00	178092		
		US26	436.00	-		
		US26D	420.00	178091		



Exit Devices - 4500 Series

Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
Louis Lever*	03	US3	436.00	177355		6
	Key	US4	436.00	177359		
	retracts	US10	436.00	177294		
	latchbolt	US10B	436.00	177300		
		US26	436.00	177304		
		US26D	420.00	177308		
Warren Lever* Must specify handing		US3	436.00	-	-	6
		US4	436.00	-	-	
		US10	436.00	-	-	
		US10B	436.00	178056	178060	
		US26	436.00	-	-	
		US26D	420.00	178047	175051	
William Lever		US3	436.00	159148		6
		US4	436.00	159149		
		US10	436.00	159131		
		US10B	436.00	159132		
		US26	436.00	159133		
		US26D	420.00	159112		
Withnell Lever		US3	436.00	013999		6
		US4	436.00	013980		
		US10	436.00	014012		
		US10B	436.00	014007		
		US26	436.00	060008		
		US26D	420.00	060001		

* Contact factory for availability prior to July 2015







Exit Devices - 4500 Series



Description	Function	Finish	2015 List	Stock No.	Case Qty.
45MN					
Night Latch for use with 4501N Mortise Lock Exit Device					
Mortise trim does not match centerline of other 4500 Series trim					
Requires a 3902 mortise cylinder (1-5/8" with standard cam) sold separately.					
Tactile Warning - add \$36.45 to list price.					
Anti-microbial coating - add \$25.00 to list price.					
Maximum door thickness compatibility is 2-1/2" (38 mm)					
Archer Lever	03	US3	436.00	-	6
	Key	US4	436.00	-	
	retracts	US10	436.00	-	
	latchbolt	US10B	436.00	-	
		US26	436.00	-	
		US26D	420.00	163538	
August Lever		US3	436.00	-	6
		US4	436.00	-	
		US10	436.00	-	
		US10B	436.00	-	
		US26	436.00	-	
		US26D	420.00	163725	
William Lever		US3	436.00	-	6
		US4	436.00	-	
		US10	436.00	-	
		US10B	436.00	-	
		US26	436.00	-	
		US26D	420.00	169861	
Withnell Lever		US3	436.00	-	6
		US4	436.00	-	
		US10	436.00	-	
		US10B	436.00	-	
		US26	436.00	-	
		US26D	420.00	163726	



Exit Devices - 4500 Series

Description	Function	Finish	2015 List	Stock No.	Case Qty.
 <p>45PD Pull Plate - Dummy Trim For use with 4500 RIM, SVR, LBR, ad CLB devices. Not for CVR. Tactile Warning - add \$36.45 to list price. Anti-microbial coating - add \$25.00 to list price.</p>	02	US3	118.50	109038	12
	Pull when device is	US4	118.50	109039	
	dogged	US10	118.50	109040	
	down	US10B	118.50	109041	
		US26	118.50	109042	
		US26D	118.50	109043	
		US32D	118.50	109044	
 <p>45PN Pull Plate - Night Latch For use with 4500 RIM, SVR, LBR, ad CLB devices. Not for CVR. Requires a 3901 rim cylinder (sold separately) Includes retaining cup for 161 door prep. Tactile Warning - add \$36.45 to list price. Anti-microbial coating - add \$25.00 to list price.</p>	03	US3	132.50	109048	12
	Key	US4	132.50	109049	
	retracts	US10	132.50	109050	
	latchbolt	US10B	132.50	109051	
		US26	132.50	109052	
		US26D	132.50	109053	
		US32D	132.50	109054	
 <p>45PT Pull Plate - Thumbpiece For use with 4501 Rim device Requires a 3902 mortise cylinder (sold separately) Tactile Warning - add \$36.45 to list price. Anti-microbial coating - add \$25.00 to list price.</p>	05	US32D	288.00	146142	6
	Key locks				
	or unlocks				
	thumb piece				
 <p>4915 Threshold strike for use with 4500 or 4700 Series. Optional - order separately. Not for fire-rated doors.</p>		US32D	21.00	067426	48
 <p>4920 Strike for use with 4500 Series or 4600 Series Rim exit device. Included with device. Not for fire-rated doors.</p>		US32D	60.00	016208	24
 <p>4920F Fire rated strike for use with 4500 Series or 4600 Series fire rated Rim exit device. Included with fire rated device.</p>		US32D	83.00	016207	24



Exit Devices - 4500 Series



Description	Finish	2015 List	Stock No.	Case Qty.
4921 Double door strike for 4500 Surface Vertical Rod and Rim exit device. Optional - order separately Not for fire-rated doors.	US3	60.00	102255	24
	US4	60.00	102256	
	US10	60.00	102257	
	US10B	60.00	102258	
	US26	60.00	102259	
	US32D	60.00	102271	



4923 Top strike for use with 4500 Series Surface Vertical Rod device. Included with device.	US32D	38.00	016206	24
---	-------	-------	--------	----



4923F Fire rated top strike for use with 4500 Series Surface Vertical Rod device. Included with fire rated device.	US32D	46.50	016205	24
--	-------	-------	--------	----



4924 Bottom strike for use with 4500 Series Vertical Rod devices. Included with panic rated device.	US32D	46.50	016203	12
---	-------	-------	--------	----



4924F Fire rated bottom strike for use with 4500 Series Vertical Rod device. Included with fire rated device.	US32D	50.00	016201	12
---	-------	-------	--------	----



Description	Length	Finish	2015 List	Stock No.	Case Qty.
4926 Cylinder Dogging Conversion Kit for panic rated 4500 device Requires a 3902 mortise cylinder (with standard cam) sold separately.	36"	US3	39.00	157135	48
		US4	39.00	157137	
		US10	39.00	157138	
		US10B	39.00	157139	
		US26	39.00	157140	
		US26D	39.00	157141	
		US32D	39.00	157142	
	48"	US3	41.50	157143	36
		US4	41.50	157144	
		US10	41.50	157145	
		US10B	41.50	157146	
		US26	41.50	157147	
		US26D	41.50	157148	
		US32D	41.50	157149	



Exit Devices - 4500 Series



Description	Finish	2015 List	Stock No.	Case Qty.
4927	US3	83.00	002526	24
Bottom Latch Assembly	US4	83.00	002525	
Includes latch, cover and screws.	US10	83.00	002524	
Included with device.	US10B	83.00	002522	
	US26	83.00	002520	
	US26D	83.00	002518	
	US32D	83.00	002511	
4928	US3	83.00	112972	24
Top Latch Assembly	US4	83.00	112974	
Includes latch, cover and screws.	US10	83.00	112968	
Included with device.	US10B	83.00	112969	
	US26	83.00	112970	
	US26D	83.00	112971	
	US32D	83.00	112973	
4929	US3	39.00	002634	24
SVR/LBR Rod Replacement Kit (top or bottom)	US4	39.00	002633	
	US10	39.00	002587	
Includes: One (1) each 45-1/4" (1149 mm) rod, rod connector, and appropriate fasteners.	US10B	39.00	002582	
	US26	39.00	002573	
	US26D	39.00	002571	
	US32D	39.00	002564	
4929C	US26D	39.00	165570	24
CVR/CLB Rod Replacement Kit (top or bottom)				
Includes: One (1) each 46-5/8" (1184 mm) rod, rod connector, and appropriate fasteners.				
4930R	US3	70.50	001440	24
Shim Kit for 4500 Rim Device	US4	70.50	001438	
	US10	70.50	001429	
Packaged 2 ea. 1/8" shims	US10B	70.50	001428	
	US26	70.50	001426	
	US26D	70.50	001423	
	US32D	83.00	001421	



Exit Devices - 4500 Series



Description	Finish	2015 List	Stock No.	Case Qty.
4930S	US3	70.50	001412	24
Shim Kit for 4500 Surface Vertical Rod Device	US4	70.50	001411	
	US10	70.50	001406	
Packaged 2 ea. 1/8" shims	US10B	70.50	001404	
	US26	70.50	001400	
	US26D	70.50	001391	
	US32D	83.00	001388	
4932C	US3	70.50	166447	20
Replacement Head Cover for 4500 CVR Device	US4	70.50	166449	
	US10	70.50	166443	
	US10B	70.50	166444	
	US26	70.50	166445	
	US26D	70.50	166446	
	US32D	83.00	166448	
4932R	US3	70.50	105036	20
Replacement Head Cover for 4500 Rim Device	US4	70.50	105037	
	US10	70.50	105038	
	US10B	70.50	105039	
	US26	70.50	105040	
	US26D	70.50	105041	
	US32D	83.00	105042	
4932S	US3	70.50	105043	20
Replacement Head Cover for 4500 SVR Device	US4	70.50	105044	
	US10	70.50	105045	
	US10B	70.50	105046	
	US26	70.50	105047	
	US26D	70.50	105048	
	US32D	83.00	105049	
4936	US3	25.00	129372	24
24" Extension Rod Kit	US4	25.00	129373	
	US10	25.00	129374	
Includes 24" extension rod, rod connector, rod guide, and wood and machine screws.	US10B	25.00	129375	
	US26	25.00	129376	
	US26D	25.00	129377	
	US32D	25.00	129378	
4937	US3	28.00	129381	24
36" Extension Rod Kit	US4	28.00	129382	
	US10	28.00	129383	
Includes 36" extension rod, rod connector, rod guide, and wood and machine screws.	US10B	28.00	129384	
	US26	28.00	129385	
	US26D	28.00	129386	
	US32D	28.00	129387	



Exit Devices - 4500 Series



Description	Length	Finish	2015 List	Stock No.	Case Qty.
4940	36"	US3	334.00	137621	24
Alarm Kit for 4500 Series		US4	334.00	137622	
		US10	334.00	137623	
Latchbolt monitor switch and tamper switch available. See pages 32 and 33.		US10B	334.00	137595	
		US26	334.00	137624	
		US26D	334.00	137596	
		US32D	334.00	137597	
	48"	US3	334.00	164020	24
		US4	334.00	164029	
		US10	334.00	164004	
		US10B	334.00	164008	
		US26	334.00	164012	
		US26D	334.00	164016	
		US32D	334.00	164025	
4945		US32D	38.50	150417	
Top Strike Standard for 4501 CVR					
4945F		US32D	47.50	150418	
Fire Rated Top Strike for 4501 CVR					
2-649-0031		US3	7.50	003478	
Rod Guide Replacement Pack					
2-649-0032		US4	7.50	003477	
Rod Guide Replacement Pack					
2-649-0033		US10	7.50	003476	
Rod Guide Replacement Pack					
2-649-0034		US10B	7.50	003473	
Rod Guide Replacement Pack					
2-649-0035		US26	7.50	003467	
Rod Guide Replacement Pack					
2-649-0036		US26D	7.50	003466	
Rod Guide Replacement Pack					
2-649-0037		US32D	7.50	003464	
Rod Guide Replacement Pack					
2-649-0038		US3	25.00	003462	
End Cap Replacement Pack					
2-649-0039		US4	25.00	003454	
End Cap Replacement Pack					
2-649-0040		US10	25.00	003452	
End Cap Replacement Pack					
2-649-0041		US10B	25.00	003435	
End Cap Replacement Pack					
2-649-0042		US26	25.00	003433	
End Cap Replacement Pack					
2-649-0043		US26D	25.00	003424	
End Cap Replacement Pack					
2-649-0044		US32D	25.00	003414	
End Cap Replacement Pack					

Note: All end caps come with bracket and fasteners



Exit Devices - 4500 Series



Description	Finish	2015 List	Stock No.	Case Qty.
2-649-0049 Spring Cage and Handing Pin for 4500 Series Escutcheon Trim	-	11.70	003405	
2-649-0060 Top or Bottom Latch Cover Replacement Pack	US3	44.50	003333	
2-649-0061 Top or Bottom Latch Cover Replacement Pack	US4	44.50	003306	
2-649-0062 Top or Bottom Latch Cover Replacement Pack	US10	44.50	003304	
2-649-0063 Top or Bottom Latch Cover Replacement Pack	US10B	44.50	003299	
2-649-0064 Top or Bottom Latch Cover Replacement Pack	US26	44.50	003297	
2-649-0065 Top or Bottom Latch Cover Replacement Pack	US26D	44.50	003296	
2-649-0066 Top or Bottom Latch Cover Replacement Pack	US32D	44.50	003295	
2-649-0074 SVR Screwpack - Latch, rod, rod connector, rod guide	US3	6.50	103548	
2-649-0075 SVR Screwpack - Latch, rod, rod connector, rod guide	US4	6.50	103550	
2-649-0076 SVR Screwpack - Latch, rod, rod connector, rod guide	US10	6.50	103551	
2-649-0077 SVR Screwpack - Latch, rod, rod connector, rod guide	US10B	6.50	103552	
2-649-0078 SVR Screwpack - Latch, rod, rod connector, rod guide	US26	6.50	103553	
2-649-0079 SVR Screwpack - Latch, rod, rod connector, rod guide	US26D	6.50	103554	
2-649-0080 SVR Screwpack - Latch, rod, rod connector, rod guide	US32D	6.50	103555	



Exit Devices - 4500 Series



Description	Finish	2015 List	Stock No.
2-649-0081 SVR Screwpack - Top and bottom strike	-	4.00	103556
2-649-0082 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US3	12.00	103558
2-649-0083 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US4	12.00	103559
2-649-0084 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US10	12.00	103560
2-649-0085 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US10B	12.00	103561
2-649-0086 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US26	12.00	103562
2-649-0087 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US26D	12.00	103563
2-649-0088 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)	US32D	12.00	103582
2-649-0166 Firebolt Kit for Fire Rated 4500 Series LBR and CLB devices. Includes fire bolt, plastic plug, head cover plug, screws, and instructions. Must use firebolt with fire rated pairs of less bottom rod vertical rod devices to ensure the device's fire rating.	-	45.50	124539
2-649-0167 LBR Replacement Head Cover Plug Shipped standard if device ordered as LBR	-	6.50	124540
2-649-0168 Latchbolt Monitor Switch for 4940 and 4941 Alarm Kits	-	114.50	124228



Exit Devices - 4500 Series



Description	Finish	2015 List	Stock No.
2-649-0177 Rod to Rod Connector	US3	6.50	129398
2-649-0178 Rod to Rod Connector	US4	6.50	129399
2-649-0179 Rod to Rod Connector	US10	6.50	129400
2-649-0180 Rod to Rod Connector	US10B	6.50	129401
2-649-0181 Rod to Rod Connector	US26	6.50	129402
2-649-0182 Rod to Rod Connector	US26D	6.50	129403
2-649-0183 Rod to Rod Connector	US32D	6.50	129404
2-649-1074 Hex Key for Dogging 5/32" 10 pack	-	5.00	122690
2-649-1090 Tamper Switch for 4940 and 4941 alarm kits	-	114.50	137590
2-649-1108 4501 CVR Top Latch Assembly Replacement Kit	-	69.00	150415
2-649-1109 4501 CVR Bottom Latch Assembly Replacement Kit	-	69.00	150416



Exit Devices - 4600 Series



Description	Function	Finish	2015 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
4601 RIM	36"	US3	1,189.00	158394	1,329.50	139568	3
Narrow Stile Rim	Exit Only	US4	1,189.00	158396	1,329.50	139569	
Grade 1		US10	1,189.00	158388	1,329.50	139570	
Non-Handed		US10B	1,189.00	158343	1,329.50	139571	
For cylinder dogging (specify CD), add \$36.95 to the list price. 3902 mortise cylinder with standard cam must be ordered separately.		US26	1,189.00	158390	1,329.50	139572	
		US26D	1,089.00	158324	1,219.50	139573	
		US32D	1,189.00	158344	1,329.50	139574	
	48"	US3	1,224.50	158401	1,367.50	139592	3
Refer to page 4 for electric modification pricing.	Exit Only	US4	1,224.50	158402	1,367.50	139593	
		US10	1,224.50	158397	1,367.50	139594	
		US10B	1,224.50	158398	1,367.50	139595	
Anti-microbial coating - add \$40.00 to list price.		US26	1,224.50	158399	1,367.50	139596	
		US26D	1,120.50	156239	1,257.00	139597	
		US32D	1,224.50	156240	1,367.50	139599	



Exit Devices - 4600 Series



Description	Function	Finish	2015 List	Stock No.	Case Qty.
46BE					
Blank Escutcheon					
Tactile Warning - add \$36.45 to list price.					
Anti-microbial coating - add \$25.00 to list price.					
Archer Lever	14	US3	436.00	171112	6
	Always operable	US4	436.00	171116	
		US10	436.00	170816	
		US10B	436.00	171033	
		US26	436.00	171089	
		US26D	419.00	171090	
August Lever		US3	436.00	171114	6
		US4	436.00	171118	
		US10	436.00	170825	
		US10B	436.00	171084	
		US26	436.00	171088	
		US26D	419.00	171096	
William Lever		US3	436.00	171113	6
		US4	436.00	171117	
		US10	436.00	170819	
		US10B	436.00	171083	
		US26	436.00	171087	
		US26D	419.00	171071	
Withnell Lever		US3	436.00	171115	6
		US4	436.00	171119	
		US10	436.00	171032	
		US10B	436.00	171085	
		US26	436.00	171089	
		US26D	419.00	171097	



Exit Devices - 4600 Series



Description	Function	Finish	2015 List	Stock No.	Case Qty.
46CE					
Cylinder Escutcheon					
Requires a 3902 mortise cylinder (with 3976 L cam) sold separately.					
Tactile Warning - add \$36.45 to list price.					
Anti-microbial coating - add \$25.00 to list price.					
Archer Lever	08	US3	436.00	171510	6
	Key locks or unlocks lever	US4	436.00	171514	
		US10	436.00	171479	
		US10B	436.00	171483	
		US26	436.00	171504	
		US26D	419.00	171508	
August Lever		US3	436.00	171512	6
		US4	436.00	171516	
		US10	436.00	171481	
		US10B	436.00	171503	
		US26	436.00	171506	
		US26D	419.00	171212	
William Lever		US3	436.00	171511	6
		US4	436.00	171515	
		US10	436.00	171480	
		US10B	436.00	171484	
		US26	436.00	171506	
		US26D	419.00	171211	
Withnell Lever		US3	436.00	171513	6
		US4	436.00	171518	
		US10	436.00	171482	
		US10B	436.00	171129	
		US26	436.00	171507	
		US26D	419.00	171509	



Exit Devices - 4600 Series



Description	Function	Finish	2015 List	Stock No.	Case Qty.
46DT					
Dummy Trim					
Tactile Warning - add \$36.45 to list price.					
Anti-microbial coating - add \$25.00 to list price.					
Archer Lever	02	US3	436.00	171292	6
	Pull when device is dogged down	US4	436.00	171296	
		US10	436.00	171223	
		US10B	436.00	171228	
		US26	436.00	171234	
		US26D	419.00	171283	
August Lever		US3	436.00	171294	6
		US4	436.00	171298	
		US10	436.00	171226	
		US10B	436.00	171232	
		US26	436.00	171281	
		US26D	419.00	171285	
William Lever		US3	436.00	171293	6
		US4	436.00	171297	
		US10	436.00	171224	
		US10B	436.00	171375	
		US26	436.00	171280	
		US26D	419.00	171376	
Withnell Lever		US3	436.00	171295	6
		US4	436.00	171412	
		US10	436.00	171227	
		US10B	436.00	171233	
		US26	436.00	171282	
		US26D	419.00	171287	



Exit Devices - 4600 Series



Description	Function	Finish	2015 List	Stock No.	Case Qty.
46NK					
Night Lever Escutcheon					
Requires a 3902 mortise cylinder (with 3976 L cam) sold separately.					
Tactile Warning - add \$36.45 to list price.					
Anti-microbial coating - add \$25.00 to list price.					
Archer Lever	09	US3	436.00	172076	6
	Key	US4	436.00	172079	
	releases	US10	436.00	171546	
	lever, lever	US10B	436.00	171550	
	locked	US26	436.00	171554	
	when key removed	US26D	419.00	171558	
August Lever		US3	436.00	172077	6
		US4	436.00	172080	
		US10	436.00	171548	
		US10B	436.00	171552	
		US26	436.00	171556	
		US26D	419.00	171560	
William Lever		US3	436.00	172083	6
		US4	436.00	172082	
		US10	436.00	171547	
		US10B	436.00	017551	
		US26	436.00	171555	
		US26D	419.00	171559	
Withnell Lever		US3	436.00	172078	6
		US4	436.00	172081	
		US10	436.00	171549	
		US10B	436.00	171553	
		US26	436.00	171557	
		US26D	419.00	171561	



Exit Devices - 4600 Series



Description	Function	Finish	2015 List	Stock No.	Case Qty.
46NL					
Night Latch					
Requires a 3901 rim cylinder (with long tailpiece) sold separately.					
Maximum door thickness compatibility is 2-1/2" (38mm).					
Tactile Warning - add \$36.45 to list price.					
Anti-microbial coating - add \$25.00 to list price.					
Archer Lever	03	US3	436.00	171538	6
	Key	US4	436.00	171542	
	Retracts	US10	436.00	171523	
	Latchbolt	US10B	436.00	171527	
		US26	436.00	171531	
		US26D	419.00	171534	
August Lever		US3	436.00	171540	6
		US4	436.00	171544	
		US10	436.00	171525	
		US10B	436.00	171529	
		US26	436.00	171533	
		US26D	419.00	171536	
William Lever		US3	436.00	171539	6
		US4	436.00	171543	
		US10	436.00	171524	
		US10B	436.00	171528	
		US26	436.00	171532	
		US26D	419.00	171535	
Withnell Lever		US3	436.00	171541	6
		US4	436.00	171545	
		US10	436.00	171526	
		US10B	436.00	171530	
		US26	436.00	171424	
		US26D	419.00	171537	



Exit Devices - 4600 Series



Description	Length	Finish	2015 List	Stock No.	Case Qty.
4920 Strike for use with 4500 or 4600 Series Rim Exit Device. Optional - order separately		US32D	60.00	016208	24
4920F Fire rated strike for use with 4500 or 4600 Series Fire Rated Rim Exit Device. Included standard with fire rated device.		US32D	83.00	016207	24
4925 R Cylinder Dogging Conversion Kit for Panic Rated 4600 Series Rim Device. Requires a 3902 mortise cylinder (with standard cam) sold separately.	36"	US3	36.00	157187	48
		US4	36.00	157191	
		US10	36.00	157192	
		US10B	36.00	157193	
		US26	36.00	157194	
		US26D	36.00	157195	
		US32D	36.00	157196	
	48"	US3	38.00	157197	36
		US4	38.00	157198	
		US10	38.00	157199	
		US10B	38.00	157200	
		US26	38.00	157201	
		US26D	38.00	157202	
		US32D	38.00	157203	
4941 R Alarm Kit for 4600 Series Rim Device Latchbolt monitor switch and tamper switch available.	36"	US3	303.50	147106	
		US4	303.50	147107	
		US10	303.50	147108	
		US10B	303.50	167348	
		US26	303.50	147110	
		US26D	303.50	167349	
		US32D	303.50	167464	
	48"	US3	303.50	147140	
		US4	303.50	147146	
		US10	303.50	147147	
		US10B	303.50	167468	
		US26	303.50	147149	
		US26D	303.50	147150	
		US32D	303.50	167467	
4950 Blade stop strike for use with 4600 Series Rim Exit Device. Included standard with panic rated device.		US32D	60.00	139746	24



Exit Devices - 4600 Series



Description	Finish	2015 List	Stock No.	Case Qty.
4951 Single rabbet strike for use with 4600 Series Rim Exit Device Optional - order separately	US32D	60.00	139748	24
4952 Semi-flush mount strike for use with 4600 Series Rim Exit Device Optional - order separately	US32D	60.00	139747	24
4960R Shim Kit for 4600 Series Rim Exit Device	US3	64.50	139716	24
	US4	64.50	139717	
	US10	64.50	139718	
Packaged 2 each 1/8" shims	US10B	64.50	139719	
	US26	64.50	139720	
	US26D	64.50	139721	
	US32D	75.50	139722	
4965R Replacement Head Cover for 4600 Series Rim Exit Device	US3	64.50	139700	20
	US4	64.50	139707	
	US10	64.50	139708	
	US10B	64.50	139709	
	US26	64.50	139710	
	US26D	64.50	139711	
	US32D	75.50	139712	
2-649-0038 End Cap Replacement Pack	US3	25.00	003462	
2-649-0039 End Cap Replacement Pack	US4	25.00	003454	
2-649-0040 End Cap Replacement Pack	US10	25.00	003452	
2-649-0041 End Cap Replacement Pack	US10B	25.00	003435	
2-649-0042 End Cap Replacement Pack	US26	25.00	003433	
2-649-0043 End Cap Replacement Pack	US26D	25.00	003424	
2-649-0044 End Cap Replacement Pack	US32D	25.00	003414	
Note: All end caps come with bracket and fasteners				
2-649-0168 Latchbolt Monitor Switch for 4940 and 4941 Alarm Kits	-	114.50	124228	
2-649-1074 Hex Key for Dogging 5/32" 10 pack	-	4.50	122690	
2-649-1090 Tamper Switch for 4940 and 4941 Alarm Kits	-	114.50	137590	



Exit Devices - 4700 Series



Description	Length	Finish	2015 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
4701 Rim	36"	ALM	260.00	118164	357.00	115718	3
Standard Duty	Exit Only	DBZ	260.00	118165	357.00	115738	
Non-Handed		US3	438.00	118162	538.00	115737	
		US32D	438.00	118163	538.00	115717	
Anti-microbial coating - add \$40.00 to list price.	48"	ALM	292.50	118168	391.00	115720	3
	Exit Only	DBZ	292.50	118169	391.00	115740	
		US3	470.50	118166	569.50	115739	
		US32D	470.50	118167	569.50	115719	
4701 SVR	36" x 84"	ALM	422.50	118204	584.00	118190	3
Standard Duty	Exit Only	DBZ	422.50	118205	584.00	118191	
Non-Handed		US3	601.50	118170	763.50	118188	
		US32D	601.50	118171	763.50	118189	
SVR panic devices available on 10' openings. Order extension rod kits separately.	36" x 96"	ALM	456.00	118176	617.50	118194	3
	Exit Only	DBZ	456.00	118177	617.50	118195	
		US3	633.00	118174	796.00	118192	
Anti-microbial coating - add \$40.00 to list price.		US32D	633.00	118175	796.00	118193	
	48" x 84"	ALM	470.50	118181	633.00	118198	3
	Exit Only	DBZ	470.50	118182	633.00	118199	
		US3	637.00	118178	811.00	118196	
		US32D	637.00	118180	811.00	118197	
	48" x 96"	ALM	487.00	118185	650.00	118202	3
	Exit Only	DBZ	487.00	118186	650.00	118203	
		US3	666.50	118183	829.50	118200	
		US32D	666.50	118184	829.50	118201	



Exit Devices - 4700 Series



Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
-------------	----------	--------	-----------	------------------	------------------	--------------

47BE

Blank Escutcheon
Must specify handing
Steel body, zinc lever (US32D has stainless steel cover).
For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.
Tactile Warning - add \$36.45 to list price of item.
Anti-microbial coating - add \$25.00 to list price.

Archer Lever	14	ALM	206.50	092763	092825	6
	Always operable	DBZ	206.50	092760	092774	
		US3	225.50	092764	092846	
		US32D	225.50	092772	092889	
August Lever		ALM	206.50	107647	107648	6
		DBZ	206.50	107650	107649	
		US3	225.50	107640	107643	
		US32D	225.50	107645	107646	
Withnell Lever		ALM	206.50	092917	093139	6
		DBZ	206.50	092906	093083	
		US3	225.50	092918	093173	
		US32D	225.50	092919	093199	



47CE

Cylinder Escutcheon
Must specify handing
Requires a 3902 mortise cylinder (with standard cam) sold separately.
Steel body, zinc lever (US32D has stainless steel cover).
For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.
Tactile Warning - add \$36.45 to list price of item.
Anti-microbial coating - add \$25.00 to list price.

Archer Lever	08	ALM	206.50	093208	093829	6
	Key locks or unlocks lever	DBZ	206.50	093206	093819	
		US3	225.50	093219	093903	
		US32D	225.50	093220	093913	
August Lever		ALM	206.50	107658	107659	6
		DBZ	206.50	107660	107661	
		US3	225.50	107652	107654	
		US32D	225.50	107655	107657	
Withnell Lever		ALM	206.50	093778	095104	6
		DBZ	206.50	093765	095004	
		US3	225.50	093786	095118	
		US32D	225.50	093801	095143	



Exit Devices - 4700 Series



Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
47DT						
Dummy Trim						
Must specify handing						
Steel body, zinc lever (US32D has stainless steel cover).						
For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.						
Tactile Warning - add \$36.45 to list price of item.						
Anti-microbial coating - add \$25.00 to list price.						
Archer Lever	O2	ALM	206.50	092290	092306	6
	Pull when	DBZ	206.50	092257	092304	
	device is	US3	225.50	092291	092320	
	dogged	US32D	225.50	092293	092322	
August Lever		ALM	206.50	107675	107674	6
		DBZ	206.50	107676	107677	
		US3	225.50	107669	107670	
		US32D	225.50	107671	107673	
Withnell Lever		ALM	206.50	092325	092391	6
		DBZ	206.50	092324	092386	
		US3	225.50	092367	092392	
		US32D	225.50	092189	092396	



47NL						
Night Latch						
Must specify handing						
Requires a 3902 mortise cylinder (sold separately) with standard cam.						
Steel body, zinc lever (US32D has stainless steel cover).						
For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.						
Tactile Warning - add \$36.45 to list price of item.						
Anti-microbial coating - add \$25.00 to list price.						
Archer Lever	O3	ALM	206.50	092451	092500	6
	Key	DBZ	206.50	092397	092499	
	retracts	US3	225.50	092485	092531	
	latchbolt	US32D	225.50	092492	092532	
August Lever		ALM	206.50	107803	107804	6
		DBZ	206.50	107805	107806	
		US3	225.50	107799	107800	
		US32D	225.50	107801	807802	
Withnell Lever		ALM	206.50	092575	092711	6
		DBZ	206.50	092566	092626	
		US3	225.50	092576	092714	
		US32D	225.50	092593	092723	



Exit Devices - 4700 Series



Description	Function	Finish	2015 List	Stock No. Fixed Cylinder	Stock No. SFIC Housing	Case Qty.
47KD						
Dummy Trim						
Steel body and zinc lever (US32D stainless steel rose).						
Tactile Warning - add \$36.45 to list price of item.						
Anti-microbial coating - add \$25.00 to list price.						
Archer Lever	02	ALM	187.00	109800	-	12
	Entrance	DBZ	187.00	109801	-	
	by trim	US3	206.50	109802	-	
	when device is dogged down	US32D	206.50	109803	-	
August Lever		ALM	187.00	109804	-	12
		DBZ	187.00	109805	-	
		US3	206.50	109806	-	
		US32D	206.50	109807	-	
Withnell Lever		ALM	187.00	109808	-	12
		DBZ	187.00	109809	-	
		US3	206.50	109810	-	
		US32D	206.50	109811	-	



47KE						
Entrance						
Fixed cylinder standard or SFIC housing option for levers (SFIC cores sold separately, refer to locks section).						
Steel body and zinc lever or knob (US32D stainless steel rose).						
Tactile Warning - add \$36.45 to list price of item.						
Anti-microbial coating - add \$25.00 to list price.						
Archer Lever	08	ALM	206.50	169423	169422	12
	Entrance	DBZ	206.50	169430	169429	
	by trim	US3	225.50	169436	169435	
	key locks or unlocks trim	US32D	225.50	169442	169441	
August Lever		ALM	206.50	169426	169424	12
		DBZ	206.50	169432	169431	
		US3	225.50	169438	169437	
		US32D	225.50	169444	169443	
Withnell Lever		ALM	206.50	169428	169427	12
		DBZ	206.50	169434	169433	
		US3	225.50	169440	169439	
		US32D	225.50	169446	169445	
Apollo Knob (not ADA compliant)		US32D	225.50	149372	169447	12



Exit Devices - 4700 Series



Description	Function	Finish	2015 List	Stock No. Fixed Cylinder	Stock No. SFIC Housing	Case Qty.
47KN						
Night Latch						
Fixed cylinder standard or SFIC housing option for levers (SFIC cores sold separately, refer to locks section).						
Steel body, zinc lever or knob (US32D stainless steel rose).						
Tactile Warning - add \$36.45 to list price of item.						
Anti-microbial coating - add \$25.00 to list price.						
Archer Lever	03	ALM	206.50	127486	109767	12
	Key	DBZ	206.50	127489	109768	
	retracts	US3	225.50	127480	109769	
	latchbolt	US32D	225.50	127483	109770	
August Lever		ALM	206.50	127487	109775	12
		DBZ	206.50	127490	109776	
		US3	225.50	127481	109777	
		US32D	225.50	127484	109778	
Withnell Lever		ALM	206.50	127488	109783	12
		DBZ	206.50	127491	109784	
		US3	225.50	127482	109785	
		US32D	225.50	127485	109786	
Apollo Knob (not ADA compliant)		US32D	225.50	149373	-	12



47KP						
Passage						
Steel body, zinc lever (US32D stainless steel rose).						
Tactile Warning - add \$36.45 to list price of item.						
Anti-microbial coating - add \$25.00 to list price.						
Archer Lever	14	ALM	187.00	109788	-	12
	Always	DBZ	187.00	109789	-	
	operable	US3	206.50	109790	-	
		US32D	206.50	109791	-	
August Lever		ALM	187.00	109792	-	12
		DBZ	187.00	109793	-	
		US3	206.50	109794	-	
		US32D	206.50	109795	-	
Withnell Lever		ALM	187.00	109796	-	12
		DBZ	187.00	109797	-	
		US3	206.50	109798	-	
		US32D	206.50	109799	-	




Exit Devices - 4700 Series



Description	Function	Finish	2015 List	Stock No. LHR	Stock No. RHR	Case Qty.
47BT Pull Plate Thumb Piece Passage Tactile Warning - add \$36.45 to list price of item. Anti-microbial coating - add \$25.00 to list price.	14 Always operable	US32D	228.00	168977	168976	6
47PT Pull Plate Thumb Piece Entrance Tactile Warning - add \$36.45 to list price of item. Anti-microbial coating - add \$25.00 to list price.	05 Key locks or unlocks thumb piece	US32D	228.00	159296	159297	6
47PD Pull Plate - Dummy Trim Plated steel for ALM, DBZ, and US3. Stainless steel for US32D. Tactile Warning - add \$36.45 to list price of item. Anti-microbial coating - add \$25.00 to list price.	02 Pull when device is dogged down	ALM DBZ US3 US32D	93.00 93.00 93.00 93.00	109019 109020 109021 109022		12
47PN Pull Plate - Night Latch Requires a 3901 rim cylinder (sold separately). Includes retaining cup for 161 door prep. Plated steel for ALM, DBZ, and US3. Stainless steel for US32D. Tactile Warning - add \$36.45 to list price of item. Anti-microbial coating - add \$25.00 to list price.	03 Key retracts latchbolt	ALM DBZ US3 US32D	107.00 107.00 107.00 107.00	109023 109026 109027 109028		12
47RD Raised Lip Pull - Dummy Trim Plated steel for ALM, DBZ, and US3. Stainless steel for US32D. Tactile Warning - add \$36.45 to list price of item. Anti-microbial coating - add \$25.00 to list price.	02 Pull when device is dogged down	ALM DBZ US3 US32D	51.50 51.50 51.50 51.50	018956 018949 018934 018933		12
47RN Raised Lip Pull - Night Latch Requires a 3901 rim cylinder (sold separately). Tactile Warning - add \$36.45 to list price of item. Anti-microbial coating - add \$25.00 to list price.	03 Key retracts latchbolt	ALM DBZ US3 US32D	57.50 57.50 57.50 57.50	018914 018902 018885 018884		12




Exit Devices - 4700 Series



Description	Finish	2015 List	Stock No.	Case Qty.
4910 Strike for use with 4700 Rim Exit Device Included standard with device.	US32D	57.50	020040	24
4911 Double door strike for 4700 Surface Vertical Rod and Rim Exit Device. Not for fire-rated door. Optional - order separately.	DBZ	51.50	019301	24
	US3	51.50	019323	
	US32D	51.50	019322	
4913 Top strike for 4700 Surface Vertical Rod Exit Device Included standard with device.	US32D	36.50	016231	24
4914 Bottom strike for 4700 Surface Vertical Rod Exit Device Included standard with device.	US32D	36.50	016213	24
4915 Threshold strike for use with 4500 Series or 4700 Series. Not for fire-rated doors. Optional order separately.	US32D	21.00	067426	48
4917 Bottom Latch Assembly Includes latch, cover and screws. Included standard with device.	ALM	54.00	056412	50
	DBZ	54.00	056401	
	US3	54.00	056400	
	US32D	54.00	056398	
4918 Top Latch Assembly Includes latch, cover and screws. Included standard with device.	ALM	54.00	056418	50
	DBZ	54.00	056410	
	US3	54.00	056409	
	US32D	54.00	056407	
4919 Rod Replacement Kit (top or bottom) Includes rod (47-1/4"), rod guide, rod connector assembly and all appropriate screws.	ALM	27.00	073587	24
	DBZ	27.00	073574	
	US3	27.00	073568	
	US32D	27.00	073530	
4931R Shim Kit for 4700 Series Rim Device Packaged 2 ea. 1/8" shims. If using with 47BE, 47CE, 47NL trim, please specify thickness (door plus shim).	ALM	47.00	101773	24
	DBZ	47.00	101774	
	US3	54.00	101775	
	US32D	54.00	101776	
4931S Shim Kit for 4700 Series Surface Vertical Rod Device Packaged 2 ea. 1/8" shims. If using with 47BE, 47CE, 47NL trim, please specify thickness (door plus shim).	ALM	47.00	101783	24
	DBZ	47.00	101784	
	US3	54.00	101786	
	US32D	54.00	101787	



Exit Devices - 4700 Series



Description	Length	Finish	2015 List	Stock No.	Case Qty.
4933R		ALM	34.00	105050	20
Replacement Head Cover for 4700 Series Rim Device		DBZ	34.00	105051	
		US3	39.50	105052	
		US32D	39.50	105053	
4933S		ALM	34.00	105054	20
Replacement Head Cover for 4700 Series SVR Device		DBZ	34.00	105055	
		US3	39.50	105056	
		US32D	39.50	105057	
4934	36"	ALM	27.00	105058	20
Replacement Dogging Plate for 4700 Series Panic Rated Device		DBZ	27.00	105059	
		US3	27.00	105060	
		US32D	27.00	105061	
	48"	ALM	30.50	105062	20
		DBZ	30.50	105063	
		US3	30.50	105064	
		US32D	30.50	105065	
4934F	36"	ALM	27.00	105066	20
Replacement Dogging Plate for 4700 Series Fire Rated Device		DBZ	27.00	105076	
		US3	27.00	105068	
		US32D	27.00	105069	
	48"	ALM	30.50	105070	20
		DBZ	30.50	105071	
		US3	30.50	105072	
		US32D	30.50	105073	
4936		ALM	24.00	129379	24
24" Extension Rod Kit		DBZ	24.00	129380	
Includes 24" extension rod, rod connector, rod guide, and wood and machine screws.		US3	25.00	129372	
Fire rated up to 8' on Surface Vertical Rod device.		US32D	25.00	129378	
4937		ALM	27.00	129388	24
36" Extension Rod Kit		DBZ	27.00	129389	
Includes 36" extension rod, rod connector, rod guide, and wood and machine screws.		US3	28.00	129381	
Fire rated up to 8' on Surface Vertical Rod device.		US32D	28.00	129387	



Exit Devices - 4700 Series



Description	Finish	2015 List	Stock No.
2-649-0010 Rod Guide Replacement	US3	6.50	056131
2-649-0011 Rod Guide Replacement	US32D	6.50	056026
2-649-0012 Rod Guide Replacement	DBZ	6.50	056025
2-649-0013 Rod Guide Replacement	ALM	6.50	056027
2-649-0014 Trim Hanging Pin - 5 pack	-	6.50	052275
2-649-0021 Top Latch Cover	ALM	29.50	056389
2-649-0022 Top Latch Cover	DBZ	29.50	056388
2-649-0023 Top Latch Cover	US3	29.50	056376
2-649-0024 Top Latch Cover	US32D	29.50	056375
2-649-0025 Bottom Latch Cover	ALM	29.50	056331
2-649-0026 Bottom Latch Cover	DBZ	29.50	056328
2-649-0027 Bottom Latch Cover	US3	29.50	056319
2-649-0028 Bottom Latch Cover	US32D	29.50	056296
2-649-0095 SVR Screwpack - Latch, rod, rod connector, rod guide	ALM	6.50	103572
2-649-0096 SVR Screwpack - Latch, rod, rod connector, rod guide	DBZ	6.50	103573
2-649-0097 SVR Screwpack - Latch, rod, rod connector, rod guide	US3	6.50	103574
2-649-0098 SVR Screwpack - Latch, rod, rod connector, rod guide	US32D	6.50	103575




Exit Devices - 4700 Series



Description	Finish	2015 List	Stock No.
2-649-0099 SVR Screwpack - Top and bottom strike	-	4.00	103576
2-649-0100 Screwpack - Chassis, end cap, head cover, rim strike	ALM	11.50	103577
2-649-0101 Screwpack - Chassis, end cap, head cover, rim strike	DBZ	11.50	103578
2-649-0102 Screwpack - Chassis, end cap, head cover, rim strike	US3	11.50	103579
2-649-0103 Screwpack - Chassis, end cap, head cover, rim strike	US32D	11.50	103580
2-649-0141 Screwpack - 2" thick door, trim	-	2.00	103606
2-649-0142 Screwpack - 2-1/4" thick door, trim	-	2.00	103607
2-649-0144 End Cap Replacement Pack	ALM	14.50	104043
2-649-0145 End Cap Replacement Pack	DBZ	14.50	104044
2-649-0146 End Cap Replacement Pack	US3	14.50	104045
2-649-0147 End Cap Replacement Pack	US32D	14.50	104046
Note: All end caps come with bracket and fasteners			
2-649-0164 Pack of 8 Screws, trim (4700), 1/4 - 20 x 3/4" PHMS	-	6.50	112534
2-649-0177 Rod to Rod Connector	US3	6.50	129398
2-649-0183 Rod to Rod Connector	US32D		129404
2-649-0184 Rod to Rod Connector	ALM		129405
2-649-0185 Rod to Rod Connector	DBZ		129406
2-649-4703 Hex Key for Dogging 3/16" 10 pack	-	5.00	000315





Exit Devices - 4900 Series Mullions and Cylinders



Description	Length	Finish	2015 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
4900U	7'	USP	473.00	133007	707.50	133010	1
Non-Keyed Removable Mullion Set	8'	USP	473.00	133008	707.50	133011	1
11 Gauge Steel Tube, top bracket/ bottom bracket set	10'	USP	590.00	133009		-	1
Fire rated mullion requires a fire rated strike (sold separately).							
4904		-	207.50	133029	255.00	133031	5
Top/Bottom Bracket Set Removable (Non-Keyed)							
4905	7'	USP	303.50	133032		-	1
Mullion Tube (Non-Keyed)	8'	USP	303.50	133033		-	1
11 Gauge Steel	10'	USP	376.00	133034		-	1
4912		US32D		-	130.00	016232	24
Fire rated strike for use with 4500 Series and 4600 Series Fire Rated Exit Device and Mullion							
4916		US32D		-	130.00	115780	24
Fire rated strike for use with 4700 Series Fire Rated Exit Device and Mullion							
4953		US32D		-	51.00	139749	12
Mullion Stabilizer for use with 4900 Series Non- Keyed and Keyed Removable Mullion							



Exit Devices - 4900 Series Mullions and Cylinders



Description	Length	Finish	2015 List	Stock No.	List Fire Rated	Stock No.	Case Qty.
4900T Keyed Removable Mullion Set 11 gauge steel tube, top bracket/bottom bracket set.	7'	USP	975.50	132391	1,154.50	132393	1
	8'	USP	975.50	132392	1,154.50	132394	1
	10'	USP	1,124.50	132390		-	1
Requires a 3901 rim cylinder (sold separately).							
Fire rated mullion requires a fire rated strike (sold separately).							
4902 Top/Bottom Bracket Set Key Removable		-	599.50	045351	742.50	031750	5
Requires a 3901 rim cylinder (sold separately).							
4907 Mullion Tube (Key Removable) 11 Gauge Steel	7'	USP	404.50	045349		-	1
	8'	USP	404.50	045334		-	1
	10'	USP	526.00	045323		-	1
4912 Fire rated strike for use with 4500 Series and 4600 Series Fire Rated Device and Mullion		US32D		-	130.00	016232	24
4916 Fire rated strike for use with 4700 Series Fire Rated Exit Device and Mullion		US32D		-	130.00	115780	24
4953 Mullion Stabilizer for use with 4900 Series Non-Keyed and Keyed Removable Mullion		US32D		-	51.00	139749	12



Exit Devices - 4900 Series Mullions and Cylinders



Description	Finish	2015 List	Box Qty.
3901	US3	42.00	1
Rim Cylinder	US4	44.65	
Fixed cylinder and Small Format Interchangeable	US10	44.65	
Core housing available (SFIC cores sold separately).	US10B	42.00	
SFIC not available in US26. Dummy rim cylinders also available.	US26	42.00	
Shipped standard with long break-off tailpiece.	US26D	42.00	

Specify 6-pin or 7-pin for SFIC housing.

For additional cylinder information, please refer to the Locks section.



3902	US3	42.00	1
Mortise Cylinder	US4	44.65	
Fixed cylinder and Small Format Interchangeable	US10	44.65	
Core housing available (SFIC cores sold separately).	US10B	42.00	
Dummy mortise cylinders also available.	US26	42.00	
Shipped with Schlage C keyway, standard cam attached, and Adams Rite cam loose in box.	US26D	42.00	

Specify length 1-1/8" or 1-1/4" for fixed cylinder or 1-1/4" (6-pin) or 1-3/8" (7-pin) for SFIC housing and cam required.

For mortise exit device trim specify 1-5/8" with standard cam for fixed cylinder (Schlage C Keyway) or SFIC housing.

For mortise exit device x cylinder/optional pull, use 1-3/8" cylinder with 11/16" cylinder collar.

For additional cylinder information, please refer to the Locks section.



Exit Devices - 4900 Series Mullions and Cylinders

Description	Finish	2015 List	Stock No.
 2-649-0137 Retaining Cup For use with Rim cylinder and 161 prep	NF	9.00	103365
2-649-0045 7/16" Cylinder Collar (4500 Pull Plate Trim)	US3	18.00	003404
2-649-0046 7/16" Cylinder Collar (4500 Pull Plate Trim)	US4	18.00	003395
2-649-0047 7/16" Cylinder Collar (4500 Pull Plate Trim)	US10	18.00	003394
2-649-0048 7/16" Cylinder Collar (4500 Pull Plate Trim)	US10B	18.00	003393
2-649-0050 7/16" Cylinder Collar (4500 Pull Plate Trim)	US26	18.00	003386
2-649-0051 7/16" Cylinder Collar (4500 Pull Plate Trim)	US26D	18.00	003384
2-649-0052 7/16" Cylinder Collar (4500 Pull Plate Trim)	US32D	18.00	003381
Note: For use with 1-1/8" mortise cylinders Note: All cylinder collars come with wave washer and spacer			
 2-649-0053 11/16" Cylinder Collar (4500 Escutcheon Trim)	US3	18.00	003380
2-649-0054 11/16" Cylinder Collar (4500 Escutcheon Trim)	US4	18.00	003357
2-649-0055 11/16" Cylinder Collar (4500 Escutcheon Trim)	US10	18.00	003346
2-649-0056 11/16" Cylinder Collar (4500 Escutcheon Trim)	US10B	18.00	003340
2-649-0057 11/16" Cylinder Collar (4500 Escutcheon Trim)	US26	18.00	003339
2-649-0058 11/16" Cylinder Collar (4500 Escutcheon Trim)	US26D	18.00	003335
2-649-0059 11/16" Cylinder Collar (4500 Escutcheon Trim)	US32D	18.00	003334
Note: For use with 1-1/4" or 1-3/8" mortise cylinders Note: All cylinder collars come with wave washer and spacer			
 2-647-0012 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)	US3	18.00	031809
2-647-0013 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)	ALM	18.00	031804
2-647-0014 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)	DBZ	18.00	031793
2-647-0015 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)	US32D	18.00	031789
Note: For use with 1-1/8" mortise cylinders Note: All cylinder collars come with wave washer and spacer			



Locks

TABLE OF CONTENTS

A		Decorative Locks	
Armor Fronts (Mortise)	46	2300	5-7
B		E	
Backset Extension Links		Electric Options	
2500	9	Cylindrical Locks	21
3400	23	Mortise Locks	42
3500	27	F	
Blocking Rings	56	Faceplate Adapter	6, 9, 15, 33, 36
C		I	
Cams (Fixed Cylinder)	53	Interchangeable Cores (Small Format)	54
Cams (SFIC)	56	Interconnected Locks	
Cash Box Nut	56	3700, Grade 2	34-36
Cores		K	
Small Format Interchangeable	54	Key Blanks (Fixed Cylinder)	50
Cylinders		Key Blanks (SFIC)	54
Key-In-Lever	49	Keying Charges (Fixed Cylinder)	49
Mortise (Fixed Cylinder)	53	Keying Charges (SFIC)	54
Mortise (SFIC)	55	Keying, Tools and Accessories	58-59
Mortise Dummy	53	Keys, Cut (Fixed Cylinder)	50
Mortise ADA Turn Knob	53	Keys, Cut (SFIC)	54
Rim (Fixed Cylinder)	52	L	
Rim (SFIC)	55	Latchbolts	
Rim Dummy	52	2300, Tubular	6
Cylinder Aligning Sleeves	10, 24, 29, 33	2500, Grade 2 Cylindrical	9-10
Cylinder Collars	45, 57	3400, Grade 1 Cylindrical	21-23
Cylindrical Locks		3500, Grade 2 Cylindrical	26-27
2500, Grade 2	8-10	3600, Grade 2 Tubular	31, 32
3400, Grade 1	20-24	3700, Grade 2 Interconnected	35, 36
3500, Grade 2	25-29	Lead Lining	8, 20, 25, 38, 40
D		Lead Times	3
Deadbolts		M	
3100, Grade 1	11	Mortise Cam Screws	56
3200, Grade 2	15	Mortise Cylinder	53, 55
3700, Interconnected	35	Mortise Locks (Deadlocks)	43
Deadlocks		Mortise Locks (Small Case Deadlocks)	44
3100, Grade 1	11-13	Mortise Locks (Sectional)	38-39
3200, Grade 2	14-19	Mortise Locks (Escutcheon)	40-41
Dustbox (Mortise)	46	Mortise Lock Accessories	45-48
Dustbox (Deadbolt)	12, 16	P	
		Power Supplies	
		Cylindrical Lock	21
		Mortise Lock	42



Locks

R

Rim Cylinder.....	52, 55
-------------------	--------

S

Screw Packs

2300, Tubular	7
2500, Grade 1 Deadlock.....	10
3100, Grade 2 Cylindrical.....	13
3200, Grade 2 Deadlock	16-17
3400, Grade 1 Cylindrical.....	24
3500, Grade 2 Cylindrical.....	29
3600, Grade 2 Tubular	33
3700, Grade 2 Interconnected.....	36
3800, Grade 1 Mortise.....	47
Stock Numbers	60-75

Strikes

2300, Tubular	6
2500, Grade 1 Deadlock.....	10
3100, Grade 1 Deadlock.....	12
3200, Grade 2 Deadlock.....	16
3400, Grade 1 Cylindrical.....	23-24
3500, Grade 2 Cylindrical.....	28
3600, Grade 2 Tubular	32
3700, Grade 2 Interconnected.....	36
3800, Grade 1 Mortise.....	45-46

T

Tactile Warning	8, 20, 25, 30, 34, 38, 40
Tailpieces (Fixed Cylinder)	51
Tailpieces (SFIC).....	55
Tailpieces (Rim Cylinder)	52
Thumbturns (Mortise Lock).....	46-47
Thru-bolt Jigs.....	56

Tubular Locks

2300	5-7
3600, Grade 2.....	26-29



Locks

INTRODUCTION

Hager Companies offers a variety of locks to meet a wide range of applications and solutions. Heavy Duty Grade 1 deadlocks, cylindrical locks, and mortise locks are ideal for schools, hospitals, and other high-use environments. Grade 2 deadlocks and cylindrical locks are ideal for less abusive environments, while Grade 2 tubular locks are suitable for heavy duty residential or medium duty commercial environments.

All Hager locks have been rigorously tested and certified to the highest standards. Each lock series is BHMA certified ANSI A156.2 to the grade specified. They are also UL/cUL Listed for all functions up to and including 3 hours for "A" labeled doors. In addition to the certifications, all Hager leversets are ADA compliant and most come with a lifetime warranty.

Hager locksets are either non-handed or field reversible in the case of the 3800 Series mortise lock. Conventional cylinder and small format interchangeable core housings are also available on keyed functions. Most lock series offer three lever style options along with one knob style. Please check appropriate section for series specific options.

LEAD TIMES

Products identified on the Quick Ship list will ship within 3 business days. These products will be denoted on the stock number list at the end of the commercial lock pricing section in **bold and red**.

Stock items will typically ship within 5-10 business days and the anticipated ship date will be included with each order acknowledgement.

Non-stock items will typically ship within 10 business days depending on seasonal volume and order complexity. The anticipated ship date will be included with each order acknowledgement. Order tracking is also available online through MyHager.

Custom orders that require a request for quote are subject to longer lead times.


Non-master keyed orders will be subject to standard lead time and process for stock orders.

Master keyed orders will be processed in 10 working days after receipt of all appropriate information and paperwork.



Locks

HOW TO ORDER EXAMPLE



Notes:

1. If master-keyed, include master key instruction sheet with order (available on page 69 or online).
2. For additional keying information, please refer to cylinder, core, and keying section of catalog.

* Small format interchangeable core sold separately. Available in Best Keyways only, A Standard.

Ordering example: 3114 2-3/4" US26D NC SFIC

Please refer to our Catalog or website (www.hagerco.com) for more detailed and series specific ordering information along with additional information including functions available, additional options, and keying information. Ordering forms such as Master Keying Instruction Sheet and Cylinder Instructions and Ordering Guide are also available on our website (www.hagerco.com).



Locks - 2300 Series



Charles



Johnston



Joshua



Louis



Warren



Description	Function	Finish	2015 List	Case Qty.
2300 Series	2310	US3	114.10	24
Deco Tubular Locks	Passage	US4	125.20	
2-3/8" (60 mm) backset (optional)		US10B	125.20	
2-3/4" (70 mm) backset (standard)		US15	114.10	
2-1/4" x 1" (57 mm x 25 mm) SC and RC Faceplate (standard)		US26	125.20	
Round and square corner full lip strikes (standard)		US26D	114.10	
Optional strikes available (see page 6).				
Refer to catalog or website for more detailed information on functions. Finishes other than US10B, US15, and US26D, are subject to extended lead-times. Consult factory for availability.				
	2317	US3	49.25	24
	Single Dummy	US4	54.60	
	(Specify handing on Johnston and Warren Levers)	US10B	54.60	
		US15	49.25	
		US26	54.60	
		US26D	49.25	
	2327	US3	98.45	24
	Double Dummy	US4	109.15	
		US10B	109.15	
		US15	98.45	
		US26	109.15	
		US26D	98.45	
	2340	US3	128.80	24
	Privacy	US4	141.75	
		US10B	141.75	
		US15	128.80	
		US26	141.75	
		US26D	128.80	



Locks - 2300 Series



Latchbolts			
Description	Finish	2015 List	Box Qty.
2-639-7607 Passage Latch - (2300) 2-3/4" (70 mm) backset	n/a	15.85	10
2-639-7609 Passage Latch - (2300) 2-3/8" (60 mm) backset	n/a	15.85	10
2-639-7608 Privacy Latch - (2300) 2-3/4" (70 mm) backset	n/a	15.85	10
2-639-7610 Privacy Latch - (2300) 2-3/8" (60 mm) backset	n/a	15.85	10
Strikes			
Description	Finish	2015 List	Box Qty.
3933 T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US3	6.05	10
	US4	6.40	
	US10B	6.05	
	US26	6.05	
	US26D	6.05	
2-639-7617 Full lip replacement strikes (2300) (Includes square and round corner)	US3	12.10	10
2-639-7618 Full lip replacement strikes (2300) (Includes square and round corner)	US4	12.80	
2-639-7619 Full lip replacement strikes (2300) (Includes square and round corner)	US10B	12.10	
2-639-7620 Full lip replacement strikes (2300) (Includes square and round corner)	US15	12.10	
2-639-7621 Full lip replacement strikes (2300) (Includes square and round corner)	US26	12.10	
2-639-7622 Full lip replacement strikes (2300) (Includes square and round corner)	US26D	12.10	
3935 ASA Strike 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner	US3	11.65	10
	US4	12.40	
	US10B	12.40	
	US15	11.65	
	US26	11.65	
	US26D	11.65	
3959 Faceplate adapter Converts 1" (25 mm) to 1-1/8" (29 mm) width	NF	1.95	10



Locks - 2300 Series



Components and Screwpacks

Description	Finish	2015 List	Box Qty.
2-639-7601	US3	10.50	
Privacy Accessory Kit			
2-639-7602	US4	11.50	
Privacy Accessory Kit			
2-639-7603	US10B	10.50	
Privacy Accessory Kit			
2-639-7604	US15	10.50	
Privacy Accessory Kit			
2-639-7605	US26	10.50	
Privacy Accessory Kit			
2-639-7606	US26D	10.50	
Privacy Accessory Kit			
2-300-0091	US3/4	10.50	
Replacement Screw Packs			
2-300-0092	US10B	10.50	
Replacement Screw Packs			
2-300-0093	US15	10.50	
Replacement Screw Packs			
2-300-0094	US26/26D	10.50	
Replacement Screw Packs			



Locks - 2500 Series



Archer



Withnell



Description	Function	Finish	2015 List	Case Qty.
2500 Series	2510	US3	87.15	6
Grade 2 Cylindrical - Economy	Passage	US10B	87.15	
Fixed Cylinder, Standard		US26D	87.15	
6 Pin Cylinders, 5-pin Keyed				
Hager or Schlage C Keyway - KD Standard	2517	US3	54.95	12
2-3/4" (70 mm) Backset	Single Dummy	US10B	54.95	
2-1/4" x 1-1/8" (57 mm x 29 mm) SC Faceplate		US26D	54.95	
ASA Strike				
Small Format Interchangeable Core housing havailable (cores sold separately - refer to Keying/Core section).	2525	US3	75.00	6
	Exit	US10B	75.00	
		US26D	75.00	
Lead Lined available. Add \$107.10 to the list price of the lock.	2527	US3	106.85	6
Tactile Warning available (levers only). Add \$31.55 to the list price of the lock.	BTB Dummy	US10B	106.85	
		US26D	106.85	
Anti-microbial available. Add \$25.00 to list price of lock.	2540	US3	98.65	6
Optional backsets, faceplates and strikes available (see page 9-10).	Privacy	US10B	98.65	
		US26D	98.65	
Optional keying/keyways available (see page 49).	2550	US3	106.80	6
Refer to catalog or website for more detailed information on functions.	Office	US10B	106.80	
Note: Hager Keyway is 7-pin only.	2553	US26D	106.80	
	Entry			
	2570			
	Classroom			
	2580			
	Storeroom			



Locks - 2500 Series



Latchbolts		Finish	2015 List	Box Qty.
Description				
3947		US3	23.35	10
Spring Latch - Passage Only (2510)				
2-3/4" (70 mm) Backset		US10B	23.35	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate		US26D	23.35	
Must specify square or round corner.				
3949		US3	23.35	10
Spring Latch - Passage Only (2510)				
2-3/8" (60 mm) Backset		US10B	23.35	
2-1/4" x 1" (57 mm x 25 mm) Faceplate		US26D	23.35	
Must specify square or round corner.				
3965		US3	23.35	10
Spring Latch - Privacy Only (2540)				
2-3/4" (70 mm) Backset		US10B	23.35	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate		US26D	23.35	
Must specify square or round corner.				
3967		US3	23.35	10
Spring Latch - Privacy Only (2540)				
2-3/8" (60 mm) Backset		US10B	23.35	
2-1/4" x 1" (57 mm x 25 mm) Faceplate		US26D	23.35	
Must specify square or round corner.				
3948		US3	23.35	10
Dead Latch - 2525 and all keyed functions (2500 Series)				
2-3/4" (70 mm) Backset		US10B	23.35	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate		US26D	23.35	
Must specify square or round corner.				
3950		US3	23.35	10
Dead Latch - 2525 and all keyed functions (2500 Series)				
2-3/8" (60 mm) Backset		US10B	23.35	
2-1/4" x 1" (57 mm x 25 mm) Faceplate		US26D	23.35	
Must specify square or round corner.				
3959		NF	1.95	10
Faceplate Adapter				
Can be used with 2500 2-3/8" (60 mm) backset latchbolt.				
Converts 1" (25 mm) to 1-1/8" (29 mm) width.				
3917		NF	15.40	
3-3/4" (95 mm) Backset Extension Link				
Must be used with 2-3/8" (60 mm) backset latchbolt to achieve 3-3/4" total backset.				
3937		NF	16.65	
5" (127) Backset Extension Link				
Must be used with 2-3/4" (70 mm) backset latchbolt to achieve 5" total backset.				



Locks - 2500 Series



Drive-In Latchbolts			
Description	Finish	2015 List	Box Qty.
3922 2-3/4" (70 mm) Drive-In Spring Latch - Passage only (2510)	NF	23.35	20
3923 2-3/4" (70 mm) Drive-In Spring Latch - Privacy only (2540)	NF	23.35	20
3925 2-3/8" (60 mm) Drive-In Spring Latch - Passage only (2510)	NF	23.35	20
3926 2-3/8" (60 mm) Drive-In Spring Latch - Privacy only (2540)	NF	23.35	20
3924 2-3/4" (70 mm) Drive-In Dead Latch - All keyed functions (2500 Series)	NF	23.35	20
3927 2-3/8" (60 mm) Drive-In Dead Latch - All keyed functions (2500 Series)	NF	23.35	20
Strikes			
Description	Finish	2015 List	Box Qty.
3933 T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US3	6.40	10
	US10B	6.40	
	US26D	6.40	
3934 Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US3	6.40	10
	US10B	6.40	
	US26D	6.40	
3935 ASA Strike Plate Shipped standard with 2500 Series 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip Order dust box separately	US3	11.65	10
	US10B	12.40	
	US26D	11.65	
3958 Round Corner Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US3	6.40	10
	US10B	6.40	
	US26D	6.40	
Components and Screwpacks			
Description	Finish	2015 List	
2-639-3577 Cylinder Aligning Sleeve (10 pack)	NF	2.65	
2-300-0048 Screwpack - 2500 Series Lever Locksets	US3	12.15	
2-300-0050 Screwpack - 2500 Series Lever Locksets	US10B	12.15	
2-300-0052 Screwpack - 2500 Series Lever Locksets	US26D	12.15	
2-300-0058 Screwpack - 2517/2527 Lever Locksets only	NF	12.15	
2-639-3523 2500 Series Thru Bolt Posts	NF	2.95	
2-669-0389 ASA Metal Dust Box	NF	4.95	

Locks - 3100 Series



Description	Function	Finish	2015 List	Case Qty.
3100 Series Deadlock	3114	US3	162.70	12
Grade 1	Double Cylinder	US4	180.85	
Fixed Cylinder Standard		US10	180.85	
6 Pin Cylinders, 5-pin Keyed		US10B	169.80	
Hager or Schlage C Keyway - KD Standard		US26	169.80	
2-3/4" (70 mm) Backset		US26D	162.70	
2-1/4" x 1-1/8" (57 mm x 29 mm) Square Corner Faceplate				
Square Corner Strike				
Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).	3115	US3	148.40	12
Optional backsets, faceplates, and strikes available (see below).	Cylinder x Thumbturn	US4	167.60	
Optional keying/keyways available (see page 49).		US10	167.60	
Refer to catalog or website for more detailed information on functions.		US10B	157.30	
		US26	157.30	
		US26D	148.40	
Note: Hager Keyway is 7-pin only.	3118	US3	148.40	12
	Classroom	US4	167.60	
		US10	167.60	
		US10B	157.30	
		US26	157.30	
		US26D	148.40	



Deadbolts	Finish	2015 List	Box Qty.
Description			
3940	US3	23.35	10
2-3/4" (70 mm) Backset - Standard	US4	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10	24.85	
Must Specify Square or Round Corner	US10B	23.35	
	US26D	23.35	
3941	US3	23.35	10
2-3/8" (60 mm) Backset	US4	24.85	
2-1/4"x 1" (57 mm x 25 mm) Faceplate	US10	24.85	
Must specify square or round corner	US10B	23.35	
	US26D	23.35	



Locks - 3100 Series



Strikes		Finish	2015 List	Box Qty.
Description				
3929 ASA Deadlock Strike 1-1/4" x 4-7/8" (32 mm x 124 mm), Square Corner 1 5/16" lip Order dust box separately.		US3	18.75	10
		US4	19.95	
		US10	19.95	
		US10B	18.75	
		US26	18.75	
		US26D	18.75	
3930 Strike with plastic dust box 1-1/8" x 2-3/4" (29 mm x 70 mm), Square corner		US3	6.40	10
		US4	6.75	
		US10	6.75	
		US10B	6.40	
		US26D	6.40	
2-639-3109 Deadlock Dust Box		NF	3.10	10
Components and Screwpacks		Finish	2015 List	
Description				
2-639-3151 Collar Handing Keys - 3118 - (RH and LH w/ set screw)		NF	5.85	
2-639-7146 Thumbturn Repair Kit - 3100 Series		US3	9.30	
2-639-7147 Thumbturn Repair Kit - 3100 Series		US4	9.30	
2-639-7148 Thumbturn Repair Kit - 3100 Series		US10	9.30	
2-639-7149 Thumbturn Repair Kit - 3100 Series		US10B	9.30	
2-639-7150 Thumbturn Repair Kit - 3100 Series		US26	9.30	
2-639-3168 Thumbturn Repair Kit - 3100 Series		US26D	9.30	
2-639-3152 Thumbturn Rose - 3100 Series		US3	9.30	
2-639-3153 Thumbturn Rose - 3100 Series		US4	9.30	
2-639-3154 Thumbturn Rose - 3100 Series		US10	9.30	
2-639-3155 Thumbturn Rose - 3100 Series		US10B	9.30	
2-639-3156 Thumbturn Rose - 3100 Series		US26	9.30	
2-639-3157 Thumbturn Rose - 3100 Series		US26D	9.30	



Locks - 3100 Series



Components and Screwpacks		Finish	2015 List
Description			
2-300-0001	Screwpack 3115/3118	US4	9.30
2-300-0002	Screwpack 3115/3118	US10	9.30
2-300-0003	Screwpack 3115/3118	US10B	9.30
2-300-0004	Screwpack 3115/3118	US26	9.30
2-300-0005	Screwpack 3115/3118	US26D	9.30
2-300-0006	Screwpack 3114	US3	9.30
2-300-0007	Screwpack 3114	US4	9.30
2-300-0008	Screwpack 3114	US10	9.30
2-300-0009	Screwpack 3114	US10B	9.30
2-300-0010	Screwpack 3114	US26	9.30
2-300-0011	Screwpack 3114	US26D	9.30
2-639-3230	Tailpiece Kit for 2" - 2-1/4" Thick Door (3115/3118 Fixed Cylinder Only)	US3	2.05
2-639-3231	Tailpiece Kit for 2" - 2-1/4" Thick Door (3115/3118 Fixed Cylinder Only)	US4	2.05
2-639-3232	Tailpiece Kit for 2" - 2-1/4" Thick Door (3115/3118 Fixed Cylinder Only)	US10	2.05
2-639-3233	Tailpiece Kit for 2" - 2-1/4" Thick Door (3115/3118 Fixed Cylinder Only)	US10B	2.05
2-639-3235	Tailpiece Kit for 2" - 2-1/4" Thick Door (3115/3118 Fixed Cylinder Only)	US26	2.05
2-639-3235	Tailpiece Kit for 2" - 2-1/4" Thick Door (3115/3118 Fixed Cylinder Only)	US26D	2.05
2-639-3236	Tailpiece Kit for 2" - 2-1/4" Thick Door (3114 Fixed Cylinder Only)	US3/US4	3.55
2-639-3237	Tailpiece Kit for 2" - 2-1/4" Thick Door (3114 Fixed Cylinder Only)	US10	3.55
2-639-3238	Tailpiece Kit for 2" - 2-1/4" Thick Door (3114 Fixed Cylinder Only)	US10B	3.55
2-639-3239	Tailpiece Kit for 2" - 2-1/4" Thick Door (3114 Fixed Cylinder Only)	US26/US26D	3.55
2-639-7164	SFIC Deadlock Cylinder Assembly - 3115/3118	US3	16.00
2-639-7167	SFIC Deadlock Cylinder Assembly - 3115/3118	US4	16.00
2-639-7160	SFIC Deadlock Cylinder Assembly - 3115/3118	US10	16.00
2-639-7161	SFIC Deadlock Cylinder Assembly - 3115/3118	US10B	16.00
2-639-7163	SFIC Deadlock Cylinder Assembly - 3115/3118	US26D	16.00



Locks - 3200 Series



Description	Function	Finish	2015 List	Case Qty.
3200 Series Deadlock	3214	US3	96.45	12
Grade 2	Double Cylinder	US4	110.10	
Fixed Cylinder, Standard		US10	110.10	
6 Pin Cylinders, 5-pin Keyed		US10B	103.45	
Hager or Schlage C Keyway - KD Standard		US26D	103.45	
2-3/4" (70 mm) Backset		US32	103.45	
2-1/4" x 1-1/8" SC Faceplate (57 mm x 29 mm)		US32D	96.45	
Square Corner Strike				
	3215	US3	79.00	12
Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).	Cylinder x Thumbturn	US4	89.70	
		US10	89.70	
Refer to Catalog or website for more detailed information on functions.		US10B	84.25	
		US26D	84.25	
Optional backsets, faceplates, and strikes available (see next page).		US32	84.25	
		US32D	79.00	
Optional keying/keyways available (see page 49).				
Note: Hager Keyway is 7-pin only.				
	3216	US3	66.40	20
	Thumbturn x	US4	69.60	
	Occupancy Indicator	US10	69.60	
		US10B	66.40	
		US26D	66.40	
		US32	66.40	
		US32D	66.40	
	3220	US3	60.00	20
	Thumbturn only w/	US4	63.00	
	Blank Plate	US10	63.00	
		US10B	60.00	
		US26D	60.00	
		US32	60.00	
		US32D	60.00	
	3221	US3	46.85	20
	Thumbturn only	US4	49.80	
	(Replaced 3219)	US10	49.80	
		US10B	46.85	
		US26D	46.85	
		US32	46.85	
		US32D	46.85	
	3222	US3	33.50	20
	Retrofit Kit for use	US4	35.80	
	w/3219 or 3221.	US10	35.80	
	Kit covers up 2-1/8" thru hole on exterior side of door.	US10B	33.50	
		US26D	33.50	
		US32	33.50	
		US32D	33.50	



Locks - 3200 Series



Deadbolts	Finish	2015 List	Box Qty.
Description			
3940	US3	23.35	10
2-3/4" (70 mm) Backset - Standard	US4	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10	24.85	
Must Specify Square or Round Corner	US10B	23.35	
US32 and US32D available in square corner only	US26D	23.35	
	US32	23.35	
	US32D	23.35	



3941	US3	23.35	10
2-3/8" (60 mm) Backset	US4	24.85	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US10	24.85	
Must specify square or round corner	US10B	23.35	
US32 and US32D available in square corner only	US26D	23.35	
	US32	23.35	
	US32D	23.35	



3942	US3	23.35	10
2-3/8" - 2-3/4" (60 mm - 70 mm) Adjustable	US4	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Square Corner Faceplate	US10	24.85	
For use with 3220, 3221 deadlocks only	US10B	23.35	
Round corner optional	US26D	23.35	
1" Wide faceplate available in square corner or round corner	US32	23.35	
US32 and US32D available in square corner only	US32D	23.35	



3959	NF	1.95	10
Faceplate Adapter			
Can be used with 3220 and 3221 deadlock			
Converts 1" (25 mm) to 1-1/8" (29 mm) width			



Locks - 3200 Series



Strikes			
Description	Finish	2015 List	Box Qty.
3929	US3	18.75	10
ASA Deadlock Strike	US4	19.95	
1-1/4" x 4-7/8" (32 mm x 124 mm), Square Corner	US10	19.95	
1-5/16" lip	US10B	18.75	
Optional Strike can be used with 3100/3200 Series.	US26	18.75	
Order dust box separately.	US26D	18.75	
For use with 3200 Series US32/US32D, order US26/US26D.			



3930	US3	6.40	10
Strike with plastic dust box	US4	6.75	
1-1/8" x 2-3/4" (29 mm x 70 mm), Square corner	US10	6.75	
	US10B	6.40	
	US26D	6.40	
	US32	6.75	
	US32D	6.75	



2-639-3109	NF	3.10	10
Deadlock Dust Box			
For use with standard strike, 3930.			



Components and Screwpacks			
Description	Finish	2015 List	
2-300-0018	US3	9.30	
Screwpack for 3214			
2-300-0019	US4	9.30	
Screwpack for 3214			
2-300-0020	US10	9.30	
Screwpack for 3214			
2-300-0021	US10B	9.30	
Screwpack for 3214			
2-300-0022	US32	9.30	
Screwpack for 3214			
2-300-0023	US26D/	9.30	
Screwpack for 3214	US32D		



Locks - 3200 Series



Components and Screwpacks			
Description	Finish	2015 List	
2-300-0024 Screwpack for 3215	US3	9.30	
2-300-0025 Screwpack for 3215	US4	9.30	
2-300-0026 Screwpack for 3215	US10	9.30	
2-300-0027 Screwpack for 3215	US10B	9.30	
2-300-0028 Screwpack for 3215	US32	9.30	
2-300-0029 Screwpack for 3215	US26D/ US32D	9.30	
2-300-0105 Screwpack 3220/3222	US3	9.30	
2-300-0106 Screwpack 3220/3222	US4	9.30	
2-300-0107 Screwpack 3220/3222	US10	9.30	
2-300-0108 Screwpack 3220/3222	US10B	9.30	
2-300-0109 Screwpack 3220/3222	US32	9.30	
2-300-0110 Screwpack 3220/3222	US26D/ US32D	9.30	
2-300-0111 Screwpack 3221	US3	9.30	
2-300-0112 Screwpack 3221	US4	9.30	
2-300-0113 Screwpack 3221	US10	9.30	
2-300-0114 Screwpack 3221	US10B	9.30	
2-300-0115 Screwpack 3221	US32	9.30	
2-300-0116 Screwpack 3221	US26D/ US32D	9.30	



Locks - 3200 Series



Description	Finish	2015 List
2-639-3218 Thumbturn Assembly - 3215	US3	5.85
2-639-3219 Thumbturn Assembly - 3215	US4	5.85
2-639-3220 Thumbturn Assembly - 3215	US10	5.85
2-639-3221 Thumbturn Assembly - 3215	US10B	5.85
2-639-7153 Thumbturn Assembly - 3215	US26D	5.85
2-639-3222 Thumbturn Assembly - 3215	US32	5.85
2-639-3223 Thumbturn Assembly - 3215	US32D	5.85
2-639-3230 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US3	2.05
2-639-3231 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US4	2.05
2-639-3232 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US10	2.05
2-639-3233 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US10B	2.05
2-639-3234 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US26D	2.05
2-639-3235 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US32	2.05
2-639-7151 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US32D	2.05
2-639-3236 Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US3/US4	3.55
2-639-3237 Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US10	3.55
2-639-3238 Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US10B	3.55
2-639-3239 Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US26/ US26D/ US32D/ US32D	3.55







Locks - 3200 Series



Screwpacks and Components			
Description	Finish	2015 List	
2-639-3703 Exterior Deadlock Scalp - 3200 Series	US3	4.70	
2-639-3704 Exterior Deadlock Scalp - 3200 Series	US4	4.70	
2-639-3705 Exterior Deadlock Scalp - 3200 Series	US10	4.70	
2-639-3706 Exterior Deadlock Scalp - 3200 Series	US10B	4.70	
2-639-7152 Exterior Deadlock Scalp - 3200 Series	US26D	4.70	
2-639-3707 Exterior Deadlock Scalp - 3200 Series	US32	4.70	
2-639-3708 Exterior Deadlock Scalp - 3200 Series	US32D	4.70	
2-639-7157 3215 SFIC Deadlock Spacer	US3	3.80	
2-639-7158 3215 SFIC Deadlock Spacer	US4	3.80	
2-639-7154 3215 SFIC Deadlock Spacer	US10	3.80	
2-639-7155 3215 SFIC Deadlock Spacer	US10B	3.80	
2-639-7156 3215 SFIC Deadlock Spacer	US26D	3.80	
2-639-7143 3215 SFIC Deadlock Spacer	US32	3.80	
2-639-7144 3215 SFIC Deadlock Spacer	US32D	3.80	
2-639-7164 SFIC Deadlock Cylinder Assembly - 3215	US3	16.00	
2-639-7167 SFIC Deadlock Cylinder Assembly - 3215	US4	16.00	
2-639-7160 SFIC Deadlock Cylinder Assembly - 3215	US10	16.00	
2-639-7161 SFIC Deadlock Cylinder Assembly - 3215	US10B	16.00	
2-639-7163 SFIC Deadlock Cylinder Assembly - 3215	US26D	16.00	
2-639-7165 SFIC Deadlock Cylinder Assembly - 3215	US32	16.00	
2-639-7166 SFIC Deadlock Cylinder Assembly - 3215	US32D	16.00	




Locks - 3400 Series

		Description	Function	Finish	Lever 2015 List	Case Qty.	Knob 2015 List	Case Qty.
	Apollo	3400 Series	3410	US3	235.85	6	220.35	10
		Grade 1 Cylindrical	Passage	US4	266.40			
		Fixed Cylinder, Standard		US10	266.40			
		6 Pin Cylinders, 5-pin Keyed		US10B	250.25			
		Hager or Schlage C Keyway - KD Standard		US26	250.25			
		2-3/4" (70 mm) Backset		US26D	235.85			
		2-1/4" x 1-1/8" SC Faceplate (57 mm x 29 mm)		US32D			220.35	
	Archer	ASA Strike						
		Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).	3417	US3	110.95	12	108.28	10
		Apollo knob with SFIC will be subject to extended lead times - consult factory for availability.	Single Dummy	US4	131.50			
		Lead Lined available. Add \$107.10 to the list price of the lock.		US10	131.50			
				US10B	123.40			
				US26	123.40			
				US26D	110.95			
	August	Tactile Warning available on levers only. Add \$31.55 to the list price of lock.		US32D			98.45	
		Anti-microbial available. Add \$25.00 to the list price of the lock.	3440	US3	277.00	6	255.00	10
		3/4" latchbolt available. Add \$60.00 to the list price of lock.	Privacy	US4	317.75			
		Split finish available. Priced at higher finish.		US10	317.75			
		Optional backsets, faceplates, and strikes available (see next page).		US10B	298.50			
		Optional keying/keyways available (see page 49).		US26	298.50			
				US26D	277.00			
	Withnell			US32D			255.00	
		*3473 Corridor and 3495 Intruder Classroom functions are not available on Apollo knob.	3450	US3	316.30	6	309.45	10
		3495 Intruder Classroom includes locking indicator rose.	Office	US4	361.45			
		Refer to catalog or website for more detailed information on functions.	3453	US10	361.45			
		Note: Hager Keyway is 7-pin only.	Entry	US10B	339.45			
			3470	US26	339.45			
			Classroom	US26D	316.30			
			3473	US32D			309.45	
			Corridor*					
			3480					
			Storeroom					
			3495	US3	461.95	6		
			Intruder Classroom*	US4	507.30			
				US10	507.30			
				US10B	485.30			
				US26	485.30			
				US26D	419.95			

Locks - 3400 Series



3400 Series Electrified Cylindrical Lockset		Add electrified charges to the list price of the lock	
Description	Function	2015 List	
Outside lever continuously locked electrically. Unlocked by key outside, by switch or by power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress.	3480EL Storeroom - Fail Safe (12V or 24V)	261.45	
Outside lever continuously locked until unlocked by key or electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress.	3480EU Storeroom - Fail Secure (12V or 24V)	261.45	
Monitors inside lever rotation. Incorporates into alarm systems or in conjunction with an electromagnet.	3480RX Storeroom - Request to Exit	219.45	
Outside lever continuously locked electrically. Unlocked by key outside, by switch or by power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress. Ability to tie into an alarm system.	3480ELRX Storeroom - Fail Safe w/ Request to Exit (12V or 24V)	418.95	
Outside lever continuously locked until unlocked by key or electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress. Ability to tie into an alarm system.	3480EURX Storeroom - Fail Secure w/ Request to Exit (12V or 24V)	418.95	



Power Supplies		
Description	Product	2015 List
Provides power for Fail Safe or Fail Secure locking devices and interface with building alarm controls, card readers, keypads, and other door controls.	2903 24 Volt Power Supply	523.95
Provides power and control for openings with an electrified locking device and automatic door operator.	2904 24 Volt Power Supply	555.45
Provides up to 1 amp of 12 or 14 Volt DC Power for all Hager Electrified Products.	2908 24 Volt Power Supply	362.25



Latchbolts			
Description	Finish	2015 List	Box Qty.
3943 Spring Latch - Passage Only (3410) - Standard 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3	23.35	10
	US4	24.85	
	US10	24.85	
	US10B	23.35	
	US26	23.35	
	US26D	23.35	
3945 Spring Latch - Passage Only (3410) 2-3/8" (60 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3	23.35	10
	US4	24.85	
	US10	24.85	
	US10B	23.35	
	US26	23.35	
	US26D	23.35	



Locks - 3400 Series



Latchbolts Description	Finish	2015 List	Box Qty.
3964	US3	23.35	10
Spring Latch - Privacy Only (3440)	US4	24.85	
2-3/4" (70 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
*Must specify square or round corner.	US26	23.35	
	US26D	23.35	



3966	US3	23.35	10
Spring Latch - Privacy Only (3440)	US4	24.85	
2-3/8" (60 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
*Must specify square or round corner.	US26	23.35	
	US26D	23.35	



3944	US3	23.35	10
Dead Latch - All keyed functions except Corridor	US4	24.85	
2-3/4" (70 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
*Must specify square or round corner.	US26	23.35	
	US26D	23.35	



3946	US3	23.35	10
Dead Latch - All keyed functions except Corridor	US4	24.85	
2-3/8" (60 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
*Must specify square or round corner.	US26	23.35	
	US26D	23.35	



3992	US3	23.35	10
Dead Latch - Corridor (3473)	US4	24.85	
2-3/8" (60 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
*Must specify square or round corner.	US26	23.35	
	US26D	23.35	



3993	US3	23.35	10
Dead Latch - Corridor (3473)	US4	24.85	
2-3/4" (70 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
*Must specify square or round corner.	US26	23.35	
	US26D	23.35	



Locks - 3400 Series



Latchbolts			
Description	Finish	2015 List	Box Qty.
3932			
3/4" Dead Latch (3450, 3453, 3470, 3480, 3495)	US3	114.10	10
2-3/4" (70 mm) Backset	US4	118.15	
2-1/4" x 1-1/8" (57 mm x 29 mm) square corner faceplate	US10	118.15	
	US10B	114.10	
	US26	114.10	
	US26D	114.10	
3916	NF	15.40	10
3-3/4" (95 mm) Backset Extension Link			
Must be used with 2-3/8" backset latchbolt to achieve 3-3/4" total backset.			
3936	NF	16.65	10
5" (127 mm) Backset Extension Link			
Must be used with 2-3/4" backset latchbolt to achieve 5" total backset.			
Strikes			
Description	Finish	2015 List	Box Qty.
3933			
T-Strike with Plastic Dust Box	US3	6.40	10
1-1/8" x 2-3/4" (29 x 70 mm), square corner	US4	6.75	
	US10	6.75	
For use with US32D knobs, order US26D.	US10B	6.40	
	US26	6.40	
	US26D	6.40	
3934			
Full Lip Strike	US3	6.40	10
1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US4	6.75	
	US10	6.75	
For use with US32D knobs, order US26D.	US10B	6.40	
	US26	6.40	
	US26D	6.40	
3935			
ASA Strike	US3	11.65	10
Shipped standard with 3400 Series	US4	12.40	
1-1/4" x 4-7/8" (32 mm x 124 mm), square corner	US5	11.65	
1-5/16" lip	US10	11.65	
Order dust box separately	US15	11.65	
	US10B	12.40	
	US26	11.65	
	US26D	11.65	
	US32D	11.65	



Locks - 3400 Series



Strikes			
Description	Finish	2015 List	Box Qty.
3958	US3	6.40	10
Round Corner Full Lip Strike	US4	6.75	
1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US10	6.75	
	US10B	6.40	
For use with US32D knobs, order US26D	US26	6.40	
	US26D	6.40	



2-669-0389	NF	4.95	10
ASA Metal Dust Box			



Components and Screwpacks			
Description	Finish	2015 List	
2-639-3490	NF	2.40	
Cylinder Aligning Sleeve (10 pack)			



2-300-0036	US3/US4	11.05	
Screwpack - 3400 Series Lever Lockset			

2-300-0038	US10	11.05	
Screwpack - 3400 Series Lever Lockset			

2-300-0039	US10B	11.05	
Screwpack - 3400 Series Lever Lockset			

2-300-0041	US26/US26D	11.05	
Screwpack - 3400 Series Lever Lockset			

2-300-0043	US3	11.05	
Screwpack - 3400 Series Knob Lockset			

2-300-0044	US32D	11.05	
Screwpack - 3400 Series Knob Lockset			



2-300-0042	NF	4.70	
Screwpack - 3417 Dummy Lever Only			



2-300-0045	NF	4.70	
Screwpack - 3417 Dummy Knob Only			

Locks - 3500 Series



Apollo



Archer



August



Withnell



Description	Function	Finish	Lever 2015 List	Case Qty.	Knob 2015 List	Case Qty.
3500 Series	3510					
Grade 2 Cylindrical	Passage	US3	149.05	6	60.85	20
Fixed Cylinder, Standard		US4	172.90			
6 Pin Cylinders, 5-pin Keyed		US10	172.90			
Hager or Schlage C Keyway - KD Standard		US10B	162.40			
2-3/4" (70 mm) Backset		US26	162.40			
2-1/4" x 1-1/8" (57 mm x 29 mm) SC Faceplate		US26D	149.05			
ASA Strike		US32D			60.85	20
Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).	3517	US3	58.10	12	41.90	60
Lead Lined available. Add \$107.10 to the list price of the lock.	Single Dummy	US4	70.60			
Tactile Warning available (Levers only). Add \$31.55 to the list price of the lock.		US10	70.60			
Anti-microbial available. Add \$25.00 to list price of lock.		US10B	66.40			
Split finish available. Priced at higher finish.		US26	66.40			
Optional backsets, faceplates and strikes available (see next page).		US26D	58.10			
Optional keying/keyways available (see page 49).		US32D			41.90	60
Apollo knob with SFIC will be subject to extended lead times, consult factory for availability.	3525	US3	149.05	6		
	Exit*	US4	172.90			
		US10	172.90			
		US10B	162.40			
		US26	162.40			
		US26D	149.05			
*3525 Exit, 3527 BTB Dummy, and 3573 Corridor functions are not available on Apollo knob.	3527	US3	114.45	6		
Refer to catalog or website for more detailed information on functions.	BTB Dummy*	US4	138.55			
Note: Hager Keyway is 7-pin only.		US10	138.55			
		US10B	132.00			
		US26	132.00			
		US26D	114.45			



Locks - 3500 Series



Description	Function	Finish	Lever 2015 List	Case Qty.	Knob 2015 List	Case Qty.
3500 Series	3540	US3	168.70	6	72.75	20
Continued	Privacy	US4	193.05			
		US10	193.05			
		US10B	181.25			
		US26	181.25			
		US26D	168.70			
		US32D			72.75	20
	3550	US3	187.60	6	92.85	20
	Office	US4	213.15			
	3553	US10	213.15			
	Entry	US10B	200.30			
	3570	US26	200.30			
	Classroom	US26D	187.60			
	3573	US32D			92.85	20
	Corridor*					
	3579					
	Keyed					
	Communicating					
	3580					
	Storeroom					



Latchbolts Description	Finish	2015 List	Box Qty.
3947	US3	23.35	10
Spring Latch - Passage only (3510) - Standard	US4	24.85	
2-3/4" (70 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
Must specify square or round corner.	US26	23.35	
	US26D	23.35	
3949	US3	23.35	10
Spring Latch - Passage only (3510)	US4	24.85	
2-3/8" (60 mm) Backset	US10	24.85	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US10B	23.35	
Must specify square or round corner.	US26	23.35	
	US26D	23.35	
3965	US3	23.35	10
Spring Latch - Privacy only (3540) - Standard	US4	24.85	
2-3/4" (70 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
Must specify square or round corner.	US26	23.35	
	US26D	23.35	
3967	US3	23.35	10
Spring Latch - Privacy only (3540)	US4	24.85	
2-3/8" (60 mm) Backset	US10	24.85	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US10B	23.35	
Must specify square or round corner.	US26	23.35	
	US26D	23.35	
3948	US3	23.35	10
Dead Latch - 3525 and all keyed functions except Corridor	US4	24.85	
2-3/4" (70 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
Must specify square or round corner.	US26	23.35	
	US26D	23.35	



Locks - 3500 Series



Latchbolts		Finish	2015 List	Box Qty.
Description				
3950		US3	23.35	10
Dead Latch - 3525 and all keyed functions except Corridor		US4	24.85	
2-3/8" (60 mm) Backset		US10	24.85	
2-1/4" x 1" (57 mm x 25 mm) Faceplate		US10B	23.35	
Must specify square or round corner.		US26	23.35	
		US26D	23.35	
3994		US3	23.35	10
Dead Latch - Corridor (3573)		US4	24.85	
2-3/8" (60 mm) Backset		US10	24.85	
2-1/4" x 1" (57 mm x 25 mm) Faceplate		US10B	23.35	
Must specify square or round corner.		US26	23.35	
		US26D	23.35	
3995		US3	23.35	10
Dead Latch - Corridor (3573)		US4	24.85	
2-3/4" (70 mm) Backset		US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate		US10B	23.35	
Must specify square or round corner.		US26	23.35	
		US26D	23.35	
3959		NF	1.95	10
Faceplate Adapter				
Can be used with 3500 2-3/8" backset latchbolt.				
Converts to 1" (25 mm) to 1-1/8" (29 mm) width.				
3917		NF	15.40	10
3-3/4" (95 mm) Backset extension link				
Must be used with 2-3/8" backset latchbolt to achieve 3-3/4" total backset.				
3937		NF	16.65	10
5" (127 mm) Backset extension link				
Must be used with 2-3/4" backset latchbolt to achieve 5" total backset.				
Drive-In Latchbolts		Finish	2015 List	Box Qty.
Description				
3922		NF	23.35	20
2-3/4" (70 mm) Drive-In Spring Latch - Passage only (3510)				
3923		NF	23.35	20
2-3/4" (70 mm) Drive-In Spring Latch - Privacy only (3540)				
3925		NF	23.35	20
2-3/8" (60 mm) Drive-In Spring Latch - Passage only (3510)				
3926		NF	23.35	20
2-3/8" (60 mm) Drive-In Spring Latch - Privacy only (3540)				
3924		NF	23.35	20
2-3/4" (70 mm) Drive-In Dead Latch - All keyed functions except corridor				
3927		NF	23.35	20
2-3/8" (60 mm) Drive-In Dead Latch - All keyed functions except corridor				
3996		NF	23.35	20
2-3/8" (60 mm) Drive-In Dead Latch - Corridor (3573)				
3997		NF	23.35	20
2-3/4" (70 mm) Drive-In Dead Latch - Corridor (3573)				



Locks - 3500 Series



Strikes			
Description	Finish	2015 List	Box Qty.
3933	US3	6.40	10
T-Strike with Plastic Dust Box	US4	6.75	10
1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US10	6.75	10
For use with US32D knobs, order US26D.	US10B	6.40	10
	US26	6.40	10
	US26D	6.40	10



3934	US3	6.40	10
Full Lip Strike	US4	6.75	10
1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US10	6.75	10
For use with US32D knobs, order US26D.	US10B	6.40	10
	US26	6.40	10
	US26D	6.40	10



3935	US3	11.65	10
ASA Strike	US4	12.40	10
Shipped Standard with 3500 Series	US5	11.65	10
1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip	US10	11.65	10
Order dust box separately.	US15	11.65	10
	US10B	12.40	10
	US26	11.65	10
	US26D	11.65	10
	US32D	11.65	10



3958	US3	6.40	10
Round Corner Full Lip Strike	US4	6.75	10
1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US10	6.75	10
For use with US32D knobs, order US26D.	US10B	6.40	10
	US26	6.40	10
	US26D	6.40	10



2-669-0389	NF	4.95	10
ASA Metal Dust Box			



Locks - 3500 Series



Components and Screwpacks		
Description	Finish	2015 List
2-300-0048 Screwpack - 3500 Series Lever Locksets	US3/US4	12.15
2-300-0049 Screwpack - 3500 Series Lever Locksets	US10	12.15
2-300-0050 Screwpack - 3500 Series Lever Locksets	US10B	12.15
2-300-0052 Screwpack - 3500 Series Lever Locksets	US26/US26D	12.15
2-300-0059 Screwpack - 3500 Series Knob Locksets	US3	11.05
2-300-0060 Screwpack - 3500 Series Knob Locksets	US32D	11.05
2-300-0058 Screwpack - 3517/3527 Lever Locksets only	NF	12.15
2-300-0045 Screwpack - 3517 Knob Lockset only	NF	11.05
2-639-3523 3500 Series thru bolt posts	NF	2.95
2-639-3577 Cylinder Aligning Sleeve (10 pack)	NF	2.95



Locks - 3600 Series



Archer



Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).

Tactile Warning available. Add \$31.55 to the list price of the lock.



August



Optional backsets, faceplates and strikes available (see next page).

Optional keying/keyways available (see page 49).

Refer to catalog or website for more detailed information on functions.



Withnell




Note: Hager keyway is 7-pin only.

Description	Function	Finish	2015 List	Case Qty.
3600 Series	3610	US3	104.20	12
Grade 2 Tubular Locks	Passage	US4	121.75	
Fixed Cylinder, Standard		US10	121.75	
6 Pin Cylinders, 5-Pin Keyed		US10B	114.30	
Hager or Schlage C Keyway - KD Standard		US26	114.30	
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset		US26D	104.20	
2-1/4" x 1" (57 mm x 25 mm) SC Faceplate				
ASA Strike				
Levers only				
	3617	US3	44.95	20
	Single Dummy	US4	52.95	
		US10	52.95	
		US10B	49.85	
		US26	49.85	
		US26D	44.95	
	3640	US3	117.60	12
	Privacy	US4	137.65	
		US10	137.65	
		US10B	129.45	
		US26	129.45	
		US26D	117.60	
	3653	US3	137.30	12
	Entry/Office	US4	158.70	
	3670	US10	158.70	
	Classroom	US10B	149.05	
	3680	US26	149.05	
	Storeroom	US26D	137.30	



Locks - 3600 Series



Latchbolts	Finish	2015 List	Box Qty.
Description			
3951	US3	15.65	10
Spring Latch - Non-keyed Functions (3600) - Standard	US4	16.65	
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset	US10	16.65	
2-1/4" x 1" (57 mm x 25 mm) square corner faceplate	US10B	15.65	
	US26	15.65	
	US26D	15.65	



3952	US3	15.65	10
Dead Latch - All keyed functions (3600) - Standard	US4	16.65	
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset	US10	16.65	
2-1/4" x 1" (57 mm x 25 mm) square corner faceplate	US10B	15.65	
	US26	15.65	
	US26D	15.65	



3953	US3	15.65	10
Spring Latch - Non-keyed Functions (3600)	US4	16.65	
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset	US10	16.65	
2-1/4" x 1" (57 mm x 25 mm) round corner faceplate	US10B	15.65	
	US26	15.65	
	US26D	15.65	



3954	US3	15.65	10
Dead Latch - All keyed functions (3600)	US4	16.65	
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset	US10	16.65	
2-1/4" x 1" (57 mm x 25 mm) round corner faceplate	US10B	15.65	
	US26	15.65	
	US26D	15.65	



3938	US3	21.55	10
Dead Latch - All keyed functions (3600)	US4	22.65	
5" (127 mm) Backset	US10	22.65	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US10B	21.55	
Must specify square or round corner.	US26	21.55	
	US26D	21.55	



3939	US3	21.55	10
Spring Latch - Non-keyed functions (3600)	US4	22.65	
5" (127 mm) Backset	US10	22.65	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US10B	21.55	
Must specify square or round corner.	US26	21.55	
	US26D	21.55	



Locks - 3600 Series



Drive-In Latchbolts			
Description	Finish	2015 List	Box Qty.
3914 2-3/8" - 2-3/4" (60 mm - 70 mm) Adjustable Drive-In Spring Latch - All non-keyed functions	NF	23.35	20
3915 2-3/8" - 2-3/4" (60 mm - 70 mm) Adjustable Drive-In Dead Latch - All keyed functions	NF	23.35	20
Strikes			
Description	Finish	2015 List	Box Qty.
3933 T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US3	6.40	10
	US4	6.75	
	US10	6.75	
	US10B	6.40	
	US26	6.40	
	US26D	6.40	
3934 Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US3	6.40	10
	US4	6.75	
	US10	6.75	
	US10B	6.40	
	US26	6.40	
	US26D	6.40	
3935 ASA Strike Shipped standard w/ 3600 Series 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip Order dust box separately	US3	11.65	10
	US4	12.40	
	US5	11.65	
	US10	11.65	
	US15	11.65	
	US10B	12.40	
	US26	11.65	
	US26D	11.65	
3958 Round Corner Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm) round corner (1/4" radius)	US3	6.40	10
	US4	6.75	
	US10	6.75	
	US10B	6.40	
	US26	6.40	
	US26D	6.40	



Locks - 3600 Series



Strikes			
Description	Finish	2015 List	Box Qty.
2-669-0389 ASA Metal Dust Box	NF	4.95	10



3959 Faceplate Adapter 3600 Series Standard Converts 1" (25 mm) to 1-1/8" (29 mm) width	NF	1.95	10
---	----	------	----



Components and Screwpacks			
Description	Finish	2015 List	
2-300-0064 Screwpack - 3600 Series Lever Locksets	US3/US4	11.05	

2-300-0065 Screwpack - 3600 Series Lever Locksets	US10	11.05	
---	------	-------	--

2-300-0066 Screwpack - 3600 Series Lever Locksets	US10B	11.05	
---	-------	-------	--

2-300-0068 Screwpack - 3600 Series Lever Locksets	US26/ US26D	11.05	
---	----------------	-------	--



2-300-0074 Screwpack - 3617 Lever Locksets only	NF	11.05	
---	----	-------	--



2-639-7159 Cylinder Aligning Sleeve (10 pack)	NF	2.40	
---	----	------	--



Locks - 3700 Series



Archer



August



Withnell



Description	Function	Finish	2015 List	Case Qty.
3700 Series	3710	US3	268.80	6
Grade 2 Interconnected	Entry Single Locking	US4	298.30	
Fixed Cylinder, Standard		US10	298.30	
6 Pin Cylinders, 5-Pin Keyed		US10B	284.35	
Hager H1 or Schlage C Keyway - KD Standard		US26	284.35	
2-3/4" (70 mm) Backset		US26D	268.80	
2-1/4" x 1-1/8" (57 mm x 29 mm) SC Faceplate				
T-Strike				
Levers only				
	3753	US3	295.85	6
Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).	Entry Double Locking	US4	324.90	
		US10	324.90	
		US10B	310.40	
		US26	310.40	
		US26D	295.85	
	3796	US3	295.85	6
Anti-microbial available. Add \$25.00 to list price of lock.	Privacy Single	US4	324.90	
Split finish available, priced at higher finish.	Locking w/ Indicator	US10	324.90	
Optional backsets, faceplates and strikes available (see next page).		US10B	310.40	
Optional keying/keyways available (see page 49).		US26	310.40	
Refer to catalog or website for more detailed information on functions.		US26D	295.85	

Note: Hager H1 Keyway is 7-pin only.



Locks - 3700 Series



Latchbolts	Finish	2015 List	Box Qty.
Description			
3920	US3	23.35	10
2-3/4" (70 mm) Backset - Standard	US4	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10	24.85	
Must specify square or round corner.	US10B	23.35	
	US26	23.35	
	US26D	23.35	
3921	US3	23.35	10
2-3/8" (60 mm) Backset	US4	24.85	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US10	24.85	
Must specify square or round corner.	US10B	23.35	
	US26	23.35	
	US26D	23.35	
3947	US3	23.35	10
Spring Latch - Entry Single Locking (3710) - Standard	US4	24.85	
2-3/4" (70 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
Must specify square or round corner.	US26	23.35	
	US26D	23.35	
3949	US3	23.35	10
Spring Latch - Entry Single Locking (3710)	US4	24.85	
2-3/8" (60 mm) Backset	US10	24.85	
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US10B	23.35	
Must specify square or round corner.	US26	23.35	
	US26D	23.35	
3948	US3	23.35	10
Dead Latch - Entry Double Locking (3753) - Standard	US4	24.85	
2-3/4" (70 mm) Backset	US10	24.85	
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	23.35	
Must specify square or round corner.	US26	23.35	
	US26D	23.35	



Locks - 3700 Series



Latchbolts			
Description	Finish	2015 List	Box Qty.
3950 Dead Latch - Entry Double Locking (3753) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US3	23.35	10
	US4	24.85	
	US10	24.85	
	US10B	23.35	
	US26	23.35	
	US26D	23.35	

3959 Faceplate Adapter Can be used with 3700 2-3/8" backset latchbolt. Converts 1" (25 mm) to 1-1/8" (29 mm) width.	NF	1.95	10
---	----	------	----

Strikes			
Description	Finish	2015 List	Box Qty.
3930 3700 Series Deadlock, Standard Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US3	6.40	10
	US4	6.75	
	US10	6.75	
	US10B	6.40	
	US26	6.40	
	US26D	6.40	

3933 T-Strike with Plastic Dust Box 3700 Series Latchbolt, Standard 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US3	6.40	10
	US4	6.75	
	US10	6.75	
	US10B	6.40	
	US26	6.40	
	US26D	6.40	

3934 Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US3	6.40	10
	US4	6.75	
	US10	6.75	
	US10B	6.40	
	US26	6.40	
	US26D	6.40	

3958 Round Corner Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US3	6.40	10
	US4	6.75	
	US10	6.75	
	US10B	6.40	
	US26	6.40	
	US26D	6.40	


2-639-3109 Deadlock Dust Box, Plastic	NF	3.10	10
---	----	------	----

Components and Screwpacks			
Description	Finish	2015 List	
2-300-0138 Screwpack - 3700 Series Lever Lockset	US3/US4	11.05	
2-300-0139 Screwpack - 3700 Series Lever Lockset	US10	11.05	
2-300-0140 Screwpack - 3700 Series Lever Lockset	US10B	11.05	
2-300-0141 Screwpack - 3700 Series Lever Lockset	US26/US26D	11.05	



Locks

HOW TO ORDER EXAMPLE



Notes:

- Finishes other than US26D and US32D may require extended lead times.
- If master-keyed, include master key instruction sheet with order (available online).
- For additional keying information, refer to cylinder, core, and keying section of catalog.

Please refer to our Catalog or website (www.hagerco.com) for more detailed and series specific ordering information along with additional information including functions available, additional options, and keying information. Ordering forms such as Master Keying Instruction Sheet and Cylinder Instructions and Ordering Guide are also available on our website (www.hagerco.com).



Locks - 3800 Series

Description		Function	Finish	Zinc 2015 List	Case Qty.	Brass / S.S. 2015 List	Case Qty.		
	3800 Series Sectional	3810S	US3	349.25	6	445.80	6		
	Grade 1 Mortise	Passage	US4	349.25		445.80			
	Fixed Cylinder, Supplied Standard		US10	349.25		445.80			
	1-1/8" Mortise Cylinder w/ Schlage		US10B	349.25		445.80			
	Hager H1 or Schlage L Cam - Standard		US15	349.25					
	6 Pin Cylinders, 5-pin Keyed		US26	349.25		445.80			
	Schlage C Keyway - KD Standard		US26D	312.10		386.35			
	2-3/4" (70 mm) Backset		US32D**	312.10		408.65			
ASA Strike, 3985									
 	Archer		<i>Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with lock unless specified.</i>						
			<i>If keyed functions ordered less cylinder, subtract \$20.00 for each cylinder from list price.</i>						
			 	August	<i>Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).</i>				
					 	William	*3857, 3861, and 3882 require two cylinders (must specify Full 6 for fixed cylinder or 6- or 7-pin SFIC housing).		
							 	Withnell	Options
- Lead Lined available. Add \$160.00 to the list price of lock.									
- Tactile Warning available. Add \$31.55 to the list price of lock.									
- For Severe Windstorm Rating, add \$40.00 to the list price of lock (3853 and 3881 only).									
 	Charles	- Optional strikes and armor fronts available (see page 45).							
		- Optional keying/keyways available (see page 49).							
		- Anti-microbial available. Add \$40.00 list price to lock.							
		 	Johnston	Finishes					
Finishes other than 10B, 15, 26D and 32D will be subject to an extended lead time. Consult factory for availability.									
 	Joshua								
				 	Louis				
		 	Warren						

Locks - 3800 Series



Description	Function	Finish	Zinc 2015 List	Case Qty.	Brass / S.S. 2015 List	Case Qty.
3800 Series Sectional	3853S	US3	468.10	6	572.05	6
Continued	Entry	US4	468.10		572.05	
**32D look on cast zinc lever; for a true 32D, specify stainless steel levers (Archer = ARS, August = AUS, William = WLS, Withnell = WTS).	3856S	US10	468.10		572.05	
	Corridor	US10B	468.10		572.05	
		US15	468.10			
		US26	468.10		572.05	
Must specify if ordering brass levers. (Archer = ARB; August = AUB; William = WLB; Withnell = WTB)		US26D	430.90		512.65	
Note: Hager H1 Keyway is 7-pin only.		US32D**	430.90		534.95	
	3857S*	US3	520.05	6	624.05	6
	Classroom Security	US4	520.05		624.05	
		US10	520.05		624.05	
		US10B	520.05		624.05	
		US15	520.05			
		US26	520.05		624.05	
		US26D	482.95		560.80	
		US32D**	482.95		586.90	
	3861S*	US3	479.20	6	575.75	6
	Apartment Entrance	US4	479.20		575.75	
	3882S*	US10	479.20		575.75	
	Institution	US10B	479.20		575.75	
		US15	479.20			
		US26	479.20		575.75	
		US26D	442.05		516.30	
		US32D**	442.05		538.60	
	3881S	US3	490.35	6	594.30	6
	Storeroom w/ Deadlock	US4	490.35		594.30	
		US10	490.35		594.30	
		US10B	490.35		594.30	
		US15	490.35			
		US26	490.35		594.30	
		US26D	453.30		534.95	
		US32D**	453.30		557.15	
	3896S	US3	425.30	6	521.90	6
	Privacy w/ Indicator	US4	425.30		521.90	
		US10	425.30		521.90	
		US10B	425.30		521.90	
		US15	425.30			
		US26	425.30		521.90	
		US26D	388.20		462.50	
		US32D**	388.20		484.75	



Locks - 3800 Series



Archer



August



William



Withnell



Charles



Johnston



Joshua



Louis



Warren

Description	Function	Finish	Zinc 2015 List	Case Qty.	Brass / S.S. 2015 List	Case Qty.
3800 Series Escutcheon	3810E	US3	386.35	6	482.95	6
Grade 1 Mortise	Passage	US4	386.35		482.95	
Fixed Cylinder, Supplied Standard		US10	386.35		482.95	
1-1/8" Mortise Cylinder w/ Schlage		US10B	386.35		482.95	
Hager H1 or Schlage L Cam - Standard		US15	386.35			
6 Pin Cylinders, 5-pin Keyed		US26	386.35		482.95	
Schlage C Keyway - KD Standard		US26D	341.90		423.55	
2-3/4" (70 mm) Backset		US32D**	341.90		445.80	
ASA Strike, 3985						
<i>Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with lock unless specified.</i>						
If keyed functions ordered less cylinder, subtract \$20.00 for each cylinder from list price.	3817E	US3	148.70	6	193.20	6
	Single Dummy	US4	148.70		193.20	
		US10	148.70		193.20	
		US10B	148.70		193.20	
		US15	148.70			
Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).		US26	148.70		193.20	
		US26D	126.45		156.15	
		US32D**	126.45		171.00	
Options	3827E	US3	252.65	6	326.90	6
	Double Dummy	US4	252.65		326.90	
		US10	252.65		326.90	
		US10B	252.65		326.90	
		US15	252.65			
- Lead Lined available. Add \$160.00 to the list price of lock.		US26	252.65		326.90	
		US26D	222.95		267.60	
		US32D**	222.95		289.80	
- Tactile Warning available. Add \$31.55 to the list price of lock.	3840E	US3	423.55	6	520.05	6
	Privacy	US4	423.55		520.05	
	3844E	US10	423.55		520.05	
	Privacy w/ Cointurn	US10B	423.55		520.05	
		US15	423.55			
- For Severe Windstorm Rating, add \$40.00 to the list price of lock (3853 and 3881 only).		US26	423.55		520.05	
		US26D	386.35		460.60	
		US32D**	386.35		482.95	
- Optional strikes and armor fronts available (see page 45).	3850E	US3	490.35	6	586.90	6
	Office	US4	490.35		586.90	
	3870E	US10	490.35		586.90	
	Classroom	US10B	490.35		586.90	
- Optional keying/keyways available (see page 49).	3880E	US15	519.25			
	Storeroom	US26	490.35		586.90	
		US26D	431.65		502.40	
		US32D**	431.65		502.40	
- Anti-microbial available. Add \$40.00 to list price of lock.						
Finishes						
Finishes other than 10B, 15, 26D and 32D will be subject to an extended lead time. Consult factory for availability.						



Locks - 3800 Series



Description	Function	Finish	Zinc 2015 List	Case Qty.	Brass / S.S. 2015 List	Case Qty.
3800 Series Escutcheon	3853E	US3	505.25	6	609.25	6
Continued	Entry	US4	505.25		609.25	
**32D look on cast zinc lever; for a true 32D, specify stainless steel levers (Archer = ARS, August - AUS, William - WLS, Withnell = WTS).	3856E	US10	505.25		609.25	
	Corridor	US10B	505.25		609.25	
		US15	505.25			
Must specify if ordering brass levers. (Archer = ARB; August = AUB; William = WLB; Withnell = WTB)		US26	505.25		609.25	
		US26D	468.10		549.80	
Note: Hager H1 Keyway is 7-pin only.		US32D**	468.10		572.05	
	3857E*	US3	557.15	6	661.20	6
	Classroom Security	US4	557.15		661.20	
		US10	557.15		661.20	
		US10B	557.15		661.20	
		US15	557.15			
		US26	557.15		661.20	
		US26D	520.05		601.75	
		US32D**	520.05		624.05	
	3861E*	US3	516.30	6	612.85	6
	Apartment Entrance	US4	516.30		612.85	
	3882E*	US10	516.30		612.85	
	Institution	US10B	516.30		612.85	
		US15	516.30			
		US26	516.30		612.85	
		US26D	479.20		553.50	
		US32D**	479.20		575.75	
	3881E	US3	527.55	6	631.45	6
	Storeroom w/ Deadlock	US4	527.55		631.45	
		US10	527.55		631.45	
		US10B	527.55		631.45	
		US15	527.55			
		US26	527.55		631.45	
		US26D	490.35		572.05	
		US32D**	490.35		594.30	
	3896E	US3	462.50	6	559.00	6
	Privacy w/ Indicator	US4	462.50		559.00	
		US10	462.50		559.00	
		US10B	462.50		559.00	
		US15	462.50			
		US26	462.50		559.00	
		US26D	425.30		499.55	
		US32D**	425.30		521.90	



Locks - 3800 Series



3800 Series Electrified Options - Sectional or Escutcheon Models		
Description	Function	2015 List
Outside lever continuously locked electrically. Unlocked by key outside, by switch or by power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress.	3880EL (12V or 24V) Storeroom - Fail Safe	366.45
Outside lever continuously locked until unlocked by key or electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress.	3880EU (12V or 24V) Storeroom - Fail Secure	366.45
Monitors inside lever rotation. Incorporates into alarm systems or in conjunction with an electromagnet.	RX Request to Exit***	261.45
Outside lever continuously locked electrically. Unlocked by key outside, by switch or by power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress. Ability to tie into an alarm system.	3880ELRX (12V or 24V) Storeroom - Fail Safe w/ Request to Exit	565.95
Outside lever continuously locked until unlocked by key or electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress. Ability to tie into an alarm system.	3880EURX (12V or 24V) Storeroom - Fail Secure w/ Request to Exit	565.95
Monitors the full extension of the latchbolt. Available on storeroom function (3880), institution function (3882), or in combination with 3880 EL/EU or 3882 EL/EU.	LM Latchbolt Monitoring**	261.45
Monitors the door position with activation magnet mounted in ANSI strike plate. Available on all non-Deadlock functions and in combination with any other electrified option.	DPM Door Position Monitoring**	261.45
Both levers continuously locked electrically. Unlocked by key from either side, by breaking electrical current, or by power failure. Auxiliary latch deadlocks latchbolt when door is closed.	3882EL (12V or 24V)	387.45
Both levers continuously locked until unlocked by key from either side or by supplying electrical current. Auxiliary latch deadlocks latchbolt when door is closed.	3882EU (12V or 24V)	387.45
Power Supplies		
Description	Function	2015 List
Provides power for locking devices and interfaces with building alarm controls, card readers, keypads, and other door controls.	2903 24 Volt Power Supply	523.95
Provides power and control for openings with an electrified locking device and automatic door operator.	2904 24 Volt Power Supply	555.45
Provides up to 1 amp of 12 or 14 Volt DC Power for all Hager Electrified Products	2908 24 Volt Power Supply	362.25
*Above list prices are to be added to the list price of the lock.		
**LM and DPM can be used in conjunction with EL or EU; 12V or 24V		
***Available for use on 3880 in addition to the 3480 electrified locksets.		



Locks - 3800 Series



Description	Function	Finish	2015 List	Case Qty.
3800 Series Deadlock	3860S	US3	230.35	6
Grade 1 Mortise - Deadlock	Cylinder x Thumbturn	US4	230.35	
Fixed Cylinder, Standard		US10	230.35	
1-1/8" Mortise Cylinder w/ Schlage 'L' Cam Standard		US10B	230.35	
6 Pin Cylinders, 5-pin Keyed		US26	230.35	
Schlage C Keyway - KD Standard		US26D	193.20	
2-3/4" (70 mm) Backset				
No Lip Strike, 3991				
<i>Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with deadlock unless specified.</i>				
If keyed deadlocks ordered less cylinder, subtract \$20.00 for each cylinder from list price.				
Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).				
*3862 require two cylinders (must specify Full 6 for fixed cylinder or 6- or 7-pin SFIC housing).				
Options				
- Lead Lined available. Add \$160.00 to the list price of lock.				
- Optional keying/keyways available (see page 49).				
**Hager Keyway is 7-Pin Only				
3862S*				
Double Cylinder		US3	245.20	6
		US4	245.20	
		US10	245.20	
		US10B	245.20	
		US26	245.20	
		US26D	208.15	
3863S				
Classroom		US3	230.35	6
(Specify Handing)		US4	230.35	
		US10	230.35	
		US10B	230.35	
		US26	230.35	
		US26D	193.20	
3864S				
Cylinder		US3	215.45	6
		US4	215.45	
		US10	215.45	
		US10B	215.45	
		US26	215.45	
		US26D	185.85	
Refer to catalog or website for more detailed information on functions.				



Locks - 3800 Series



Description	Function	Finish	2015 List	Case Qty.
3800 Series Small Case Deadlock	3830S	US3	195.90	6
Grade 1 Mortise - Deadlock	Cylinder x Thumbturn	US4	195.90	
Fixed Cylinder, Standard		US10	195.90	
1-1/8" Mortise Cylinder w/ Schlage 'L' Cam Standard		US10B	195.90	
6 Pin Cylinders, 5-pin Keyed		US26	195.90	
Schlage C Keyway - KD Standard		US26D	168.90	
2-3/4" (70 mm) Backset				
No Lip Strike, 3999				
<i>Price includes mortise cylinder(s) where applicable and standard cylinder will be shipped with deadlock unless specified.</i>				
If keyed deadlocks ordered less cylinder, subtract \$20.00 for each cylinder from list price.				
Small Format Interchangeable Core housing available (cores sold separately - refer to Keying/Core section).				
*3832 require two cylinders (must specify Full 6 for fixed cylinder or 6- or 7-pin SFIC housing).				
Options				
- Lead Lined available. Add \$160.00 to the list price of lock.				
- Optional keying/keyways available (see page 49).				
**Hager Keyway is 7-Pin Only				
Finishes				
Finishes other than 26D will be subject to an extended lead time. Consult factory for availability.				
Refer to catalog or website for more detailed information on functions.				
	3831S	US3	209.40	6
	Door Bolt	US4	209.40	
		US10	209.40	
		US10B	209.40	
		US26	209.40	
		US26D	175.65	
	3832S*	US3	209.40	6
	Double Cylinder	US4	209.40	
		US10	209.40	
		US10B	209.40	
		US26	209.40	
		US26D	175.65	
	3833S	US3	222.90	6
	Classroom	US4	222.90	
	(Specify Handing)	US10	222.90	
		US10B	222.90	
		US26	222.90	
		US26D	189.20	
	3834S	US3	195.90	6
	Cylinder	US4	195.90	
		US10	195.90	
		US10B	195.90	
		US26	195.90	
		US26D	168.90	



Locks - 3800 Series



Components, Strikes, and Screwpacks

Description

Finish

2015 List

Zinc Mortise Lock Levers (each)

US26D/US32D

57.95

Consult factory for part numbers and other finishes. (May be subject to extended lead times)

Brass Mortise Lock Levers (each)

US26D

86.85

Consult factory for part numbers and other finishes. (May be subject to extended lead times)

Stainless Mortise Lock Levers (each)

US32D

98.45

Consult factory for part numbers and other finishes. (May be subject to extended lead times)

3918

Tapered Cylinder Collar

US26D

11.65

For use with sectional mortise lock, standard with 1-1/8" cylinder, 1-3/4" door.

US10B

11.65

Includes wave washer and shim.

US32D

11.65

3928

Flat Cylinder Collar

US26D

11.65

1-3/8" diameter, 11/32" thick

US10B

11.65

For use with double cylinder sectional mortise locks and other special cylinders and door thicknesses. Consult factory. Includes wave washer and shim.

US32D

11.65

3985

Standard Lip Strike

US32D*

12.25

Square corner

1-1/4" x 4-7/8" x 1-3/16" (32 mm x 124 mm x 30 mm)

3986

Extended Lip Strike

US32D*

12.25

Square corner

1-1/4" x 4-7/8" x 1-1/2" (32 mm x 124 mm x 38 mm)

3987

Standard Lip Strike

US32D*

12.25

Round corner

1-1/4" x 4-7/8" x 1-3/16" (32 mm x 124 mm x 30 mm)

3988

Extended Lip Strike

US32D*

12.25

Round corner

1-1/4" x 4-7/8" x 1-1/2" (32 mm x 124 mm x 38 mm)

3989

Flat Lip Strike

US32D*

12.25

Square corner

1-1/4" x 4-7/8" x 7/8" (32 mm x 124 mm x 22 mm)

3990

Extended Flat Lip Strike

US32D*

12.25

Square corner

1-1/4" x 4-7/8" x 1-3/16" (32 mm x 124 mm x 30 mm)

* For use with 26D mortise locks, order 32D strikes. All other finishes subject to extended lead times.



Locks - 3800 Series



Description	Finish	2015 List
3991 For Large Case No Lip Strike Square corner 1-1/4" x 4-7/8" (32 mm x 124 mm)	US32D*	12.25
3999 For Small Case No Lip Strike Square corner 1-1/8" x 3- 1/2" (29 mm x 89 mm)	US32D*	12.25
2-669-0389 ASA Metal Dust Box	NF	4.95
2-669-0226 Armor Front 1-1/4" Square corner (Latch x Aux Latch x Deadbolt) - 3853, 3881	US32D*	17.40
2-669-0232 Armor Front 1-1/4" Square corner (Latch x Aux Latch) - 3850, 3861, 3870, 3880, 3882	US32D*	17.40
2-669-0238 Armor Front 1-1/4" Square corner (Latch x Deadbolt) - 3856, 3857	US32D*	17.40
2-669-0244 Armor Front 1-1/4" Square corner (Latch) - 3810, 3840, 3844, 3896	US32D*	17.40
2-669-0250 Armor Front 1-1/4" Square corner (Blank)	US32D*	17.40
2-669-0256 Armor Front 1-1/4" Square corner (Deadbolt) - 3860, 3862, 3863, 3864	US32D*	17.40
2-669-0298 Armor Front 1-1/4" Round corner (Latch x Aux Latch x Deadbolt) - 3853, 3881	US32D*	17.40
2-669-0304 Armor Front 1-1/4" Round corner (Latch x Aux Latch) - 3850, 3861, 3870, 3880, 3882	US32D*	17.40
2-669-0310 Armor Front 1-1/4" Round corner (Latch x Deadbolt) - 3856, 3857	US32D*	17.40
2-669-0316 Armor Front 1-1/4" Round corner (Latch) - 3810, 3840, 3844, 3896	US32D*	17.40
2-669-0322 Armor Front 1-1/4" Round corner (Blank)	US32D*	17.40
2-669-0328 Armor Front 1-1/4" Round corner (Deadbolt) - 3860, 3862, 3863, 3864	US32D*	17.40
2-669-0410 Thumbturn (3850, 3853, 3856, 3860, 3881)	US26D	29.00
2-669-0411 Thumbturn (3850, 3853, 3856, 3860, 3881)	US32D	29.00

*For use with US26D mortise locks, order US32D armor fronts. All other finishes subject to extended lead time.


Locks - 3800 Series



Description	Finish	2015 List
2-669-0417 Thumbturn (3840, 3844, 3896)	US26D	29.00
2-669-0418 Thumbturn (3840, 3844, 3896)	US32D	29.00
2-669-0424 Emergency Release (3840, 3896)	US26D	6.95
2-669-0425 Emergency Release (3840, 3896)	US32D	6.95
2-669-0112 Screwpack (3850S, 3853S, 3856S, 3840S, 3844S, 3896S)	US32D	23.10
2-669-0116 Screwpack (3870S, 3861S, 3857S, 3865S, 3810S)	US32D	23.10
2-669-0120 Screwpack (3850E, 3870E, 3861E, 3857E, 3856E, 3840E, 3844E, 3810E, 3896E)	US32D	23.10
2-669-0124 Screwpack (3881S)	US32D	23.10
2-669-0128 Screwpack (3880S)	US32D	23.10
2-669-0132 Screwpack (3880E, 3881E)	US32D	23.10
2-669-0136 Screwpack (3862S, 3863S, 3864S)	US32D	11.55
2-669-0148 Screwpack (3860S)	US32D	11.55
2-669-0140 Screwpack (3882S)	US32D	15.05
2-669-0144 Screwpack (3882E)	US32D	15.05
2-669-0157 Screwpack (3827S)	NF	9.25
2-669-0158 Screwpack (3827E)	NF	9.25
2-669-0167 Screwpack (3817S)	NF	4.65
2-669-0168 Screwpack (3817E)	NF	5.80



Locks - 3800 Series



Description	Finish	2015 List
2-669-0365 Thru-Bolt Bag (2 each) 1-3/8" to 2" door	NF	5.80
2-669-0366 Thru-Bolt Bag (2 each) Over 2" to 2-1/2" door	NF	5.80
2-669-0613 Square Spindles - 5-pk	NF	13.25
2-669-0597 Armor Front Screws - 10-pk	26D	5.55
2-669-0615 Lock Case (3853)	NF	138.95
2-669-0616 Lock Case (3881)	NF	138.95
2-669-0600 Lock Case (3856, 3857)	NF	150.55
2-669-0603 Lock Case (3850, 3870, 3861, 3876)	NF	121.60
2-669-0604 Lock Case (3880)	NF	121.60
2-669-0605 Lock Case (3810)	NF	95.00
2-669-0641 Lock Case (3840, 3844, 3896)	NF	121.60
2-669-0635 Lock Case (3853 Windstorm Rated)	NF	138.95
2-669-0636 Lock Case (3881 Windstorm Rated)	NF	138.95
2-669-0642 Lever Adapters (Keepers) for Brass Levers	NF	1.00
2-669-0643 Lever Adapters (Keepers) for Stainless Levers	NF	1.00

Locks - Cylinders/Keying



Fixed Cylinders/Key-in-Lever - Keying Charges	
Option	2015 List
Keyed Different (KD) 5-pin (Standard), 6-pin, 7-pin (Hager Keyway only) available	N/C
Keyed Alike (KA) 5-pin (Standard), 6-pin, 7-pin (Hager Keyway Only). 0-Bitted and 1-Bitted available*	N/C
Master Keyed (MK, GMK) - Add to list price of lock**	21.10
Construction Master Keyed (CMK) - Add to the standard master key charge and the list price of lock (Schlage C only)**	14.15
Keyed to specific or existing number - Add to list price of lock	7.50
Extra Cut Keys - specify change key, MK, GMK or CMK (3961 - 5-pin, 3962 - 6-pin, 3908 - 7-pin Hager only)	6.05
Key Markings - Standard key symbols (AA1) - Visual Key Control (VKC)	1.85
Key Markings - Non-standard code - Visual Key Control (VKC)	5.75
Cylinder Markings	5.75
3998 - Bitting List (No charge if ordered with master keying) - Factory Keyed	83.95
Bitting List - Hager designed system - Keyed by others	POA
Other keyways available (refer to Catalog or website) - Add to list price of lock	14.90

*Allow 7 working days for 0-bitted, 1-bitted, and KA orders

** Allow 10 working days for factory master key orders.

Notes:

1. Lock prices do not include keying charges.
 2. Locks furnished with 6-pin cylinder, 5-pin keyed, Schlage C keyway keyed different unless specified
 3. Please include Master Key Instruction Sheet with order, available online or in catalog.
- Failure to provide will delay order.



Locks - Cylinders/Keying



Fixed Cylinder Key				
Description	Finish	2015 List	Box Qty.	
3955 Key Blank 5-Pin C Keyway Other keyways available*	NF	1.60	50	
3956 Key Blank 6-Pin C Keyway Other keyways available*	NF	2.10	50	
3961 Cut 5-Pin Key 5-Pin C Keyway Other keyways available*	NF	6.05	50	
3962 Cut 6-Pin Key 6-Pin C Keyway Other keyways available*	NF	6.05	50	
3907 Key Blank 7-Pin H Keyways	NF	2.10	50	
3908 Cut 7-Pin Key 7-Pin H Keyways	NF	6.05	50	

*Refer to catalog or website for more information on available keyways.



Locks - Cylinders/Keying



Fixed Cylinder/Tailpieces		Finish	2015 List	Box Qty.
3960 or 3906 (Hager Keyway Only)		US4	45.65	
Fixed Cylinder Kit - Includes two keys 3960 - C Keyway; 6-pin cylinder, 5-pin keyed - Standard 3906 - H Keyway, 7-pin cylinder - Standard Additional options and keyways available at additional cost (refer to catalog or website). Tailpiece optional when ordering (No Charge) Please include cylinder instructions and ordering guide sheet with order (available online).		US26D	45.65	
2-639-7000		NF	11.75	
Tailpiece 1 Pack of 10 tailpieces for use with 3453L, 3450L, 3480L, 2580L				
2-639-7001		NF	11.75	
Tailpiece 2 Pack of 10 tailpieces for use with 3470L.				
2-639-7002		NF	11.75	
Tailpiece 3 Pack of 10 tailpieces for use with 3453K, 3480K, 3550L, 3553L, 3553K, 3579L, 3580L, 3580K, 3753L, 2550L, 2553L				
2-639-7003		NF	11.75	
Tailpiece 4 Pack of 10 tailpieces for use with 3470K, 3570K				
2-639-7005		NF	11.75	
Tailpiece 6 Pack of 10 tailpieces for use with 3114 (Exterior Cyl.), 3214 (Exterior Cyl.)				
2-639-7006		NF	11.75	
Tailpiece 7 Pack of 10 tailpieces for use with 3114 (Interior Cyl.), 3214 (Interior Cyl.)				
2-639-7007		NF	11.75	
Tailpiece 8 Pack of 10 tailpieces for use with 3115, 3118, 3215, 3710L, 3753L				
2-639-7008		NF	11.75	
Tailpiece 9 Pack of 10 tailpieces for use with 3653L, 3670L, 3680L				
2-639-7018		NF	11.75	
Tailpiece W Pack of 10 tailpieces for use with 3473L				
2-639-7192		NF	16.50	
Tailpiece K Pack of 10 tailpieces for use with 47KE, 47KN				
2-639-7087		NF	11.75	
Tailpiece X Pack of 10 tailpieces for use with 3570L and 3573L				
2-639-7094		NF	11.75	
Tailpiece V Pack of 10 tailpieces for use with 3495L				
2-639-7322		NF	11.75	
Tailpiece W Pack of 10 tailpieces for use with 3473L				



Locks - Cylinders/Keying



Fixed Cylinder - Rim Cylinder

Description	Finish	2015 List	Box Qty.
3901	US3	42.00	1
Fixed Rim Cylinder	US4	44.65	
6-Pin Cylinder, 5-Pin Keyed; 7-Pin Cylinder (Hager Keyway Only)	US10	44.65	
Schlage C Keyway or Hager Keyway - Keyed Different Standard	US10B	42.00	
Shipped with standard breakoff tailpiece attached and long tailpiece loose in box.	US26	42.00	
Shipped with collar, mounting plate, and breakoff screws.	US26D	42.00	
3903	US3	30.85	1
Rim Dummy Cylinder	US4	32.40	
Shipped with mounting plate, and breakoff screws.	US10	32.40	
	US10B	32.40	
	US26	32.40	
	US26D	32.40	



Fixed Cylinder - Rim Cylinder Tailpieces

Description	Finish	2015 List	Box Qty.
2-639-7045	NF	2.10	1
Standard breakoff tailpiece - 1-3/4" (45 mm)			
2-639-7058	NF	2.45	1
Long breakoff tailpiece - 2-3/8" (60 mm)			
2-300-0118	NF	1.70	2
Extra long breakoff screws - 2-3/8" (60 mm) (2 each)			
2-649-0137	NF	8.95	1
Retaining cup			
Can be used with 45PN, 47PN, and 47RN			



Locks - Cylinders/Keying



Fixed Cylinder - Mortise Cylinder			
Description	Finish	2015 List	Box Qty.
3902 Fixed Cylinder Mortise Cylinder 6-Pin Cylinder, 5-Pin Keyed, 7-Pin Cylinder (Hager Keyway Only) Schlage C Keyway or Hager Keyway - Keyed Different Standard Specify 1-1/8" (29 mm) or 1-1/4" (32 mm) Shipped with standard cam attached and Adams Rite cam loose in box; specify if different.	US3	42.00	1
	US4	44.65	
	US10	44.65	
	US10B	42.00	
	US26	42.00	
	US26D	42.00	
3904 Mortise Dummy Specify 1-1/8" (29 mm) or 1-1/4" (32 mm)	US3	42.00	1
	US4	44.65	
	US10	44.65	
	US10B	42.00	
	US26	42.00	
	US26D	42.00	
3905 Mortise ADA Turn Knob Specify 1-1/8" (29 mm) or 1-1/4" (32 mm) Shipped with Schlage L cam attached, specify if different.	US3	42.00	1
	US10B	42.00	
	US26D	42.00	
Fixed Cylinder - Mortise Cylinder Cams			
Description	Finish	2015 List	Box Qty.
3971 Yale Cam .722" (18 mm)	US2C	3.55 ea.	10
3972 Adams Rite Cam .560" (14 mm) Shipped Loose in box w/ standard 3902	US2C	3.55 ea.	10
3973 Standard Cloverleaf .741" (19 mm)	US2C	3.55 ea.	10
3974 Marks Cam R.755" (19 mm)	US2C	3.55 ea.	10
3975 Standard Cam R.723" (18 mm) Shipped standard w/ 3902	US2C	3.55 ea.	10
3977 Sargent/Yale Cam .733" (18.6 mm)	US2C	3.55 ea.	10
3978 Corbin Russwin/Best Cloverleaf .725" (18.5 mm)	US2C	3.55 ea.	10
3976 Schlage L Cam .637" (16 mm) For use w/ all keyed function 3800 Series Mortise Locks.	US2C	3.55 ea.	10



Locks - Cylinders/Keying



Small Format Interchangeable Core - Keying Charges/Cores

Option	2015 List
--------	-----------

3981-U	39.90
---------------	-------

Uncombined Core 6-Pin (includes two key blanks), specify US4 or US26D

3982-U or 3909 (Hager SFIC Only)	39.90
---	-------

Uncombined Core 7-Pin (includes two key blanks), specify US4 or US26D

3981-C	48.75
---------------	-------

Combined Core 6-Pin (includes two operating keys), specify US4, US26D or blue for construction core.

Specify KA*, KD*, MK**. Specify number of control keys needed.

3982-C or 3969 (Hager SFIC Only)	48.75
---	-------

Combined Core 7-Pin (includes two operating keys), specify US4, US26D or blue for construction core.

Specify KA*, KD*, MK**. Specify number of control keys needed.

Key Markings: Standard key symbols (AA1) - Visual Key Control (VKC)	1.85
---	------

Key Markings: Non-standard code - Visual Key Control (VKC)	5.75
--	------

Core Markings	5.75
---------------	------

3984	6.05
-------------	------

Cut Keys - Control Keys, Extra change keys, or Master Keys

3908

Cut Keys (Hager Keyway Only) - Control Keys, Extra change keys, or Master Keys

3998	83.95
-------------	-------

Bitting list (no charge if ordered with master key) - Factory keyed

Bitting list - Hager designed system - Keyed by others	POA
--	-----

*Allow 7 working days for KD and KA orders

** Allow 10 working days for factory master key orders.

Notes:

1. Lock prices do not include keying charges.

2. Cores are standard Best A keyed different unless specified, with the exception of Hager keyway cores.

3. Please include Master Key Instruction Sheet with order, available online or in catalog.

4. Construction Cores - Receive full credit, less shipping, of original cost upon return of cores and keys.

Small Format Interchangeable Core - Keys

Description	Finish	2015 List	Box Qty.
-------------	--------	-----------	----------

3983	NF	2.10	50
-------------	----	------	----

Small Format Interchangeable Core Key Blanks

Best Keyways

Used with 6-pin and 7-pin cores

3984	NF	6.05	50
-------------	----	------	----

Small Format Interchangeable Core Cut Key

Best Keyways

Used with 6-pin and 7-pin cores

3907	NF	2.10	50
-------------	----	------	----

Small Format Interchangeable Core Key Blanks

Hager Keyways (7-pin cores only)

3908	NF	6.05	50
-------------	----	------	----

Small Format Interchangeable Core Cut Key

Hager Keyways (7-pin cores only)



Locks - Cylinders/Keying



Small Format Interchangeable Core - Tailpieces

Description	Finish	2015 List	Box Qty.
2-639-7060 Pack of 10 tailpieces and compression springs for use with 2500/3500 Series SFIC lever locksets. 6-pin/7-pin cores	NF	11.75	10
2-639-7061 Pack of 10 tailpieces and compression springs for use with 3400/3500 Series SFIC knob locksets. 6-pin/7-pin cores	NF	11.75	10
2-639-7090 Pack of 10 tailpieces and compression springs for use with 3753 interconnected lock SFIC lever locksets. 6-pin/7-pin cores	NF	11.75	10
2-639-7091 Pack of 10 tailpieces for use with 3114/3214 SFIC housing deadlock. 6-pin/7-pin cores	NF	11.75	10
2-639-7095 Pack of 10 tailpieces for use with 3115/3118/3215/3710DL/3753DL SFIC housing deadlock. 6-pin/7-pin cores	NF	11.75	10



Small Format Interchangeable Core - Rim Cylinder Housing

Description	Finish	2015 List	Box Qty.
3901 Rim Cylinder - Small Format Interchangeable Core Housing Specify 6-pin or 7-pin Supplied with long tailpiece standard, collar, mounting plate, and breakoff screws. Cores sold separately.	US3	42.00	1
	US4	44.65	
	US10	44.65	
	US10B	42.00	
	US26	42.00	
	US26D	42.00	














Small Format Interchangeable Core - Mortise Cylinder Housing

Description	Finish	2015 List	Box Qty.
3902 Mortise Cylinder - Small Format Interchangeable Core Housing Specify length 1-1/4" (6-pin) or 1-3/8" (7-pin) or 1-5/8" for mortise exit devices. Shipped with standard cam attached and Adams Rite cam loose in box (specify if different). Cores sold separately. 1/4" blocking ring included.	US3	42.00	1
	US4	44.65	
	US10	44.65	
	US10B	42.00	
	US26	42.00	
	US26D	42.00	



Locks - Cylinders/Keying



Small Format Interchangeable Core - Mortise Cylinder Cams				
Description	Finish	2015 List	Box Qty.	
2-639-7082 Yale Standard Cam Shipped standard w/ 3902 Small Format Interchangeable Core (SFIC) Housing.	US2C	3.55 ea	10	
2-639-7083 Adams Rite Cam Shipped loose in box w/ standard 3902 Small Format Interchangeable Core (SFIC) Housing.	US2C	3.55 ea	10	
2-639-7084 Cloverleaf Cam	US2C	3.55 ea	10	
2-639-7085 Schlage `L' Cam For use w/ all keyed functions on 3800 Series Mortise Locks and 46CE.	US2C	3.55 ea	10	
2-639-7086 Sargent Yale Cam	US2C	3.55 ea	10	
Miscellaneous				Box
Description	Finish	2015 List	Qty.	
3911 2500/3400 Series Lever Thru-Bolt Jig - Steel	NF	17.85	10	
3912 3500 Series Lever Thru-Bolt Jig - Steel	NF	17.85	10	
3959 Faceplate Adaptor Can be used with a 2-3/8" backset on the 2500, 3500, 3600, and 3700 Series lockset and 3200 Series deadlocks. Converts 1" (25 mm) to 1-1/8" (29 mm) width.	NF	1.95	10	
3968 Aluminum Blocking Rings Sizes available 1/8" (3.2 mm), 3/16" (4.8 mm), 1/4" (6.4 mm), 5/16" (7.9 mm), 3/8" (9.5 mm), 1/2" (12.5 mm)	BGA CLR DBA US10	5.55 5.55 5.55 5.55	10	
3979 Mortise Cam Screws	NF	0.30	each	
3980 Cash Box Nut	NF	6.95	10	



Locks - Cylinders/Keying



Cylinder Collars

Option	Finish	2015 List
--------	--------	-----------

2-647-0012	US3	17.55
-------------------	-----	-------

Cylinder Collar - 7/8" high

2-647-0013	ALM	17.55
-------------------	-----	-------

Cylinder Collar - 7/8" high

2-647-0014	DBZ	17.55
-------------------	-----	-------

Cylinder Collar - 7/8" high

2-647-0015	US32D	17.55
-------------------	-------	-------

Cylinder Collar - 7/8" high

Above cylinder collars can be used with 4700 Series exit device trim and 1-1/8" - 1-3/8" mortise cylinders.

2-649-0045	US3	11.75
-------------------	-----	-------

Cylinder Collar - 7/16" high

2-649-0046	US4	11.75
-------------------	-----	-------

Cylinder Collar - 7/16" high

2-649-0047	US10	11.75
-------------------	------	-------

Cylinder Collar - 7/16" high

2-649-0048	US10B	11.75
-------------------	-------	-------

Cylinder Collar - 7/16" high

2-649-0050	US26	11.75
-------------------	------	-------

Cylinder Collar - 7/16" high

2-649-0051	US26D	11.75
-------------------	-------	-------

Cylinder Collar - 7/16" high

2-649-0052	US32D	11.75
-------------------	-------	-------

Cylinder Collar - 7/16" high

Above cylinder collars can be used with 4500 Series exit device trim and 1-1/8" mortise cylinders.

2-649-0053	US3	14.10
-------------------	-----	-------

Cylinder Collar - 1 1/16" high

2-649-0054	US4	14.10
-------------------	-----	-------

Cylinder Collar - 1 1/16" high

2-649-0055	US10	14.10
-------------------	------	-------

Cylinder Collar - 1 1/16" high

2-649-0056	US10B	14.10
-------------------	-------	-------

Cylinder Collar - 1 1/16" high

2-649-0057	US26	14.10
-------------------	------	-------

Cylinder Collar - 1 1/16" high

2-649-0058	US26D	14.10
-------------------	-------	-------

Cylinder Collar - 1 1/16" high

2-649-0059	US32D	14.10
-------------------	-------	-------

Cylinder Collar - 1 1/16" high

Above cylinder collars can be used with 4500 Series exit device trim and 1-1/4" or 1-3/8" mortise cylinders.



Locks - Cylinders/Keying

Cylinder Parts	
Description	2015 List
2-639-7511 Pin Kit 100 each of all pins and springs, additional top pins. Please note that pin kit does NOT include SFIC caps.	315.00
2-639-7512 Cylinder Lubricant	40.00
2-639-7513 Shims Opening a locked cylinder (at the workbench).	45.00/ per 100
2-639-7514 SFIC Bottom Pins Includes 10 sizes of SFIC bottom pins.	60.00/ per 1000
2-639-7515 Full Size Bottom Pins Includes 10 sizes of full sized bottom pins.	60.00/ per 1000
2-639-7516 Master Pins, Build Up Pin and Top Pins	45.00/ per 1000
2-639-7517 Construction Ball Used for lost ball construction keying. The ball is #6 increment.	50.00/ per 1000
2-639-7518 Cylinder Spring Pin tumbler spring for use in all cylinders.	60.00/ per 1000
2-639-7519 Cap Pin Spring Key-in-Knob/Lever cylinders including Retrofit, and Full Size (Schlage Retrofit) Interchangeable Core.	15.00/ per 100
2-639-7520 Individual SFIC Cap For use with the individual capping block tool #6.	45.00/ per 500
2-639-7521 SFIC Capping Strip For use with the capsaver press tool #6.	75.00/ per 50
2-639-7522 Profile Cylinder Set Screws 12x24-NC x XX mm hex head screw. Use 2 mm driver.	7.00/ per 10
2-639-7523 Hager Screw Cap	15.00/ per 10
2-639-7524 Retrofit Screw Cap	15.00/ per 10
2-639-7525 Sargent Retrofit Cylinder Screw Cap	15.00/ per 10
2-639-7526 Key-in-Knob/Lever Cap Pin	15.00/ per 10



Locks - Cylinders/Keying

Cylinder Parts	
Description	2015 List
2-639-7527 Follower	15.00
2-639-7528 Tweezers	35.00
2-639-7529 Decombinating Punch	38.00
2-639-7530 Capping Punch	38.00
2-639-7531 Decombinating Block (punch included)	175.00
2-639-7532 Manual Capping Block (punch included)	199.00
2-639-7534 Cap Saver Press	2,400.00
2-639-7535 Key Punch	2,999.00
2-639-7536 HPC 1200 Series Code Card	35.00



Locks - Stock Numbers

2310 2-3/8" US15 JOS	174156	2317 US26 WRN RH	171916
2310 2-3/8" 26D CHA	173293	2317 US26 LOU	169771
2310 2 3/4" US10B JOS	169469	2317 US26 CHA	169777
2310 2 3/4" US10B JHN	169738	2317 US26D JOS	167921
2310 2 3/4" US10B WRN	169741	2317 US26D JHN LH	171893
2310 2 3/4" US10B LOU	169744	2317 US26D JHN RH	171894
2310 2 3/4" US10B CHA	169747	2317 US26D WRN LH	171907
2310 2 3/4" US15 JOS	169686	2317 US26D WRN RH	171908
2310 2 3/4" US15 JHN	169701	2317 US26D LOU	169767
2310 2 3/4" US15 WRN	169709	2317 US26D CHA	169773
2310 2 3/4" US15 LOU	169716	2317 US3 JOS	169751
2310 2 3/4" US15 CHA	169722	2317 US3 JHN LH	171897
2310 2 3/4" US26 JOS	169698	2317 US3 JHN RH	171898
2310 2 3/4" US26 JHN	169737	2317 US3 WRN LH	171911
2310 2 3/4" US26 WRN	169740	2317 US3 WRN RH	171912
2310 2 3/4" US26 LOU	169743	2317 US3 LOU	169769
2310 2 3/4" US26 CHA	169746	2317 US3 CHA	169775
2310 2 3/4" US26D JOS	169453	2317 US4 LOU	169770
2310 2 3/4" US26D JOS	169453	2317 US4 CHA	169776
2310 2 3/4" US26D JOS	169453	2317 US4 JOS	169752
2310 2 3/4" US26D JHN	169617	2317 US4 JHN LH	171900
2310 2 3/4" US26D WRN	169622	2317 US4 JHN RH	171901
2310 2 3/4" US26D LOU	169628	2317 US4 WRN LH	171913
2310 2 3/4" US26D CHA	169631	2317 US4 WRN RH	171914
2310 2 3/4" US3 JOS	169689		
2310 2 3/4" US3 JHN	169704	2340 2-3/8" US15 JOS	174157
2310 2 3/4" US3 WRN	169712	2340 2-3/8" 26D JOS	175754
2310 2 3/4" US3 LOU	169718	2340 2-3/8" 26D CHA	173294
2310 2 3/4" US3 CHA	169724	2340 2 3/4" US10B JOS	169471
2310 2 3/4" US4 JOS	169695	2340 2 3/4" US10B JHN	169819
2310 2 3/4" US4 JHN	169735	2340 2 3/4" US10B WRN	169822
2310 2 3/4" US4 WRN	169739	2340 2 3/4" US10B LOU	169825
2310 2 3/4" US4 LOU	169742	2340 2 3/4" US10B CHA	169828
2310 2 3/4" US4 CHA	169745	2340 2 3/4" US15 JOS	169688
		2340 2 3/4" US15 JHN	169703
2317 US10B JOS	169754	2340 2 3/4" US15 WRN	169711
2317 US10B JHN HL	171905	2340 2 3/4" US15 LOU	169730
2317 US10B JHN RH	171906	2340 2 3/4" US15 CHA	169732
2317 US10B WRN LH	171917	2340 2 3/4" US26 JOS	169700
2317 US10B WRN RH	171918	2340 2 3/4" US26 JHN	169818
2317 US10B LOU	169772	2340 2 3/4" US26 WRN	169821
2317 US10B CHA	169778	2340 2 3/4" US26 LOU	169824
2317 US15 JOS	169748	2340 2 3/4" US26 CHA	169827
2317 US15 JHN LH	171895	2340 2 3/4" US26D JOS	169455
2317 US15 JHN RH	171896	2340 2 3/4" US26D JOS	169455
2317 US15 WRN LH	171909	2340 2 3/4" US26D JHN	169619
2317 US15 WRN RH	171910	2340 2 3/4" US26D WRN	169682
2317 US15 LOU	169768	2340 2 3/4" US26D LOU	169729
2317 US15 CHA	169774	2340 2 3/4" US26D CHA	169733
2317 US10B JOS	169753	2340 2 3/4" US3 JOS	169694
2317 US26 JHN LH	171902	2340 2 3/4" US3 JHN	169706
2317 US26 JHN RH	171903	2340 2 3/4" US3 WRN	169728
2317 US26 WRN LH	171915	2340 2 3/4" US3 LOU	169731



Locks - Stock Numbers

2340 2 3/4" US3 CHA	169734	2550 2-3/4" US10B ARC SCC KD ASA	129637
2340 2 3/4" US4 JOS	169697	2550 2-3/4" US10B WTN SCC KD ASA	129638
2340 2 3/4" US4 JHN	169817	2550 2-3/4" US26D ARC SCC KD ASA	129639
2340 2 3/4" US4 WRN	169820	2550 2-3/4" US26D WTN SCC KD ASA	129642
2340 2 3/4" US4 LOU	169823	2550 2-3/4" US26D WTN SCC KD ASA	129642
2340 2 3/4" US4 CHA	169826	2550 2-3/4" US3 ARC SCC KD ASA	129643
2510 2-3/8" US10B ARC ASA	143873	2550 2-3/4" US3 WTN SCC KA ASA	134149
2510 2-3/8" US10B WTN ASA	147186	2550 2-3/4" US3 WTN SCC KD ASA	129644
2510 2-3/8" US26D ARC ASA	134474		
2510 2-3/8" US26D WTN ASA	136277	2553 2-3/8" US10B ARC SCC KA ASA	135787
2510 2-3/8" US3 WTN ASA	137318	2553 2-3/8" US10B ARC SCC KD ASA	140478
2510 2-3/4" US10B ARC ASA	128993	2553 2-3/8" US10B WTN SCC KD ASA	160465
2510 2-3/4" US10B WTN ASA	129000	2553 2-3/8" US26D ARC SCC KD ASA	134768
2510 2-3/4" US26D ARC ASA	129001	2553 2-3/8" US26D WTN SCC KD ASA	136279
2510 2-3/4" US26D WTN ASA	129002	2553 2-3/8" US3 ARC SCC KD ASA	163970
2510 2-3/4" US3 ARC ASA	129003	2553 2-3/8" US3 WTN SCC KD ASA	150220
2510 2-3/4" US3 WTN ASA	129004	2553 2-3/4" US10B ARC SCC KD ASA	129645
		2553 2-3/4" US10B WTN SCC KD ASA	129646
2517 US10B ARC	130785	2553 2-3/4" US26D ARC SCC KD ASA	129647
2517 US10B WTN	130786	2553 2-3/4" US26D WTN SCC KD ASA	129648
2517 US10B WTN	130786	2553 2-3/4" US3 ARC SCC KD ASA	129649
2517 US10B WTN	130786	2553 2-3/4" US3 WTN SCC KD ASA	129650
2517 US26D ARC	130787	2553 2-3/4" US3/US26D WTN SCC KD ASA	152111
2517 US26D WTN	130788		
2517 US26D WTN	130788	2570 2-3/8" US10B WTN SCC KD ASA	164364
2517 US3 ARC	130789	2570 2-3/8" US26D WTN SCC KD ASA	143635
2517 US3 WTN	130790	2570 2-3/8" US3 WTN SCC KD ASA	170761
		2570 2-3/4" US10B ARC SCC KD ASA	129651
2525 2-3/8" US10B ARC ASA	176278	2570 2-3/4" US10B WTN SCC KD ASA	129652
2525 2-3/8" US26D ARC ASA	156965	2570 2-3/4" US26D ARC SCC KD ASA	129653
2525 2-3/8" US26D WTN ASA	147316	2570 2-3/4" US26D WTN SCC KD ASA	129654
2525 2-3/8" US3 WTN ASA	167674	2570 2-3/4" US3 ARC SCC KD ASA	129655
2525 2-3/4" US10B ARC ASA	129012	2570 2-3/4" US3 WTN SCC KD ASA	129656
2525 2-3/4" US10B WTN ASA	129013		
2525 2-3/4" US26D ARC ASA	129016	2580 2-3/8" US10B WTN SCC KD ASA	151209
2525 2-3/4" US26D WTN ASA	129017	2580 2-3/8" US26D WTN SCC KD ASA	132617
2525 2-3/4" US3 ARC ASA	129018	2580 2-3/4" US10B ARC SCC KD ASA	129657
2525 2-3/4" US3 WTN ASA	129020	2580 2-3/4" US10B WTN SCC KD ASA	129658
		2580 2-3/4" US26D ARC SCC KD ASA	129659
2540 2-3/8" US10B ARC ASA	135767	2580 2-3/4" US26D WTN SCC KD ASA	129660
2540 2-3/8" US10B WTN ASA	147189	2580 2-3/4" US3 ARC SCC KD ASA	129661
2540 2-3/8" US26D ARC ASA	134473	2580 2-3/4" US3 WTN SCC KD ASA	129662
2540 2-3/8" US26D WTN ASA	144640		
2540 2-3/8" US3 WTN ASA	137317	3114 2-3/4" US10 NC IC	034812
2540 2-3/4" US10B ARC ASA	129021	3114 2-3/4" US10 SCC KD	012596
2540 2-3/4" US10B WTN ASA	129022	3114 2-3/4" US10B NC IC	034811
2540 2-3/4" US26D ARC ASA	129023	3114 2-3/4" US10B SCC KD	012597
2540 2-3/4" US26D WTN ASA	129024	3114 2-3/4" US26 NC IC	034810
2540 2-3/4" US3 ARC ASA	129025	3114 2-3/4" US26 SCC KD	028119
2540 2-3/4" US3 WTN ASA	129026	3114 2-3/4" US26D NC IC	034807
		3114 2-3/4" US26D SCC KD	028118
2550 2-3/8" US26D ARC SCC KD ASA	150263	3114 2-3/4" US3 NC IC	034815
2550 2-3/8" US26D WTN SCC KD ASA	148604	3114 2-3/4" US3 SCC KD	012594



Locks - Stock Numbers

3114 2-3/4" US4 NC IC	034814	3215 2-3/4" US10 SCC KD	012653
3114 2-3/4" US4 SCC KD	012595	3215 2-3/8" US10B NC IC	007223
		3215 2-3/8" US10B SCC KD	097759
3115 2-3/4" US10 NC IC	040420	3215 2-3/4" US10B NC IC	038848
3115 2-3/4" US10 SCC KD	012588	3215 2-3/4" US10B SCC KD	012652
3115 2-3/4" US10B NC IC	040418	3215 2-3/8" US26D NC IC	046832
3115 2-3/4" US10B SCC KD	012592	3215 2-3/8" US26D SCC KD	065836
3115 2-3/4" US26 NC IC	040449	3215 2-3/4" US26D NC IC	098280
3115 2-3/4" US26 SCC KD	028121	3215 2-3/4" US26D SCC KD	098341
3115 2-3/4" US26D NC IC	098283	3215 2-3/8" US3 NC IC	005743
3115 2-3/4" US26D SCC KD	028120	3215 2-3/8" US3 SCC KD	096177
3115 2-3/4" US3 NC IC	040425	3215 2-3/4" US3 NC IC	084949
3115 2-3/4" US3 SCC KD	012590	3215 2-3/4" US3 SCC KD	012655
3115 2-3/4" US4 NC IC	050868	3215 2-3/8" US32 SCC KD	140554
3115 2-3/4" US4 SCC KD	012589	3215 2-3/4" US32 NC IC	038839
		3215 2-3/4" US32 SCC KD	012656
3118 2-3/4" US10 NC IC	038894	3215 2-3/8" US32D NC IC	031595
3118 2-3/4" US10 SCC KD	028133	3215 2-3/8" US32D SCC KD	097015
3118 2-3/4" US10B NC IC	038887	3215 2-3/4" US32D NC IC	098220
3118 2-3/4" US10B SCC KD	050113	3215 2-3/4" US32D SCC KD	012657
3118 2-3/4" US26 NC IC	039335	3215 2-3/8" US4 NC IC	108489
3118 2-3/4" US26 SCC KD	028126	3215 2-3/8" US4 SCC KD	067222
3118 2-3/4" US26D NC IC	098282	3215 2-3/4" US4 NC IC	038847
3118 2-3/4" US26D SCC KD	028123	3215 2-3/4" US4 SCC KD	012654
3118 2-3/4" US3 NC IC	038920		
3118 2-3/4" US3 SCC KD	028129	3220 ADJ US10	111391
3118 2-3/4" US4 NC IC	038899	3220 ADJ US10B	111392
3118 2-3/4" US4 SCC KD	028131	3220 ADJ US26D	118136
		3220 ADJ US3	111393
3214 2-3/8" US10 SCC KD	099243	3220 ADJ US32	111394
3214 2-3/4" US10 NC IC	034800	3220 ADJ US32D	111395
3214 2-3/4" US10 SCC KD	012650	3220 ADJ US4	111396
3214 2-3/8" US10B SCC KD	058093		
3214 2-3/4" US10B NC IC	034769	3221 ADJ US10	111825
3214 2-3/4" US10B SCC KD	012651	3221 ADJ US10B	111832
3214 2-3/8" US26D SCC KD	113487	3221 ADJ US26D	118140
3214 2-3/4" US26D NC IC	034759	3221 ADJ US3	111833
3214 2-3/4" US26D SCC KD	098342	3221 ADJ US32	111834
3214 2-3/8" US3 SCC KD	044086	3221 ADJ US32D	111835
3214 2-3/4" US3 NC IC	034803	3221 ADJ US4	111837
3214 2-3/4" US3 SCC KD	012647	3222 ADJ US10	111415
3214 2-3/4" US32 NC IC	034758	3222 ADJ US10B	111416
3214 2-3/4" US32 SCC KD	012646	3222 ADJ US26D	118139
3214 2-3/8" US32D SCC KD	096051	3222 ADJ US3	111417
3214 2-3/4" US32D NC IC	034749	3222 ADJ US32	111418
3214 2-3/4" US32D SCC KD	012645	3222 ADJ US32D	111419
3214 2-3/8" US4 SCC KD	130567	3222 ADJ US4	111421
3214 2-3/4" US4 NC IC	034801		
3214 2-3/4" US4 SCC KD	012649	3410 2-3/4" US10 ARC ASA	012557
		3410 2-3/4" US10 AUG ASA	041178
3215 2-3/8" US10 NC IC	136009	3410 2-3/4" US10 WTN ASA	012548
3215 2-3/8" US10 SCC KD	054763	3410 2-3/4" US10B ARC ASA	012560
3215 2-3/4" US10 NC IC	048992	3410 2-3/4" US10B AUG ASA	041148



Locks - Stock Numbers

3410 2-3/4" US10B WTN ASA	012549	3440 2-3/4" US32D APL ASA	012503
3410 2-3/4" US26 ARC ASA	012553	3440 2-3/4" US4 ARC ASA	012517
3410 2-3/4" US26 AUG ASA	041141	3440 2-3/4" US4 AUG ASA	040618
3410 2-3/4" US26 WTN ASA	012526	3440 2-3/4" US4 WTN ASA	012508
3410 2-3/4" US26D ARC ASA	012550		
3410 2-3/4" US26D AUG ASA	041139	3450 2-3/4" US10 ARC NC ASA IC	038099
3410 2-3/4" US26D WTN ASA	012525	3450 2-3/4" US10 ARC SCC KD ASA	038133
3410 2-3/4" US3 ARC ASA	012554	3450 2-3/4" US10 AUG NC ASA IC	024940
3410 2-3/4" US3 APL ASA	012520	3450 2-3/4" US10 AUG SCC KD ASA	028445
3410 2-3/4" US3 AUG ASA	041082	3450 2-3/4" US10 WTN NC ASA IC	038088
3410 2-3/4" US3 WTN ASA	012528	3450 2-3/4" US10 WTN SCC KD ASA	038127
3410 2-3/4" US32D APL ASA	012524	3450 2-3/4" US10B ARC NC ASA IC	038087
3410 2-3/4" US4 ARC ASA	012555	3450 2-3/4" US10B ARC SCC KD ASA	038116
3410 2-3/4" US4 AUG ASA	040960	3450 2-3/4" US10B AUG NC ASA IC	024141
3410 2-3/4" US4 WTN ASA	012530	3450 2-3/4" US10B AUG SCC KD ASA	028440
		3450 2-3/4" US10B WTN NC ASA IC	038048
3417 US10 ARC	012576	3450 2-3/4" US10B WTN SCC KD ASA	038113
3417 US10 AUG	028522	3450 2-3/4" US26 ARC NC ASA IC	038824
3417 US10 WTN	012569	3450 2-3/4" US26 ARC SCC KD ASA	038170
3417 US10B ARC	012577	3450 2-3/4" US26 AUG NC ASA IC	024933
3417 US10B AUG	028542	3450 2-3/4" US26 AUG SCC KD ASA	028439
3417 US10B WTN	012570	3450 2-3/4" US26 WTN NC ASA IC	038823
3417 US26 ARC	012572	3450 2-3/4" US26 WTN SCC KD ASA	038169
3417 US26 AUG	028516	3450 2-3/4" US26D ARC NC ASA IC	098296
3417 US26 WTN	012566	3450 2-3/4" US26D ARC SCC KD ASA	098330
3417 US26D ARC	012571	3450 2-3/4" US26D AUG NC ASA IC	024987
3417 US26D AUG	028530	3450 2-3/4" US26D AUG SCC KD ASA	028481
3417 US26D WTN	012563	3450 2-3/4" US26D WTN NC ASA IC	098323
3417 US3 ARC	012573	3450 2-3/4" US26D WTN SCC KD ASA	098333
3417 US3 APL	012561	3450 2-3/4" US3 ARC NC ASA IC	038539
3417 US3 AUG	028515	3450 2-3/4" US3 ARC SCC KD ASA	038167
3417 US3 WTN	012567	3450 2-3/4" US3 AUG NC ASA IC	024928
3417 US32D APL	012562	3450 2-3/4" US3 AUG SCC KD ASA	028431
3417 US4 ARC	012575	3450 2-3/4" US3 WTN NC ASA IC	038293
3417 US4 AUG	028529	3450 2-3/4" US3 WTN SCC KD ASA	038140
3417 US4 WTN	012568	3450 2-3/4" US4 ARC NC ASA IC	038135
		3450 2-3/4" US4 ARC SCC KD ASA	038139
3440 2-3/4" US10 ARC ASA	012518	3450 2-3/4" US4 AUG NC ASA IC	024949
3440 2-3/4" US10 AUG ASA	040751	3450 2-3/4" US4 AUG SCC KD ASA	028446
3440 2-3/4" US10 WTN ASA	012509	3450 2-3/4" US4 WTN NC ASA IC	038112
3440 2-3/4" US10B ARC ASA	012519	3450 2-3/4" US4 WTN SCC KD ASA	038134
3440 2-3/4" US10B AUG ASA	040748		
3440 2-3/4" US10B WTN ASA	012510	3453 2-3/4" US10 ARC NC ASA IC	037850
3440 2-3/4" US26 ARC ASA	012515	3453 2-3/4" US10 ARC SCC KD ASA	012442
3440 2-3/4" US26 AUG ASA	040718	3453 2-3/4" US10 AUG NC ASA IC	024866
3440 2-3/4" US26 WTN ASA	012504	3453 2-3/4" US10 AUG SCC KD ASA	028404
3440 2-3/4" US26D ARC ASA	012514	3453 2-3/4" US10 WTN NC ASA IC	037795
3440 2-3/4" US26D AUG ASA	040658	3453 2-3/4" US10 WTN SCC KD ASA	012435
3440 2-3/4" US26D WTN ASA	012499	3453 2-3/4" US10B ARC NC ASA IC	088953
3440 2-3/4" US3 ARC ASA	012516	3453 2-3/4" US10B ARC SCC KD ASA	012443
3440 2-3/4" US3 APL ASA	012502	3453 2-3/4" US10B AUG NC ASA IC	024855
3440 2-3/4" US3 AUG ASA	040639	3453 2-3/4" US10B AUG SCC KD ASA	028393
3440 2-3/4" US3 WTN ASA	012505	3453 2-3/4" US10B WTN NC ASA IC	037776



Locks - Stock Numbers

3453 2-3/4" US10B WTN SCC KD ASA	012437	3470 2-3/4" US26D WTN SCC KD ASA	012451
3453 2-3/4" US26 ARC NC ASA IC	038229	3470 2-3/4" US3 ARC NC ASA IC	037741
3453 2-3/4" US26 ARC SCC KD ASA	012439	3470 2-3/4" US3 ARC SCC KD ASA	012468
3453 2-3/4" US26 AUG NC ASA IC	024761	3470 2-3/4" US3 AUG NC ASA IC	024543
3453 2-3/4" US26 AUG SCC KD ASA	028391	3470 2-3/4" US3 AUG SCC KD ASA	028324
3453 2-3/4" US26 WTN NC ASA IC	038044	3470 2-3/4" US3 WTN NC ASA IC	037724
3453 2-3/4" US26 WTN SCC KD ASA	012429	3470 2-3/4" US3 WTN SCC KD ASA	012454
3453 2-3/4" US26D ARC NC ASA IC	098295	3470 2-3/4" US4 ARC NC ASA IC	037686
3453 2-3/4" US26D ARC SCC KD ASA	012438	3470 2-3/4" US4 ARC SCC KD ASA	012470
3453 2-3/4" US26D AUG NC ASA IC	024713	3470 2-3/4" US4 AUG NC ASA IC	024405
3453 2-3/4" US26D AUG SCC KD ASA	028390	3470 2-3/4" US4 AUG SCC KD ASA	028330
3453 2-3/4" US26D WTN NC ASA IC	098322	3470 2-3/4" US4 WTN NC ASA IC	037657
3453 2-3/4" US26D WTN SCC KD ASA	012427	3470 2-3/4" US4 WTN SCC KD ASA	012455
3453 2-3/4" US3 ARC NC ASA IC	038042		
3453 2-3/4" US3 ARC SCC KD ASA	012440	3470 2-3/4" US3 APL SCC KD ASA	012445
3453 2-3/4" US3 AUG NC ASA IC	024712	3470 2-3/4" US32D APL NC ASA IC	143141
3453 2-3/4" US3 AUG SCC KD ASA	028389	3470 2-3/4" US32D APL SCC KD ASA	012447
3453 2-3/4" US3 WTN NC ASA IC	038040		
3453 2-3/4" US3 WTN SCC KD ASA	012433	3473 2-3/4" US10 ARC NC ASA IC (REV1)	138464
3453 2-3/4" US4 ARC NC ASA IC	038018	3473 2-3/4" US10 ARC SCC KD ASA (REV1)	138465
3453 2-3/4" US4 ARC SCC KD ASA	012441	3473 2-3/4" US10 AUG NC ASA IC (REV1)	138466
3453 2-3/4" US4 AUG NC ASA IC	024616	3473 2-3/4" US10 AUG SCC KD ASA (REV1)	138467
3453 2-3/4" US4 AUG SCC KD ASA	028381	3473 2-3/4" US10 WTN NC ASA IC (REV1)	138468
3453 2-3/4" US4 WTN NC ASA IC	037886	3473 2-3/4" US10 WTN SCC KD ASA (REV1)	138469
3453 2-3/4" US4 WTN SCC KD ASA	012434	3473 2-3/4" US10B ARC NC ASA IC (REV1)	138470
		3473 2-3/4" US10B ARC SCC KD ASA (REV1)	138471
3453 2-3/4" US3 APL SCC KD ASA	012423	3473 2-3/4" US10B AUG NC ASA IC (REV1)	138472
3453 2-3/4" US32D APL NC ASA IC	060301	3473 2-3/4" US10B AUG SCC KD ASA (REV1)	138473
3453 2-3/4" US32D APL SCC KD ASA	012425	3473 2-3/4" US10B WTN NC ASA IC (REV1)	138474
		3473 2-3/4" US10B WTN SCC KD ASA (REV1)	138475
3470 2-3/4" US10 ARC NC ASA IC	037656	3473 2-3/4" US26 ARC NC ASA IC (REV1)	138476
3470 2-3/4" US10 ARC SCC KD ASA	012473	3473 2-3/4" US26 ARC SCC KD ASA (REV1)	138477
3470 2-3/4" US10 AUG NC ASA IC	024615	3473 2-3/4" US26 AUG NC ASA IC (REV1)	138478
3470 2-3/4" US10 AUG SCC KD ASA	028346	3473 2-3/4" US26 AUG SCC KD ASA (REV1)	138479
3470 2-3/4" US10 WTN NC ASA IC	037616	3473 2-3/4" US26 WTN NC ASA IC (REV1)	138480
3470 2-3/4" US10 WTN SCC KD ASA	012458	3473 2-3/4" US26 WTN SCC KD ASA (REV1)	138481
3470 2-3/4" US10B ARC NC ASA IC	037613	3473 2-3/4" US26D ARC NC ASA IC (REV1)	138482
3470 2-3/4" US10B ARC SCC KD ASA	012474	3473 2-3/4" US26D ARC SCC KD ASA (REV1)	138485
3470 2-3/4" US10B AUG NC ASA IC	024467	3473 2-3/4" US26D AUG NC ASA IC (REV1)	138487
3470 2-3/4" US10B AUG SCC KD ASA	028344	3473 2-3/4" US26D AUG SCC KD ASA (REV1)	138488
3470 2-3/4" US10B WTN NC ASA IC	037532	3473 2-3/4" US26D WTN NC ASA IC (REV1)	138489
3470 2-3/4" US10B WTN SCC KD ASA	012462	3473 2-3/4" US26D WTN SCC KD ASA (REV1)	138490
3470 2-3/4" US26 ARC NC ASA IC	038100	3473 2-3/4" US3 ARC NC ASA IC (REV1)	138491
3470 2-3/4" US26 ARC SCC KD ASA	012467	3473 2-3/4" US3 ARC SCC KD ASA (REV1)	138492
3470 2-3/4" US26 AUG NC ASA IC	024613	3473 2-3/4" US3 AUG NC ASA IC (REV1)	138493
3470 2-3/4" US26 AUG SCC KD ASA	028343	3473 2-3/4" US3 AUG SCC KD ASA (REV1)	138494
3470 2-3/4" US26 WTN NC ASA IC	037742	3473 2-3/4" US3 WTN NC ASA IC (REV1)	138495
3470 2-3/4" US26 WTN SCC KD ASA	012453	3473 2-3/4" US3 WTN SCC KD ASA (REV1)	138496
3470 2-3/4" US26D ARC NC ASA IC	098293	3473 2-3/4" US4 ARC NC ASA IC (REV1)	138497
3470 2-3/4" US26D ARC SCC KD ASA	012463	3473 2-3/4" US4 ARC SCC KD ASA (REV1)	138498
3470 2-3/4" US26D AUG NC ASA IC	024554	3473 2-3/4" US4 AUG NC ASA IC (REV1)	138499
3470 2-3/4" US26D AUG SCC KD ASA	028339	3473 2-3/4" US4 AUG SCC KD ASA (REV1)	138500
3470 2-3/4" US26D WTN NC ASA IC	098321	3473 2-3/4" US4 WTN NC ASA IC (REV1)	138501



Locks - Stock Numbers

3473 2-3/4" US4 WTN SCC KD ASA (REV1)	138502	3495 2-3/4" US10B WTN NC ASA IC	006758
		3495 2-3/4" US10B WTN SCC KD ASA	007074
3480 2-3/4" US10 ARC NC ASA IC	037343	3495 2-3/4" US26 ARC NC ASA IC	006798
3480 2-3/4" US10 ARC SCC KD ASA	012495	3495 2-3/4" US26 ARC SCC KD ASA	007182
3480 2-3/4" US10 AUG NC ASA IC	024368	3495 2-3/4" US26 AUG NC ASA IC	006735
3480 2-3/4" US10 AUG SCC KD ASA	028031	3495 2-3/4" US26 AUG SCC KD ASA	006841
3480 2-3/4" US10 WTN NC ASA IC	037330	3495 2-3/4" US26 WTN NC ASA IC	006754
3480 2-3/4" US10 WTN SCC KD ASA	012483	3495 2-3/4" US26 WTN SCC KD ASA	007071
3480 2-3/4" US10B ARC NC ASA IC	037326	3495 2-3/4" US26D ARC NC ASA IC	006797
3480 2-3/4" US10B ARC SCC KD ASA	012496	3495 2-3/4" US26D ARC SCC KD ASA	007180
3480 2-3/4" US10B AUG NC ASA IC	024348	3495 2-3/4" US26D AUG NC ASA IC	006705
3480 2-3/4" US10B AUG SCC KD ASA	028017	3495 2-3/4" US26D AUG SCC KD ASA	006840
3480 2-3/4" US10B WTN NC ASA IC	037325	3495 2-3/4" US26D WTN NC ASA IC	006753
3480 2-3/4" US10B WTN SCC KD ASA	012490	3495 2-3/4" US26D WTN SCC KD ASA	007070
3480 2-3/4" US26 ARC NC ASA IC	038085	3495 2-3/4" US3 ARC NC ASA IC	007292
3480 2-3/4" US26 ARC SCC KD ASA	012492	3495 2-3/4" US3 ARC SCC KD ASA	007295
3480 2-3/4" US26 AUG NC ASA IC	024328	3495 2-3/4" US3 AUG NC ASA IC	006745
3480 2-3/4" US26 AUG SCC KD ASA	027994	3495 2-3/4" US3 AUG SCC KD ASA	007063
3480 2-3/4" US26 WTN NC ASA IC	037531	3495 2-3/4" US3 WTN NC ASA IC	006795
3480 2-3/4" US26 WTN SCC KD ASA	012479	3495 2-3/4" US3 WTN SCC KD ASA	007176
3480 2-3/4" US26D ARC NC ASA IC	098292	3495 2-3/4" US4 ARC NC ASA IC	006819
3480 2 3/4 26D ARC SCC KD ASA	012491	3495 2-3/4" US4 ARC SCC KD ASA	007199
3480 2-3/4" US26D AUG NC ASA IC	024264	3495 2-3/4" US4 AUG NC ASA IC	006743
3480 2-3/4" US26D AUG SCC KD ASA	027993	3495 2-3/4" US4 AUG SCC KD ASA	006848
3480 2-3/4" US26D WTN NC ASA IC	098651	3495 2-3/4" US4 WTN NC ASA IC	006792
3480 2-3/4" US26D WTN SCC KD ASA	012478	3495 2-3/4" US4 WTN SCC KD ASA	007170
3480 2-3/4" US3 ARC NC ASA IC	037516		
3480 2-3/4" US3 ARC SCC KD ASA	012493	3510 2-3/4" US10 ARC ASA	000319
3480 2-3/4" US3 AUG NC ASA IC	024233	3510 2-3/4" US10 AUG ASA	038966
3480 2-3/4" US3 AUG SCC KD ASA	027990	3510 2-3/4" US10 WTN ASA	000261
3480 2-3/4" US3 WTN NC ASA IC	037444	3510 2-3/4" US10B ARC ASA	000320
3480 2-3/4" US3 WTN SCC KD ASA	012481	3510 2-3/4" US10B AUG ASA	037082
3480 2-3/4" US4 ARC NC ASA IC	037408	3510 2-3/4" US10B WTN ASA	000262
3480 2-3/4" US4 ARC SCC KD ASA	012494	3510 2-3/4" US26 ARC ASA	000316
3480 2-3/4" US4 AUG NC ASA IC	024187	3510 2-3/4" US26 AUG ASA	036933
3480 2-3/4" US4 AUG SCC KD ASA	027988	3510 2-3/4" US26 WTN ASA	000258
3480 2-3/4" US4 WTN NC ASA IC	037388	3510 2-3/4" US26D ARC ASA	000313
3480 2-3/4" US4 WTN SCC KD ASA	012482	3510 2-3/4" US26D AUG ASA	036892
		3510 2-3/4" US26D WTN ASA	000256
3480 2-3/4" US3 APL SCC KD ASA	012475	3510 2-3/4" US3 ARC ASA	000317
3480 2-3/4" US32D APL NC ASA IC	143142	3510 2-3/4" US3 AUG ASA	036825
3480 2-3/4" US32D APL SCC KD ASA	012477	3510 2-3/4" US3 WTN ASA	000259
		3510 2-3/4" US4 ARC ASA	000318
3495 2-3/4" US10 ARC NC ASA IC	006810	3510 2-3/4" US4 AUG ASA	036813
3495 2-3/4" US10 ARC SCC KD ASA	007195	3510 2-3/4" US4 WTN ASA	000260
3495 2-3/4" US10 AUG NC ASA IC	006739		
3495 2-3/4" US10 AUG SCC KD ASA	006847	3510 2-3/4" US3 APL ASA	091147
3495 2-3/4" US10 WTN NC ASA IC	006765	3510 2-3/4" US32D APL ASA	091148
3495 2-3/4" US10 WTN SCC KD ASA	007081		
3495 2-3/4" US10B ARC NC ASA IC	006803	3517 US10 ARC	000329
3495 2-3/4" US10B ARC SCC KD ASA	007192	3517 US10 AUG	027799
3495 2-3/4" US10B AUG NC ASA IC	006738	3517 US10 WTN	000277
3495 2-3/4" US10B AUG SCC KD ASA	006846	3517 US10B ARC	111284



Locks - Stock Numbers

3517 US10B AUG	111285	3527 US4 AUG	111206
3517 US10B WTN	111286	3527 US4 WTN	111204
3517 US26 ARC	000322		
3517 US26 AUG	027791	3540 2-3/4" US10 ARC ASA	000311
3517 US26 WTN	111288	3540 2-3/4" US10 AUG ASA	038384
3517 US26D ARC	111289	3540 2-3/4" US10 WTN ASA	000252
3517 US26D AUG	111290	3540 2-3/4" US10B ARC ASA	000312
3517 US26D WTN	111291	3540 2-3/4" US10B AUG ASA	038280
3517 US3 ARC	000323	3540 2-3/4" US10B WTN ASA	000254
3517 US3 AUG	027775	3540 2-3/4" US26 ARC ASA	000308
3517 US3 WTN	111294	3540 2-3/4" US26 AUG ASA	038266
3517 US4 ARC	000325	3540 2-3/4" US26 WTN ASA	000248
3517 US4 AUG	027768	3540 2-3/4" US26D ARC ASA	000307
3517 US4 WTN	000276	3540 2-3/4" US26D AUG ASA	038034
		3540 2-3/4" US26D WTN ASA	000247
3517 US3 APL	000102	3540 2-3/4" US3 ARC ASA	000309
3517 US32D APL	000105	3540 2-3/4" US3 AUG ASA	037999
		3540 2-3/4" US3 WTN ASA	000249
3525 2-3/4" US10 ARC ASA	095545	3540 2-3/4" US4 ARC ASA	000310
3525 2-3/4" US10 AUG ASA	038501	3540 2-3/4" US4 AUG ASA	037979
3525 2-3/4" US10 WTN ASA	095536	3540 2-3/4" US4 WTN ASA	000250
3525 2-3/4" US10B ARC ASA	095546		
3525 2-3/4" US10B AUG ASA	038434	3540 2-3/4" US3 APL ASA	091121
3525 2-3/4" US10B WTN ASA	095537	3540 2-3/4" US32D APL ASA	091146
3525 2-3/4" US26 ARC ASA	095547		
3525 2-3/4" US26 AUG ASA	038492	3550 2-3/4" US10 ARC NC ASA IC	037229
3525 2-3/4" US26 WTN ASA	095543	3550 2-3/4" US10 ARC SCC KD ASA	037173
3525 2-3/4" US26D ARC ASA	095550	3550 2-3/4" US10 AUG NC ASA IC	023439
3525 2-3/4" US26D AUG ASA	038430	3550 2-3/4" US10 AUG SCC KD ASA	027728
3525 2-3/4" US26D WTN ASA	095544	3550 2-3/4" US10 WTN NC ASA IC	037227
3525 2-3/4" US3 ARC ASA	095533	3550 2-3/4" US10 WTN SCC KD ASA	037170
3525 2-3/4" US3 AUG ASA	038519	3550 2-3/4" US10B ARC NC ASA IC	037208
3525 2-3/4" US3 WTN ASA	095532	3550 2-3/4" US10B ARC SCC KD ASA	037169
3525 2-3/4" US4 ARC ASA	095534	3550 2-3/4" US10B AUG NC ASA IC	023588
3525 2-3/4" US4 AUG ASA	038390	3550 2-3/4" US10B AUG SCC KD ASA	027729
3525 2-3/4" US4 WTN ASA	095535	3550 2-3/4" US10B WTN NC ASA IC	037206
		3550 2-3/4" US10B WTN SCC KD ASA	037162
3527 US10 ARC	111169	3550 2-3/4" US26 ARC NC ASA IC	038039
3527 US10 AUG	111189	3550 2-3/4" US26 ARC SCC KD ASA	037205
3527 US10 WTN	111191	3550 2-3/4" US26 AUG NC ASA IC	023554
3527 US10B ARC	111192	3550 2-3/4" US26 AUG SCC KD ASA	027726
3527 US10B AUG	111193	3550 2-3/4" US26 WTN NC ASA IC	037256
3527 US10B WTN	111194	3550 2-3/4" US26 WTN SCC KD ASA	037203
3527 US26 ARC	111195	3550 2-3/4" US26D ARC NC ASA IC	098290
3527 US26 AUG	111196	3550 2-3/4" US26D ARC SCC KD ASA	098325
3527 US26 WTN	111197	3550 2-3/4" US26D AUG NC ASA IC	023493
3527 US26D ARC	111198	3550 2-3/4" US26D AUG SCC KD ASA	027719
3527 US26D AUG	111199	3550 2-3/4" US26D WTN NC ASA IC	098291
3527 US26D WTN	111200	3550 2-3/4" US26D WTN SCC KD ASA	098329
3527 US3 ARC	111201	3550 2-3/4" US3 ARC NC ASA IC	037245
3527 US3 AUG	111202	3550 2-3/4" US3 ARC SCC KD ASA	050365
3527 US3 WTN	111203	3550 2-3/4" US3 AUG NC ASA IC	023438
3527 US4 ARC	111205	3550 2-3/4" US3 AUG SCC KD ASA	027713



Locks - Stock Numbers

3550 2-3/4" US3 WTN NC ASA IC	037234	3570 2-3/4" US10 WTN NC ASA IC	037111
3550 2-3/4" US3 WTN SCC KD ASA	037202	3570 2-3/4" US10 WTN SCC KD ASA	000130
3550 2-3/4" US4 ARC NC ASA IC	037232	3570 2-3/4" US10B ARC NC ASA IC	037110
3550 2-3/4" US4 ARC SCC KD ASA	037200	3570 2-3/4" US10B ARC SCC KD ASA	000299
3550 2-3/4" US4 AUG NC ASA IC	023453	3570 2-3/4" US10B AUG NC ASA IC	023281
3550 2-3/4" US4 AUG SCC KD ASA	027704	3570 2-3/4" US10B AUG SCC KD ASA	027667
3550 2-3/4" US4 WTN NC ASA IC	037230	3570 2-3/4" US10B WTN NC ASA IC	037109
3550 2-3/4" US4 WTN SCC KD ASA	037191	3570 2-3/4" US10B WTN SCC KD ASA	000129
		3570 2-3/4" US26 ARC NC ASA IC	037760
3553 2-3/4" US10 ARC NC ASA IC	048993	3570 2-3/4" US26 ARC SCC KD ASA	000294
3553 2-3/4" US10 ARC SCC KD ASA	000290	3570 2-3/4" US26 AUG NC ASA IC	023249
3553 2-3/4" US10 AUG NC ASA IC	023437	3570 2-3/4" US26 AUG SCC KD ASA	027652
3553 2-3/4" US10 AUG SCC KD ASA	027702	3570 2-3/4" US26 WTN NC ASA IC	037152
3553 2-3/4" US10 WTN NC ASA IC	037888	3570 2-3/4" US26 WTN SCC KD ASA	000098
3553 2-3/4" US10 WTN SCC KD ASA	000095	3570 2-3/4" US26D ARC NC ASA IC	098287
3553 2-3/4" US10B ARC NC ASA IC	037159	3570 2-3/4" US26D ARC SCC KD ASA	000293
3553 2-3/4" US10B ARC SCC KD ASA	000291	3570 2-3/4" US26D AUG NC ASA IC	023248
3553 2-3/4" US10B AUG NC ASA IC	023436	3570 2-3/4" US26D AUG SCC KD ASA	027649
3553 2-3/4" US10B AUG SCC KD ASA	027701	3570 2-3/4" US26D WTN NC ASA IC	098288
3553 2-3/4" US10B WTN NC ASA IC	045784	3570 2-3/4" US26D WTN SCC KD ASA	000097
3553 2-3/4" US10B WTN SCC KD ASA	000096	3570 2-3/4" US3 ARC NC ASA IC	037145
3553 2-3/4" US26 ARC SCC KD ASA	000286	3570 2-3/4" US3 ARC SCC KD ASA	000295
3553 2-3/4" US26 AUG NC ASA IC	023435	3570 2-3/4" US3 AUG NC ASA IC	023247
3553 2-3/4" US26 AUG SCC KD ASA	027684	3570 2-3/4" US3 AUG SCC KD ASA	027645
3553 2-3/4" US26 WTN NC ASA IC	014395	3570 2-3/4" US3 WTN NC ASA IC	084961
3553 2-3/4" US26 WTN SCC KD ASA	000092	3570 2-3/4" US3 WTN SCC KD ASA	000099
3553 2-3/4" US26D ARC NC ASA IC	098289	3570 2-3/4" US4 ARC NC ASA IC	037129
3553 2-3/4" US26D ARC SCC KD ASA	000284	3570 2-3/4" US4 ARC SCC KD ASA	000296
3553 2-3/4" US26D AUG NC ASA IC	023393	3570 2-3/4" US4 AUG NC ASA IC	023246
3553 2-3/4" US26D AUG SCC KD ASA	027683	3570 2-3/4" US4 AUG SCC KD ASA	027647
3553 2-3/4" US26D WTN NC ASA IC	098655	3570 2-3/4" US4 WTN NC ASA IC	037113
3553 2-3/4" US26D WTN SCC KD ASA	000091	3570 2-3/4" US4 WTN SCC KD ASA	000101
3553 2-3/4" US3 ARC NC ASA IC	053986		
3553 2-3/4" US3 ARC SCC KD ASA	000288	3570 2-3/4" US3 APL SCC KD ASA	090544
3553 2-3/4" US3 AUG NC ASA IC	023377	3570 2-3/4" US32D APL SCC KD ASA	091099
3553 2-3/4" US3 AUG SCC KD ASA	027682		
3553 2-3/4" US3 WTN NC ASA IC	084942	3573 2-3/4" US10 ARC NC ASA IC (REV1)	138416
3553 2-3/4" US3 WTN SCC KD ASA	000093	3573 2-3/4" US10 ARC SCC KD ASA (REV1)	138417
3553 2-3/4" US4 ARC NC ASA IC	086632	3573 2-3/4" US10 AUG NC ASA IC (REV1)	138418
3553 2-3/4" US4 ARC SCC KD ASA	000289	3573 2-3/4" US10 AUG SCC KD ASA (REV1)	138419
3553 2-3/4" US4 AUG NC ASA IC	023296	3573 2-3/4" US10 WTN NC ASA IC (REV1)	138420
3553 2-3/4" US4 AUG SCC KD ASA	027677	3573 2-3/4" US10 WTN SCC KD ASA (REV1)	138421
3553 2-3/4" US4 WTN NC ASA IC	037153	3573 2-3/4" US10B ARC NC ASA IC (REV1)	138422
3553 2-3/4" US4 WTN SCC KD ASA	000094	3573 2-3/4" US10B ARC SCC KD ASA (REV1)	138423
		3573 2-3/4" US10B AUG NC ASA IC (REV1)	138424
3553 2-3/4" US3 APL SCC KD ASA	090526	3573 2-3/4" US10B AUG SCC KD ASA (REV1)	138426
3553 2-3/4" US32D APL NC ASA IC	117596	3573 2-3/4" US10B WTN NC ASA IC (REV1)	138427
3553 2-3/4" US32D APL SCC KD ASA	091096	3573 2-3/4" US10B WTN SCC KD ASA (REV1)	138428
		3573 2-3/4" US26 ARC NC ASA IC (REV1)	138429
3570 2-3/4" US10 ARC NC ASA IC	037112	3573 2-3/4" US26 ARC SCC KD ASA (REV1)	138430
3570 2-3/4" US10 ARC SCC KD ASA	000297	3573 2-3/4" US26 AUG NC ASA IC (REV1)	138431
3570 2-3/4" US10 AUG NC ASA IC	023292	3573 2-3/4" US26 AUG SCC KD ASA (REV1)	138432
3570 2-3/4" US10 AUG SCC KD ASA	027675	3573 2-3/4" US26 WTN NC ASA IC (REV1)	138433



Locks - Stock Numbers

3573 2-3/4" US26 WTN SCC KD ASA (REV1)	138434	3580 2-3/4" US10 WTN SCC KD ASA	000156
3573 2-3/4" US26D ARC NC ASA IC (REV1)	138405	3580 2-3/4" US10B ARC NC ASA IC	037031
3573 2-3/4" US26D ARC SCC KD ASA (REV1)	138435	3580 2-3/4" US10B ARC SCC KD ASA	000306
3573 2-3/4" US26D AUG NC ASA IC (REV1)	138407	3580 2-3/4" US10B AUG NC ASA IC	022831
3573 2-3/4" US26D AUG SCC KD ASA (REV1)	138409	3580 2-3/4" US10B AUG SCC KD ASA	027349
3573 2-3/4" US26D WTN NC ASA IC (REV1)	138441	3580 2-3/4" US10B WTN NC ASA IC	037018
3573 2-3/4" US26D WTN SCC KD ASA (REV1)	138412	3580 2-3/4" US10B WTN SCC KD ASA	000160
3573 2-3/4" US3 ARC NC ASA IC (REV1)	138448	3580 2-3/4" US26 ARC NC ASA IC	037752
3573 2-3/4" US3 ARC SCC KD ASA (REV1)	138449	3580 2-3/4" US26 ARC SCC KD ASA	000301
3573 2-3/4" US3 AUG NC ASA IC (REV1)	138450	3580 2-3/4" US26 AUG NC ASA IC	022737
3573 2-3/4" US3 AUG SCC KD ASA (REV1)	138452	3580 2-3/4" US26 AUG SCC KD ASA	027347
3573 2-3/4" US3 WTN NC ASA IC (REV1)	138453	3580 2-3/4" US26 WTN NC ASA IC	037103
3573 2-3/4" US3 WTN SCC KD ASA (REV1)	138454	3580 2-3/4" US26 WTN SCC KD ASA	000144
3573 2-3/4" US4 ARC NC ASA IC (REV1)	138455	3580 2-3/4" US26D ARC NC ASA IC	098286
3573 2-3/4" US4 ARC SCC KD ASA (REV1)	138456	3580 2-3/4" US26D ARC SCC KD ASA	000300
3573 2-3/4" US4 AUG NC ASA IC (REV1)	138457	3580 2-3/4" US26D AUG NC ASA IC	022700
3573 2-3/4" US4 AUG SCC KD ASA (REV1)	138458	3580 2-3/4" US26D AUG SCC KD ASA	027338
3573 2-3/4" US4 WTN NC ASA IC (REV1)	138459	3580 2-3/4" US26D WTN NC ASA IC	098652
3573 2-3/4" US4 WTN SCC KD ASA (REV1)	138460	3580 2-3/4" US26D WTN SCC KD ASA	000143
3579 2-3/4" US10 ARC SCC KD ASA	095564	3580 2-3/4" US3 ARC NC ASA IC	037098
3579 2-3/4" US10 AUG NC ASA IC	023240	3580 2-3/4" US3 ARC SCC KD ASA	000302
3579 2-3/4" US10 AUG SCC KD ASA	027417	3580 2-3/4" US3 AUG NC ASA IC	022615
3579 2-3/4" US10 WTN SCC KD ASA	095555	3580 2-3/4" US3 AUG SCC KD ASA	027337
3579 2-3/4" US10B ARC SCC KD ASA	095563	3580 2-3/4" US3 WTN NC ASA IC	084892
3579 2-3/4" US10B AUG NC ASA IC	023129	3580 2-3/4" US3 WTN SCC KD ASA	000154
3579 2-3/4" US10B AUG SCC KD ASA	027411	3580 2-3/4" US4 ARC NC ASA IC	086636
3579 2-3/4" US10B WTN NC ASA IC	100241	3580 2-3/4" US4 ARC SCC KD ASA	000303
3579 2-3/4" US10B WTN SCC KD ASA	095556	3580 2-3/4" US4 AUG NC ASA IC	022602
3579 2-3/4" US26 ARC SCC KD ASA	095560	3580 2-3/4" US4 AUG SCC KD ASA	027328
3579 2-3/4" US26 AUG NC ASA IC	023053	3580 2-3/4" US4 WTN NC ASA IC	037089
3579 2-3/4" US26 AUG SCC KD ASA	027410	3580 2-3/4" US4 WTN SCC KD ASA	000155
3579 2-3/4" US26 WTN SCC KD ASA	095557		
3579 2-3/4" US26D ARC NC ASA IC	098284	3580 2-3/4" US3 APL SCC KD ASA	090565
3579 2-3/4" US26D ARC SCC KD ASA	095559	3580 2-3/4" US32D APL SCC KD ASA	091101
3579 2-3/4" US26D AUG NC ASA IC	023041		
3579 2-3/4" US26D AUG SCC KD ASA	027408	3610 ADJ 2-3/8 TO 2-3/4 US10 ARC ASA	092398
3579 2-3/4" US26D WTN NC ASA IC	098285	3610 ADJ 2-3/8 TO 2-3/4 US10 AUG ASA	027301
3579 2-3/4" US26D WTN SCC KD ASA	095558	3610 ADJ 2-3/8 TO 2-3/4 US10 WTN ASA	092402
3579 2-3/4" US3 ARC SCC KD ASA	095566	3610 ADJ 2-3/8 TO 2-3/4 US10B ARC ASA	092404
3579 2-3/4" US3 AUG NC ASA IC	022986	3610 ADJ 2-3/8 TO 2-3/4 US10B AUG ASA	027299
3579 2-3/4" US3 AUG SCC KD ASA	027420	3610 ADJ 2-3/8 TO 2-3/4 US10B WTN ASA	092403
3579 2-3/4" US3 WTN SCC KD ASA	095552	3610 ADJ 2-3/8 TO 2-3/4 US26 ARC ASA	092406
3579 2-3/4" US4 ARC SCC KD ASA	095565	3610 ADJ 2-3/8 TO 2-3/4 US26 AUG ASA	027295
3579 2-3/4" US4 AUG NC ASA IC	023241	3610 ADJ 2-3/8 TO 2-3/4 US26 WTN ASA	092405
3579 2-3/4" US4 AUG SCC KD ASA	027421	3610 ADJ 2-3/8 TO 2-3/4 US26D ARC ASA	092408
3579 2-3/4" US4 WTN SCC KD ASA	095553	3610 ADJ 2-3/8 TO 2-3/4 US26D AUG ASA	027294
		3610 ADJ 2-3/8 TO 2-3/4 US26D WTN ASA	092410
3580 2-3/4" US10 ARC NC ASA IC	037088	3610 ADJ 2-3/8 TO 2-3/4 US3 ARC ASA	092416
3580 2-3/4" US10 ARC SCC KD ASA	000305	3610 ADJ 2-3/8 TO 2-3/4 US3 AUG ASA	027292
3580 2-3/4" US10 AUG NC ASA IC	022937	3610 ADJ 2-3/8 TO 2-3/4 US3 WTN ASA	092411
3580 2-3/4" US10 AUG SCC KD ASA	027351	3610 ADJ 2-3/8 TO 2-3/4 US4 ARC ASA	092418
3580 2-3/4" US10 WTN NC ASA IC	037034	3610 ADJ 2-3/8 TO 2-3/4 US4 AUG ASA	027291
		3610 ADJ 2-3/8 TO 2-3/4 US4 WTN ASA	092419



Locks - Stock Numbers

3617 US10 ARC	013176	3653 ADJ 2-3/8" TO 2-3/4" US26 AUG NC ASA IC	020621
3617 US10 AUG	027277	3653 ADJ 2-3/8" TO 2-3/4" US26 AUG SCC KD ASA	026868
3617 US10 WTN	013170	3653 ADJ 2-3/8" TO 2-3/4" US26 WTN NC ASA IC	007148
3617 US10B ARC	013175	3653 ADJ 2-3/8" TO 2-3/4" US26 WTN SCC KD ASA	092450
3617 US10B AUG	027275	3653 ADJ 2-3/8" TO 2-3/4" US26D ARC NC ASA IC	007177
3617 US10B WTN	013169	3653 ADJ 2-3/8" TO 2-3/4" US26D ARC SCC KD ASA	092443
3617 US26 ARC	013172	3653 ADJ 2-3/8" TO 2-3/4" US26D AUG NC ASA IC	020617
3617 US26 AUG	027276	3653 ADJ 2-3/8" TO 2-3/4" US26D AUG SCC KD ASA	026836
3617 US26 WTN	013166	3653 ADJ 2-3/8" TO 2-3/4" US26D WTN NC ASA IC	007138
3617 US26D ARC	013171	3653 ADJ 2-3/8" TO 2-3/4" US26D WTN SCC KD ASA	092449
3617 US26D AUG	027272	3653 ADJ 2-3/8" TO 2-3/4" US3 ARC NC ASA IC	007198
3617 US26D WTN	013165	3653 ADJ 2-3/8" TO 2-3/4" US3 ARC SCC KD ASA	092444
3617 US3 ARC	013173	3653 ADJ 2-3/8" TO 2-3/4" US3 AUG NC ASA IC	020559
3617 US3 AUG	027262	3653 ADJ 2-3/8" TO 2-3/4" US3 AUG SCC KD ASA	026788
3617 US3 WTN	013167	3653 ADJ 2-3/8" TO 2-3/4" US3 WTN NC ASA IC	007173
3617 US4 ARC	013174	3653 ADJ 2-3/8" TO 2-3/4" US3 WTN SCC KD ASA	092447
3617 US4 AUG	027278	3653 ADJ 2-3/8" TO 2-3/4" US4 ARC NC ASA IC	007197
3617 US4 WTN	013168	3653 ADJ 2-3/8" TO 2-3/4" US4 ARC SCC KD ASA	092445
		3653 ADJ 2-3/8" TO 2-3/4" US4 AUG NC ASA IC	020489
3640 ADJ 2-3/8 TO 2-3/4 US10 ARC ASA	092422	3653 ADJ 2-3/8" TO 2-3/4" US4 AUG SCC KD ASA	026834
3640 ADJ 2-3/8" TO 2-3/4" US10 AUG ASA	027238	3653 ADJ 2-3/8" TO 2-3/4" US4 WTN NC ASA IC	007162
3640 ADJ 2-3/8 TO 2-3/4 US10 WTN ASA	092421	3653 ADJ 2-3/8 TO 2-3/4 US4 WTN SCC KD ASA	092446
3640 ADJ 2-3/8 TO 2-3/4 US10B ARC ASA	092423		
3640 ADJ 2-3/8" TO 2-3/4" US10B AUG ASA	027232	3670 REV 1 ADJ 2-3/8" - 2-3/4" US10 ARC NC ASA IC	127307
3640 ADJ 2-3/8 TO 2-3/4 US10B WTN ASA	092424	3670 REV 1 ADJ 2-3/8" - 2-3/4" US10 ARC SCC KD ASA	127308
3640 ADJ 2-3/8 TO 2-3/4 US26 ARC ASA	092428	3670 REV 1 ADJ 2-3/8" - 2-3/4" US10 AUG NC ASA IC	127309
3640 ADJ 2-3/8" TO 2-3/4" US26 AUG ASA	027230	3670 REV 1 ADJ 2-3/8" - 2-3/4" US10 AUG SCC KD ASA	127310
3640 ADJ 2-3/8 TO 2-3/4 US26 WTN ASA	092427	3670 REV 1 ADJ 2-3/8" - 2-3/4" US10 WTN NC ASA IC	127311
3640 ADJ 2-3/8 TO 2-3/4 US26D ARC ASA	092429	3670 REV 1 ADJ 2-3/8 - 2-3/4 US10 WTN SCC KD ASA	127312
3640 ADJ 2-3/8" TO 2-3/4" US26D AUG ASA	027229	3670 REV 1 ADJ 2-3/8" - 2-3/4" US10B ARC NC ASA IC	127291
3640 ADJ 2-3/8 TO 2-3/4 US26D WTN ASA	092430	3670 REV 1 ADJ 2-3/8 - 2-3/4 US10B ARC SCC KD ASA	127292
3640 ADJ 2-3/8 TO 2-3/4 US3 ARC ASA	092431	3670 REV 1 ADJ 2-3/8" - 2-3/4" US10B AUG NC ASA IC	127293
3640 ADJ 2-3/8" TO 2-3/4" US3 AUG ASA	027227	3670 REV1 ADJ 2-3/8" - 2-3/4" US10B AUG SCC KD ASA	127294
3640 ADJ 2-3/8 TO 2-3/4 US3 WTN ASA	092433	3670 REV 1 ADJ 2-3/8" - 2-3/4" US10B WTN NC ASA IC	127295
3640 ADJ 2-3/8 TO 2-3/4 US4 ARC ASA	092435	3670 REV 1 ADJ 2-3/8 - 2-3/4 US10B WTN SCC KD ASA	127296
3640 ADJ 2-3/8" TO 2-3/4" US4 AUG ASA	027225	3670 REV 1 ADJ 2-3/8" - 2-3/4" US26 ARC NC ASA IC	127313
3640 ADJ 2-3/8 TO 2-3/4 US4 WTN ASA	092434	3670 REV 1 ADJ 2-3/8" - 2-3/4" US26 ARC SCC KD ASA	127314
		3670 REV 1 ADJ 2-3/8" - 2-3/4" US26 AUG NC ASA IC	127315
3653 ADJ 2-3/8" TO 2-3/4" US10 ARC NC ASA IC	007193	3670 REV 1 ADJ 2-3/8" - 2-3/4" US26 AUG SCC KD ASA	127316
3653 ADJ 2-3/8 TO 2-3/4 US10 ARC SCC KD ASA	092436	3670 REV 1 ADJ 2-3/8" - 2-3/4" US26 WTN NC ASA IC	127317
3653 ADJ 2-3/8" TO 2-3/4" US10 AUG NC ASA IC	020652	3670 REV 1 ADJ 2-3/8" - 2-3/4" US26 WTN SCC KD ASA	127318
3653 ADJ 2-3/8" TO 2-3/4" US10 AUG SCC KD ASA	026938	3670 REV 1 ADJ 2-3/8" - 2-3/4" US26D ARC NC ASA IC	127279
3653 ADJ 2-3/8" TO 2-3/4" US10 WTN NC ASA IC	007154	3670 REV 1 ADJ 2-3/8 TO 2-3/4 US26D ARC SCC KD ASA	127280
3653 ADJ 2-3/8 TO 2-3/4 US10 WTN SCC KD ASA	092439	3670 REV 1 ADJ 2-3/8" - 2-3/4" US26D AUG NC ASA IC	127281
3653 ADJ 2-3/8" TO 2-3/4" US10B ARC NC ASA IC	006959	3670 REV1 ADJ 2-3/8" - 2-3/4" US26D AUG SCC KD ASA	127282
3653 ADJ 2-3/8 TO 2-3/4 US10B ARC SCC KD ASA	092440	3670 REV 1 ADJ 2-3/8" - 2-3/4" US26D WTN NC ASA IC	127283
3653 ADJ 2-3/8" TO 2-3/4" US10B AUG NC ASA IC	020622	3670 REV 1 ADJ 2-3/8 - 2-3/4 US26D WTN SCC KD ASA	127284
3653 ADJ 2-3/8" TO 2-3/4" US10B AUG SCC KD ASA	026695	3670 REV 1 ADJ 2-3/8" - 2-3/4" US3 ARC NC ASA IC	127319
3653 ADJ 2-3/8" TO 2-3/4" US10B WTN NC ASA IC	007153	3670 REV 1 ADJ 2-3/8" - 2-3/4" US3 ARC SCC KD ASA	127320
3653 ADJ 2-3/8 TO 2-3/4 US10B WTN SCC KD ASA	092452	3670 REV 1 ADJ 2-3/8" - 2-3/4" US3 AUG NC ASA IC	127321
3653 ADJ 2-3/8" TO 2-3/4" US26 ARC NC ASA IC	007181	3670 REV 1 ADJ 2-3/8" - 2-3/4" US3 AUG SCC KD ASA	127322
3653 ADJ 2-3/8 TO 2-3/4 US26 ARC SCC KD ASA	092442	3670 REV 1 ADJ 2-3/8" - 2-3/4" US3 WTN NC ASA IC	127323
		3670 REV 1 ADJ 2-3/8" - 2-3/4" US3 WTN SCC KD ASA	127324



Locks - Stock Numbers

3670 REV 1 ADJ 2-3/8" - 2-3/4" US4 ARC NC ASA IC	127325	3710 2-3/4" US10B AUG SCC KD TEE	005316
3670 REV 1 ADJ 2-3/8" - 2-3/4" US4 ARC SCC KD ASA	127326	3710 2-3/4" US10B WTN NC TEE IC	005242
3670 REV 1 ADJ 2-3/8" - 2-3/4" US4 AUG NC ASA IC	127327	3710 2-3/4" US10B WTN SCC KD TEE	005656
3670 REV 1 ADJ 2-3/8" - 2-3/4" US4 AUG SCC KD ASA	127328	3710 2-3/4" US26 ARC NC TEE IC	005274
3670 REV 1 ADJ 2-3/8" - 2-3/4" US4 WTN NC ASA IC	127329	3710 2-3/4" US26 ARC SCC KD TEE	005355
3670 REV 1 ADJ 2-3/8" - 2-3/4" US4 WTN SCC KD ASA	127330	3710 2-3/4" US26 AUG NC TEE IC	005263
		3710 2-3/4" US26 AUG SCC KD TEE	005303
3680 REV 1 ADJ 2-3/8" - 2-3/4" US10 ARC NC ASA IC	127331	3710 2-3/4" US26 WTN NC TEE IC	005284
3680 REV 1 ADJ 2-3/8" - 2-3/4" US10 ARC SCC KD ASA	127332	3710 2-3/4" US26 WTN SCC KD TEE	005651
3680 REV 1 ADJ 2-3/8" - 2-3/4" US10 AUG NC ASA IC	127333	3710 2-3/4" US26D ARC NC TEE IC	005273
3680 REV 1 ADJ 2-3/8" - 2-3/4" US10 AUG SCC KD ASA	127334	3710 2-3/4" US26D ARC SCC KD TEE	005339
3680 REV 1 ADJ 2-3/8" - 2-3/4" US10 WTN NC ASA IC	127335	3710 2-3/4" US26D AUG NC TEE IC	005262
3680 REV 1 ADJ 2-3/8" - 2-3/4" US10 WTN SCC KD ASA	127336	3710 2-3/4" US26D AUG SCC KD TEE	005302
3680 REV 1 ADJ 2-3/8" - 2-3/4" US10B ARC NC ASA IC	127297	3710 2-3/4" US26D WTN NC TEE IC	005283
3680 REV1 ADJ 2-3/8" - 2-3/4" US10B ARC SCC KD ASA	127298	3710 2-3/4" US26D WTN SCC KD TEE	005623
3680 REV 1 ADJ 2-3/8" - 2-3/4" US10B AUG NC ASA IC	127299	3710 2-3/4" US3 ARC NC TEE IC	005282
3680 REV1 ADJ 2-3/8" - 2-3/4" US10B AUG SCC KD ASA	127300	3710 2-3/4" US3 ARC SCC KD TEE	005369
3680 REV 1 ADJ 2-3/8" - 2-3/4" US10B WTN NC ASA IC	127301	3710 2-3/4" US3 AUG NC TEE IC	005272
3680 REV1 ADJ 2-3/8" - 2/3/4" US10B WTN SCC KD ASA	127302	3710 2-3/4" US3 AUG SCC KD TEE	005336
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26 ARC NC ASA IC	127337	3710 2-3/4" US3 WTN NC TEE IC	005290
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26 ARC SCC KD ASA	127338	3710 2-3/4" US3 WTN SCC KD TEE	005684
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26 AUG NC ASA IC	127339	3710 2-3/4" US4 ARC NC TEE IC	005281
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26 AUG SCC KD ASA	127340	3710 2-3/4" US4 ARC SCC KD TEE	005368
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26 WTN NC ASA IC	127341	3710 2-3/4" US4 AUG NC TEE IC	005271
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26 WTN SCC KD ASA	127342	3710 2-3/4" US4 AUG SCC KD TEE	005335
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26D ARC NC ASA IC	127285	3710 2-3/4" US4 WTN NC TEE IC	005289
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26D ARC SCC KD ASA	127286	3710 2-3/4" US4 WTN SCC KD TEE	005680
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26D AUG NC ASA IC	127287		
3680 REV1 ADJ 2-3/8" - 2-3/4" US26D AUG SCC KD ASA	127288	3753 2-3/4" US10 ARC NC TEE IC	005444
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26D WTN NC ASA IC	127289	3753 2-3/4" US10 ARC SCC KD TEE	005594
3680 REV 1 ADJ 2-3/8" - 2-3/4" US26D WTN SCC KD ASA	127290	3753 2-3/4" US10 AUG NC TEE IC	005424
3680 REV 1 ADJ 2-3/8" - 2-3/4" US3 ARC NC ASA IC	127343	3753 2-3/4" US10 AUG SCC KD TEE	005542
3680 REV 1 ADJ 2-3/8" - 2-3/4" US3 ARC SCC KD ASA	127344	3753 2-3/4" US10 WTN NC TEE IC	005474
3680 REV 1 ADJ 2-3/8" TO 2-3/4" US3 AUG NC ASA IC	127345	3753 2-3/4" US10 WTN SCC KD TEE	005708
3680 REV 1 ADJ 2-3/8" - 2-3/4" US3 AUG SCC KD ASA	127346	3753 2-3/4" US10B ARC NC TEE IC	005442
3680 REV 1 ADJ 2-3/8" - 2-3/4" US3 WTN NC ASA IC	127347	3753 2-3/4" US10B ARC SCC KD TEE	005580
3680 REV 1 ADJ 2-3/8" - 2-3/4" US3 WTN SCC KD ASA	127348	3753 2-3/4" US10B AUG NC TEE IC	005423
3680 REV 1 ADJ 2-3/8" - 2-3/4" US4 ARC NC ASA IC	127349	3753 2-3/4" US10B AUG SCC KD TEE	005541
3680 REV 1 ADJ 2-3/8" - 2-3/4" US4 ARC SCC KD ASA	127350	3753 2-3/4" US10B WTN NC TEE IC	005468
3680 REV 1 ADJ 2-3/8" - 2-3/4" US4 AUG NC ASA IC	127351	3753 2-3/4" US10B WTN SCC KD TEE	005702
3680 REV 1 ADJ 2-3/8" - 2-3/4" US4 AUG SCC KD ASA	127352	3753 2-3/4" US26 ARC NC TEE IC	005441
3680 REV 1 ADJ 2-3/8" - 2-3/4" US4 WTN NC ASA IC	127353	3753 2-3/4" US26 ARC SCC KD TEE	005578
3680 REV 1 ADJ 2-3/8" 1 2-3/4" US4 WTN SCC KD ASA	127354	3753 2-3/4" US26 AUG NC TEE IC	005399
		3753 2-3/4" US26 AUG SCC KD TEE	005540
3710 2-3/4" US10 ARC NC TEE IC	005277	3753 2-3/4" US26 WTN NC TEE IC	005458
3710 2-3/4" US10 ARC SCC KD TEE	005365	3753 2-3/4" US26 WTN SCC KD TEE	005701
3710 2-3/4" US10 AUG NC TEE IC	005268	3753 2-3/4" US26D ARC NC TEE IC	005440
3710 2-3/4" US10 AUG SCC KD TEE	005328	3753 2-3/4" US26D ARC SCC KD TEE	005567
3710 2-3/4" US10 WTN NC TEE IC	005287	3753 2-3/4" US26D AUG NC TEE IC	005390
3710 2-3/4" US10 WTN SCC KD TEE	005663	3753 2-3/4" US26D AUG SCC KD TEE	005525
3710 2-3/4" US10B ARC NC TEE IC	005275	3753 2-3/4" US26D WTN NC TEE IC	005454
3710 2-3/4" US10B ARC SCC KD TEE	005363	3753 2-3/4" US26D WTN SCC KD TEE	115187
3710 2-3/4" US10B AUG NC TEE IC	005267	3753 2-3/4" US3 ARC NC TEE IC	005453



Locks - Stock Numbers

3753 2-3/4" US3 ARC SCC KD TEE	005610	3817 SECT 32D ARC	101388
3753 2-3/4" US3 AUG NC TEE IC	005431	3817 SECT 32D ARS	118466
3753 2-3/4" US3 AUG SCC KD TEE	005547	3817 SECT 32D WLM	101393
3753 2-3/4" US3 WTN NC TEE IC	005500	3817 SECT 32D WTN	101386
3753 2-3/4" US3 WTN SCC KD TEE	005715		
3753 2-3/4" US4 ARC NC TEE IC	005446	3827 ESC 26D ARC	101398
3753 2-3/4" US4 ARC SCC KD TEE	005598	3827 ESC 26D WLM	101399
3753 2-3/4" US4 AUG NC TEE IC	005427	3827 ESC 26D AUG	124256
3753 2-3/4" US4 AUG SCC KD TEE	005544	3827 ESC 26D WTN	101396
3753 2-3/4" US4 WTN NC TEE IC	005499	3827 ESC 32D ARC	101404
3753 2-3/4" US4 WTN SCC KD TEE	005712	3827 ESC 32D WLM	101412
		3827 ESC 32D WTN	101402
3810 ESC US26D ARC	001029	3827 SECT 26D ARC	101397
3810 ESC US26D ARB	001134	3827 SECT 26D WLM	101400
3810 ESC US26D WLM	001118	3827 SECT US26D AUG	122765
3810 ESC US26D WLB	001110	3827 SECT 26D WTN	101395
3810 ESC US26D AUG	141107	3827 SECT 32D ARC	101403
3810 ESC US26D WTN	001070	3827 SECT 32D ARS	118447
3810 ESC US26D WTB	001039	3827 SECT 32D WLM	101411
3810 ESC US32D ARC	101244	3827 SECT US32D WLS	110988
3810 ESC US32D ARS	104200	3827 SECT 32D WTN	101401
3810 ESC US32D WLM	101245	3827 SECT US32D WTS	141202
3810 ESC US32D WLS	104202		
3810 ESC US32D WTN	101242	3840 ESC US26D ARC	000999
3810 ESC US32D WTS	104198	3840 ESC US26D ARB	000997
3810 SECT US26D ARC	001035	3840 ESC US26D WLM	000992
3810 SECT US26D ARB	001094	3840 ESC US26D WLB	000987
3810 SECT US26D WLM	001132	3840 ESC US26D AUG	118525
3810 SECT US26D WLB	001113	3840 ESC US26D WTN	001023
3810 SECT US26D AUG	121368	3840 ESC US26D WTB	001022
3810 SECT US26D AUB	131854	3840 ESC US32D ARC	101339
3810 SECT US26D WTN	001078	3840 ESC US32D ARS	104206
3810 SECT US26D WTB	001050	3840 ESC US32D WLM	101340
3810 SECT US32D ARC	101243	3840 ESC US32D WLS	104208
3810 SECT US32D ARS	104199	3840 ESC US32D WTN	101337
3810 SECT US32D WLM	100652	3840 ESC US32D WTS	104204
3810 SECT US32D WLS	104201	3840 SECT US26D ARC	001000
3810 SECT US32D AUG	142537	3840 SECT US26D ARB	000998
3810 SECT US32D WTN	101241	3840 SECT US26D WLM	000994
3810 SECT US32D WTS	104197	3840 SECT US26D WLB	000988
		3840 SECT US26D AUG	122766
3817 ESC 26D ARC	101383	3840 SECT US26D WTN	001098
3817 ESC 26D WLM	101384	3840 SECT US26D WTB	001011
3817 ESC 26D WTN	101380	3840 SECT US32D ARC	101338
3817 ESC 32D ARC	101392	3840 SECT US32D ARS	104205
3817 ESC US32D ARS	143086	3840 SECT US32D WLM	100653
3817 ESC 32D WLM	101394	3840 SECT US32D WLB	104116
3817 ESC 32D WTN	101387	3840 SECT US32D WLS	104207
3817 SECT US26 AUG	123073	3840 SECT US32D AUS	140374
3817 SECT 26D ARC	101382	3840 SECT US32D AUG	131036
3817 SECT 26D WLM	101385	3840 SECT US32D WTN	101336
3817 SECT US26D AUG	122764	3840 SECT US32D WTS	104203
3817 SECT 26D WTN	101379		



Locks - Stock Numbers

3844 ESC US26D WTN	135035	3850 SECT US32D AUG FULL6 SCC KD	121583
3844 ESC US32D WTN	135357	3850 SECT US32D WTN	101230
3844 SECT US26D ARC	142322	3850 SECT US32D WTN FULL6 SCC KD	102966
3844 SECT US26D WTN	134987	3850 SECT US32D WTS	103358
3844 SECT US26D WTS	142453	3850 SECT US32D WTS FULL6 SCC KD	103359
3844 SECT US32D WTN	135355		
		3853 ESC US26D ARC REV 1	115862
3850 ESC US26D ARC	100433	3853 ESC US26D ARC FULL6 SCC KD REV 1	115630
3850 ESC US26D ARC FULL6 SCC KD	102922	3853 ESC US26D ARB REV 1	115866
3850 ESC US26D ARB	103654	3853 ESC US26D ARB FULL6 SCC KD REV 1	115867
3850 ESC US26D ARB FULL6 SCC KD	103631	3853 ESC US26D WLM REV 1	115868
3850 ESC US26D WLM	100434	3853 ESC US26D WLM FULL6 SCC KD REV 1	115631
3850 ESC US26D WLM FULL6 SCC KD	102924	3853 ESC US26D WLB REV 1	115871
3850 ESC US26D WLB	103655	3853 ESC US26D WLB FULL6 SCC KD REV 1	115872
3850 ESC US26D WLB FULL6 SCC KD	103632	3853 ESC US26D AUG FULL6 SCC KD REV 1	125154
3850 ESC US26D WTN	100432	3853 ESC US26D WTN REV 1	115873
3850 ESC US26D WTN FULL6 SCC KD	102920	3853 ESC US26D WTN FULL6 SCC KD	115632
3850 ESC US26D WTB	103656	3853 ESC US26D WTB REV 1	115875
3850 ESC US26D WTB FULL6 SCC KD	103633	3853 ESC US26D WTB FULL6 SCC KD REV 1	115876
3850 ESC US32D ARC	101236	3853 ESC US32D ARC REV 1	115878
3850 ESC US32D ARC FULL6 SCC KD	102969	3853 ESC US32D ARC FULL6 SCC KD REV 1	115880
3850 ESC US32D ARS	103657	3853 ESC US32D ARS REV 1	115881
3850 ESC US32D ARS FULL6 SCC KD	103658	3853 ESC US32D ARS FULL6 SCC KD REV 1	115882
3850 ESC US32D WLM	101239	3853 ESC US32D WLM REV 1	115883
3850 ESC US32D WLM FULL6 SCC KD	102971	3853 ESC US32D WLM FULL6 SCC KD REV 1	115885
3850 ESC US32D WLS	103659	3853 ESC US32D WLS REV 1	115890
3850 ESC US32D WLS FULL6 SCC KD	103660	3853 ESC US32D WLS FULL6 SCC KD REV 1	115891
3850 ESC US32D WTN	101232	3853 ESC US32D WTN REV 1	115892
3850 ESC US32D WTN FULL6 SCC KD	102967	3853 ESC US32D WTN FULL6 SCC KD REV 1	115894
3850 ESC US32D WTS	103746	3853 ESC US32D WTS REV 1	115895
3850 ESC US32D WTS FULL6 SCC KD	103661	3853 ESC US32D WTS FULL6 SCC KD REV 1	115896
3850 SECT US26D ARC	000965	3853 SECT US26D ARC REV 1	115900
3850 SECT US26D ARC FULL6 SCC KD	102921	3853 SECT US26D ARC FULL6 SCC KD	115902
3850 SECT US26D ARB	103340	3853 SECT US26D ARB REV 1	115903
3850 SECT US26D ARB FULL6 SCC KD	103341	3853 SECT US26D ARB FULL6 SCC KD REV 1	115904
3850 SECT US26D WLM	000959	3853 SECT US26D ARS FULL6 SCC KD (REV.1)	139693
3850 SECT US26D WLM FULL6 SCC KD	102923	3853 SECT US26D WLM REV 1	115905
3850 SECT US26D WLB	103634	3853 SECT US26D WLM FULL6 SCC KD REV 1	115633
3850 SECT US26D WLB FULL6 SCC KD	103635	3853 SECT US26D WLB REV 1	115907
3850 SECT US26D AUG	136008	3853 SECT US26D WLB FULL6 SCC KD REV 1	115908
3850 SECT US26D AUG FULL6 SCC KD	122972	3853 SECT US26D AUG REV 1	131092
3850 SECT US26D WTN	000972	3853 SECT US26D AUG FULL6 SCC KD REV.1	120892
3850 SECT US26D WTN FULL6 SCC KD	102925	3853 SECT US26D WTN REV 1	115909
3850 SECT US26D WTB	103338	3853 SECT US26D WTN FULL6 SCC KD	115634
3850 SECT US26D WTB FULL6 SCC KD	103339	3853 SECT US26D WTB REV 1	115911
3850 SECT US32D ARC	101234	3853 SECT US26D WTB FULL6 SCC KD REV 1	115912
3850 SECT US32D ARC FULL6 SCC KD	102968	3853 SECT US32D ARC REV 1	115914
3850 SECT US32D ARS	103360	3853 SECT US32D ARC FULL6 SCC KD REV 1	115916
3850 SECT US32D ARS FULL6 SCC KD	103361	3853 SECT US32D ARS REV 1	115917
3850 SECT US32D WLM	101238	3853 SECT US32D ARS FULL6 SCC KD (REV.1)	115918
3850 SECT US32D WLM FULL6 SCC KD	102970	3853 SECT US32D WLM REV 1	115919
3850 SECT US32D WLS	103662	3853 SECT US32D WLM FULL6 SCC KD REV 1	115921
3850 SECT US32D WLS FULL6 SCC KD	103663	3853 SECT US32D WLS REV 1	115922



Locks - Stock Numbers

3853 SECT US32D WLS FULL6 SCC KD REV 1	115923	3857 SECT US32D WLM FULL6 SCC KD REV 1	123995
3853 SECT US32D AUG FULL6 SCC KD REV.1	121377	3857 SECT US32D WLS REV 1	124068
3853 SECT US32D AUS REV 1	144317	3857 SECT US32D WLS FULL6 SCC KD REV 1	124069
3853 SECT US32D AUS FULL6 SCC KD REV 1	144318	3857 SECT US32D AUG FULL6 SCC KD REV 1	131477
3853 SECT US32D WTN REV 1	115924	3857 SECT US32D WTN REV 1	124070
3853 SECT US32D WTN FULL6 SCC KD REV 1	115926	3857 SECT US32D WTN FULL6 SCC KD REV 1	124071
3853 SECT US32D WTS REV 1	115927	3857 SECT US32D WTS REV 1	124072
3853 SECT US32D WTS FULL6 SCC KD REV 1	115928	3857 SECT US32D WTS FULL6 SCC KD REV 1	124073
3857 ESC US26D ARC REV 1	123411	3870 ESC US26D ARC	100370
3857 ESC US26D ARC FULL6 SCC KD REV 1	123830	3870 ESC US26D ARC FULL6 SCC KD	102930
3857 ESC US26D ARB REV 1	123832	3870 ESC US26D ARB	103700
3857 ESC US26D ARB FULL6 SCC KD REV 1	123833	3870 ESC US26D ARB FULL6 SCC KD	103642
3857 ESC US26D WLM REV 1	123840	3870 ESC US26D WLM	100374
3857 ESC US26D WLM FULL6 SCC KD REV 1	123868	3870 ESC US26D WLM FULL6 SCC KD	102932
3857 ESC US26D WLB REV 1	123869	3870 ESC US26D WLB	103701
3857 ESC US26D WLB FULL6 SCC KD REV 1	123870	3870 ESC US26D WLB FULL6 SCC KD	103644
3857 ESC US26D AUG	118526	3870 ESC US26D AUB	124409
3857 ESC US26D WTN REV 1	123871	3870 ESC US26D WTN	100365
3857 ESC US26D WTN FULL6 SCC KD REV 1	123872	3870 ESC US26D WTN FULL6 SCC KD	102928
3857 ESC US26D WTB REV 1	123873	3870 ESC US26D WTB	103702
3857 ESC US26D WTB FULL6 SCC KD REV 1	123874	3870 ESC US26D WTB FULL6 SCC KD	103645
3857 ESC US32D ARC REV 1	123875	3870 ESC US32D ARC	101187
3857 ESC US32D ARC FULL6 SCC KD REV 1	123876	3870 ESC US32D ARC FULL6 SCC KD	102937
3857 ESC US32D ARS REV 1	123879	3870 ESC US32D ARS	103703
3857 ESC US32D ARS FULL6 SCC KD REV 1	123880	3870 ESC US32D ARS FULL6 SCC KD	103704
3857 ESC US32D WLM REV 1	123881	3870 ESC US32D WLM	101191
3857 ESC US32D WLM FULL6 SCC KD REV 1	123882	3870 ESC US32D WLM FULL6 SCC KD	102939
3857 ESC US32D WLS REV 1	123932	3870 ESC US32D WLS	103705
3857 ESC US32D WLS FULL6 SCC KD REV 1	123933	3870 ESC US32D WLS FULL6 SCC KD	103706
3857 ESC US32D WTN REV 1	123935	3870 ESC US32D WTN	101182
3857 ESC US32D WTN FULL6 SCC KD REV 1	123936	3870 ESC US32D WTN FULL6 SCC KD	102934
3857 ESC US32D WTS REV 1	123937	3870 ESC US32D WTS	103707
3857 ESC US32D WTS FULL6 SCC KD REV 1	123938	3870 ESC US32D WTS FULL6 SCC KD	103708
3857 SECT US26D ARC REV 1	123939	3870 SECT US26D ARC	100368
3857 SECT US26D ARC FULL6 SCC KD REV 1	123940	3870 SECT US26D ARC FULL6 SCC KD	102929
3857 SECT US26D ARB REV 1	123941	3870 SECT US26D ARB	103332
3857 SECT US26D ARB FULL6 SCC KD REV 1	123942	3870 SECT US26D ARB FULL6 SCC KD	103333
3857 SECT US26D WLM REV 1	123980	3870 SECT US26D WLM	100372
3857 SECT US26D WLM FULL6 SCC KD REV 1	123981	3870 SECT US26D WLM FULL6 SCC KD	102931
3857 SECT US26D WLB REV 1	123982	3870 SECT US26D WLB	103646
3857 SECT US26D WLB FULL6 SCC KD REV 1	123983	3870 SECT US26D WLB FULL6 SCC KD	103647
3857 SECT US26D AUG FULL6 SCC KD REV 1	139898	3870 SECT US26D AUG	143782
3857 SECT US26D WTN REV 1	123984	3870 SECT US26D AUG FULL6 SCC KD	121680
3857 SECT US26D WTN FULL6 SCC KD REV 1	123985	3870 SECT US26D WTN	100362
3857 SECT US26D WTB REV 1	123986	3870 SECT US26D WTN FULL6 SCC KD	102927
3857 SECT US26D WTB FULL6 SCC KD REV 1	123987	3870 SECT US26D WTB	103330
3857 SECT US32D ARC REV 1	123989	3870 SECT US26D WTB FULL6 SCC KD	103331
3857 SECT US32D ARC FULL6 SCC KD REV 1	123991	3870 SECT US32D ARC	101185
3857 SECT US32D ARS REV 1	123992	3870 SECT US32D ARC FULL6 SCC KD	102936
3857 SECT US32D ARS FULL6 SCC KD REV 1	123993	3870 SECT US32D ARS	103348
3857 SECT US32D ARS ICFULL7 NC REV1	145327	3870 SECT US32D ARS FULL6 SCC KD	103357
3857 SECT US32D WLM REV 1	123994	3870 SECT US32D WLM	101189



Locks - Stock Numbers

3870 SECT US32D WLM FULL6 SCC KD	102938	3880 SECT US32D WLM FULL6 SCC KD	102988
3870 SECT US32D WLS	103709	3880 SECT US32D WLS	103720
3870 SECT US32D WLS FULL6 SCC KD	103710	3880 SECT US32D WLS FULL6 SCC KD	103721
3870 SECT US32D WTN	101181	3880 SECT US32D AUG FULL6 SCC KD	124258
3870 SECT US32D WTN FULL6 SCC KD	102933	3880 SECT US32D WTN	101341
3870 SECT US32D WTS	103346	3880 SECT US32D WTN FULL6 SCC KD	102984
3870 SECT US32D WTS FULL6 SCC KD	103347	3880 SECT US32D WTS	103353
		3880 SECT US32D WTS FULL6 SCC KD	103354
3880 ESC US26D ARC	100447		
3880 ESC US26D ARC FULL6 SCC KD	102981	3881 ESC US26D ARC REV 1	115636
3880 ESC US26D ARB	103711	3881 ESC US26D ARC FULL6 SCC KD REV 1	115637
3880 ESC US26D ARB FULL6 SCC KD	103648	3881 ESC US26D ARB REV 1	115638
3880 ESC US26D WLM	100444	3881 ESC US26D ARB FULL6 SCC KD REV 1	115640
3880 ESC US26D WLM FULL6 SCC KD	102983	3881 ESC US26D WLM REV 1	115641
3880 ESC US26D WLB	103712	3881 ESC US26D WLM FULL6 SCC KD REV 1	115642
3880 ESC US26D WLB FULL6 SCC KD	103649	3881 ESC US26D WLB REV 1	115643
3880 ESC US26D AUG	118527	3881 ESC US26D WLB FULL6 SCC KD REV 1	115645
3880 ESC US26D AUG FULL6 SCC KD	136173	3881 ESC US26D AUB REV 1	146081
3880 ESC US26D WTN	100446	3881 ESC US26D WTN REV 1	115646
3880 ESC US26D WTN FULL6 SCC KD	102979	3881 ESC US26D WTN FULL6 SCC KD REV 1	115647
3880 ESC US26D WTB	103713	3881 ESC US26D WTB REV 1	115648
3880 ESC US26D WTB FULL6 SCC KD	103650	3881 ESC US26D WTB FULL6 SCC KD REV 1	115649
3880 ESC US32D ARC	101347	3881 ESC US32D ARC REV 1	115650
3880 ESC US32D ARC FULL6 SCC KD	102987	3881 ESC US32D ARC FULL6 SCC KD REV 1	115651
3880 ESC US32D ARS	103714	3881 ESC US32D ARS REV 1	115652
3880 ESC US32D ARS FULL6 SCC KD	103715	3881 ESC US32D ARS FULL6 SCC KD REV 1	115653
3880 ESC US32D WLM	101350	3881 ESC US32D WLM REV 1	115654
3880 ESC US32D WLM FULL6 SCC KD	102989	3881 ESC US32D WLM FULL6 SCC KD REV 1	115655
3880 ESC US32D WLS	103716	3881 ESC US32D WLS REV 1	115681
3880 ESC US32D WLS FULL6 SCC KD	103717	3881 ESC US32D WLS FULL6 SCC KD REV 1	115682
3880 ESC US32D WTN	101343	3881 ESC US32D WTN REV 1	115683
3880 ESC US32D WTN FULL6 SCC KD	102985	3881 ESC US32D WTN FULL6 SCC KD REV 1	115684
3880 ESC US32D WTS	103718	3881 ESC US32D WTS REV 1	115685
3880 ESC US32D WTS FULL6 SCC KD	103719	3881 ESC US32D WTS FULL6 SCC KD REV 1	115686
3880 SECT US26D ARC	100438	3881 SECT US26D ARC REV 1	115687
3880 SECT US26D ARC FULL6 SCC KD	102980	3881 SECT US26D ARC FULL6 SCC KD REV 1	115689
3880 SECT US26D ARB	103344	3881 SECT US26D ARB REV 1	115690
3880 SECT US26D ARB FULL6 SCC KD	103345	3881 SECT US26D ARB FULL6 SCC KD REV 1	115691
3880 SECT US26D WLM	100441	3881 SECT US26D WLM REV 1	115692
3880 SECT US26D WLM FULL6 SCC KD	102982	3881 SECT US26D WLM FULL6 SCC KD REV 1	115693
3880 SECT US26D WLB	103651	3881 SECT US26D WLB REV 1	115694
3880 SECT US26D WLB FULL6 SCC KD	103652	3881 SECT US26D WLB FULL6 SCC KD REV 1	115695
3880 SECT US26D AUG	122767	3881 SECT US26D AUG REV.1	123601
3880 SECT US26D AUG FULL6 SCC KD	121692	3881 SECT US26D AUG FULL6 SCC KD REV 1	130006
3880 SECT US26D WTN	100435	3881 SECT US26D WTN REV 1	115696
3880 SECT US26D WTN FULL6 AR1 KD	109917	3881 SECT US26D WTN FULL6 SCC KD REV 1	115697
3880 SECT US26D WTB	103342	3881 SECT US26D WTB REV 1	115763
3880 SECT US26D WTB FULL6 SCC KD	103343	3881 SECT US26D WTB FULL6 SCC KD REV 1	115764
3880 SECT US32D ARC	101345	3881 SECT US3 WTN REV. 1	128042
3880 SECT US32D ARC FULL6 SCC KD	102986	3881 SECT US3 WTN FULL6 SCC KD REV 1	136709
3880 SECT US32D ARS	103355	3881 SECT US32D ARC REV 1	115765
3880 SECT US32D ARS FULL6 SCC KD	103356	3881 SECT US32D ARC FULL6 SCC KD REV 1	115766
3880 SECT US32D WLM	101349	3881 SECT US32D ARS REV 1	115767



Locks - Stock Numbers

3881 SECT US32D ARS FULL6 SCC KD REV 1	115768
3881 SECT US32D WLM REV 1	115769
3881 SECT US32D WLM FULL6 SCC KD REV 1	115770
3881 SECT US32D WLS REV 1	115771
3881 SECT US32D WLS FULL6 SCC KD REV 1	115772
3881 SECT US32D AUG FULL6 SCC KD REV 1	146044
3881 SECT US32D WTN REV 1	115773
3881 SECT US32D WTN FULL6 SCC KD REV 1	115774
3881 SECT US32D WTS REV 1	115775
3881 SECT US32D WTS FULL6 SCC KD REV 1	115776
3901 US10 7PCYL H1 KD 7PKEY	165023
3901 US10B 7PCYL H1 KD 7PKEY	165024
3901 US26 7PCYL H1 KD 7PKEY	165021
3901 US26D 7PCYL H1 KD 7PKEY	165019
3901 US3 7PCYL H1 KD 7PKEY	165022
3901 US4 7PCYL H1 KD 7PKEY	165020
3902 1-1/8" US10 7PCYL H1 KD 7PKEY	165035
3902 1-1/8" US26 7PCYL H1 KD 7PKEY	165033
3902 1-1/8" US26D 7PCYL H1 KD 7PKEY	165031
3902 1-1/8" US4 7PCYL H1 KD 7PKEY	165032
3902 1-1/4" US10 7PCYL H1 KD 7PKEY	165063
3902 1-1/4" US10B 7PCYL H1 KD 7PKEY	165064
3902 1-1/4" US26 7PCYL H1 KD 7PKEY	165061
3902 1-1/4" US26D 7PCYL H1 KD 7PKEY	165059
3902 1-1/4" US3 7PCYL H1 KD 7PKEY	165062
3902 1-1/4" US4 7PCYL H1 KD 7PKEY	165060
3906 US26D H1 KD 7PKEY	164999
3907 H1 KEY BLANK	165065
3908 H1 KD	165068
3908 H1 CNTR IC7	170471
3908 H1 CHG IC7	170473
3909 US26D H1 UNC IC7	165005
3909 US4 H1 UNC IC7	165006
3969 US26D H1 KD IC7	170853
3969 US4 H1 KD IC7	170860



Door Controls

TABLE OF CONTENTS

A

Arms, 5100 Series

Main Arm Assembly.....	4
Extra Heavy Duty Parallel.....	4
Extra Heavy Duty Hold Open	5
Extra Heavy Duty Stop	5
Extra Heavy Duty Hold Open Stop	6
Extra Heavy Duty Hold Open Cushion Stop	6
Extra Heavy Duty Cushion Stop	6
Standard Hold Open	4

Arms, 5200 Series

Main Arm Assembly.....	8
Extra Heavy Duty Hold Open Cushion Stop	10
Extra Heavy Duty Cushion Stop	10
Extra Heavy Duty.....	9
Extra Heavy Duty Hold Open	9
Extra Heavy Duty Hold Open Stop	9
Extra Heavy Duty Stop	9
Standard Hold Open	8

Arms, 5300 Series

Main Arm Assembly.....	12
Extra Heavy Duty.....	13
Extra Heavy Duty Hold Open	13
Extra Heavy Duty Hold Open Stop	13
Extra Heavy Duty Stop	13
Extra Heavy Duty Hold Open Cushion Stop	14
Extra Heavy Duty Cushion Stop	14
Standard Hold Open	12

Arms, 5400 Series

Main Arm Assembly.....	16
------------------------	----

B

Blade Stop Spacer

5100 Series	5
5200 Series	9
5300 Series	13
5400 Series	16

Body Only

5100 Series, Cast Iron.....	4
5200 Series, Aluminum.....	8
5300 Series, Aluminum.....	12
5400 Series, Aluminum.....	15

Brackets

Extra Clearance, 5100 Series	5
Extra Clearance, 5200 Series	10
Extra Clearance, 5300 Series	14

Extra Heavy Duty Parallel Arm, 5100 Series.....	5
Hold Open/Parallel Arm, 5200 Series	9
Hold Open/Parallel Arm, 5300 Series	13
Parallel Arm, 5100 Series.....	5
Parallel Arm, 5200 Series.....	8
Parallel Arm, 5300 Series.....	12
Parallel Arm, 5400 Series.....	16

C

Closers

5100 Series, Grade 1	3
5200 Series, Grade 1	7
5300 Series, Grade 1	11
5400 Series, Grade 2	15

Covers

5100 Series, Full Plastic.....	4
5100 Series, Metal	6
5200 Series, Full Plastic.....	8
5200 Series, Slim Line Plastic.....	10
5200 Series, Metal	10
5300 Series, Full Plastic.....	12

D

Drop Plates

5100 Series, Regular Arm	4
5100 Series, Low Clearance	5
5100 Series, Parallel Arm.....	4
5100 Series, Top Jamb.....	5
5200 Series, Top Jamb, Narrow Top Rail	9
5200 Series, Narrow Top Rail	10
5200 Series, Top Jamb, Parallel Arm	10
5200 Series, Parallel Arm.....	10
5300 Series, Narrow Rail, Parallel Arm.....	14
5300 Series, Low Clearance.....	14
5300 Series, OH Holder, Narrow.....	13

E

Electromagnetic Door Holders & Accessories

Accessories	18
Floor Mount (Double Door)	17
Floor Mount (Single Door)	17
Flush Mount	17
Recessed Mount.....	17
Surface Mount.....	17

H

High Security Package.....	3
How To Order	2

L

Lead Times	2
Long Rod and Shoe, 5100 Series.....	5



Door Controls

Long Rod and Shoe, 5200 Series.....	9	S
Long Rod and Shoe, 5300 Series.....	13	Screw Packs
		5100 Series 4- 6
		5200 Series 8
		5300 Series 12-13
		5400 Series 16
		Spring Cushion Kit 6, 10, 14
Overhead Stops and Holders.....	19-26	T
		Track Arms
		5100 Series 3
		5200 Series 7
		5300 Series 11
Parallel Arm Support, 5100 Series.....	5	
Pinion Cap		
5200 Series.....	9	
5300 Series.....	12	
5400 Series.....	16	
		Q
Quick Ship.....	2	

INTRODUCTION

Hager door controls offer architects, contractors, and building owners a superior product with proven reliability. In fact, our 5100, 5200, and 5300 Series Grade 1 models are the only closers in the industry that are both BHMA certified and backed by a lifetime warranty. That makes them a no-risk choice for virtually any building type.

With Hager, you get door controls that are packaged with everything needed for quick installation, regardless of the application. Hager door closers are tri-packed for mounting three ways: parallel arm, regular arm, and top jamb. They are non-handed, packaged with a parallel arm bracket and thru-bolts at no extra charge, and adjustable for various door sizes.

Quick Ship

The items throughout this price book that have prices in **bold and red** are items included in the Hager Quick Ship Program and ship in three days or less. When ordering these products, please visit www.hagerco.com and click on 'Quick Ship' in the footer. You will be prompted to log in with your My Hager account name and password and then you may begin ordering.

Lead Times

Stock orders will typically ship within 5-10 business days and the anticipated ship date will be included with each order acknowledgement. Made to order products will typically ship within 10 business days depending on seasonal volume and order complexity. Special orders including industrials, special machining, and large quantities will need to be scheduled. Please contact our customer service for details. Made to order products requiring special finishes may take longer depending on the quantity and capacity. Please contact our customer service for details. Lead times are quoted from the time our manufacturing facilities receive the placed orders.

HOW TO ORDER

Example: 5100 TRK ADJ 1-6 ALM HOTA Stock Number: 166337 Item Number: 5100K16ALMV

5100

Product Group
5100-Cast Iron, Grade 1

TRK

Mount
TRK- Track Arm Mount

1-6

Size
1-6 Adjustable

ALM

Finish
ALM- Sprayed
Aluminum

HOTA

Arm Options
Hold Open/
Stop Track Arm

FC

Covers
FC- Full Cover

SX1G

Fastener Options
SX1G - Sex Bolts for
1-3/8" Door



Door Controls - 5100 Series



Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
5100 Series	ALM	294.90	126470	4	1
Grade 1	BRZ	294.90	126473		
Adjustable sizes 1-6	DBZ	294.90	126472		
	GOL	294.90	126474		

ADA (Barrier Free) Door Closers:

Any certified BHMA/ANSI A156.4 door closer, regardless of manufacturer, that is installed and adjusted based on ADA or other reduced opening force requirements may not provide sufficient power to reliably close and latch a door.

If arms are ordered separately, there will be a significant difference in price than if purchased with a closer as a complete assembly. Adders are listed below. Add the list price of the option to the list price of the closer and take standard discounts.

Delayed Action Valve	16.10
Lead Lined Cover	101.25
5106 Extra Heavy Duty Arm	43.80
5107 Standard Hold Open Arm	35.55
5108 Extra Heavy Duty Hold Open Arm	43.80
5125 Extra Heavy Duty Stop Arm	43.80
5954 Extra Heavy Duty Hold Open Cushion Stop Arm	171.10
5955 Extra Heavy Duty Cushion Stop Arm	147.10
5961 Extra Heavy Duty Hold Open Stop Arm	87.40
Check with factory for pricing and availability of plated products.	POA

Additional Quick Ship Items:

5100 Series 1-6 Closer, 5106 extra heavy duty arm, plastic cover	ALM	338.70	130952
5100 Series 1-6 Closer, 5107 hold open arm, plastic cover	ALM	330.45	126475
5100 Series 1-6 Closer, 5125 extra heavy duty stop arm, plastic cover	ALM	338.70	130961
5100 Series 1-6 Closer, 5961 extra heavy duty hold open stop arm, plastic cover	ALM	382.30	130958

5100M16ALMOMOX

5100 Series High Security Package

Package contains:

Closer, main arm assembly, parallel arm bracket, standard screw pack, SNB screw pack, torx screw pack and painted metal cover.

5100 Series Door Closers with Track Arms must be ordered as a complete package.



5100 Closer w/ Non Hold Open Stop Track Arm	ALM	335.80	166331	10	1
	BRZ	335.80	166352		
	DBZ	335.80	166332		
	GOL	335.80	166353		

5100 Closer w/ Hold Open Stop Track Arm	ALM	348.15	166337	10	1
	BRZ	348.15	166219		
	DBZ	348.15	166338		
	GOL	348.15	167220		



5100 Closer w/ Double Egress Non Hold Open Stop Track Arm	ALM	362.60	166344	10	1
	BRZ	362.60	167235		
	DBZ	362.60	166345		
	GOL	362.60	167236		

5100 Closer w/ Double Egress Hold Open Stop Track Arm	ALM	374.95	166348	10	1
	BRZ	374.95	167239		
	DBZ	374.95	166349		
	GOL	374.95	167240		







Door Controls - 5100 Series



Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
5101 5100 Series Closer Body Only Adjustable sizes 1-6	ALM	222.90	148803	4	1
	BRZ	222.90	148805		
	DBZ	222.90	148804		
	GOL	222.90	148806		
5102 Full Plastic Cover 5100 Series	ALM	15.55	089003	25	1
	BRZ	15.55	088988		
	DBZ	15.55	088928		
	GOL	15.55	088730		
5103 Main Arm Assembly 5100 Series	ALM	30.90	072038	8	1
	BRZ	30.90	071384		
	DBZ	30.90	071378		
	GOL	30.90	071297		
5104 Standard Screw Pack 5100 Series	ALM	8.70	087683	80	1
	BRZ	8.70	087619		
	DBZ	8.70	087607		
	GOL	8.70	087089		
5106 Extra Heavy Duty Parallel Arm 5100 Series	ALM	84.70	071612	10	1
	BRZ	84.70	071144		
	DBZ	84.70	071129		
	GOL	84.70	071121		
5107 Standard Hold Open Arm 5100 Series	ALM	65.90	065492	10	1
	BRZ	65.90	065430		
	DBZ	65.90	065429		
	GOL	65.90	065422		
5108 Extra Heavy Duty Hold Open Arm 5100 Series Specify handing when ordering.	ALM	84.70	072742	10	1
	BRZ	84.70	071054		
	DBZ	84.70	071053		
	GOL	84.70	070883		
5109 Drop Plate - Regular Arm Mount w/ Screws 5100 Series	ALM	38.55	062245	10	1
	BRZ	38.55	062028		
	DBZ	38.55	061745		
	GOL	38.55	061741		
5110 Drop Plate - Parallel Arm Mount w/ Screws 5100 Series	ALM	38.55	061739	10	1
	BRZ	38.55	061735		
	DBZ	38.55	061726		
	GOL	38.55	061725		



Door Controls - 5100 Series

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
	5111 Heavy Duty Parallel Arm Bracket 5100 Series	ALM	15.55	061676	10	1
		BRZ	15.55	061506		
		DBZ	15.55	061432		
		GOL	15.55	061423		
	5112 Long Rod and Shoe 5100 Series For door reveals between 3" - 5".	ALM	15.55	098370	10	1
		BRZ	15.55	097617		
		DBZ	15.55	095821		
		GOL	15.55	095735		
	5113 Blade Stop Spacer	ALM	23.20	095278	15	1
		BRZ	23.20	095276		
		DBZ	23.20	094728		
		GOL	23.20	094438		
	5114 Drop Plate Low Clearance Top Jamb Mount w/ Screws 5100 Series	ALM	38.55	036332	10	1
		BRZ	38.55	036326		
		DBZ	38.55	036325		
		GOL	38.55	036292		
	5115 Drop Plate Top Jamb Mount w/ Screws 5100 Series	ALM	38.55	023471	10	1
		BRZ	38.55	036431		
		DBZ	38.55	036430		
		GOL	38.55	036380		
	5125 Extra Heavy Duty Stop Arm 5100 Series Can be combined with 5950, spring cushion kit.	ALM	84.70	120769	10	1
		BRZ	84.70	120770		
		DBZ	84.70	120771		
		GOL	84.70	120772		
	5909 Parallel Arm Bracket 5100 Series	ALM	7.85	063220	20	1
		BRZ	7.85	063101		
		DBZ	7.85	063100		
		GOL	7.85	063078		
	5935 2" Extra Clearance Bracket 5100 Series	ALM	20.40	129572	36	6
		BRZ	20.40	129574		
		DBZ	20.40	129575		
		GOL	20.40	129576		
	5940 SNB Screw Pack, 1-3/4" Door 5100 Series	ALM	8.70	104380	200	1
		BRZ	8.70	104381		
		DBZ	8.70	104382		
		GOL	8.70	104383		



Door Controls - 5100 Series

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
	5941	ALM	8.70	104384	200	1
	SNB Screw Pack, 1-3/8" Door	BRZ	8.70	104385		
	5100 Series	DBZ	8.70	104386		
		GOL	8.70	104387		
	5942	ALM	8.70	104388	200	1
	SNB Screw Pack, 2" Door	BRZ	8.70	104389		
	5100 Series	DBZ	8.70	104390		
		GOL	8.70	104391		
	5943	ALM	8.70	104392	200	1
	SNB Screw Pack, 2-1/4" Door	BRZ	8.70	104393		
	5100 Series	DBZ	8.70	104394		
		GOL	8.70	104395		
	5946	ALM	26.80	148410	1000	1
	Tamper Resistant Torx Screwpack					
	Sex Nuts and Bolts for 1-3/4" (44mm) doors					
	5100 Series Only					
	5950	ALM	113.65	118353	10	1
	Spring Cushion Kit	BRZ	113.65	120777		
	5100/5200/5300 Series	DBZ	113.65	120779		
		GOL	113.65	120780		
	5954	ALM	237.65	118337	10	1
	Extra Heavy Duty	BRZ	237.65	118338		
	Hold-Open Cushion Stop Arm	DBZ	237.65	118339		
	5100 Series	GOL	237.65	118340		
	Includes 5961 and 5950.					
	5955	ALM	204.50	118341	10	1
	Extra Heavy Duty Cushion Stop Arm	BRZ	204.50	118342		
	5100 Series	DBZ	204.50	118343		
	Includes 5125 and 5950.	GOL	204.50	118344		
	5961	ALM	169.15	120764	10	1
	Extra Heavy Duty Hold Open Stop Arm	BRZ	169.15	120765		
	Can be combined with 5950, spring cushion kit.	DBZ	169.15	120767		
		GOL	169.15	120768		
	5962					
	5100 Series	US3	188.80	069551	25	1
	Plated Metal Cover-Check with factory for availability	US26	188.80	069550		
		US26D	188.80	069798		
	Painted Metal Cover	ALM	35.05	144034		



Door Controls - 5200 Series



Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
5200 Series	ALM	217.90	126476	6	1
Grade 1	BRZ	217.90	126478		
Adjustable sizes 1-6	DBZ	217.90	126477		
	GOL	217.90	126479		

ADA (Barrier Free) Door Closers:

Any certified BHMA/ANSI A156.4 door closer, regardless of manufacturer, that is installed and adjusted based on ADA or other reduced opening force requirements may not provide sufficient power to reliably close and latch a door.

For slim line cover, please order with suffix "SL."

If arms are ordered separately, there will be a significant difference in price than if purchased with a closer as a complete assembly.

Adders are listed below. Add the list price of the option to the list price of the closer and take standard discounts.

Delayed Action Valve	16.10
Lead Lined Cover	101.25
5207 Standard Hold Open Arm	35.55
5906 Extra Heavy Duty Hold Open Stop Arm	87.40
5907 Extra Heavy Duty Stop Arm	43.80
5911 Extra Heavy Duty Arm	43.80
5912 Extra Heavy Duty Hold Open Arm	43.80
5956 Extra Heavy Duty Hold Open Cushion Stop Arm	171.10
5957 Extra Heavy Duty Cushion Stop Arm	147.10
Check with factory for pricing and availability of plated products.	POA

Additional Quick Ship Items:

5200 Series 1-6 Closer, 5203 tri-pack arm, slim line plastic cover	ALM	217.90	145551
5200 Series 1-6 Closer, 5207 hold open arm, plastic cover	ALM	253.45	145539
5200 Series 1-6 Closer, 5207 hold open arm, plastic cover	DBZ	253.45	145541
5200 Series 1-6 Closer, 5906 extra heavy duty hold open stop arm, plastic cover	ALM	305.30	145552
5200 Series 1-6 Closer, 5906 extra heavy duty hold open stop arm, plastic cover	DBZ	305.30	145557
5200 Series 1-6 Closer, 5907 extra heavy duty stop arm, plastic cover	ALM	261.70	145560
5200 Series 1-6 Closer, 5907 extra heavy duty stop arm, plastic cover	DBZ	261.70	145562

5200 Series Door Closers with Track Arms must be ordered as a complete package.



5200 Closer w/ Non Hold Open Stop Track Arm	ALM	259.60	166333	10	1
	BRZ	259.60	166354		
	DBZ	259.60	166334		
	GOL	259.60	167045		
5200 Closer w/ Hold Open Stop Track Arm	ALM	271.95	166339	10	1
	BRZ	271.95	167223		
	DBZ	271.95	166334		
	GOL	271.95	137224		
5200 Closer w/ Double Egress Non Hold Open Stop Track Arm	ALM	298.70	166350	10	1
	BRZ	298.70	167241		
	DBZ	298.70	166351		
	GOL	298.70	167242		
5200 Closer w/ Double Egress Hold Open Stop Track Arm	ALM	286.35	166346	10	1
	BRZ	286.35	167237		
	DBZ	286.35	166347		
	GOL	286.35	167238		



Door Controls - 5200 Series

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
	5201 5200 Series Closer Body Only Adjustable sizes 1-6	ALM	153.75	148807	6	1
		BRZ	153.75	148809		
		DBZ	153.75	148808		
		GOL	153.75	148810		
	5202 Full Plastic Cover 5200 Series	ALM	15.55	088651	25	1
		BRZ	15.55	088532		
		DBZ	15.55	088355		
		GOL	15.55	088343		
	5203 Main Arm Assembly 5200 Series	ALM	30.90	071694	8	1
		BRZ	30.90	071296		
		DBZ	30.90	070681		
		GOL	30.90	071271		
	5204 Standard Screw Pack 5200 Series	ALM	8.70	072358	80	1
		BRZ	8.70	072236		
		DBZ	8.70	072228		
		GOL	8.70	070684		
	5207 Standard Hold Open Arm 5200 Series If ordered separately, 5914 needed for parallel mount.	ALM	67.80	073733	10	1
		BRZ	67.80	073717		
		DBZ	67.80	073703		
		GOL	67.80	073699		
	5900 Parallel Arm Bracket 5200/5300/5400 Series	ALM	7.85	099140	120	1
		BRZ	7.85	099138		
		DBZ	7.85	099135		
		GOL	7.85	099134		
	5902 SNB Screw Pack, 1-3/4" Door 5200/5300/5400 Series	ALM	8.70	009129	200	1
		BRZ	8.70	009128		
		DBZ	8.70	009127		
		GOL	8.70	009126		
	5903 SNB Screw Pack, 1-3/8" Door 5200/5300/5400 Series	ALM	8.70	099125	200	1
		BRZ	8.70	099124		
		DBZ	8.70	099123		
		GOL	8.70	099122		
	5904 SNB Screw Pack, 2" Door 5200/5300/5400 Series	ALM	8.70	009921	200	1
		BRZ	8.70	099118		
		DBZ	8.70	099117		
		GOL	8.70	099116		
	5905 SNB Screw Pack, 2-1/4" Door 5200/5300/5400 Series	ALM	8.70	099115	200	1
		BRZ	8.70	099114		
		DBZ	8.70	099113		
		GOL	8.70	099112		



Door Controls - 5200 Series

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
	5906	ALM	169.15	014583	10	1
	Extra Heavy Duty Hold Open Stop Arm	BRZ	169.15	014582		
	5200/5300 Series	DBZ	169.15	014578		
	Can be combined with 5950, spring cushion kit.	GOL	169.15	014570		
	5907	ALM	84.70	014595	10	1
	Extra Heavy Duty Stop Arm	BRZ	84.70	014591		
	5200/5300 Series	DBZ	84.70	014587		
	Can be combined with 5950, spring cushion kit.	GOL	84.70	014586		
	5908	ALM	15.55	035989	25	1
	Long Rod and Shoe	BRZ	15.55	035988		
	5200/5300 Series	DBZ	15.55	035941		
		GOL	15.55	035929		
	5911	ALM	84.70	073657	10	1
	Extra Heavy Duty Arm	BRZ	84.70	073656		
	5200/5300 Series	DBZ	84.70	073607		
		GOL	84.70	073487		
	5912	ALM	84.70	073446	10	1
	Extra Heavy Duty Hold Open Arm	BRZ	84.70	073317		
	5200/5300 Series	DBZ	84.70	073347		
	Specify handing when ordering.	GOL	84.70	073283		
	5913	ALM	23.20	073268	15	1
	Blade Stop Spacer	BRZ	23.20	073244		
	5200/5300/5400 Series	DBZ	23.20	073076		
		GOL	23.20	073074		
	5914	ALM	15.55	072936	60	1
	Hold Open Arm Bracket	BRZ	15.55	072905		
	5200/5300 Series	DBZ	15.55	072907		
	For standard hold-open arm.	GOL	15.55	072814		
	5918	ALM	38.55	072262	10	1
	Drop Plate - Top Jamb	BRZ	38.55	072242		
	Narrow Top Rail w/ Mounting Screws	DBZ	38.55	072248		
	5200 Series	GOL	38.55	072241		
	5919	ALM	1.70	072138	20	1
	Pinion Cap	BRZ	1.70	070989		
	5200 Series	DBZ	1.70	070987		
		GOL	1.70	070984		



Door Controls - 5200 Series

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
	5920 Slim Line Plastic Cover 5200 Series	ALM	15.55	070962	18	1
		BRZ	15.55	070859		
		DBZ	15.55	070987		
		GOL	15.55	070984		
	5921 Drop Plate Narrow Top Rail w/ Mounting Screws 5200 Series For use with full cover.	ALM	38.55	033996	10	1
		BRZ	38.55	033994		
		DBZ	38.55	033980		
		GOL	38.55	033979		
	5922 Drop Plate - Top Jamb Parallel Arm with Mounting Screws 5200 Series For use with slim line or no cover.	ALM	38.55	033957	10	1
		BRZ	38.55	033943		
		DBZ	38.55	033941		
		GOL	38.55	033940		
	5923 Drop Plate Parallel Arm with Mounting Screws 5200 Series For use with full cover.	ALM	38.55	033947	10	1
		BRZ	38.55	033936		
		DBZ	38.55	033934		
		GOL	38.55	033929		
	5932 Plated Metal Cover- Check with factory for availability 5200 Series	US3	153.75	069525	25	1
		US26	153.75	069524		
		US26D	153.75	069533		
	5936 Extra Clearance Bracket 5200/5300 Series	ALM	20.40	129577	48	8
		BRZ	20.40	129578		
		DBZ	20.40	129579		
		GOL	20.40	129580		
	5950 Spring Cushion Kit 5100/5200/5300 Series	ALM	113.65	118353	10	1
		BRZ	113.65	120777		
		DBZ	113.65	120779		
		GOL	113.65	120780		
	5956 Extra Heavy Duty Hold Open Cushion Stop Arm 5200/5300 Series Includes 5906 and 5950.	ALM	237.65	118345	10	1
		BRZ	237.65	118346		
		DBZ	237.65	118347		
		GOL	237.65	118348		
	5957 Extra Heavy Duty Cushion Stop Arm 5200/5300 Series Includes 5907 and 5950.	ALM	204.50	118349	10	1
		BRZ	204.50	118350		
		DBZ	204.50	118351		
		GOL	204.50	118352		



Door Controls - 5300 Series



Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
5300 Series	ALM	179.35	145672	6	1
Grade 1	BRZ	179.35	145673		
Adjustable sizes 1-6	DBZ	179.35	145674		
	GOL	179.35	145675		

ADA (Barrier Free) Door Closers:

Any certified BHMA/ANSI A156.4 door closer, regardless of manufacturer, that is installed and adjusted based on ADA or other reduced opening force requirements may not provide sufficient power to reliably close and latch a door.

If arms are ordered separately, there will be a significant difference in price than if purchased with a closer as a complete assembly. Adders are listed below. Add the list price of the option to the list price of the closer and take standard discounts.

Delayed Action Valve	16.10
Lead Lined Cover	101.25
5307 Standard Hold Open Arm	35.55
5906 Extra Heavy Duty Hold Open Stop Arm	87.40
5907 Extra Heavy Duty Stop Arm	43.80
5911 Extra Heavy Duty Arm	43.80
5912 Extra Heavy Duty Hold Open Arm	43.80
5956 Extra Heavy Duty Hold Open Cushion Stop Arm	171.10
5957 Extra Heavy Duty Cushion Stop Arm	147.10
Check with factory for pricing and availability of plated products.	POA

Additional Quick Ship Items:

5300 Series 1-6 Closer, 5307 hold open arm, plastic cover	ALM	214.90	145676
5300 Series 1-6 Closer, 5307 hold open arm, plastic cover	DBZ	214.90	145678
5300 Series 1-6 Closer, 5906 extra heavy duty hold open stop arm, plastic cover	ALM	266.75	145681
5300 Series 1-6 Closer, 5906 extra heavy duty hold open stop arm, plastic cover	DBZ	266.75	145683
5300 Series 1-6 Closer, 5907 extra heavy duty stop arm, plastic cover	ALM	223.15	145686
5300 Series 1-6 Closer, 5907 extra heavy duty stop arm, plastic cover	DBZ	223.15	145687

5300 Series Door Closers with Track Arms must be ordered as a complete package.



5300 Closer w/ Non Hold Open Stop Track Arm	ALM	221.45	166331	10	1
	BRZ	221.45	166352		
	DBZ	221.45	166332		
	GOL	221.45	166353		
5300 Closer w/ Hold Open Stop Track Arm	ALM	232.80	166337	10	1
	BRZ	232.80	166219		
	DBZ	232.80	166338		
	GOL	232.80	167220		



Door Controls - 5300 Series

	Description	Finish	2015 List	Stock No.	Case	Box
					Qty.	Qty.
	5301	ALM	115.40	148811	6	1
	Closer Body Only	BRZ	115.40	148813		
	Adjustable sizes 1-6	DBZ	115.40	148812		
		GOL	115.40	148814		
	5302	ALM	15.55	088207	25	1
	Full Plastic Cover	BRZ	15.55	087873		
	5300 Series	DBZ	15.55	087843		
		GOL	15.55	087785		
	5303	ALM	30.90	071270	8	1
	Main Arm Assembly	BRZ	30.90	071255		
	5300 Series	DBZ	30.90	071254		
		GOL	30.90	071234		
	5304	ALM	8.70	072356	80	1
	Standard Screw Pack	BRZ	8.70	072210		
	5300 Series	DBZ	8.70	072180		
		GOL	8.70	072174		
	5307	ALM	67.80	073681	10	1
	Standard Hold Open Arm	BRZ	67.80	073680		
	5300 Series	DBZ	67.80	073677		
	If ordered separately, 5914 needed for parallel mount.	GOL	67.80	073660		
	5900	ALM	7.85	099140	120	1
	Parallel Arm Bracket	BRZ	7.85	099138		
	5200/5300/5400 Series	DBZ	7.85	099135		
		GOL	7.85	099134		
	5901	ALM	1.70	099133	200	1
	Pinion Cap	BRZ	1.70	099132		
	5300/5400 Series	DBZ	1.70	099131		
		GOL	1.70	099130		
	5902	ALM	8.70	099129	200	1
	SNB Screw Pack, 1-3/4" Door	BRZ	8.70	099128		
	5200/5300/5400 Series	DBZ	8.70	099127		
		GOL	8.70	099126		
	5903	ALM	8.70	099125	200	1
	SNB Screw Pack, 1-3/8"	BRZ	8.70	099124		
	5200/5300/5400 Series	DBZ	8.70	099123		
		GOL	8.70	099122		
	5904	ALM	8.70	099121	200	1
	SNB Screw Pack, 2" Door	BRZ	8.70	099118		
	5200/5300/5400 Series	DBZ	8.70	099117		
		GOL	8.70	099116		









Door Controls - 5300 Series

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
	5905	ALM	8.70	099115	200	1
	SNB Screw Pack, 2-1/4" Door	BRZ	8.70	099114		
	5200/5300/5400 Series	DBZ	8.70	099113		
		GOL	8.70	099112		
	5906	ALM	169.15	014583	10	1
	Extra Heavy Duty Hold Open Stop Arm	BRZ	169.15	014582		
	5200/5300 Series	DBZ	169.15	014578		
	Can be combined with 5950, spring cushion kit.	GOL	169.15	014570		
	5907	ALM	84.70	014595	10	1
	Extra Heavy Duty Stop Arm	BRZ	84.70	014591		
	5200/5300 Series	DBZ	84.70	014587		
	Can be combined with 5950, spring cushion kit.	GOL	84.70	014586		
	5908	ALM	15.55	035989	25	1
	Long Rod and Shoe	BRZ	15.55	035988		
	5200/5300 Series	DBZ	15.55	035941		
		GOL	15.55	035929		
	5911	ALM	84.70	073657	10	1
	Heavy Duty Arm	BRZ	84.70	073656		
	5200/5300 Series	DBZ	84.70	073607		
		GOL	84.70	073487		
	5912	ALM	84.70	073446	10	1
	Extra Heavy Duty Hold Open Arm	BRZ	84.70	073317		
	5200/5300 Series	DBZ	84.70	073347		
	Specify handing when ordering.	GOL	84.70	073283		
	5913	ALM	23.20	073268	15	1
	Blade Stop Spacer	BRZ	23.20	073244		
	5200/5300/5400 Series	DBZ	23.20	073076		
		GOL	23.20	073074		
	5914	ALM	15.55	072936	60	1
	Hold Open Parallel Arm Bracket	BRZ	15.55	072905		
	5200/5300 Series	DBZ	15.55	072907		
	For standard hold-open arm.	GOL	15.55	072814		
	5915	ALM	38.55	072754	10	1
	Drop Plate - OH Holder	BRZ	38.55	072741		
	Narrow Rail w/ Mounting Screws	DBZ	38.55	072750		
	5300 Series	GOL	38.55	072673		
	For use with full cover.					



Door Controls - 5300 Series

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
	5916	ALM	38.55	072669	10	1
	Drop Plate - Narrow Rail	BRZ	38.55	072500		
	Parallel Arm Cover w/ Mounting Screws	DBZ	38.55	072509		
	5300 Series	GOL	38.55	072468		
	For use with full cover.					
	5917	ALM	38.55	072410	10	1
	Drop Plate - Low Clearance	BRZ	38.55	072281		
	Overhead Holder w/ Mounting Screws	DBZ	38.55	072372		
	5300 Series	GOL	38.55	072264		
	For use with no cover.					
	5936	ALM	20.40	129577	48	1
	Extra Clearance Bracket	BRZ	20.40	129578		
	5200/5300 Series	DBZ	20.40	129579		
		GOL	20.40	129580		
	5950	ALM	113.65	118353	10	1
	Spring Cushion Kit (sold separately)	BRZ	113.65	120777		
	5100/5200/5300 Series	DBZ	113.65	120779		
		GOL	113.65	120780		
	5956	ALM	237.65	118345	10	1
	Extra Heavy Duty	BRZ	237.65	118346		
	Hold Open Cushion Stop Arm	DBZ	237.65	118347		
	5200/5300 Series	GOL	237.65	118348		
	Includes 5906 and 5950.					
	5957	ALM	204.50	118349	10	1
	Extra Heavy Duty Cushion Stop Arm	BRZ	204.50	118350		
	5200/5300 Series	DBZ	204.50	118351		
	Includes 5907 and 5950.	GOL	204.50	118352		



Door Controls - 5400 Series



Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
5400 Series	ALM	106.15	098103	6	1
Grade 2	BRZ	106.15	098107		
Size 2	DBZ	106.15	098108		
	GOL	106.15	098109		
5400 Series	ALM	106.15	013302	6	1
Grade 2	BRZ	106.15	013303		
Size 3	DBZ	106.15	013304		
	GOL	106.15	013305		
5400 Series	ALM	106.15	013309	6	1
Grade 2	BRZ	106.15	013308		
Size 4	DBZ	106.15	013307		
	GOL	106.15	013306		
5400 Series	ALM	106.15	013310	6	1
Grade 2	BRZ	106.15	013311		
Size 5	DBZ	106.15	013312		
	GOL	106.15	013313		
5400 Series Adders:					
Optional backcheck available (add to list price)		14.55			
5401	ALM	81.70	-	6	1
5400 Series Closer Body Only	BRZ	81.70	-		
Size 2	DBZ	81.70	-		
	GOL	81.70	-		
5401	ALM	81.70	-	6	1
5400 Series Closer Body Only	BRZ	81.70	-		
Size 3	DBZ	81.70	-		
	GOL	81.70	-		
5401	ALM	81.70	-	6	1
5400 Series Closer Body Only	BRZ	81.70	-		
Size 4	DBZ	81.70	-		
	GOL	81.70	-		
5401	ALM	81.70	-	6	1
5400 Series Closer Body Only	BRZ	81.70	-		
Size 5	DBZ	81.70	-		
	GOL	81.70	-		



Door Controls - 5400 Series



Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
5403 Main Arm Assembly 5400 Series	ALM	26.80	071659	8	1
	BRZ	26.80	071227		
	DBZ	26.80	071218		
	GOL	26.80	071216		
5404 Standard Screw Pack 5400 Series	ALM	8.30	072336	80	1
	BRZ	8.30	072173		
	DBZ	8.30	072171		
	GOL	8.30	072166		
5900 Parallel Arm Bracket 5200/5300/5400 Series	ALM	7.85	099140	120	1
	BRZ	7.85	099138		
	DBZ	7.85	099135		
	GOL	7.85	099134		
5901 Pinion Cup 5300/5400 Series	ALM	1.70	099133	200	1
	BRZ	1.70	099132		
	DBZ	1.70	099131		
	GOL	1.70	099130		
5902 SNB Screw Pack, 1-3/4" Door 5200/5300/5400 Series	ALM	8.70	009129	200	1
	BRZ	8.70	009128		
	DBZ	8.70	009127		
	GOL	8.70	009126		
5903 SNB Screw Pack, 1-3/8" Door 5200/5300/5400 Series	ALM	8.70	099125	200	1
	BRZ	8.70	099124		
	DBZ	8.70	099123		
	GOL	8.70	099122		
5904 SNB Screw Pack, 2" Door 5200/5300/5400 Series	ALM	8.70	009921	200	1
	BRZ	8.70	099118		
	DBZ	8.70	099117		
	GOL	8.70	099116		
5905 SNB Screw Pack, 2-1/4" Door 5200/5300/5400 Series	ALM	8.70	099115	200	1
	BRZ	8.70	099114		
	DBZ	8.70	099113		
	GOL	8.70	099112		
5913 Blade Stop Spacer 5200/5300/5400 Series	ALM	23.20	073268	15	1
	BRZ	23.20	073244		
	DBZ	23.20	073076		
	GOL	23.20	073074		



Door Controls - Electromagnetic Holders



Description	Voltage	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
380F Electromagnetic Door Holder Flush Mount	12 & 24	US3	244.20	122598	25	1
		L2	244.20	113307		
		LS	244.20	107216		
	24 & 120	US3	244.20	-		
		L2	244.20	143678		
		LS	244.20	107443		
	24 & 220	US3	244.20	142090		
		L2	244.20	-		
		LS	244.20	124474		
380G Electromagnetic Door Holder Floor Mount (Single Door)	12 & 24	US3	369.40	133360	18	1
		L2	369.40	-		
		LS	369.40	133362		
	24 & 120	US3	369.40	-		
		L2	369.40	-		
		LS	369.40	111432		
	24 & 220	US3	369.40	-		
		L2	369.40	122342		
		LS	369.40	139500		
380H Electromagnetic Door Holder Floor Mount (Double Door)	12 & 24	US3	432.00	-	6	1
		L2	432.00	-		
		LS	432.00	-		
	24 & 120	US3	432.00	-		
		L2	432.00	-		
		LS	432.00	114881		
	24 & 220	US3	432.00	-		
		L2	432.00	-		
		LS	432.00	-		
380R Electromagnetic Door Holder Recessed Mount	12 & 24	US3	244.20	129952	25	1
		L2	244.20	130390		
		LS	244.20	107442		
	24 & 120	US3	244.20	-		
		L2	244.20	-		
		LS	244.20	107446		
	24 & 220	US3	244.20	-		
		L2	244.20	-		
		LS	244.20	141037		
380S Electromagnetic Door Holder Surface Mount	12 & 24	US3	269.20	114503	25	1
		L2	269.20	113961		
		LS	269.20	107441		
	24 & 120	US3	269.20	120377		
		L2	269.20	116868		
		LS	269.20	107444		
	24 & 220	US3	269.20	-		
		L2	269.20	139499		
		LS	269.20	-		



Door Controls - Electromagnetic Holders



Description	Size	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
381A Adjustable Extension Rods	1-1/2"	US3	20.10	107528	25	1
		L2	20.10	107529		
		LS	20.10	107527		
	2"	US3	21.35	107532		
		L2	21.35	107533		
		LS	21.35	107530		
	4"	US3	23.75	107535		
		L2	23.75	107536		
		LS	23.75	107534		
381B Surface Back Box		US3	37.55	107547	50	1
		L2	37.55	107548		
		LS	37.55	107545		
381C Catch Disc		US3	25.10	107550	25	1
		L2	25.10	107551		
		LS	25.10	107549		
381D Drilling Fixture		-		-	1	1
381E Extension Rods	1/2"	US3	16.35	107450	25	1
		L2	16.35	107451		
		LS	16.35	107449		
	1"	US3	17.60	107453		
		L2	17.60	107452		
		LS	17.60	107455		
	1-1/2"	US3	18.80	107458		
		L2	18.80	107460		
		LS	18.80	107457		
	2"	US3	20.10	107467		
		L2	20.10	107468		
		LS	20.10	107462		
	3"	US3	21.35	107489		
		L2	21.35	107490		
		LS	21.35	107488		
	4"	US3	22.55	107492		
		L2	22.55	107493		
		LS	22.55	107491		
381H Hardware Package		-	21.35	-	25	1
381S Catch Plate Assembly		US3	62.60	107543	50	1
		L2	62.60	107544		
		LS	62.60	107542		
381W Extension Wrenches (2 pcs.)		-	5.00	107552	25	1



Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
6015 Series						
Medium Duty Surface Mount						
Friction	Stainless steel	US32D/630	154.50	140725	6	1
Size 1	Steel	US26D/652	154.50	140756		
18" - 33" Frame Opening		US10B/640	154.50	140826		
		US3/632	154.50	147008		
		ALM/powder coated	113.30	140886		
Friction	Stainless steel	US32D/630	154.50	140726	6	1
Size 2	Steel	US26D/652	154.50	140757		
33" - 51" Frame Opening		US10B/640	154.50	140827		
		US3/632	154.50	147010		
		ALM/powder coated	113.30	140887		
6015 Series						
Medium Duty Concealed Mount						
Friction	Stainless steel	US32D/630	154.50	140731	6	1
Size 1	Steel	US26D/652	154.50	140764		
18" - 33" Frame Opening		US10B/640	154.50	140832		
		US3/632	154.50	147009		
		ALM/powder coated	113.30	140892		
Friction	Stainless steel	US32D/630	154.50	140732	6	1
Size 2	Steel	US26D/652	154.50	140765		
33" - 51" Frame Opening		US10B/640	154.50	140833		
		US3/632	154.50	147011		
		ALM/powder coated	113.30	140893		



Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
6016 Series						
Medium Duty Surface Mount						
Stop ONLY	Stainless steel	US32D/630	154.50	140720	6	1
Size 1	Steel	US26D/652	154.50	140752		
18" - 33" Frame Opening		US10B/640	154.50	140822		
		US3/632	154.50	147000		
		ALM/powder coated	113.30	140882		
Stop ONLY	Stainless steel	US32D/630	154.50	140721	6	1
Size 2	Steel	US26D/652	154.50	140753		
33" - 51" Frame Opening		US10B/640	154.50	140823		
		US3/632	154.50	147002		
		ALM/powder coated	113.30	140883		
6016 Series						
Medium Duty Concealed Mount						
Stop ONLY	Stainless steel	US32D/630	154.50	140727	6	1
Size 1	Steel	US26D/652	154.50	140760		
18" - 33" Frame Opening		US10B/640	154.50	140828		
		US3/632	154.50	147001		
		ALM/powder coated	113.30	140888		
Stop ONLY	Stainless steel	US32D/630	154.50	140728	6	1
Size 2	Steel	US26D/652	154.50	140761		
33" - 51" Frame Opening		US10B/640	154.50	140829		
		US3/632	154.50	147003		
		ALM/powder coated	113.30	140889		



Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
6017 Series						
Medium Duty Surface Mount						
Hold Open	Stainless steel	US32D/630	154.50	140722	6	1
Size 1	Steel	US26D/652	154.50	140754		
18" - 33" Frame Opening		US10B/640	154.50	140824		
		US3/632	154.50	147004		
		ALM/powder coated	113.30	140884		
Hold Open	Stainless steel	US32D/630	154.50	140723	6	1
Size 2	Steel	US26D/652	154.50	140755		
33" - 51" Frame Opening		US10B/640	154.50	140825		
		US3/632	154.50	147006		
		ALM/powder coated	113.30	140885		
6017 Series						
Medium Duty Concealed Mount						
Hold Open	Stainless steel	US32D/630	154.50	140729	6	1
Size 1	Steel	US26D/652	154.50	140762		
18" - 33" Frame Opening		US10B/640	154.50	140830		
		US3/632	154.50	147005		
		ALM/powder coated	113.30	140890		
Hold Open	Stainless steel	US32D/630	154.50	140730	6	1
Size 2	Steel	US26D/652	154.50	140763		
33" - 51" Frame Opening		US10B/640	154.50	140831		
		US3/632	154.50	147007		
		ALM/powder coated	113.30	140891		



Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
6000 Series Accessories	2-659-0101	US26D	12.40	141691		
Surface Mounted End Cap and Spring Replacement Kit	2-659-0102	US10B		141692		
	2-659-0103	US3		141697		
6000 Series Accessories	2-659-0104	-	12.40	141695		
Concealed Mounted End Cap and Spring Replacement Kit						
6000 Series Accessories	2-659-0105	-	18.55	141696		
Hold Open Replacement Kit						
6000 Series Accessories	2-659-0106	-	18.55	141697		
Friction Replacement Kit						
6000 Series Screwpacks	2-659-0098	US26D	9.30	141688		
Standard screwpack includes machine screws, wood screws, sex nuts & bolts for 1-3/4" doors, arm set screws, Allen wrench, for both concealed and surface mounted	2-659-0099	US10B	9.30	141689		
	2-659-0100	US3	9.30	141690		
6000 Series Screwpacks	2-659-0107	US26D	7.25	141698		
SNB screwpack includes sex nuts and bolts for 1-3/8" doors	2-659-0108	US10B	7.25	141699		
	2-659-0109	US3	7.25	141700		
6000 Series Screwpacks	2-659-0110	US26D	7.25	141701		
SNB screwpack includes sex nuts and bolts for 2" doors	2-659-0111	US10B	7.25	141702		
	2-659-0112	US3	7.25	141703		
6000 Series Screwpacks	2-659-0113	US26D	7.25	141704		
SNB screwpack includes sex nuts and bolts for 2-1/4" doors	2-659-0114	US10B	7.25	141705		
	2-659-0115	US3	7.25	141706		



Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
7015 Series						
Heavy Duty Surface Mount						
Friction	Stainless steel	US32D/630	293.55	140712	6	1
Size 1	Steel	US26D/652	293.55	140740		
23" - 39" Frame Opening		US10B/640	293.55	140814		
		US3/632	293.55	147263		
		ALM/powder coated	236.90	140874		
Friction	Stainless steel	US32D/630	293.55	140713	6	1
Size 2	Steel	US26D/652	293.55	140741		
39" - 54" Frame Opening		US10B/640	293.55	140815		
		US3/632	293.55	147265		
		ALM/powder coated	236.90	140875		
7015 Series						
Heavy Duty Concealed Mount						
Friction	Stainless steel	US32D/630	293.55	140718	6	1
Size 1	Steel	US26D/652	293.55	140749		
23" - 39" Frame Opening		US10B/640	293.55	140820		
		US3/632	293.55	147264		
		ALM/powder coated	236.90	140880		
Friction	Stainless steel	US32D/630	293.55	140719	6	1
Size 2	Steel	US26D/652	293.55	140750		
39" - 54" Frame Opening		US10B/640	293.55	140821		
		US3/632	293.55	147266		
		ALM/powder coated	236.90	140881		



Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
7016 Series						
Heavy Duty Surface Mount						
Stop ONLY	Stainless steel	US32D/630	293.55	140680	6	1
Size 1	Steel	US26D/652	293.55	140736		
23" - 39" Frame Opening		US10B/640	293.55	140805		
		US3/632	293.55	147252		
		ALM/powder coated	236.90	140870		
Stop ONLY	Stainless steel	US32D/630	293.55	140701	6	1
Size 2	Steel	US26D/652	293.55	140737		
39" - 54" Frame Opening		US10B/640	293.55	140807		
		US3/632	293.55	147255		
		ALM/powder coated	236.90	140871		
7016 Series						
Heavy Duty Concealed Mount						
Stop ONLY	Stainless steel	US32D/630	293.55	140714	6	1
Size 1	Steel	US26D/652	293.55	140743		
23" - 39" Frame Opening		US10B/640	293.55	140816		
		US3/632	293.55	147254		
		ALM/powder coated	236.90	140876		
Stop ONLY	Stainless steel	US32D/630	293.55	140715	6	1
Size 2	Steel	US26D/652	293.55	140744		
39" - 54" Frame Opening		US10B/640	293.55	140817		
		US3/632	293.55	147256		
		ALM/powder coated	236.90	140877		



Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
7017 Series						
Heavy Duty Surface Mount						
Hold Open	Stainless steel	US32D/630	293.55	140710	6	1
Size 1	Steel	US26D/652	293.55	140738		
23" - 39" Frame Opening		US10B/640	293.55	140810		
		US3/632	293.55	147257		
		ALM/powder coated	236.90	140872		
Hold Open	Stainless steel	US32D/630	293.55	140711	6	1
Size 2	Steel	US26D/652	293.55	140739		
39" - 54" Frame Opening		US10B/640	293.55	140813		
		US3/632	293.55	147261		
		ALM/powder coated	236.90	140873		
7017 Series						
Heavy Duty Concealed Mount						
Hold Open	Stainless steel	US32D/630	293.55	140716	6	1
Size 1	Steel	US26D/652	293.55	140746		
23" - 39" Frame Opening		US10B/640	293.55	140818		
		US3/632	293.55	147258		
		ALM/powder coated	236.90	140878		
Hold Open	Stainless steel	US32D/630	293.55	140717	6	1
Size 2	Steel	US26D/652	293.55	140748		
39" - 54" Frame Opening		US10B/640	293.55	140819		
		US3/632	293.55	147264		
		ALM/powder coated	236.90	140879		



Door Controls - Overhead Door Holders and Stops



Description	Material	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
7000 Series Accessories	2-659-0119	US26D	17.00	141711		
Surface Mounted End Cap and Spring Replacement Kit	2-659-0120	US10B	17.00	141712		
	2-659-0121	US3	17.00	141713		
7000 Series Accessories	2-659-0122	-	17.00	141714		
Concealed Mounted End Cap and Spring Replacement Kit						
7000 Series Accessories	2-659-0123	-	20.60	141715		
Hold Open Replacement Kit						
7000 Series Accessories	2-659-0124	-	20.60	141716		
Friction Replacement Kit						
7000 Series Screwpacks	2-659-0116	US26D	14.20	141707		
Standard screwpack includes machine screws, wood screws, sex nuts & bolts for 1-3/4" doors, arm set screws, Allen wrench, for both concealed and surface mounted	2-659-0117	US10B	14.20	141708		
	2-659-0118	US3	14.20	141709		
7000 Series Screwpacks	2-659-0125	US26D	10.30	141717		
SNB screwpack includes sex nuts and bolts for 1-3/8" doors	2-659-0126	US10B	10.30	141718		
	2-659-0127	US3	10.30	141719		
7000 Series Screwpacks	2-659-0128	US26D	10.30	141720		
SNB screwpack includes sex nuts and bolts for 2" doors	2-659-0129	US10B	10.30	141721		
	2-659-0130	US3	10.30	141722		
7000 Series Screwpacks	2-659-0131	US26D	10.30	141723		
SNB screwpack includes sex nuts and bolts for 2-1/4" doors	2-659-0132	US10B	10.30	141724		
	2-659-0133	US3	10.30	141725		



Electrified Products

TABLE OF CONTENTS

A	
Adjustable Angle Bracket (2941/2942)	6
Angle Brackets (2950 Series)	9
Armature Mounting Plates (2950 Series).....	7

C	
Coordinator Mounting Bracket (2950 Series)	7
Concealed Magnetic Contact	12

D	
Delayed Egress.....	2
Delayed Egress Magnetic Lock.....	10

E	
Egress Sensors.....	12
Electric Strikes	4-5
Exit Switches	11
Emergency Door Release.....	12

F	
Filler Bars (2941/2942 Series)	6
Filler Bars (2950 Series)	8-9

G	
Gang Boxes	12
Glass Door Kits (2941/2942)	6
Glass Door Kits (2950 Series)	7

K	
Key Switch.....	2
Keypads	3

L	
Low Energy Power Operator (8400 Series)	14

M	
Magnetic Locks (2941/2942 Series).....	5
Magnetic Locks (2950 Series).....	6-7
Magnetic Shear Locks (2961/2965)	9

O	
Outdoor Shrouds	4,12

P	
Power Supply.....	2-3

Power Transfers.....	12
Pressure Sense Bars.....	12
Proximity Cards & Keys.....	4

S	
Spacer Brackets (2950 Series).....	7

T	
Top Jamb Kits (2941/2942)	5
Top Jamb Kits (2950 Series)	7

U	
Universal Brackets (2950 Series)	7
Underdesk Switch.....	3



Electrified Products



Description	Function	2015 List
4501/4601 DE	Delayed Egress (DE)	550.00

Delayed Egress Modification

Includes electrification of exit device.

Note: Must be ordered in addition to 4500 or 4600 Series Exit Device and Delayed Egress Wall Mount Controller. Available on 4500 Rim, SVR, LBR, CVR as well as 4600 Rim. Must order wall mount controller in addition to delayed egress modified device.



2-679-0630	Delayed Egress (DE) Controller	981.75
-------------------	-----------------------------------	--------

Delayed Egress Wall Mount Controller

Note: Requires 3902 Mortise Cylinder, sold separately.

Note: For pair of doors, must order 2 Delayed Egress Devices and 1 Wall Mount Controller.



Description	Finish	2015 List	Case Qty.
29KS ASD	US32D	99.75	12
Key switch - Alternate, SPDT			
29KS MSD	US32D	99.75	12
Key switch - Momentary, SPDT			
29KS ADD	US32D	115.50	12
Key switch - Alternate, DPDT			
29KS MDD	US32D	110.25	12
Key switch - Momentary, DPDT			

Options: Red LED \$21.00 list price adder
Green LED \$21.00 list price adder
2 LED's \$26.25 list price adder



2901	579.00
For use with 4500 Series electric latch retraction battery back up option available	



2902	639.00
For use with 4500 Series electric latch retraction in a day/night mode of operation battery backup option available	



2903	499.00
Provides 24 volt DC power for Fail Safe or Fail Secure locking devices and interface with building alarm controls, card readers, keypads, and other door controls.	



Electrified Products



Description	Finish	2015 List	Case Qty.
2904 Provides 24 volt DC power and control for opening with an electrified locking device and automatic door operator		529.00	
2908 Provides up to 1 amp of 12 or 24 volt DC power for all Hager Electrified Products except (ELR)	-	345.00	1
2909 Provides up to 2 amps of 12 or 24 volt DC power for all Hager Electrified Products		526.00	
2-679-0661 5 Amp hour battery backup for use with 2908 & 2909		46.20	
2-679-0662 12 VDC output regulator module for use with 2908 & 2909		59.25	
2-679-0664 Universal Relay Module for use with 2908 & 2909		113.80	
2-679-0703 Electric Retraction Sequencer for use with 2908 & 2909		172.00	
2-679-0704 Access Control Module for use with 2908 & 2909		188.00	
2-679-0705 16 AMP Power Booster for use with 2909 only		172.00	
2-679-0706 Power Supply Remote Monitoring Module for use with 2908 & 2909		250.00	
2-679-0708 Underdesk Push Switch		108.35	
2915 Heavy Duty Keypad - Indoor 500 users, 4-6 digit PIN codes 12/24V AC/DC	US3 US4 US10B US26 US32D	225.75 225.75 225.75 225.75 183.75	12
2916 Heavy Duty Keypad - Outdoor 500 users, 4-6 digit PIN Codes 12/24V AC/DC	32D	240.00	8
2916P Heavy Duty Keypad / Prox-Outdoor 500 users, 4-6 digit PIN codes 12/24V AC/DC	32D	659.95	8
2-679-0669 Shroud Cover	-	154.30	
2-679-0700 Surface Mount Box	-	31.00	



Electrified Products



Description	Finish	2015 List	Case Qty.
2-679-0021	-	183.75	
HID ProxCard II, 25 Cards			
2-679-0022	-	735.00	
HID ProxCard II, 100 Cards			
2-679-0023	-	147.00	
HID ProxKey, 10 Key fobs			
2-679-0024	-	1,470.00	
HID ProxKey, 100 Key fobs			
Note: Prox card and Prox keys cannot be broken into smaller quantities			
2925	US32D	126.00	8
Electric Strike - 5/8" Latch			
Field Reversible Failsafe/Failsecure			
12/24VDC			
4-7/8" Sq Corner Stainless Steel Faceplate			
2928 SC	US32D	204.75	8
Electric Strike - 1/2" to 3/4" latch			
Failsafe/Failsecure			
12/24V AC/DC			
4-7/8" Sq Corner Stainless Steel Faceplate			
2928 RC	ALM	178.50	8
Electric Strike - 1/2" to 3/4" latch			
Failsafe/Failsecure			
12/24V AC/DC			
4-7/8" Radius Corner Faceplate			
2928 6R	ALM	183.75	8
Electric Strike - 1/2" to 3/4" latch			
Failsafe/Failsecure			
12/24V AC/DC			
6-7/8" Radius Corner Faceplate			
2928 7R	ALM	189.00	8
Electric Strike - 1/2" to 3/4" latch			
Failsafe/Failsecure			
12/24V AC/DC			
7-15/16" Radius Corner Faceplate			

Options: Keeper open/closed status \$47.25 list price adder

Note: Additional finishes available for 2928. Inquire with Hager Customer Service for pricing.












Electrified Products



Description	Finish	2015 List	Case Qty.
2930 CYL	US4	530.25	12
Electric Strike - Cylindrical lock	US10	530.25	
Dual Voltage 12/24VDC	US10B	530.25	
ANSI/BHMA A156.31 Grade 1	US26	530.25	
UL Listed 3-hour fire rated	US26D	530.25	
Non-handed	US32D	483.00	
2930 MOR	US4	551.25	12
Electric Strike - Mortise lock	US10	551.25	
Dual Voltage 12/24VDC	US10B	551.25	
ANSI/BHMA A156.31 Grade 1	US26	551.25	
UL Listed 3-hour fire rated	US26D	551.25	
Non-handed	US32D	509.25	
2930 MDB	US4	577.50	12
Electric Strike - Mortise lock w/ Deadbolt	US10	577.50	
Dual Voltage 12/24VDC	US10B	577.50	
ANSI/BHMA A156.31 Grade 1	US26	577.50	
UL Listed 3-hour fire rated	US26D	577.50	
Non-handed	US32D	525.00	
Options: Latchbolt Monitor (LBM) \$68.25 list price adder			
Door secure monitor (DSM) \$141.75 list price adder			
Deadbolt monitor - (DBM) LH \$73.50 list price adder			
Deadbolt monitor - (DBM) RH \$73.50 list price adder			
2-679-0028	-	41.60	12
Buzzer 12/24V AC/DC operation for 2925/2928/2930			
2-679-0029	-	23.10	12
Rectifier for AC operation for 2925/2928/2930			
2941 Magnetic Lock	ALM	236.25	4
600 lb. holding force			
12/24VDC, field selectable			
2942 Magnetic Lock	ALM	283.50	4
1200 lb. holding force			
12/24VDC, field selectable			
2-679-0100	ALM	92.40	8
Top Jamb Kit for 2942			
2-679-0101	ALM	92.40	8
Top Jamb Kit for 2941			



Electrified Products

	Description	Finish	2015 List	Case Qty.
	2-679-0102	ALM	46.20	8
	Glass Door Kit for 2942			
	2-679-0103	ALM	46.20	8
	Glass Door Kit for 2941			
	2-679-0104	ALM	34.65	8
	Adjustable Angle Bracket for 2942 10-1/2" x 1-3/4" x 3-1/8"			
	2-679-0105	ALM	23.10	8
	Adjustable Angle Bracket for 2941 9-7/8" x 1-1/4" x 2-1/4"			
	2-679-0106	ALM	23.10	8
	Angle bracket for 2942 (Cut for use with 2941) 10-1/2" x 1-1/2" x 3/4"			
	2-679-0107	ALM	17.35	6
	Filler bar for 2942 (Cut for use with 2941) 5/8" x 3/4" x 10-1/2"			
	2-679-0108	ALM	17.35	6
	Filler bar for 2942 (Cut for use with 2941) 3/4" x 3/4" x 10-1/2"			
	2951 Magnetic Lock	ALM	483.00	2
	1,650 lb. holding force	DBZ	551.25	
	2952 Magnetic Lock	ALM	981.75	2
	1,650 lb. holding force	DBZ	1,113.00	
	2953 Magnetic Lock	ALM	456.75	2
	1,200 lb. holding force	DBZ	519.75	
	2954 Magnetic Lock	ALM	924.00	2
	1,200 lb. holding force	DBZ	1,060.50	

Options: Adjustable timer input (TIME) \$73.50 (2-679-0109)

Door Position Sensor (DPS) \$46.20 (2-679-0110)*

Magnetic Bond Sensor (MBS) \$69.30 (2-679-0111)*

Anti-Tamper Switch (ATS) \$57.75 (2-679-0112)

Note: Additional finishes available for 2951, 2952, 2953, 2954.

Inquire with Hager Customer Service for pricing.

* Must order two for use with the 2952 or 2954



Electrified Products



Description	Finish	2015 List	Case Qty.
2-679-0120 Top jamb kit 2951/2953	ALM	112.35	4
2-679-0121 Top jamb kit 2951/2953	DBZ	204.75	4
2-679-0130 Top jamb kit 2952/2954	ALM	225.75	4
2-679-0131 Top jamb kit 2952/2954	DBZ	410.55	4
2-679-0160 Glass door kit 2951/2953 * Order 2 ea. for double door	ALM	207.90	8
2-679-0161 Glass door kit 2951/2953 * Order 2 ea. for double door	DBZ	300.30	8
2-679-0180 Universal Bracket for 2951/2953	ALM	73.50	12
2-679-0181 Universal Bracket for 2951/2953	DBZ	108.15	12
2-679-0190 Universal Bracket for 2952/2954	ALM	147.00	9
2-679-0191 Universal Bracket for 2952/2954	DBZ	216.30	9
2-679-0200 Spacer Bracket for 2951/2953	ALM	103.95	12
2-679-0201 Spacer Bracket for 2952/2954	ALM	129.15	9
2-679-0204 Armature mounting plate	Black Plastic	69.30	3
2-679-0205 Armature mounting plate w/ sensor	ALM	115.50	3
Note: Additional finishes available on many of the 2950 magnetic lock series accessories. Inquire with Hager Customer Service for pricing.			
2-679-0210 Coordinator mounting bracket for 2951/2953	ALM	138.60	12
2-679-0220 Coordinator mounting bracket for 2952/2954	ALM	254.10	6



Electrified Products



Description	Finish	2015 List	Case Qty.
2-679-0281 Filler bar - 1/8" x 1/-1/4" for 2951/2953	ALM	37.80	12
2-679-0283 Filler bar - 1/8" x 1/-1/4" for 2951/2953	DBZ	72.45	12
2-679-0291 Filler bar - 1/4" x 1/-1/4" for 2951/2953	ALM	38.85	12
2-679-0293 Filler bar - 1/4" x 1/-1/4" for 2951/2953	DBZ	73.50	12
2-679-0311 Filler bar - 1/2" x 1/-1/4" for 2951/2953	ALM	43.05	12
2-679-0313 Filler bar - 1/2" x 1/-1/4" for 2951/2953	DBZ	77.70	12
2-679-0321 Filler bar - 5/8" x 1/-1/4" for 2951/2953	ALM	46.20	12
2-679-0323 Filler bar - 5/8" x 1/-1/4" for 2951/2953	DBZ	80.85	12
2-679-0381 Filler bar - 1/8" x 1/-1/4" for 2952/2954	ALM	43.05	12
2-679-0383 Filler bar - 1/8" x 1/-1/4" for 2952/2954	DBZ	77.70	12
2-679-0391 Filler bar - 1/4" x 1/-1/4" for 2952/2954	ALM	46.20	12
2-679-0393 Filler bar - 1/4" x 1/-1/4" for 2952/2954	DBZ	80.85	12
2-679-0411 Filler bar - 1/2" x 1/-1/4" for 2952/2954	ALM	50.40	12
2-679-0413 Filler bar - 1/2" x 1/-1/4" for 2952/2954	DBZ	85.05	12
2-679-0421 Filler bar - 5/8" x 1/-1/4" for 2952/2954	ALM	52.50	12
2-679-0423 Filler bar - 5/8" x 1/-1/4" for 2952/2954	DBZ	87.15	12



Electrified Products



Description	Finish	2015 List	Case Qty.
2-679-0491 Angle Bracket - 1-1/2" x 1-1/2" for 2951/2953	ALM	50.40	12
2-679-0493 Angle Bracket - 1-1/2" x 1-1/2" for 2951/2953	DBZ	85.05	12
2-679-0501 Angle Bracket - 2" x 1-1/2" for 2951/2953	ALM	52.50	12
2-679-0503 Angle Bracket - 2" x 1-1/2" for 2951/2953	DBZ	87.15	12
2-679-0571 Angle Bracket - 1-1/2" x 1-1/2" for 2952/2954	ALM	67.20	12
2-679-0573 Angle Bracket - 1-1/2" x 1-1/2" for 2952/2954	DBZ	101.85	12
2-679-0581 Angle Bracket - 2" x 1-1/2" for 2952/2954	ALM	71.40	12
2-679-0583 Angle Bracket - 2" x 1-1/2" for 2952/2954	DBZ	106.05	12



Note: Additional finishes available on many of the 2950 magnetic lock series accessories. Inquire with Hager Customer Service for pricing



2961 Magnetic Shear Lock 2,000 lb. holding force 1-5/8" depth, integrated electronics	US32D	829.50	6
--	-------	--------	---



2965 Magnetic Shear Lock 2,700 lb. holding force 1-5/8" depth, integrated electronics	US32D	897.75	6
--	-------	--------	---

ITC, FTC, HTC Same Price

Options:

ITC for standard mounting armature kit for aluminum and hollow metal doors with 7/8" to 1-1/8" deep top channels, wood doors, and factory prepared hollow metal flush edge doors.

FTC for mounting for field prepared horizontal mounting in hollow metal doors with flush edge.

HTC for mounting 1-15/16" deep Herculite channels.

Herculite top rail armature adjustment bracket for leading edge adjustments (HTR) \$393.75 list price adder

Magnetic bond sensor (MBS) \$127.05 list price adder

Door Position sensor (DPS) \$57.75 list price adder



Electrified Products



Description	Finish	2015 List	Case Qty.
2-679-0600	-	46.20	6
Wood Door reinforcement box for 2961			
2-679-0601	-	46.20	6
Wood Door reinforcement box for 2965			
2958 Delayed Egress Magnetic Lock	ALM	1,270.50	6
1,650 lb. holding force	DBZ	1,338.75	
Surface mount - single			
12/24 VDC			
2958 T Tandem Delayed Egress Magnetic Lock	ALM	2,136.75	6
1,650 lb. holding force	DBZ	2,210.25	
Surface mount - double			
12/24 VDC			
Operation (Must Specify):			
NA - IBC, IFC, NFPA101, NFPA1-UFC, UBC, SBC Compliant			
ND - IBC, IFC, California Building Code OSHPD, NFPA 101, NFPA1-UFC, UBC, SBC Compliant			
BD - BOCA National Building Code			
CH - City of Chicago Building Code			
Reset Control:			
Built in key switch - 1-30 second timed bypass, sustained bypass and alarm reset (std)			
(Not available with BOCA and Chicago operation)			
Built in reset push switch. Available with NFPA (NA) only			
Less key or push switch (No price reduction)			
Options:			
Door Position Status (DPS) \$42.00 list price adder			
Magnetic Bond Sensor (MBS) \$68.25 list price adder			
Anti-Tamper Switch (ATS) \$57.75 list price adder			



Electrified Products



Description	Finish	2015 List	Case Qty.
2972 Exit Switch	US32D	73.50	12
MSD			
2" Square button			
Momentary, SPDT			
10 AMP contact			
Note: For disabled access egress button, specify BLU - No additional charge			



2972T Exit Switch With Integrated Adjustable Timer	US32D	141.75	6
2" Square Button			
Adjustable 1-60 second timer			
Note: Not Code Compliant			
2972T Options: Red LED \$21.00 list price adder			
Green LED \$21.00 list price adder			
2 LED's \$26.25 list price adder			



2973 Code Compliant Exit Switch	US32D	147.00	6
2" Square Button			
Integrated fixed 30- second timer			
CSFM Listed, NFPA, IBC, IFC code compliance			
for Access Controlled Egress Doors			
LED illumination			
Options: Red LED \$21.00 list price adder			
Green LED \$21.00 list price adder			
2 LED's \$26.25 list price adder			



2977 Exit Switch	US32D	147.00	12
Piezoelectric Button			
Green & Red Illumination			
Adj. 1-35 sec. 12/24VDC Timer			



2978 Touchless Exit Switch	US32D	86.65	12
Infrared sensor			
Illuminated status indication			



Electrified Products



Description	Finish	2015 List	Case Qty.
4801 Pressure Sense Bar	ALM	381.15	6
Pressure sense technology; Tri-failsafe 12/24 VDC voltage sense input includes 10 ft. cable and connector; armored power transfer loop 36" Standard, Optional 42" & 48" available	BLK	381.15	
2-679-0611 PIR Egress Sensor	White	252.00	12
2-679-0612 PIR Egress Sensor	Black	252.00	
2-679-0620	-	69.30	12
Concealed Mortise Power Transfer Loop			
2-679-0621	ALM	414.75	6
Heavy Duty Power Transfer 2-Wire			
2-679-0622	DBZ	414.75	6
Heavy Duty Power Transfer 2-Wire			
2-679-0623	ALM	414.75	6
Heavy Duty Power Transfer 10-Wire			
2-679-0624	DBZ	414.75	6
Heavy Duty Power Transfer 10-Wire			
2-679-0625	ALM	114.70	12
Concealed Magnetic Contact			
2-679-0640	-	13.90	1
Single gang back box			
2-679-0641	-	103.95	1
3-gang interior mount box			
2-679-0642	-	66.00	1
Shroud for surface mount box outdoor use			
2-679-0650	-	212.10	6
Emergency Door Release Blue break glass station			



Electrified Products - 8400 Series - Low Energy Power Operator

TABLE OF CONTENTS

A	
Actuators	16-19
Arm Assemblies	15
B	
Bollard Posts	19
C	
Covers	16
D	
Drop Plates	16
O	
On-Board Power Supply	16
Operators	14
S	
Spindles	15
R	
Relay & Door Sequencer	19
Relay Board	16
Receiver	19
T	
Transmitters	19



Electrified Products - 8400 Series - Low Energy Power Operator











Description	Mount	Finish	2015 List	Case Qty.	Box Qty.
8418 Single Operator	Push	ALM	4,293.00	-	1
1 unit, 1 controller, single cover, handed		DBZ	4,293.00		
Standard Sizes - 36"	Pull	ALM	4,322.00		
42", 44" and 48" - add \$85.40 to list price		DBZ	4,322.00		
Specify Push or Pull side of door					
8419 Simultaneous Pair	Push	ALM	7,705.00	-	1
2 units, 1 controller, double cover, non-handed		DBZ	7,705.00		
Standard Sizes - 60" and 72"	Pull	ALM	7,800.00		
84", 88", 92" and 96" - add \$85.40 to list price		DBZ	7,800.00		
Specify Push or Pull side of door					
8420 Independent Pair	Push	ALM	8,421.00	-	1
2 units, 2 controllers, double cover, non-handed		DBZ	8,421.00		
Standard Sizes - 60" and 72"	Pull	ALM	8,519.00		
84", 88", 92" and 96" - add \$85.40 to list price		DBZ	8,519.00		
Specify Push or Pull side of door					
8421 Double Egress Simultaneous Pair	Push/Pull	ALM	8,184.75	-	1
2 units, 1 controller, double cover, non-handed		DBZ	8,184.75		
Standard Sizes - 60" and 72"					
84", 88", 92" and 96" - add \$85.40 to list price					
8422 Double Egress Independent Pair	Push/Pull	ALM	8,944.95	-	1
2 units, 2 controllers, double cover, non-handed		DBZ	8,944.95		
Standard Sizes - 60" and 72"					
84", 88", 92" and 96" - add \$85.40 to list price					
8423 Single Operator with Mechanical Closer	Push	ALM	5,800.00	-	1
1 unit, 1 controller, 1-5100 Series Door Closer, double cover, handed		DBZ			
Standard Sizes - 60" and 72"	Pull	ALM	5,800.00		
84", 88", 92" and 96" - add \$85.40 to list price		DBZ			
Specify Push or Pull side of door					

*Note: Non-standard door widths in quantities under 50 units: add \$207.40 per unit.



Electrified Products - 8400 Series - Low Energy Power Operator

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
	2-659-0151	ALM	415.00	162512	-	1
	Pull Side Track Arm with 20mm Spindle					
	2-659-0152	DBZ	505.00	162513		
	Pull Side Track Arm with 20mm Spindle					
	2-659-0153	ALM	415.00	162515	-	1
	Push Side Standard Arm with 35mm Spindle					
	2-659-0154	DBZ	505.00	162516		
	Push Side Standard Arm with 35mm Spindle					
	2-659-0220	ALM	415.00	162561	-	1
	Push Side Standard Arm with 50mm Spindle					
	For use with double egress assemblies					
	2-659-0221	DBZ	505.00	162562		
	Push Side Standard Arm with 50mm Spindle					
	For use with double egress assemblies					
	2-659-0222	ALM	750.00	162563	-	1
	Double Egress Arm Assembly					
	Track arm with 20mm Spindle					
	2-659-0223	DBZ	850.00	162564		
	Double Egress Arm Assembly					
	Track arm with 20mm Spindle					
	2-659-0224	ALM	143.50	162565	-	1
	20mm Replacement Spindle					
	For use with double egress and track arm assembly					
	2-659-0225	DBZ	175.00	162566		
	20mm Replacement Spindle					
	For use with double egress and track arm assembly					
	2-659-0226	ALM	143.50	162567	-	1
	35mm Replacement Spindle					
	For use with standard single and standard pair applications					
	2-659-0227	DBZ	175.00	162568		
	35mm Replacement Spindle					
	For use with standard single and standard pair applications					
	2-659-0228	ALM	143.50	162570	-	1
	50mm Replacement Spindle					
	2-659-0229	DBZ	175.00	162573		
	50mm Replacement Spindle					
	For use with push side standard arm - double egress only					



Electrified Products - 8400 Series - Low Energy Power Operator

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
	2-659-0230	ALM	127.00	162693	-	1
	Narrow Top Rail Drop Plate					
	2-659-0231	DBZ	127.00	162694	-	
	Narrow Top Rail Drop Plate					
	2-659-0232	ALM	240.00	162574	-	1
	Cover for Single Operator - 36"					
	2-659-0233	DBZ	240.00	162661	-	
	Cover for Single Operator - 36"					
	2-659-0234	ALM	420.00	162663	-	1
	Cover for Dual Operators - 72"					
	2-659-0235	DBZ	420.00	162692	-	
	Cover for Dual Operators - 72"					
Note: Additional sizes available. Inquire with Hager customer service for pricing.						
	2-659-0236		785.00	162696	-	1
	Power Supply					
	On-Board 115 VAC 60Hz 24 VDC 500mA					
	2-659-0237		30.50	162697	-	1
	Relay Board					
	24VDC 40mA 5 amp/ 220 VAC or 28VDC DPDT contacts					
	2-659-0161	US32D/Blue	170.00	162698	20	1
	6" Round Actuator Push To Open and Handicap Symbol					
	2-659-0162	US32D/Blue	170.00	162699	20	1
	6" Round Actuator Handicap Symbol					
	2-659-0163	Black	75.00	162700	20	1
	Surface Mount Box For 6" Round Actuator					
	2-659-0164	Black	12.00	162701	10	1
	Weather Ring For 6" Round Actuator					



Electrified Products - 8400 Series - Low Energy Power Operator



Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
2-659-0165	US32D/Blue	146.00	162703	20	1
4.5" Round Actuator Push To Open and Handicap Symbol					
2-659-0166	US32D/Blue	146.00	162704	20	1
4.5" Round Actuator Handicap Symbol					
2-659-0167	Black	55.00	162705	20	1
Surface Mount Box For 4.5" Round Actuator					
2-659-0168	Black	12.00	162706	10	1
Weather Ring For 4.5" Round Actuator					
2-659-0241	US32D	18.50	162743	10	1
Universal Back Plate For use when mounting 4.5" round or 4.5" square actuator to bollard post					
2-659-0169	US32D/Blue	170.00	162707	20	1
6" Square Actuator Push To Open and Handicap Symbol					
2-659-0170	US32D/Blue	170.00	162708	20	1
6" Square Actuator Handicap Symbol					
2-659-0171	Black	75.00	162709	20	1
Surface Mount Box For 6" Square Actuator					



Electrified Products - 8400 Series - Low Energy Power Operator



Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
2-659-0172 4.5" Square Actuator Push To Open and Handicap Symbol	US32D/Blue	146.00	162710	20	1
2-659-0173 4.5" Square Actuator Handicap Symbol	US32D/Blue	146.00	162711	20	1
2-659-0174 Surface Mount Box For 4.5" Square Actuator	Black	55.00	162712	45	1
2-659-0175 1.5" x 4.75" Jamb Actuator Push To Open and Handicap Symbol	US32D/Blue	120.00	162713	20	1
2-659-0176 1.5" x 4.75" Jamb Actuator Handicap Symbol	US32D/Blue	120.00	162714	20	1
2-659-0177 Surface Mount Box For 1.5" x 4.75" Jamb Actuator	Black	25.00	162715	20	1
2-659-0178 36" Low Profile Actuator Push To Open and Handicap Symbol Wireless Includes 433 MHz wireless transmitter Exceeds California Building Code, Section 1117B.6	US32D/Blue	780.00	162716	2	1



Electrified Products - 8400 Series - Low Energy Power Operator

	Description	Finish	2015 List	Stock No.	Case Qty.	Box Qty.
  	2-659-0179 36" Low Profile Actuator Push To Open and Handicap Symbol Hard Wired Exceeds California Building Code, Section 1117B.6	US32D/Blue	700.00	162717	2	1
	2-659-0242 4.75" Vestibule Actuator Push To Open and Handicap Symbol	US32D/Blue	240.00	162741	20	1
	2-659-0243 Surface Mount Box For 4.75" Vestibule Actuator	Black	45.00	162742	42	1
	2-659-0180 Bollard Post For use with 4.5" round and 4.5" square push plates	Black	500.00	162720	1	1
	2-659-0181 Bollard Post For use with 4.5" round and 4.5" square push plates	Bronze	500.00	162724	1	1
	2-659-0182 Bollard Post For use with 4.5" round and 4.5" square push plates	Silver	500.00	162725	1	1
	2-659-0183 433 MHz Receiver Digital, Radio Controlled	-	136.00	162726	20	1
    	2-659-0184 3-Volt Transmitter Wireless Hardwired to actuator	Black	130.00	162727	20	1
	2-659-0185 9-Volt Transmitter Wireless	Black	130.00	162728	20	1
	2-659-0186 Wireless Transmitter One Button	Black	130.00	162729	20	1
	2-659-0240 Programmable Relay and Door Sequencer For door timing and advanced relay sequencing	-	190.00	162730	20	1
Note: Actuators come standard hard-wired. Must order receiver and transmitter separately for wireless applications.						



Trim & Auxiliary

TABLE OF CONTENTS

A	F
Additions..... 4	Fasteners..... 4
Architectural Finish Symbols..... 3	
Armor Plates..... 6-8	
C	Filler Plates
Chain Door Check 88	Filler Plate, Door Face 95
Coat Hooks 105, 115-116, 140	Filler Plate, Flush Bolt Strike 96
Corner Guard 73	Filler Plate, Door Edge 95-96
Custom Pulls	Filler Plate, Template Hinge Shim..... 97
18 Degree Pull 130-131	Filler Plate, Frame Strike 96-97
90 Degree Pull 113	Filler Plate, Latch Adapter 96
Acorn Tip Pull 118	Filler Plate, Flush Bolt Filler Plate 96
Colonial Pull 114	Filler Plate, Frame Hinge Filler Plate..... 96
C-Shaped Pulls..... 108-112	
Curved Shape Pulls..... 112, 118, 127-129	Flush Bolts
Offset Mount, Vertical Pull 106	Automatic Flush Bolts..... 84-86
Offset Pulls..... 114-115, 122, 130	Constant Latching Flush Bolt 85
Segment Shape Pulls..... 123-126	Dust Proof Strike 83
Square Tip Pull 117	Automatic Flush Bolt with Fire Bolt 86
S-Shaped Pulls..... 113	Manual Flush Bolts 84
Steeple Tip Pull 117	Residential Flush Bolts 135-136
Straight Mount, Vertical Pulls 107, 119-121, 126	Slide Flush Bolt..... 83
Crating 3	
D	H
Door Coordinators	Hand Rail Bracket..... 88, 139
Carry Bar..... 86	
Coordinator with Filler Bar 87	K
Filler Bars 87	Kick Plates 6-8, 134
Gravity Coordinator 87	
Mounting Brackets..... 87	L
Door Edgings	Latches
Mortise Type 65-67	Hospital Latch, 2-3/4" Backset..... 89
Overlap Type..... 68-70	Hospital Latch, 5" Backset..... 89
Surface Type..... 70-72	Hospital Latch, Lead Lined..... 89
Door Guard 81-82, 135	Latch Conversion Kit..... 89
Door Knocker Viewer..... 91	Pocket Door Latch 94
Door Protection Plates 6-8, 134	Privacy Pocket Door Latch 94
Door Latch (Privacy) 82	Latch Protectors..... 97-98
Door Silencers	
Metal Door 89	M
Wood Door 89	Miscellaneous Hardware
Door Viewers 137-138	Closet Knobs..... 132
	Closet Rod..... 138
	Closet Pull Sockets 140
	Concealed Edge Pull 25



Trim & Auxiliary

Finger Pulls.....	131-133
Magnetic Catch	136
Pocket Door Edge Pulls.....	133
Shelf Brackets.....	138-139
Mounting Options	5

P

Pulls

Anti Vandal Trim	90
Back-to-Back Offset Pulls.....	23-25
Back-to-Back Straight Pulls.....	18-20, 22
Cast Pulls	13-14, 22
Flush Cup Pulls	20-21, 26-27
Offset Pulls.....	16-18, 25
Straight Pulls	9-16
Wire Drawer Pulls.....	88

Pull Plates

Cylinder Pull	47
Pull Plate w/ Lip.....	47
Square Corner.....	30-38

Push Bars

Back-to-Back	49-51
Bent	48
Flat.....	48-49
Round	49-50

Push Plates

Beveled - Square Corner	43-44, 46
Half Circle.....	47
Plastic Laminate.....	43
Radius Corner	39-40, 45
Round Bevel Top and Bottom	46
Rounded Corner.....	41-42
Square Corner	28-29, 43-44, 46

Push/Pull Sets

Flat Bar	65
Round Bar.....	18-20, 22-25, 51-64, 119
Security Push/Pull Plate.....	47

R

Recommended Application	3
Recommended Maintenance	3
Residential Trim	131-137

Roller Latch/Catches

Adjustable Ball Catch	91, 137
Drive-In Ball Catch	137
Roller Latch.....	90-91, 131
Roller Latch with Stop.....	91

Roller Latch w/ ASA Strike	131
Roller Latch w/ Full Lip Strike.....	131
Roller Latch w/ Tee Strike.....	90
Three-Way Ball Catch.....	91

S

Signage

ADA Tactile, Plastic	102-105
International Symbols, Plastic.....	101-102
Men/Women, Metal	100
Men/Women, Plastic	98-100
Numbers, Plastic.....	99
Push/Pull, Metal.....	101
Push/Pull, Plastic.....	98-99
Restroom/Restrooms, Plastic	100

Stops and Holders

Roller Bumper	81
Door Holder, Kickdown	80, 134
Floor Stops	74-76, 78-80, 92-94, 134
Heavy Duty Floor Stop.....	79-80
Stops With Holder	76-79
Wall Stops	73-74, 76-78, 92-93, 134
Hinge Pin Door Bumper	88, 135
Surface Bolts	82-83



Trim & Auxiliary

CRATING CHARGES

When ordered separately, orders of less than 5 armor plates (plates over 16 inches high) are subject to a \$15.30 net crating charge.

ARCHITECTURAL FINISH SYMBOLS

Unless specifically noted, finishes are priced as listed by each item on the following pages.

US & HAGER	DESCRIPTION	BASE MATERIAL	PRICING INSTRUCTIONS	BHMA SYMBOL
2C	Zinc Plated Steel	Steel	As Listed	603
3	Bright Brass	Brass	As Listed	605
4	Satin Brass	Brass	As Listed	606
5	Satin Brass, Oxidized	Brass Brass/Bronze	25% Above US10B	609
9	Bright Bronze	Brass Brass/Bronze	25% Above US10	611
10	Satin Bronze	Brass Brass/Bronze	As Listed	612
10B	Antique Bronze, Oiled	Brass Brass/Bronze	As Listed	613
10R	Matte Lacquer Antique Bronze	Brass Brass/Bronze	As Listed	-
15	Satin Nickel	Brass Brass/Bronze	Price Same as US26D	619
15A	Satin Nickel Oxidized	Brass Brass/Bronze	As Listed	620
19	Flat Black Coated	Brass	25% Above US10B	622
26	Bright Chromium Plated	Brass Brass/Bronze	As Listed	625
26D	Satin Chromium Plated	Brass Brass/Bronze	As Listed	626
28	Satin Anodized Aluminum	Aluminum	As Listed	628
32	Stainless Steel Metal, Bright	300 Series	As Listed	629
32D	Stainless Steel Metal, Satin	300 Series	As Listed	630
L2	Duro	-	25% Above US10B	-
PC	Clear Plastic	-	As Listed	-
PK	Plastic Laminate - Black	-	As Listed	-
CO	Plastic Laminate - Chocolate	-	As Listed	-
PG	Plastic Laminate - Grey	-	As Listed	-
S1	Sprayed Aluminum	Cast Iron	As Listed	-
S2	Sprayed Brass	Cast Iron	As Listed	-
S3	Sprayed Bronze	Cast Iron	As Listed	-

NOTE: For any finish not listed in this Price Book, or explained above, price and availability on request.

RECOMMENDED SPECIAL INSTRUCTIONS:

Application: All accessory item installation should be made following the application of paint or other finishes. Under no circumstances should accessory items be installed prior to painting. Paint or other finish material must be dry before applying accessory items to door. Hager recommends that a 72 hour drying time be allowed prior to application of accessory items under normal atmospheric conditions.

Maintenance: For cleaning, use only a soft damp cloth. Do not use any chemicals, abrasive cleaners, waxes, or brass cleaners on items with a lacquer coating or on plastic plates.



Trim & Auxiliary

ADDITIONS WHERE NOT LISTED

Door Edgings

For quantities less than 20 of one type of door edging, add 30% to list price.

Push Plate, Pull Plate, or Kick Plate Options

Add to the list price of each unit:

Antimicrobial Powder Coat Protection

To order use MV3 as suffix - \$13.75 list price each

Flush Back Mounting on Pull Plates

\$10.40 list each plate.

Cutouts - Standard Locations (Not available on Kick Plates)

Wrought (.050) thickness -

-Cut for 1-1/4" (CFC) Standard Cylinder, add \$14.15 each.

-Cut for 2-1/8" (CFC) Cylinder or Turn Piece, add \$14.15 each.

Other thickness plates -

-Cut for 1-1/4" (CFC) Standard Cylinder, add \$16.90 each.

-Cut for 2-1/8" (CFC) Cylinder or Turn Piece, add \$16.90 each.

Cutouts - Non-Standard Locations

Priced on application.

Engraving

For engraving standard "PUSH" or "PULL", "Men" or "Women" for stainless steel, add \$41.95 each, \$83.90 set.

For engraving standard "PUSH" or "PULL", "Men" or "Women" for all other materials, add \$28.50 each, \$57.00 set.

Tactile Warning

Available on limited items. Add \$38.90 to list.

Pull Plates - Non-Standard


To price pull plates not listed in price book, add list price of pull desired to the list price of the plate desired, plus \$4.55 list for assembly charge (and any other options required).

Accessibility Option

For Hager Special Accessibility Clearance - (2-1/2"), prefix "H". Add \$7.35 List for single pull and \$14.70 List for double pull.

FASTENERS

Illustrated below are various types of fasteners that can be furnished by Hager Companies. Please specify type of fastening desired. All types of fastening cannot be used with all items of hardware. If specified method is not possible, we reserve the right to furnish whatever type we feel is best suited for the installation. When used with tempered glass doors, specify thickness of glass and hole diameter.



Sex bolt and machine screws
(various sizes)




Lead anchor
(used with floor stops in masonry applications)



Plastic anchor and full threaded screw
(used in drywall or masonry applications)




Lag screw and shield



Toggle bolt
(ideal for drywall applications)



Plastic toggle anchor
(used with wall stops in drywall applications)



Thru-bolt and finish washer
(flat or oval head; size as required)



Spanner head machine screws
(various sizes furnished at extra charge)



Security torx head machine screws
(various sizes furnished at extra charge)

Note: Torx and Spanner screws are available for select items.
Please call Customer Service for availability and price.

Trim & Auxiliary

MOUNTINGS

Illustrated below are various types of mountings that can be furnished by Hager Companies. Please specify type of mounting desired. All types of mountings cannot be used with all items of hardware. If specified method is not possible, we reserve the right to furnish whatever type we feel is best suited for the installation. When used with tempered glass doors specify thickness of glass and hole diameter.

Mounting Accessory Charges:

For Concealed Cone mountings, add \$10.40 list for each required fitting (Type 3).

For Concealed Cone mountings, add \$10.40 list for each required fitting (Type 5).

For Spanner Collar mountings, add \$17.80 list for each required fitting (Type 7).

For Concealed Cone and Lug mountings, add \$26.30 list for each required fitting.


Temper Glass Door Installation:

Spanner Cap Mountings (Type 8) for tempered glass doors, add \$17.80 list for each spanner cap.

Note: Mounting back-to-back or spanner cap installation requires at least two fittings.


Stile Plates, add \$14.90 list each.

THRU-BOLT, FINISH WASHER
SINGLE MOUNTING




TYPE 1

SURFACE APPLIED
SPECIFY WS OR MS
SINGLE MOUNTING
FOR FLAT BARS




TYPE 2

CONCEALED CONE WITH
BOLT AND SET SCREW
BACK TO BACK MOUNTING




TYPE 3

BACK TO BACK MOUNTING
FOR FLAT BARS




TYPE 4

CONCEALED CONE, SINGLE MOUNTING
REQUIRE REINFORCING OR RIVNUTS
BY OTHERS




TYPE 5

SEX BOLT SETS
BTB MOUNTING




TYPE 6

CONCEALED SPANNER, COLLAR & STUD,
BACK TO BACK MOUNTING SETS
WITH ROUND BASES ONLY



TYPE 7

SPANNER CAP,
SINGLE MOUNTING FOR ROUND
BASES ON TEMPERED GLASS DOORS



TYPE 8




Trim & Auxiliary


DOOR PLATE HUNDRED SQUARE INCH SIZE CHART													
H/W	24"	26"	28"	30"	32"	34"	36"	38"	40"	42"	44"	46"	48" MAX
4"	0.96	1.04	1.12	1.20	1.28	1.36	1.44	1.52	1.60	1.68	1.76	1.84	1.92
6"	1.44	1.56	1.68	1.80	1.92	2.04	2.16	2.28	2.40	2.52	2.64	2.76	2.88
8"	1.92	2.08	2.24	2.40	2.56	2.72	2.88	3.04	3.20	3.36	3.52	3.68	3.84
10"	2.40	2.60	2.80	3.00	3.20	3.40	3.60	3.80	4.00	4.20	4.40	4.60	4.80
12"	2.88	3.12	3.36	3.60	3.84	4.08	4.32	4.56	4.80	5.04	5.28	5.52	5.76
14"	3.36	3.64	3.92	4.20	4.48	4.76	5.04	5.32	5.60	5.88	6.16	6.44	6.72
16"	3.84	4.16	4.48	4.80	5.12	5.44	5.76	6.08	6.40	6.72	7.04	7.36	7.68
18"	4.32	4.68	5.04	5.40	5.76	6.12	6.48	6.84	7.20	7.56	7.92	8.28	8.64
20"	4.80	5.20	5.60	6.00	6.40	6.80	7.20	7.60	8.00	8.40	8.80	9.20	9.60
22"	5.28	5.72	6.16	6.60	7.04	7.48	7.92	8.36	8.80	9.24	9.68	10.12	10.56
24"	5.76	6.24	6.72	7.20	7.68	8.16	8.64	9.12	9.60	10.08	10.56	11.04	11.52
26"	6.24	6.76	7.28	7.80	8.32	8.84	9.36	9.88	10.40	10.92	11.44	11.96	12.48
28"	6.72	7.28	7.84	8.40	8.96	9.52	10.08	10.64	11.20	11.76	12.32	12.88	13.44
30"	7.20	7.80	8.40	9.00	9.60	10.20	10.80	11.40	12.00	12.60	13.20	13.80	14.40
32"	7.68	8.32	8.96	9.60	10.24	10.88	11.52	12.16	12.80	13.44	14.08	14.72	15.36
34"	8.16	8.84	9.52	10.20	10.88	11.56	12.24	12.92	13.60	14.28	14.96	15.64	16.32
36"	8.64	9.36	10.08	10.80	11.52	12.24	12.96	13.68	14.40	15.12	15.84	16.56	17.28
38"	9.12	9.88	10.64	11.40	12.16	12.92	13.68	14.44	15.20	15.96	16.72	17.48	18.24
40"	9.60	10.40	11.20	12.00	12.80	13.60	14.40	15.20	16.00	16.80	17.60	18.40	19.20
42"	10.08	10.92	11.76	12.60	13.44	14.28	15.12	15.96	16.80	17.64	18.48	19.32	20.16
44"	10.56	11.44	12.32	13.20	14.08	14.96	15.84	16.72	17.60	18.48	19.36	20.24	21.12
46"	11.04	11.96	12.88	13.80	14.72	15.64	16.56	17.48	18.40	19.32	20.24	21.16	22.08
48"	11.52	12.48	13.44	14.40	15.36	16.32	17.28	18.24	19.20	20.16	21.12	22.08	23.04
Max													

To figure the list price of a door protection plate, find the hundred square inch size on the chart above. For odd or fractional sizes use the next higher price (i.e. 8" x 31-1/2" - price as 8" x 32" = 2.56 sq. inches). Multiply the square inch size by the list price (for example, 2.56 sq. inches x US\$30.40 = \$77.82 list).

- #6 x 5/8" Phillips Oval Head undercut, Stainless Steel Sheet Metal Screws for counter sunk plates and Truss Head Stainless Steel Screws for non-counter sunk plates, to match plated finish.
- When ordered separately, orders of less than 5 armor plates are subject to a \$15.30 net crating charge (plates over 16 inches high).
- When ordering Kick Plates with self adhesive tape, specify no holes.
- Armor plates available with UL listing. See page 7.
- Cutouts for kick and armor plates priced on application.




Mop Plate
Up to 8"h x 48"w



Kick Plate
6"-12"h x 48"w



Stretcher Plate
6"-12"h x 48"w



Armor Plate
Up to 48"h x 48"w

NFPA 80 STANDARD 6.4.5.3

- Factory installed protection plates shall be installed in accordance with the listing of the door.
- Field installed protection plate shall be labeled and installed in accordance with their listing.

Exception: Labeling is not required where the top of the protection plate is not more than 16" (406 mm) above the bottom of the door.

Trim & Auxiliary



Description	Height	US28	US3, US4, US10	US10B, US19, US9	US32	US32D
190S	Under 8" high	10.00	20.35	30.05	19.45	15.70
No beveled edges	8" to 24" high	9.30	20.35	30.05	18.50	14.25
.050 Gauge	Over 24" to 36" high	9.30	22.00	37.25	18.50	14.25
Metal Door Protection Plate	Over 36" to 48" high	9.30	22.65	43.45	18.50	14.25
Note: UL Listed for US32 and US32D only						
193S	Under 8" high	10.50	28.70	30.50	19.90	15.85
3 beveled edges	8" to 24" high	9.80	28.70	30.50	19.00	14.70
.050 Gauge	Over 24" to 36" high	9.80	31.05	37.70	19.00	14.70
Metal Door Protection Plate	Over 36" to 48" high	9.80	33.35	43.95	19.00	14.70
Note: UL Listed for US32 and US32D only						
194S	Under 8" high	10.50	28.70	30.50	19.90	15.85
All edges beveled	8" to 24" high	9.80	28.70	30.50	19.00	14.70
.050 Gauge	Over 24" to 36" high	9.80	31.05	37.70	19.00	14.70
Metal Door Protection Plate	Over 36" to 48" high	9.80	33.35	44.00	19.00	14.70
Note: UL Listed for US32 and US32D only						
198S	Under 8" high	-	-	-	-	15.70
.038 Gauge	8" to 24" high	-	-	-	-	14.40
Metal Door Protection Plate	Over 24" to 36" high	-	-	-	-	14.40
	Over 36" to 48" high	-	-	-	-	14.40

Note: UL labeling not required when top of plate is less than 16" above the bottom of the door, per NFPA 80 - 2007.

Description	Height	BGA
199B	6" x 30"	26.80
Bright Gold Anodized	6" x 34"	28.75
100 square inches	8" x 30"	32.55
.038 Gauge	8" x 34"	34.75
Metal Door Protection Plate		

Description	Height	Clear Plastic	Black	Brown	Grey
204S	Up to 48" high	9.50			
Clear Plastic					
.125 Gauge					
214S	Up to 48" high		11.00	15.05	15.05
Plastic Laminate					
.125 Gauge					



Trim & Auxiliary



Description	Height	US28	US3, US4, US10	US10B, US19, US9	US32	US32D
220S	Under 8" high	12.10	28.25	38.70	-	19.70
No beveled edges	8" to 24" high	12.10	28.25	38.70	-	19.70
.062 Gauge						
Metal Door Protection Plate	Over 24" to 36" high	12.95	30.55	42.25	-	19.70
	Over 36" to 48" high	14.15	32.90	44.55	-	19.70
223S	Under 8" high	12.55	28.70	39.20	-	20.15
3 beveled edges	8" to 24" high	12.55	28.70	39.20	-	20.15
.062 Gauge						
Metal Door Protection Plate	Over 24" to 36" high	13.40	31.05	42.75	-	20.15
	Over 36" to 48" high	14.60	33.35	45.05	-	20.15
224S	Under 8" high	12.55	28.70	39.20	-	20.15
All edges beveled	8" to 24" high	12.55	28.70	39.20	-	20.15
.062 Gauge						
Metal Door Protection Plate	Over 24" to 36" high	13.40	31.05	42.75	-	20.15
	Over 36" to 48" high	14.60	33.35	45.05	-	20.15

Description	Height	Black (Calcutta)	Brown (Chocolate)	Tan (Beige)
225S	Under 8" high	11.00	11.00	11.00
.060 Gauge				
Kydex Door Protection Plate	8" to 24" high	10.45	10.45	10.45
	Over 24" to 36" high	10.45	10.45	10.45
	Over 36" to 48" high	9.95	9.95	9.95

Note: UL labeling not required when top of plate is less than 16" above the bottom of the door, per NFPA 80 - 2007.

Option	Description	
CSK	Countersunk Holes	0.47 square inch price
SA	Self Adhesive Tape	0.47 square inch price
	Spanner Head Screws	0.47 each
	Torx Head Screws	0.47 each
	.125 Material	Price on Application
	Wrap Around Side & Bottom Return	Price on Application
	UL Label Stamp (No tape -voids UL Listing)	12.80



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
1E	US3	47.05	052830	1	12
Pull- Half Round	US4	50.65	063599		
Material: Brass, bronze, aluminum,	US10	50.65	052831		
stainless steel	US10B	50.65	052832		
Base: 1/2" x 1"	US26	50.65	022786		
Projection: 2"	US26D	50.65	052834		
Clearance: 1-1/2"	US28	27.00	052835		
CTC: 6"	US32	49.25	074723		
	US32D	47.90	052836		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					
1G	US3	55.90	081562	1	12
Pull- Half Round	US4	60.20	028588		
Material: Brass, bronze, aluminum,	US10	60.20	060015		
stainless steel	US10B	60.20	078323		
Base: 1/2" x 1"	US26	60.20	030588		
Projection: 2"	US26D	60.20	066243		
Clearance: 1-1/2"	US28	28.50	056587		
CTC: 8"	US32	60.20	032021		
	US32D	60.00	058307		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHS with washers					
Not suitable for BTB Mounting.					
1J	US3	65.50	073346	1	12
Pull- Half Round	US4	71.35	026724		
Material: Brass, bronze, aluminum,	US10	71.35	067206		
stainless steel	US10B	71.35	062739		
Base: 1/2" x 1"	US26	71.35	013936		
Projection: 2"	US26D	71.35	062738		
Clearance: 1-1/2"	US28	32.15	010948		
CTC: 10"	US32	69.40	092494		
	US32D	66.45	072255		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					
1L	US3	75.05	022469	1	12
Pull- Half Round	US4	81.30	059759		
Material: Brass, bronze, aluminum,	US10	82.65	019781		
stainless steel	US10B	82.65	048642		
Base: 1/2" x 1"	US26	82.65	-		
Projection: 2"	US26D	82.65	085377		
Clearance: 1-1/2"	US28	39.70	067536		
CTC: 12"	US32	80.95	060054		
	US32D	76.90	060014		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
2E	US3	43.45	052812	1	12
Pull - Rectangular	US4	44.90	002326		
Material: Brass, bronze, aluminum,	US10	44.90	091536		
stainless steel	US10B	44.90	015641		
Base: 3/8" x 1-1/4"	US26	44.90	052815		
Projection: 2"	US26D	44.90	052816		
Clearance: 1-5/8"	US28	22.90	052817		
CTC: 6"	US32	49.00	-		
	US32D	44.00	052818		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					
2G	US3	52.20	052819	1	12
Pull - Rectangular	US4	55.35	-		
Material: Brass, bronze, aluminum,	US10	55.35	052820		
stainless steel	US10B	55.35	052821		
Base: 3/8" x 1-1/4"	US26	55.35	120486		
Projection: 2"	US26D	55.35	008573		
Clearance: 1-5/8"	US28	24.60	082824		
CTC: 8"	US32	56.85	-		
	US32D	53.70	052825		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					
2J	US3	61.65	099284	1	12
Pull - Rectangular	US4	66.85	111300		
Material: Brass, bronze, aluminum,	US10	66.85	137339		
stainless steel	US10B	68.30	083743		
Base: 3/8" x 1-1/4"	US26	68.30	-		
Projection: 2"	US26D	68.30	067318		
Clearance: 1-5/8"	US28	27.60	072355		
CTC: 10"	US32	38.10	-		
	US32D	65.70	063689		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					
2L	US3	64.75	137565	1	12
Pull - Rectangular	US4	69.10	078244		
Material: Brass, bronze, aluminum,	US10	72.05	036307		
stainless steel	US10B	72.05	001482		
Base: 3/8" x 1-1/4"	US26	72.05	-		
Projection: 2"	US26D	72.05	101506		
Clearance: 1-5/8"	US28	35.85	016671		
CTC: 12"	US32	72.85	036632		
	US32D	70.00	068545		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Note suitable for BTB Mounting.					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
3E	US3	40.55	052507	1	12
Pull - Round	US4	40.55	082808		
Material: Brass, bronze, aluminum,	US10	41.65	052508		
stainless steel	US10B	41.65	052510		
Base: 3/4" diameter	US26	41.65	052826		
Projection: 2-1/4"	US26D	41.65	052705		
Clearance: 1-1/2"	US28	24.60	052511		
CTC: 6"	US32	48.25	003987		
	US32D	35.85	052512		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
3G	US3	49.25	052706	1	12
Pull - Round	US4	49.25	054828		
Material: Brass, bronze, aluminum,	US10	51.80	052707		
stainless steel	US10B	51.80	052513		
Base: 3/4" diameter	US26	51.80	052827		
Projection: 2-1/4"	US26D	51.80	052708		
Clearance: 1-1/2"	US28	26.20	052709		
CTC: 8"	US32	57.55	003987		
	US32D	40.50	052514		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
3J	US3	56.65	058846	1	12
Pull - Round	US4	56.65	017703		
Material: Brass, bronze, aluminum,	US10	60.20	059315		
stainless steel	US10B	60.20	058929		
Base: 3/4" diameter	US26	60.20	067231		
Projection: 2-1/4"	US26D	60.20	060904		
Clearance: 1-1/2"	US28	31.85	064414		
CTC: 10"	US32	65.70	009135		
	US32D	46.20	053788		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
3L	US3	62.50	062658	1	12
Pull - Round	US4	68.60	044307		
Material: Brass, bronze, aluminum,	US10	73.80	084100		
stainless steel	US10B	73.80	067606		
Base: 3/4" diameter	US26	73.80	088253		
Projection: 2-1/4"	US26D	73.80	070804		
Clearance: 1-1/2"	US28	38.00	068010		
CTC: 12"	US32	78.90	071641		
	US32D	56.10	056122		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
P4E	US32D	65.35	085014	1	12
Security Pull - Round					
Material: Stainless steel					
Base: 1" diameter					
Projection: 2-1/4"					
Clearance: 1-1/4"					
CTC: 6"					
Fasteners: 3/8" - 16 x 1-1/4"					
Nyloc hex head cap screws					
Concealed mounting in door, use on hollow metal doors only.					
T4E	US32D	68.25	085015	1	12
Security Pull - Round					
Material: Stainless steel					
Base: 1" diameter					
Projection: 2-1/4"					
Clearance: 1-1/4"					
CTC: 6"					
Door Thickness: 1-3/4" standard					
Fasteners: 1/4" - 20 x 2-1/4" FTXMS with washers					
Security Torx, Thru Bolt Mounting					
4G	US3	63.20	052710	1	12
Pull - Round	US4	66.85	071068		
Material: Brass, bronze, aluminum, stainless steel	US10	73.35	052711		
	US10B	73.35	052712		
Base: 1" diameter	US26	73.35	052828		
Projection: 2-3/4"	US26D	73.35	052713		
Clearance: 1-3/4"	US28	40.10	051945		
CTC: 8"	US32	81.70	056698		
	US32D	61.80	051946		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
4H	US3	70.35	116804	1	12
Pull - Round	US4	70.35	-		
Material: Brass, bronze, aluminum, stainless steel	US10	77.40	-		
	US10B	77.40	068290		
Base: 1" diameter	US26	77.40	139764		
Projection: 2-3/4"	US26D	77.40	016412		
Clearance: 1-3/4"	US28	40.60	099188		
CTC: 9"	US32	88.90	075526		
	US32D	65.30	037214		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
4J	US3	76.45	052714	1	12
Pull - Round	US4	76.45	054807		
Material: Brass, bronze, aluminum,	US10	82.15	052715		
stainless steel	US10B	82.15	052716		
Base: 1" diameter	US26	82.15	052829		
Projection: 2-3/4"	US26D	82.15	052515		
Clearance: 1-3/4"	US28	40.80	052717		
CTC: 10"	US32	93.80	060648		
	US32D	68.55	052516		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
4L	US3	80.00	056307	1	12
Pull - Round	US4	80.00	062858		
Material: Brass, bronze, aluminum,	US10	94.20	068316		
stainless steel	US10B	94.20	062875		
Base: 1" diameter	US26	94.20	054951		
Projection: 2-3/4"	US26D	94.20	072906		
Clearance: 1-3/4"	US28	47.65	059808		
CTC: 12"	US32	103.75	069478		
	US32D	79.90	054672		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
5D	US3	31.70	048492	1	12
Pull - Round	US4	31.70	048493		
Material: Brass, bronze, aluminum,	US10	34.25	048489		
stainless steel	US10B	34.25	048495		
Base: 5/8" diameter	US26	34.25	007765		
Projection: 2-1/8"	US26D	34.25	048496		
Clearance: 1-1/2"	US28	21.60	048491		
CTC: 5-1/2"	US32	40.10	-		
	US32D	29.80	048497		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					
5N	US3	47.65	052289	1	12
Cast Pull	US4	51.20	052290		
Material: Brass, bronze, aluminum,	US10	54.70	052291		
stainless steel	US10B	54.70	052292		
Base: 5/8" x 1-3/16"	US26	54.70	052808		
Projection: 2"	US26D	54.70	052701		
Clearance: 1-1/2"	US28	33.45	138885		
Length: 6-1/8"	US32D	60.00	052294		
CTC: 5-1/2"					
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
6N	US3	36.80	052295	1	12
Cast Pull	US4	41.15	052296		
Material: Brass, bronze, aluminum,	US10	50.90	052297		
stainless steel	US10B	50.90	052298		
Base: 1" diameter	US26	50.90	028570		
Projection: 1-7/8"	US26D	50.90	052811		
Clearance: 1-3/8"	US28	26.55	052299		
O/A Length: 6-1/2"	US32D	52.50	052300		
CTC: 5-1/2"					
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					



7N	US3	52.10	052301	1	12
Cast Pull	US4	52.10	053309		
Material: Brass, bronze, aluminum	US10	52.90	052302		
Base: 2" diameter	US10B	52.90	052806		
Projection: 1-7/8"	US26	52.90	052807		
Clearance: 1-3/8"	US26D	52.90	052304		
CTC: 5-1/2"	US28	30.40	052303		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					



8N	US3	47.45	052305	1	12
Material: Brass, bronze, aluminum	US4	52.20	053310		
Base: 2" diameter	US10	52.90	052306		
Projection: 1-7/8"	US10B	52.90	052700		
CTC: 5-1/2"	US26	52.90	052805		
Clearance: 1-3/8"	US26D	52.90	052308		
Fasteners: #8 x 1 OPHWS	US28	29.60	052307		
Not suitable for BTB Mounting.					



P8N	US4	65.35	081356	1	12
Cast Pull	US26D	65.35	084188		
Material: Brass					
Base: 1-1/2" x 1-5/8"					
Projection: 2-1/4"					
CTC: 7-3/4"					
Clearance: 1-9/16"					
O/A Length: 8-3/4"					
Fasteners: 3/8 - 16 x 3/4" FPHMS					
Not suitable for BTB Mounting.					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
9E	US3	37.25	078724	1	12
Pull - Oval	US4	37.25	031734		
Material: Brass, bronze, stainless steel	US10	41.95	017647		
Base: 1/2" x 3/4"	US10B	41.95	083301		
Projection: 2"	US26	41.95	083270		
Clearance: 1-1/2"	US26D	41.95	082917		
CTC: 6"	US32	43.45	109645		
	US32D	43.00	066230		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					
9G	US3	41.70	073348	1	12
Pull - Oval	US4	41.70	129264		
Material: Brass, bronze, stainless steel	US10	46.25	071399		
Base: 1/2" x 3/4"	US10B	46.25	076145		
Projection: 2"	US26	46.25	-		
Clearance: 1-1/2"	US26D	46.25	073350		
CTC: 8"	US32	31.15	089854		
	US32D	37.20	073862		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					
9J	US3	46.30	032128	1	12
Pull - Oval	US4	46.30	021300		
Material: Brass, bronze, stainless steel	US10	50.65	026721		
Base: 1/2" x 3/4"	US10B	50.65	020045		
Projection: 2"	US26	50.65	-		
Clearance: 1-1/2"	US26D	50.65	068291		
CTC: 10"	US32	51.65	112592		
	US32D	45.15	089049		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					
9L	US3	50.65	001447	1	12
Pull - Oval	US4	50.65	090944		
Material: Brass, bronze, stainless steel	US10	55.15	018507		
Base: 1/2" x 3/4"	US10B	55.15	095056		
Projection: 2"	US26	55.15	-		
Clearance: 1-1/2"	US26D	55.15	017368		
CTC: 12"	US32	57.55	064516		
	US32D	49.25	075733		
Door Thickness: 1-3/4" standard					
Fasteners: 1/4" x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
10L	US3	252.15	079250	1	8
Pull - Round	US4	252.15	094670		
Material: Brass, bronze, stainless steel	US10	279.90	002193		
Base: 1-1/4" diameter	US10B	279.90	084947		
Projection: 3"	US26	279.90	030731		
Clearance: 1-3/4"	US26D	279.90	023472		
CTC: 12"	US32	250.15	097312		
	US32D	212.35	067649		
Door Thickness: 1-3/4" standard					
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers					
10Q	US3	276.65	090612	2	8
Pull - Round	US4	296.05	010843		
Material: Brass, bronze, stainless steel	US10	296.05	034458		
Base: 1-1/4" diameter	US10B	296.05	087786		
Projection: 3"	US26	296.05	-		
Clearance: 1-3/4"	US26D	296.05	039520		
CTC: 18"	US32	259.45	027254		
	US32D	240.65	072664		
Door Thickness: 1-3/4" standard					
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers					
11E	US3	76.45	059597	-	2
90° Offset Pull - Round	US4	76.45	018312		
Material: Brass, bronze, aluminum,	US10	79.90	060336		
stainless steel	US10B	79.90	060315		
Base: 3/4" diameter	US26	79.90	040696		
Projection: 2-1/2"	US26D	79.90	075266		
Clearance: 1-3/4"	US28	50.15	043401		
CTC: 6"	US32	81.65	-		
	US32D	63.75	057380		
Offset: 2-1/2"					
Door Thickness: 1-3/4" standard					
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers					
Available with 45° offset					
11G	US3	80.50	063681	-	2
90° Offset Pull - Round	US4	80.50	047133		
Material: Brass, bronze, aluminum,	US10	85.30	097774		
stainless steel	US10B	85.30	068662		
Base: 3/4" diameter	US26	85.30	013867		
Projection: 2-1/2"	US26D	85.30	093586		
Clearance: 1-3/4"	US28	56.80	067803		
CTC: 8"	US32	86.65	109006		
	US32D	70.00	066983		
Offset: 2-1/2"					
Door Thickness: 1-3/4" standard					
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers					
Available with 45° offset					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
11J	US3	85.20	073589	-	2
90° Offset Pull - Round	US4	85.20	087629		
Material: Brass, bronze, aluminum, stainless steel	US10	92.50	074842		
	US10B	92.50	056958		
Base: 3/4" diameter	US26	92.50	064743		
Projection: 2-1/2"	US26D	92.50	091336		
Clearance: 1-3/4"	US28	60.00	075928		
CTC: 10"	US32	90.00	091535		
Offset: 2-1/2"	US32D	73.25	066497		
Door Thickness: 1-3/4" standard					
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers					
Available with 45° offset					



11L	US3	92.50	096446	-	2
90° Offset Pull - Round	US4	92.50	-		
Material: Brass, bronze, aluminum, stainless steel	US10	103.70	023215		
	US10B	103.70	070692		
Base: 3/4" diameter	US26	103.70	062866		
Projection: 2-1/2"	US26D	103.70	086064		
Clearance: 1-3/4"	US28	64.35	073571		
CTC: 12"	US32	96.65	078494		
Offset: 2-1/2"	US32D	78.25	065800		
Door Thickness: 1-3/4" standard					
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers					
Available with 45° offset					



12G	US3	102.65	060314	-	2
90° Offset Pull - Round	US4	101.50	081233		
Material: Brass, bronze, aluminum, stainless steel	US10	114.45	043913		
	US10B	114.45	076432		
Base: 1" diameter	US26	114.45	078220		
Projection: 2-3/4"	US26D	114.45	062954		
Clearance: 1-3/4"	US28	52.25	070404		
CTC: 8"	US32	101.80	099416		
Offset: 3"	US32D	83.00	060905		
Door Thickness: 1-3/4" standard					
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers					
Available with 45° offset					



12J	US3	107.20	060159	-	2
90° Offset Pull - Round	US4	119.45	082214		
Material: Brass, bronze, aluminum, stainless steel	US10	120.30	069370		
	US10B	120.30	059163		
Base: 1" diameter	US26	120.30	059778		
Projection: 2-3/4"	US26D	120.30	068450		
Clearance: 1-3/4"	US28	57.80	070967		
CTC: 10"	US32	113.10	059561		
Offset: 3"	US32D	89.45	055174		
Door Thickness: 1-3/4" standard					
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers					
Available with 45° offset					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
12L	US3	114.45	056782	-	2
90° Offset Pull - Round	US4	114.45	063686		
Material: Brass, bronze, aluminum,	US10	127.80	059327		
stainless steel	US10B	127.80	061587		
Base: 1" diameter	US26	127.80	076229		
Projection: 2-3/4"	US26D	127.80	077083		
Clearance: 1-3/4"	US28	63.20	062011		
CTC: 12"	US32	124.45	067052		
Offset: 3"	US32D	93.05	059815		
Door Thickness: 1-3/4" standard					
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers					
Available with 45° offset					



13E	US3	121.40	061785	1	12
Push/Pull Set - Round	US4	121.40	095631		
Type 7 mounting	US10	123.75	002512		
Material: Brass, bronze, aluminum,	US10B	123.75	028794		
stainless steel	US26	123.75	063688		
Base: 3/4" diameter	US26D	123.75	060821		
Projection: 2-1/4"	US28	84.35	076294		
Clearance: 1-1/2"	US32	135.60	020838		
Door Thickness: 1-3/4" - 2-1/8"	US32D	111.10	055892		
CTC: 6"					
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)					



13G	US3	139.45	002452	1	12
Push/Pull Set - Round	US4	139.45	018605		
Type 7 mounting	US10	144.60	056543		
Material: Brass, bronze, aluminum,	US10B	144.60	057132		
stainless steel	US26	144.60	058650		
Base: 3/4" diameter	US26D	144.60	096884		
Projection: 2-1/4"	US28	92.25	057936		
Clearance: 1-1/2"	US32	154.75	016398		
Door Thickness: 1-3/4" - 2-1/8"	US32D	120.40	059203		
CTC: 8"					
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)					



13J	US3	153.95	067010	1	12
Push/Pull Set - Round	US4	153.95	058379		
Type 7 mounting	US10	160.90	013815		
Material: Brass, bronze, aluminum,	US10B	160.90	006667		
stainless steel	US26	160.90	043759		
Base: 3/4" diameter	US26D	160.90	068292		
Projection: 2-1/4"	US28	103.35	014475		
Clearance: 1-1/2"	US32	170.85	032231		
Door Thickness: 1-3/4" - 2-1/8"	US32D	131.75	063863		
CTC: 10"					
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
13L	US3	165.80	095055	1	12
Push/Pull Set - Round	US4	165.80	110600		
Type 7 mounting	US10	188.20	060284		
Material: Brass, bronze, aluminum,	US10B	188.20	039979		
stainless steel	US26	188.20	070322		
Base: 3/4" diameter	US26D	188.20	070163		
Projection: 2-1/4"	US28	115.30	037236		
Clearance: 1-1/2"	US32	183.05	034594		
Door Thickness: 1-3/4" - 2-1/8"	US32D	151.60	084896		
CTC: 12"					
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)					
14G	US3	174.25	056325	1	12
Push/Pull Set - Round	US4	174.25	123899		
Type 7 mounting	US10	187.40	027836		
Material: Brass, bronze, aluminum,	US10B	187.40	019363		
stainless steel	US26	187.40	029353		
Base: 1" diameter	US26D	187.40	077790		
Projection: 2-3/4"	US28	119.60	091532		
Clearance: 1-3/4"	US32	202.55	088849		
Door Thickness: 1-3/4" - 2-1/8"	US32D	163.05	070068		
CTC: 8"					
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)					
14H	US3	191.90	125548	1	12
Push/Pull Set - Round	US4	201.65	143956		
Type 7 mounting	US10	203.55	-		
Material: Brass, bronze, aluminum,	US10B	203.55	018727		
stainless steel	US26	203.55	-		
Base: 1" diameter	US26D	203.55	034117		
Projection: 2-3/4"	US28	119.85	147101		
Clearance: 1-3/4"	US32	225.40	-		
Door Thickness: 1-3/4" - 2-1/8"	US32D	174.90	024734		
CTC: 9"					
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)					
14J	US3	193.45	056432	1	8
Push/Pull Set - Round	US4	193.45	028831		
Type 7 mounting	US10	205.10	066033		
Material: Brass, bronze, aluminum,	US10B	205.10	060441		
stainless steel	US26	205.10	059309		
Base: 1" diameter	US26D	205.10	061594		
Projection: 2-3/4"	US28	121.25	014601		
Clearance: 1-3/4"	US32	226.90	084135		
Door Thickness: 1-3/4" - 2-1/8"	US32D	176.30	067342		
CTC: 10"					
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
14L	US3	200.95	086803	1	8
Push/Pull Set - Round	US4	200.95	-		
Type 7 mounting	US10	229.30	071917		
Material: Brass, bronze, aluminum,	US10B	229.30	071108		
stainless steel	US26	229.30	010126		
Base: 1" diameter	US26D	229.30	023138		
Projection: 2-3/4"	US28	134.35	100725		
Clearance: 1-3/4"	US32	246.05	063460		
Door Thickness: 1-3/4" - 2-1/8"	US32D	199.55	057010		
CTC: 12"					
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)					
15C	US32D	61.30	026410	1	10
Heavy Duty Flush Cup Pull					
Material: Stainless steel					
Face: 3-1/2" x 5"					
Opening: 1-3/4" x 3-1/16"					
Projection: 1/8"					
Cup Depth: 3/4" (Cup welded to face plate)					
Fasteners: #6 x5/8" OPHWS					
15N	US3	49.35	053114	2	20
Flush Cup Pull	US4	55.90	053115		
Material: Brass, bronze, aluminum,	US10	63.20	053116		
stainless steel	US10B	63.20	053117		
Face: 3-1/2" x 5"	US26	63.20	053118		
Opening: 1-3/4" x 3-1/16"	US26D	63.20	053119		
Projection: 1/8"	US28	40.10	053120		
Cup Depth: 3/4"	US32D	41.60	053121		
Fasteners: #6 x5/8" OPHWS					
15P	US32D	64.90	085266	2	20
Heavy Duty Security Flush Cup Pull					
Material: Stainless steel					
Face: 3-1/2" x 5"					
Opening: 1-3/4" x 3-1/16"					
Projection: 3/16"					
Cup Depth: 3/4" (Cup welded to face plate)					
Welded studs for security (2) 6 -32 x 1-1/2" FPHMS (security torx)					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
15S	US3	49.35	014360	2	20
Light Duty Flush Cup Pull	US4	55.90	039342		
Material: Brass, bronze, aluminum,	US10	63.20	025946		
stainless steel	US10B	63.20	042147		
Face: 3-1/2" x 5"	US26	63.20	089124		
Opening: 1-3/4" x 3-1/16"	US26D	63.20	020841		
Projection: 1/8"	US28	40.10	091301		
Cup Depth: 3/4"	US32D	41.60	017661		
Fasteners: #6 x 5/8" PPHWS					
Fasteners inside recessed cup					
16N	US3	44.55	073983	2	20
Light Duty Flush Cup Pull	US4	32.30	010007		
Material: Brass, bronze	US10	46.55	074227		
Face: 1-15/16" x 3"	US10B	46.55	068253		
Opening: 27/32" x 2-3/8"	US26	46.55	068254		
Projection: 1/16"	US26D	46.55	067702		
Cup Depth: 5/8"					
Fasteners: #8 x 3/4" OPHWS					
Fasteners inside recessed cup					
16R	US3	70.80	018081	2	20
Finger Pull Plate	US4	77.60	141082		
Material: Brass, bronze, aluminum,	US10	77.60	-		
stainless steel	US10B	77.60	060151		
Size: 4" x 16"	US26	77.60	085308		
Opening: 1-3/4" x 3-1/16"	US26D	77.60	009524		
Cup Depth: 13/16"	US28	54.30	092065		
Fasteners: #6 x 5/8" OPHWS	US32	87.45	-		
	US32D	60.45	057855		
17N	US3	46.55	068535	2	20
Light Duty Flush Cup Pull	US4	46.55	077871		
Material: Brass, bronze	US10	48.45	068096		
Face: 2-1/2" x 3-31/32"	US10B	48.45	068255		
Opening: 1-11/32" x 3-13/32"	US26	48.45	068256		
Projection: 3/32"	US26D	48.45	067507		
Cup Depth: 5/8"					
Fasteners: #8 x 13/16" OPHWS					
Fasteners inside recessed cup					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
19N	US3	64.25	068194	1	20
Cast Pull	US10	66.85	072477		
Material: Brass, bronze	US10B	68.95	076217		
Base Diameter: 1-1/2"	US26	68.95	063714		
Projection: 3-1/8"	US26D	68.95	064247		
Clearance: 1-11/16"					
CTC: 6-3/16"					
Length O/A: 9"					
Fasteners: #8 x 1" OPHWS					
Suitable for BTB Mounting with sex nuts by special quotation					
20N	US3	64.25	058572	1	1
Cast Pull	US10	68.95	058573		
Material: Brass, bronze	US10B	68.95	095243		
Base Diameter: 1-1/2"	US26	68.95	017678		
Projection: 3-1/8"	US26D	68.95	058574		
Clearance: 1-11/16"					
CTC: 5-7/32"					
Length O/A: 9"					
Fasteners: 1/4" - 20 thru bolts with washers					
Door Thickness: 1-3/4" standard					
Not suitable for BTB Mounting					
20L	US3	547.15	140460	1	4
Push/Pull Set - Round	US4	578.30	090986		
Type 7 mounting	US10	578.30	146334		
Material: Brass, bronze, aluminum,	US10B	578.30	019165		
stainless steel	US26	578.30	052420		
Base: 1-1/4" diameter	US26D	578.30	022949		
Projection: 3"	US28	578.30	-		
Clearance: 1-3/4"	US32	511.45	030891		
CTC: 12"	US32D	477.50	099136		
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting type 7 concealed spanner (Required 7/16" min. holes in door)					
20Q	US3	608.00	-	1	4
Push/Pull Set - Round	US4	642.60	-		
Type 7 mounting	US10	642.60	-		
Material: Brass, bronze, aluminum,	US10B	642.60	105155		
stainless steel	US26	642.60	-		
Base: 1-1/4" diameter	US26D	642.60	046330		
Projection: 3"	US28	642.60	-		
Clearance: 1-3/4"	US32	568.35	066386		
CTC: 18"	US32D	530.55	067607		
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting type 7 concealed spanner (Required 7/16" min. holes in door)					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
21E	US3	191.50	138354	-	1
90° Offset Push/Pull Set - Round	US4	191.50	-		
Material: Brass, bronze, aluminum,	US10	200.60	-		
stainless steel	US10B	200.60	012325		
Base: 3/4" diameter	US26	200.60	071225		
Projection: 2-1/2"	US26D	200.60	028763		
Clearance: 1-3/4"	US28	139.75	019295		
CTC: 6"	US32	202.90	161045		
	US32D	167.10	089757		
Offset: 2-1/2"					
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)					
Available with 45° offset					



21G	US3	201.90	058679	-	1
90° Offset Push/Pull Set - Round	US4	201.90	043225		
Material: Brass, bronze, aluminum,	US10	211.30	-		
stainless steel	US10B	211.30	063310		
Base: 3/4" diameter	US26	211.30	018016		
Projection: 2-1/2"	US26D	211.30	066826		
Clearance: 1-3/4"	US28	153.10	-		
CTC: 8"	US32	212.95	025013		
	US32D	179.55	058003		
Offset: 2-1/2"					
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)					
Available with 45° offset					



21J	US3	208.70	078909	-	1
90° Offset Push/Pull Set - Round	US4	208.70	-		
Material: Brass, bronze, aluminum,	US10	225.55	005255		
stainless steel	US10B	225.55	057372		
Base: 3/4" diameter	US26	225.55	005678		
Projection: 2-1/2"	US26D	225.55	067008		
Clearance: 1-3/4"	US28	157.00	112219		
CTC: 10"	US32	219.45	019770		
	US32D	186.25	080009		
Offset: 2-1/2"					
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)					
Available with 45° offset					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
21L	US3	222.40	097140	-	1
90° Offset Push/Pull Set - Round	US4	222.40	002578		
Material: Brass, bronze, aluminum,	US10	248.05	-		
stainless steel	US10B	248.05	042312		
Base: 3/4" diameter	US26	248.05	007396		
Projection: 2-1/2"	US26D	248.05	032790		
Clearance: 1-3/4"	US28	168.10	047803		
CTC: 12"	US32	232.80	027578		
	US32D	196.25	069905		
Offset: 2-1/2"					
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)					
Available with 45° offset					



22G	US3	241.85	079012	-	1
90° Offset Push/Pull Set - Round	US4	241.85	-		
Material: Brass, bronze, aluminum,	US10	271.10	075421		
stainless steel	US10B	271.10	096184		
Base: 1" diameter	US26	271.10	048693		
Projection: 2-3/4"	US26D	271.10	007328		
Clearance: 1-3/4"	US28	147.35	024277		
CTC: 8"	US32	243.45	098201		
	US32D	240.10	067908		
Offset: 3"					
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)					
Available with 45° offset					



22J	US3	255.05	075192	-	1
90° Offset Push/Pull Set - Round	US4	255.05	-		
Material: Brass, bronze, aluminum,	US10	285.70	050773		
stainless steel	US10B	285.70	058192		
Base: 1" diameter	US26	285.70	005787		
Projection: 2-3/4"	US26D	285.70	085517		
Clearance: 1-3/4"	US28	158.40	002376		
CTC: 10"	US32	265.75	073277		
	US32D	258.65	076699		
Offset: 3"					
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)					
Available with 45° offset					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
22L	US3	268.25	073970	-	1
90° Offset Push/Pull Set - Round	US4	268.25	078417		
Material: Brass, bronze, aluminum,	US10	303.35	000477		
stainless steel	US10B	303.35	080383		
Base: 1" diameter	US26	303.35	015975		
Projection: 2-3/4"	US26D	303.35	038687		
Clearance: 1-3/4"	US28	169.25	000794		
CTC: 12"	US32	287.70	059202		
	US32D	277.65	064503		
Offset: 3"					
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)					
Available with 45° offset					
22N	US3	68.20	086819	1	10
Concealed Edge Pull	US26D	74.10	086820		
Material: Solid brass					
Size: 31/32" x 4-1/4" x 3/8"					
Finger piece extends: 2-3/4"					
Fasteners: #6 x 3/4" FPHWS					
23Q	US3	342.20	006390	-	2
90° Offset Pull - Round	US4	342.20	029999		
Material: Brass, bronze, aluminum,	US10	360.65	021472		
stainless steel	US10B	360.65	017369		
Base Diameter: 1-1/4"	US26	360.65	019785		
Projection: 3"	US26D	360.65	023673		
Clearance: 1-3/4"	US28	128.40	049363		
CTC: 18"	US32	314.75	002751		
	US32D	269.75	080011		
Offset: 3-3/4" standard					
Fasteners: 5/16" - 18 thru bolt w/ washer					
Door Thickness: 1-3/4" - 2-1/8" standard					
Available with 45° offset					
24Q	US3	728.30	003843	-	1
90° Offset Push/Pull Set - Round	US4	728.30	134285		
Material: Brass, bronze, aluminum,	US10	765.10	043201		
stainless steel	US10B	765.10	024989		
Base Diameter: 1-1/4"	US26	765.10	-		
Projection: 3"	US26D	765.10	-		
Clearance: 1-3/4"	US28	274.30	095347		
CTC: 18"	US32	673.90	-		
	US32D	582.30	067055		
Offset: 3-3/4"					
Door Thickness: 1-3/4" - 2-1/8" standard					
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)					
Available with 45° offset					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
25B Security Flush Pull Set Material: Stainless steel Face: 3-1/2" x 5" Opening: 1-3/4" x 3-1/16" Projection: 3/16" Cup Depth: 3/4" Fasteners: (2) 6 - 32 x 1-1/2" FPHMS (security torx)	US32D	124.85	025035	1	10
25C Heavy Duty Flush Pull Set Material: Stainless steel Face: 3-1/2" x 5" Opening: 1-3/4" x 3-1/16" Projection: 1/8" Cup Depth: 3/4" Fasteners: (4) 6 - 32 OPHMS with sex nuts and bolts Consists of 2 ea. 15C pulls BTB	US32D	121.10	008405	1	10
25N Flush Pull Set Material: Brass, bronze, aluminum, stainless steel Face: 3-1/2" x 5" Opening: 1-3/4" x 3-1/16" Projection: 1/8" Cup Depth: 3/4" Fasteners: (4) 6 - 32 OPHMS with sex nuts and bolts Consists of 2 ea. 15N pulls BTB	US3 US4 US10 US10B US26 US26D US28 US32D	124.65 124.65 142.30 142.30 142.30 142.30 92.85 106.60	057171 069686 064913 075384 087487 055307 074843 066502	1	10
25P Security Finger Pull/Push Plate Set Material: Stainless steel Base: 4" x 16" Opening: 1-3/4" x 3-1/16" Projection: 1/8" Fasteners: 8 - 32 x 3/4" FPHMS (security torx) sex nuts and bolts	US32D	253.90	089518	1	10



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
26N	US4	67.60	024671	2	20
Security Finger Pull	US26	92.50	036321		
Material: Brass, stainless steel	US32D	97.20	017790		
Face: 4" x 5"					
Opening: 1-5/8" x 3"					
Projection: 1/8"					
Cup Depth: 13/16"					
Fasteners: 1/4" - 20 x 3/4" security torx FPHMS					
27N	US32D	126.40	006749	2	20
Security Flush Cup Pull					
Material: Stainless steel					
Face: 5" x 5"					
Opening: 3" x 3-1/2"					
Projection: 3/8"					
Cup Depth: 7/8"					
Fasteners: 10 - 24 FPHMS (security torx) sex nuts and thru bolts					
Not available for BTB Mounting					
27P	US32D	126.40	013714	2	20
Security Flush Cup Pull					
Material: Stainless steel					
Face: 5" x 5"					
Opening: 3" x 3-1/2"					
Projection: 3/8"					
Cup Depth: 7/8"					
Fasteners: 1/4 - 20 x 3/4" FPHMS (security torx)					
Not available for BTB Mounting					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
305					
Push Plate - Square Corner					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	16.20	052473	5	50
	US4	16.20	053057		
	US10	19.35	052630		
	US10B	19.35	052604		
	US26	19.35	052788		
	US26D	19.35	052605		
	US28	10.20	052606		
	US32	14.60	060400		
	US32D	11.85	052607		
3-1/2" x 15"	US3	20.00	051947	5	50
	US4	20.00	053058		
	US10	23.40	052474		
	US10B	23.40	052475		
	US26	23.40	051948		
	US26D	23.40	052608		
	US28	11.55	051949		
	US32	18.70	067703		
	US32D	14.85	052476		
4" x 16"	US3	22.80	052477	5	50
	US4	22.80	053059		
	US10	26.10	052478		
	US10B	26.10	052479		
	US26	26.10	052789		
	US26D	26.10	052480		
	US28	13.05	052481		
	US32	20.40	056570		
	US32D	15.90	052482		
6" x 16"	US3	33.85	052609	-	5
	US4	33.85	016001		
	US10	39.70	052610		
	US10B	39.70	052611		
	US26	39.70	052612		
	US26D	39.70	052613		
	US28	14.60	052614		
	US32	34.45	059757		
	US32D	28.65	052615		
8" x 16"	US3	40.35	052616	-	5
	US4	40.35	053054		
	US10	47.45	052617		
	US10B	47.45	052618		
	US26	47.45	052619		
	US26D	47.45	052620		
	US28	17.45	052621		
	US32	38.05	056697		
	US32D	31.50	052483		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
A30S					
Push Plate - Square Corner					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.062					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	26.65	088064	5	50
	US4	26.65	040610		
	US10	30.90	089728		
	US10B	30.90	057228		
	US26	30.90	083774		
	US26D	30.90	002164		
	US28	13.05	-		
	US32	24.75	-		
	US32D	15.90	018593		
3-1/2" x 15"	US3	28.70	086010	5	50
	US4	28.70	125264		
	US10	34.75	060451		
	US10B	34.75	095370		
	US26	34.75	041812		
	US26D	34.75	050973		
	US28	14.50	095372		
	US32	30.15	014761		
	US32D	20.15	095371		
4" x 16"	US3	32.45	088141	5	50
	US4	32.45	096314		
	US10	38.25	018240		
	US10B	38.25	026224		
	US26	38.25	068218		
	US26D	38.25	088369		
	US28	15.65	098928		
	US32	31.70	071242		
	US32D	22.05	084940		
6" x 16"	US3	47.05	146109	-	5
	US4	47.05	147465		
	US10	52.90	008731		
	US10B	52.90	094683		
	US26	52.90	098852		
	US26D	52.90	001249		
	US28	20.50	098000		
	US32	53.85	-		
	US32D	36.70	052271		
8" x 16"	US3	50.90	046204	-	5
	US4	50.90	065722		
	US10	56.65	089364		
	US10B	56.65	025549		
	US26	56.65	053802		
	US26D	56.65	092477		
	US28	27.30	-		
	US32	66.35	104412		
	US32D	41.05	081011		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

31E

Pull Plate - Square Corner - Half Round Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 6"

30S x 1E Pull

Fasteners: #6 x 5/8" OPH tapping screws

3-1/2" x 15"

US3	65.70	056433	1	10
US4	70.45	060011		
US10	74.50	055633		
US10B	74.50	058712		
US26	74.50	078715		
US26D	74.50	054517		
US28	34.75	054428		
US32	75.65	071221		
US32D	63.05	054029		

4" x 16"

US3	68.30	052652	1	10
US4	74.85	053049		
US10	83.65	052653		
US10B	83.65	052493		
US26	83.65	052800		
US26D	83.65	054341		
US28	39.75	052654		
US32	85.30	062509		
US32D	64.65	005249		

31G

Pull Plate - Square Corner - Half Round Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 8"

30S x 1G Pull

Fasteners: #6 x 5/8" OPH tapping screws

3-1/2" x 15"

US3	74.65	058350	1	10
US4	80.00	085438		
US10	84.25	057757		
US10B	84.25	058681		
US26	84.25	064372		
US26D	84.25	058351		
US28	37.20	055483		
US32	94.70	041049		
US32D	73.95	055482		

4" x 16"

US3	77.25	056514	1	10
US4	82.15	064373		
US10	85.75	058057		
US10B	85.75	059416		
US26	85.75	059035		
US26D	85.75	056759		
US28	38.00	056350		
US32	100.30	095219		
US32D	75.40	055297		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

31J

Pull Plate - Square Corner - Half Round Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 10"

30S x 1J Pull

Fasteners: #6 x 5/8" OPH tapping screws

3-1/2" x 15"

US3	87.30	011268	1	10
US4	90.90	065208		
US10	94.15	700006		
US10B	94.15	067881		
US26	94.15	-		
US26D	94.15	081194		
US28	46.75	116104		
US32	105.35	077157		
US32D	81.65	056322		

4" x 16"

US3	88.95	125465	1	10
US4	92.05	049246		
US10	97.65	063316		
US10B	97.65	062373		
US26	97.65	-		
US26D	97.65	021574		
US28	48.85	050497		
US32	99.30	068294		
US32D	84.90	062377		

32E

Pull Plate - Square Corner - Rectangular Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 6"

Fasteners: #6 x 5/8" OPH tapping screws

30S x 2E Pull

3-1/2" x 15"

US3	60.05	052642	1	10
US4	64.25	053047		
US10	68.20	052643		
US10B	68.20	052644		
US26	68.20	052797		
US26D	68.20	052645		
US28	30.40	052646		
US32	63.45	067882		
US32D	57.40	052647		

4" x 16"

US3	63.05	052648	1	10
US4	66.85	053048		
US10	70.95	052798		
US10B	70.95	052492		
US26	70.95	052799		
US26D	70.95	052649		
US28	31.15	052650		
US32	73.30	060399		
US32D	59.05	052651		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

32G

Pull Plate - Square Corner - Rectangular Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 8"

Fasteners: #6 x 5/8" OPH tapping screws

30S x 2G Pull

3-1/2" x 15"

US3	70.45	059981	1	10
US4	77.10	085113		
US10	81.55	-		
US10B	81.55	066040		
US26	81.55	-		
US26D	81.55	060646		
US28	32.00	063926		
US32	81.65	-		
US32D	67.85	055010		

4" x 16"

US3	73.05	054727	1	10
US4	81.85	003510		
US10	84.35	056784		
US10B	84.35	056756		
US26	84.35	065122		
US26D	84.35	069514		
US28	46.20	069513		
US32	88.40	017637		
US32D	69.40	055389		

32J

Pull Plate - Square Corner - Rectangular Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 10"

Fasteners: #6 x 5/8" OPH tapping screws

30S x 2J Pull

3-1/2" x 15"

US3	81.55	043039	1	10
US4	83.95	-		
US10	89.75	118724		
US10B	89.75	022532		
US26	89.75	-		
US26D	89.75	-		
US28	38.55	-		
US32	97.00	-		
US32D	81.65	019279		

4" x 16"

US3	84.75	032063	1	10
US4	89.35	139843		
US10	92.50	117572		
US10B	92.50	005155		
US26	92.50	029867		
US26D	92.50	044540		
US28	41.80	-		
US32	101.10	040153		
US32D	86.65	069243		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

33E

Pull Plate - Square Corner

3/4" Round Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 6"

Fasteners: #6 x 5/8" OPH tapping screws

30S x 3E Pull

3-1/2" x 15"

US3	58.45	052655	1	10
US4	61.60	053044		
US10	64.75	052656		
US10B	64.75	052657		
US26	64.75	052801		
US26D	64.75	052658		
US28	31.05	052659		
US32	64.65	074228		
US32D	49.25	052660		

4" x 16"

US3	61.15	052661	1	10
US4	64.75	016002		
US10	66.85	053045		
US10B	66.85	052662		
US26	66.85	052802		
US26D	66.85	052663		
US28	31.05	052664		
US32	66.65	056516		
US32D	51.05	052665		

33G

Pull Plate - Square Corner - 3/4" Round Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 8"

Fasteners: #6 x 5/8" OPH tapping screws

30S x 3G Pull

3-1/2" x 15"

US3	67.55	052667	1	10
US4	71.70	053046		
US10	75.05	052495		
US10B	75.05	052668		
US26	75.05	052803		
US26D	75.05	052669		
US28	34.45	052670		
US32	83.60	002398		
US32D	55.05	052666		

4" x 16"

US3	70.05	052671	1	10
US4	74.75	053060		
US10	77.80	052672		
US10B	77.80	052673		
US26	77.80	052804		
US26D	77.80	005274		
US28	35.00	052675		
US32	77.75	063728		
US32D	56.80	052676		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
33J					
Pull Plate - Square Corner - 3/4" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 3J Pull					
3-1/2" x 15"					
	US3	72.95	076230	1	10
	US4	75.05	048521		
	US10	78.20	071881		
	US10B	78.20	006002		
	US26	78.20	113458		
	US26D	78.20	112480		
	US28	43.00	054673		
	US32	86.50	067662		
	US32D	70.85	065235		
4" x 16"					
	US3	78.50	087358	1	10
	US4	82.05	080814		
	US10	85.60	059652		
	US10B	85.60	077870		
	US26	85.60	135368		
	US26D	85.60	092249		
	US28	45.40	060024		
	US32	90.00	068874		
	US32D	73.20	057608		



34G					
Pull Plate - Square Corner - 1" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 4G Pull					
3-1/2" x 15"					
	US3	85.75	052888	1	10
	US4	92.50	022822		
	US10	96.45	052890		
	US10B	96.45	052891		
	US26	96.45	068374		
	US26D	96.45	052893		
	US28	47.90	143095		
	US32	98.20	-		
	US32D	83.40	051944		
4" x 16"					
	US3	88.40	052894	1	10
	US4	94.15	052895		
	US10	99.25	052896		
	US10B	99.25	052897		
	US26	99.25	052898		
	US26D	99.25	052899		
	US28	48.85	052900		
	US32	100.15	062950		
	US32D	86.50	052901		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

34J

Pull Plate - Square Corner - 1" Round Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 10"

Fasteners: #6 x 5/8" OPH tapping screws

30S x 4J Pull

3-1/2" x 15"

US3	95.35	088937	1	10
US4	100.60	023595		
US10	105.20	065332		
US10B	105.20	057755		
US26	105.20	040243		
US26D	105.20	068488		
US28	48.85	095443		
US32	110.65	069479		
US32D	88.50	059558		

4" x 16"

US3	95.95	058218	1	10
US4	100.55	076042		
US10	108.70	054937		
US10B	111.35	056339		
US26	111.35	067490		
US26D	111.35	063209		
US28	49.35	065718		
US32	112.50	074891		
US32D	91.35	056278		

35D

Pull Plate - Square Corner - 5/8" Round Pull

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 5-1/2"

Fasteners: #6 x 5/8" OPH tapping screws

30S x 5D Pull

3-1/2" x 15"

US3	49.35	048502	1	10
US4	50.90	029931		
US10	55.35	048500		
US10B	55.35	048503		
US26	55.35	057278		
US26D	55.35	024259		
US28	27.60	048501		
US32	56.80	-		
US32D	43.40	048505		

4" x 16"

US3	52.10	048508	1	10
US4	55.00	028846		
US10	58.05	048506		
US10B	58.05	048509		
US26	58.05	012741		
US26D	58.05	048510		
US28	28.65	048507		
US32	58.80	071154		
US32D	45.15	048511		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
35N					
Pull Plate - Square Corner - Cast Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 5-1/2"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 5N Pull					
3-1/2" x 15"	US3	61.00	052487	1	10
	US4	61.00	053051		
	US10	66.85	052637		
	US10B	66.85	052488		
	US26	66.85	052794		
	US26D	66.85	053052		
	US28	37.20	052489		
	US32	85.65	057091		
	US32D	76.90	052490		
4" x 16"	US3	64.05	052639	1	10
	US4	64.05	007485		
	US10	70.05	052795		
	US10B	70.05	052640		
	US26	70.05	028998		
	US26D	70.05	052641		
	US28	38.00	016004		
	US32	93.75	030733		
	US32D	78.60	052491		



36N

Pull Plate - Square Corner

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050; CTC: 5-1/2"

Fasteners: #6 x 5/8" OPH tapping screws

30S x 6N Pull

3-1/2" x 15"	US3	55.00	052484	1	10
	US4	61.65	053056		
	US10	65.35	052628		
	US10B	65.35	052629		
	US26	65.35	052792		
	US26D	65.35	052630		
	US28	34.60	052485		
	US32	75.65	098946		
	US32D	66.20	052631		
4" x 16"	US3	57.60	052632	1	10
	US4	63.35	053050		
	US10	68.20	052633		
	US10B	68.20	052634		
	US26	68.20	052793		
	US26D	68.20	052635		
	US28	35.25	052636		
	US32	82.90	064685		
	US32D	67.65	052486		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
39E					
Pull Plate - Square Corner - 3/4" Oval Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 6"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 9E Pull					
3-1/2" x 15"					
	US3	48.05	066457	1	10
	US4	56.00	068631		
	US10	58.80	066451		
	US10B	58.80	066452		
	US26	74.10	066453		
	US26D	69.80	064908		
	US32	72.25	092653		
	US32D	67.85	066454		
<hr/>					
4" x 16"					
	US3	53.55	066242	1	10
	US4	61.15	094002		
	US10	63.20	066459		
	US10B	63.20	066460		
	US26	78.50	-		
	US26D	76.45	066286		
	US32	76.90	083352		
	US32D	70.00	066241		
<hr/>					
39G					
Pull Plate - Square Corner - 3/4" Oval Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 9G Pull					
3-1/2" x 15"					
	US3	75.25	066446	1	10
	US4	76.45	022286		
	US10	76.45	066439		
	US10B	76.45	066440		
	US26	85.35	125056		
	US26D	80.75	021978		
	US32	78.60	113343		
	US32D	67.85	066442		
<hr/>					
4" x 16"					
	US3	66.15	066448	1	10
	US4	80.00	074705		
	US10	80.00	066449		
	US10B	80.00	066450		
	US26	92.50	066443		
	US26D	89.60	070325		
	US32	83.10	019174		
	US32D	67.10	066444		
<hr/>					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
39J					
Pull Plate - Square Corner - 3/4" Oval Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 9J Pull					
3-1/2" x 15"	US3	72.35	086925	1	10
	US4	87.70	-		
	US10	87.70	124357		
	US10B	87.70	039926		
	US26	97.80	-		
	US26D	93.25	-		
	US32	90.60	-		
	US32D	77.95	005157		
4" x 16"	US3	71.35	086628	1	10
	US4	88.20	-		
	US10	88.20	112185		
	US10B	88.20	033458		
	US26	100.70	106111		
	US26D	97.65	076007		
	US32	91.35	-		
	US32D	79.40	074073		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
40R					
Push Plate - Radius Corner - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	21.50	073770	10	50
	US4	22.30	076051		
	US10	25.90	066942		
	US10B	25.90	003979		
	US26	25.90	066131		
	US26D	25.90	074534		
	US28	13.45	043755		
	US32	20.15	066229		
	US32D	17.30	-		
3-1/2" x 15"	US3	24.85	058476	10	50
	US4	27.60	080655		
	US10	29.80	057093		
	US10B	29.80	025774		
	US26	29.80	086949		
	US26D	29.80	059230		
	US28	14.50	066906		
	US32	23.30	059562		
	US32D	20.15	-		
4" x 16"	US3	27.40	058347	10	50
	US4	30.25	081497		
	US10	32.55	016005		
	US10B	32.55	060152		
	US26	32.55	059245		
	US26D	32.55	085378		
	US28	15.20	016006		
	US32	25.10	088231		
	US32D	21.60	052790		
6" x 16"	US3	38.25	057640	-	5
	US4	41.15	047040		
	US10	44.70	006018		
	US10B	44.70	072734		
	US26	44.70	-		
	US26D	44.70	114027		
	US28	19.75	010887		
	US32	47.15	088229		
	US32D	32.95	057637		
8" x 16"	US3	44.90	025145	-	5
	US4	49.90	022787		
	US10	53.85	015792		
	US10B	53.85	061212		
	US26	53.85	126198		
	US26D	53.85	024628		
	US28	22.50	122600		
	US32	47.90	-		
	US32D	49.10	061211		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
A40R					
Push Plate - Radius Corner - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.062					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	31.70	032130	10	50
	US4	31.70	131011		
	US10	36.05	-		
	US10B	36.05	114771		
	US26	36.05	039363		
	US26D	36.05	114030		
	US28	21.60	-		
	US32	31.50	-		
	US32D	22.05	048868		
3-1/2" x 15"	US3	33.85	-	10	50
	US4	33.85	049913		
	US10	39.80	-		
	US10B	39.80	074760		
	US26	39.80	044606		
	US26D	39.80	038686		
	US28	19.45	-		
	US32	37.20	-		
	US32D	26.00	059304		
4" x 16"	US3	37.55	029232	10	50
	US4	37.55	014136		
	US10	43.45	140485		
	US10B	43.45	077017		
	US26	43.45	-		
	US26D	43.45	015454		
	US28	20.55	047411		
	US32	39.15	135831		
	US32D	28.35	099623		
6" x 16"	US3	49.75	029232	-	5
	US4	54.10	-		
	US10	54.10	-		
	US10B	54.10	-		
	US26	54.10	-		
	US26D	54.10	055405		
	US28	25.40	-		
	US32	61.30	-		
	US32D	44.50	070607		
8" x 16"	US3	55.35	076399	-	5
	US4	60.75	-		
	US10	61.65	-		
	US10B	61.65	077019		
	US26	61.65	-		
	US26D	61.65	142995		
	US28	28.60	-		
	US32	77.65	-		
	US32D	47.15	001398		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
50T					
Push Plate - Round - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	26.00	078618	5	50
	US4	26.00	007196		
	US10	28.35	006322		
	US10B	28.35	071333		
	US26	28.35	-		
	US26D	28.35	102851		
	US28	19.20	102662		
	US32	22.60	-		
	US32D	21.60	059934		
3-1/2" x 15"	US3	27.40	057418	5	50
	US4	27.40	077529		
	US10	32.45	088168		
	US10B	32.45	000846		
	US26	32.45	075140		
	US26D	32.45	062792		
	US28	21.25	041167		
	US32	25.90	015650		
	US32D	23.75	072371		
4" x 16"	US3	30.25	056970	5	50
	US4	30.25	068950		
	US10	34.75	058204		
	US10B	34.75	075002		
	US26	34.75	059593		
	US26D	34.75	092668		
	US28	22.60	018465		
	US32	25.10	000492		
	US32D	27.95	016007		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
A50T					
Push Plate - Round - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.062					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	41.15	094264	5	50
	US4	41.15	107968		
	US10	45.60	-		
	US10B	45.60	095264		
	US26	45.60	075708		
	US26D	45.60	079997		
	US28	25.90	097574		
	US32	35.85	-		
	US32D	30.55	034543		
3-1/2" x 15"	US3	42.75	099962	5	50
	US4	42.75	094532		
	US10	50.15	-		
	US10B	50.15	054241		
	US26	50.15	014282		
	US26D	50.15	069277		
	US28	30.05	-		
	US32	37.20	-		
	US32D	31.50	084951		
4" x 16"	US3	46.35	084171	5	50
	US4	46.35	075929		
	US10	53.70	130057		
	US10B	53.70	111705		
	US26	53.70	134570		
	US26D	53.70	032134		
	US28	31.50	039648		
	US32	39.15	053431		
	US32D	34.45	031281		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
60S					
Push Plate - Square Corner - Beveled					
Material: Plastic Laminate					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	PG - Gray	10.20	-	5	50
	PK - Black	10.20	067121		
	CO - Brown	10.20	035206		
3-1/2" x 15"	PG - Gray	10.95	-	5	50
	PK - Black	10.95	055792		
	CO - Brown	10.95	085523		
4" x 16"	PG - Gray	11.55	072811	5	50
	PK - Black	11.55	056442		
	CO - Brown	11.55	076032		
6" x 16"	PG - Gray	14.50	094770	5	50
	PK - Black	14.50	056581		
	CO - Brown	14.50	076033		
8" x 16"	PG - Gray	17.30	029886	5	50
	PK - Black	17.30	-		
	CO - Brown	17.30	061399		
70S					
Push Plate - Square Corner - Beveled					
Material: Clear Plastic Laminate					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	PC - Clear	10.20	057033	5	50
3-1/2" x 15"	PC - Clear	11.50	056757	5	50
6" x 16"	PC - Clear	16.45	058687	5	50
8" x 16"	PC - Clear	18.95	062760	5	50



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
80S					
Push Plate - Square Corner - Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	46.25	018566	5	50
	US4	48.85	-		
	US10	54.10	110525		
	US10B	54.10	053549		
	US26	54.10	113461		
	US26D	54.10	064583		
	US28	22.90	147832		
	US32	49.35	142047		
	US32D	38.40	021042		
3-1/2" x 15"	US3	51.25	099583	5	50
	US4	56.10	000935		
	US10	59.55	080441		
	US10B	59.55	064035		
	US26	59.55	023445		
	US26D	59.55	098464		
	US28	26.40	085960		
	US32	53.95	123564		
	US32D	42.35	066719		
4" x 16"	US3	55.15	069050	5	50
	US4	60.05	053351		
	US10	64.25	070736		
	US10B	64.25	080514		
	US26	64.25	003451		
	US26D	64.25	099998		
	US28	27.85	000740		
	US32	59.85	081409		
	US32D	46.35	064974		
6" x 16"	US3	75.45	125266	-	5
	US4	77.60	138751		
	US10	80.00	134181		
	US10B	80.00	057343		
	US26	80.00	-		
	US26D	80.00	024257		
	US28	41.15	111496		
	US32	71.60	033372		
	US32D	55.05	062560		
8" x 16"	US3	95.80	024903	-	5
	US4	97.65	122088		
	US10	97.65	042324		
	US10B	100.55	041316		
	US26	100.55	078222		
	US26D	100.55	-		
	US28	50.15	-		
	US32	88.75	021592		
	US32D	68.40	073791		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
90R					
Push Plate - Radius Corner - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	61.60	-	5	50
	US4	65.20	013671		
	US10	69.50	-		
	US10B	69.50	056839		
	US26	69.50	043374		
	US26D	69.50	097121		
	US28	37.20	026780		
	US32	64.55	-		
	US32D	50.40	099013		
3-1/2" x 15"	US3	66.50	116990	5	50
	US4	68.95	-		
	US10	74.85	140484		
	US10B	74.85	010106		
	US26	74.85	068575		
	US26D	74.85	032458		
	US28	41.35	078511		
	US32	69.70	-		
	US32D	54.05	068865		
4" x 16"	US3	70.45	086539	5	50
	US4	75.45	002134		
	US10	79.65	077793		
	US10B	79.65	035806		
	US26	79.65	013904		
	US26D	79.65	084672		
	US28	42.75	-		
	US32	74.80	-		
	US32D	55.05	075458		
6" x 16"	US3	90.90	092195	-	5
	US4	92.95	-		
	US10	95.35	-		
	US10B	95.35	087169		
	US26	95.35	-		
	US26D	95.35	018872		
	US28	56.20	-		
	US32	86.50	-		
	US32D	65.95	080425		
8" x 16"	US3	111.25	-	-	5
	US4	113.05	-		
	US10	115.75	-		
	US10B	115.75	046733		
	US26	115.75	-		
	US26D	115.75	-		
	US28	65.00	-		
	US32	103.70	-		
	US32D	78.20	018249		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
100T					
Push Plate - Square Corner - Rounded Bevel - Top and Bottom					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	60.20	080351	5	50
	US4	62.20	093144		
	US10	67.70	-		
	US10B	67.70	016836		
	US26	67.70	051749		
	US26D	67.70	025230		
	US28	35.95	-		
	US32	62.85	094651		
	US32D	48.95	094863		
3-1/2" x 15"	US3	64.85	069291	5	50
	US4	67.30	040912		
	US10	73.15	068702		
	US10B	73.15	069149		
	US26	73.15	-		
	US26D	73.15	007779		
	US28	40.10	121532		
	US32	68.05	071048		
	US32D	52.80	078531		
4" x 16"	US3	68.85	079375	5	50
	US4	77.95	120436		
	US10	77.95	036191		
	US10B	77.95	069394		
	US26	77.95	131710		
	US26D	77.95	068881		
	US28	47.50	-		
	US32	71.65	080612		
	US32D	56.05	071810		
6" x 16"	US3	77.95	-	-	5
	US4	83.95	-		
	US10	87.30	-		
	US10B	87.30	032106		
	US26	87.30	028999		
	US26D	87.30	146901		
	US28	54.40	138277		
	US32	71.60	-		
	US32D	64.35	001305		
8" x 16"	US3	103.90	-	-	5
	US4	113.25	-		
	US10	117.65	-		
	US10B	117.65	016853		
	US26	117.65	-		
	US26D	117.65	146776		
	US28	93.40	-		
	US32	91.75	134422		
	US32D	87.35	012977		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
110S	US3	55.00	018809	1	10
Half Circle Push Plate	US4	55.00	023148		
8" x 16"	US10B	61.50	017836		
Material: Brass, bronze, aluminum,	US26	61.50	018083		
stainless steel	US26D	61.15	004595		
Gauge: 0.050	US28	35.10	043858		
Fasteners: #6 x 5/8" OPH tapping screws	US32	52.90	032334		
	US32D	43.00	001030		
120L	US3	59.55	052718	2	20
Pull Plate - w/ Lip (Not beveled)	US4	63.35	054479		
3-1/2"x16"	US10	65.90	052719		
Material: Brass, bronze, aluminum,	US10B	65.90	052720		
stainless steel	US26	65.90	052837		
Lip Projection: 1-1/8"	US26D	65.90	052721		
Gauge: 0.125	US28	36.05	052517		
Fasteners: #6 x 5/8" OPH tapping screws	US32	90.45	016965		
	US32D	49.05	052518		
121L	US3	35.75	082020	1	10
Cylinder Pull	US4	36.05	080813		
2" x 3-3/4"	US10	36.80	074977		
Material: Brass, bronze, aluminum,	US10B	36.80	073385		
stainless steel	US26	36.80	020459		
Beveled Lip Projection: 1-1/8"	US26D	36.80	069510		
Gauge: 0.125	US28	19.45	063605		
Cylinder Cutout: 1-1/4" diameter	US32	43.00	095790		
Cylinder sold separately. Stud installed on reverse to prevent twisting.	US32D	34.45	068962		
122L	US32D	206.25	088047	1	10
Security Push/Pull Set					
Push Plate: 4" x 16"					
Pull Plate: 4" x 9-1/4"					
Fasteners: BTB by Type 6					
Lip Projection: 2-1/8"					
Gauge: 0.125					
Mounting with security torx screws and blank head sex nuts.					



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
1255	US3	177.15	4	4.00
Bent Push Bar	US4	177.15		4.00
Material: Brass, bronze, aluminum,	US10	183.25		4.00
stainless steel	US10B	183.25		4.00
Bar Size: 3/8" x 1-1/4"	US28	109.85		2.75
Base Plate: 1" x 3"	US32	198.40		6.70
Projection: 2-1/8"	US32D	159.60		5.65

*Add per linear inch or fraction thereof

Standard fasteners are 1/4"-20 FPHMS and #8 x 3/4" FPH Tapping Screws.



1265	US3	183.25	4	4.00
Push Bar	US4	229.40		4.00
Material: Brass, bronze, aluminum,	US10	271.95		4.00
stainless steel	US10B	271.95		4.00
Bar Size: 3/8" x 1-1/4"	US28	133.15		2.75
Base Plate: 1" x 3"	US32	233.90		6.70
Projection: 2-1/8"	US32D	206.80		5.65

*Add per linear inch or fraction thereof

Standard fasteners are #8 x 3/4" FPH Tapping Screws. Optional thru bolts available.



1275	US3	134.25	1	8.00
Push Bar	US4	149.10		8.00
Material: Brass, bronze, aluminum,	US10	149.10		8.00
stainless steel	US10B	149.10		8.00
Bar Size: 3/8" x 1-1/4"	US28	85.65		5.45
Base: 1-1/4" Square	US32	156.85		12.90
Projection: 3/4"	US32D	121.25		13.40

*Add per linear inch or fraction thereof

Standard fasteners are 1/4"-20 FPHMS. Optional wood screws available no charge.



128P	US3	319.70	1	8.00
Wide Push Bar	US4	342.05		8.00
Material: Brass, bronze, aluminum,	US10	352.35		8.00
stainless steel	US10B	352.35		8.00
Bar Size: 3/8" x 3"	US28	139.75		5.45
Base Plate: 1-1/2" x 4-1/2"	US32	372.35		12.90
Projection: 2-1/8"	US32D	313.50		13.40

*Add per linear inch or fraction thereof

Standard fasteners are #8 x 3/4" FPH Tapping Screws. Optional thru bolts available.



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
128S	US3	301.00	1	8.00
Wide Push Bar	US4	314.65		8.00
Material: Brass, bronze, aluminum,	US10	329.75		8.00
stainless steel	US10B	329.75		8.00
Bar Size: 3/8" x 3"	US28	164.70		5.45
Base: 3/8" x 3"	US32	349.05		12.90
Projection: 2"	US32D	290.90		13.40
Door Thickness: 1-3/4" Standard				
*Add per linear inch or fraction thereof				
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers.				
129P	US3	254.90	1	8.00
Wide Push Bar	US4	270.15		8.00
Bar Size: 3/8" x 3"	US10	285.70		8.00
Base: 1" x 3"	US10B	285.70		8.00
Projection: 3/4"	US28	118.35		5.45
	US32	314.75		12.90
	US32D	249.30		13.40
*Add per linear inch or fraction thereof				
Standard fasteners are 1/4"-20 x 1-1/4" FPHMS. Optional thru bolts available. #14 FPH wood screws available.				
130S	US3	174.50	4	4.00
Push Bar	US4	188.20		4.00
Material: Brass, bronze, aluminum,	US10	205.20		4.00
stainless steel	US10B	205.20		4.00
Bar Stock: 1" Round	US28	82.55		2.75
Projection: 2-1/2"	US32	207.95		6.70
	US32D	164.70		5.65
Door Thickness: 1-3/4"				
*Add per linear inch or fraction thereof				
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.				
131S	US3	179.70	4	4.00
Push Bar	US4	196.75		4.00
Material: Brass, bronze, aluminum,	US10	215.55		4.00
stainless steel	US10B	215.55		4.00
Bar Stock: 1" Round	US28	90.00		2.75
Base Plate: 2" Diameter	US32	217.65		6.70
	US32D	178.15		5.65
Projection: 2-5/8"				
Door Thickness: 1-3/4" Standard				
*Add per linear inch or fraction thereof				
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
1335	US3	147.85	4	4.00
Push Bar	US4	160.90		4.00
Material: Brass, bronze, aluminum,	US10	174.50		4.00
stainless steel	US10B	174.50		4.00
Bar Stock: 3/4" Round	US28	70.00		2.75
Projection: 2-1/4"	US32	178.35		6.70
Door Thickness: 1-3/4" Standard	US32D	140.00		5.65
*Add per linear inch or fraction thereof				
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers				
1345	US3	153.85	4	4.00
Push Bar	US4	172.85		4.00
Material: Brass, bronze, aluminum, stainless	US10	184.70		4.00
steel	US10B	184.70		4.00
Bar Stock: 3/4" Round	US28	79.90		2.75
Base Plate: 1-1/4" Diameter	US32	195.85		6.70
Projection: 2-3/8"	US32D	149.70		5.65
Door Thickness: 1-3/4" Standard				
*Add per linear inch or fraction thereof				
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.				
1365	US3	367.75	4	8.00
Push Bar	US4	376.15		8.00
Material: Brass, bronze, aluminum,	US10	384.65		8.00
stainless steel	US10B	384.65		8.00
Bar Stock: 1-1/4" Round	US28	266.00		5.45
Projection: 3"	US32	349.05		12.90
Fasteners: 5/16" - 18 x 2-1/4" with finish	US32D	315.85		13.40
washers				
Door Thickness: 1-3/4" Standard				
*Add per linear inch or fraction thereof				
May be ordered with Type 5 mounting at an extra charge				
1375	US3	376.50	4	8.00
Push Bar	US4	384.65		8.00
Material: Brass, bronze, aluminum,	US10	393.35		8.00
stainless steel	US10B	393.35		8.00
Bar Stock: 1-1/4" Round	US28	274.30		5.45
Base Plate: 2" Diameter	US32	397.30		12.90
Projection: 3-1/8"	US32D	324.10		13.40
Door Thickness: 1-3/4" Standard				
Fasteners: 5/16" - 18 x 2-1/4" with finish washers				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
May be ordered with Type 5 mounting at an extra charge				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
138P	US3	389.65	2	16.10
Push/Pull Set	US4	424.00		16.10
Material: Brass, bronze, aluminum,	US10	451.15		16.10
stainless steel	US10B	451.15		16.10
Bar Stock: 1" Round	US28	204.55		10.70
Projection: 2-1/2"	US32	455.45		23.65
Fasteners: 1/4" - 20 type 3 concealed cone	US32D	368.95		26.80
*Add per linear inch or fraction thereof				
139P	US3	336.40	2	16.10
Push/Pull Set	US4	362.50		16.10
Material: Brass, bronze, aluminum,	US10	389.65		16.10
stainless steel	US10B	389.65		16.10
Bar Stock: 3/4" Round	US28	179.55		10.70
Projection: 2-1/4"	US32	395.45		23.65
Fasteners: 1/4" - 20 type 3 concealed cone	US32D	319.70		26.80
*Add per linear inch or fraction thereof				
140P	US3	777.80	2	16.10
Push/Pull Set	US4	792.95		16.10
Material: Brass, bronze, aluminum,	US10	810.00		16.10
stainless steel	US10B	810.00		16.10
Bar Stock: 1-1/4" Round	US28	588.15		10.70
Projection: 3"	US32	771.00		23.65
Fasteners: 5-16" - 18 Type 3 concealed cone	US32D	671.35		26.80
*Add per linear inch or fraction thereof				
150B	US3	268.50	2	4.00
Push/Pull Set	US4	280.55		4.00
Material: Brass, bronze, aluminum,	US10	288.95		4.00
stainless steel	US10B	288.95		4.00
Bar Stock: 3/4" Round	US28	151.70		2.75
Projection: 2-1/4"	US32	330.75		6.70
CTC: 8"	US32D	264.30		5.65
Fasteners: Type 7 & (2) Type 8				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
151B	US3	280.55	2	4.00
Push/Pull Set	US4	292.35		4.00
Material: Brass, bronze, aluminum, stainless steel	US10	303.20		4.00
	US10B	303.20		4.00
Bar Stock: 3/4" Round	US28	168.30		2.75
Projection: 2-1/4"	US32	300.85		6.70
CTC: 10"	US32D	274.30		5.65
Fasteners: Type 7 & (2) Type 8				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				
152B	US3	293.00	2	4.00
Push/Pull Set	US4	312.90		4.00
Material: Brass, bronze, aluminum, stainless steel	US10	316.35		4.00
	US10B	316.35		4.00
Bar Stock: 3/4" Round	US28	178.05		2.75
Projection: 2-1/4"	US32	346.05		6.70
CTC: 12"	US32D	284.30		5.65
Fasteners: Type 7 & (2) Type 8				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				
150D	US3	226.20	2	4.00
Push/Pull Set	US4	237.75		4.00
Material: Brass, bronze, aluminum, stainless steel	US10	246.20		4.00
	US10B	246.20		4.00
Bar Stock: 3/4" Round	US28	118.20		2.75
Projection: 2-1/4"	US32	289.30		6.70
CTC: 8"	US32D	222.80		5.65
Fasteners: Type 7 & (2) Type 1				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				
151D	US3	237.75	2	4.00
Push/Pull Set	US4	249.85		4.00
Material: Brass, bronze, aluminum, stainless steel	US10	260.50		4.00
	US10B	260.50		4.00
Bar Stock: 3/4" Round	US28	128.30		2.75
Projection: 2-1/4"	US32	299.20		6.70
CTC: 10"	US32D	232.80		5.65
Fasteners: Type 7 & (2) Type 1				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
152D	US3	250.10	2	4.00
Push/Pull Set	US4	270.15		4.00
Material: Brass, bronze, aluminum,	US10	273.55		4.00
stainless steel	US10B	273.55		4.00
Bar Stock: 3/4" Round	US28	141.00		2.75
Projection: 2-1/4"	US32	304.60		6.70
CTC: 12"	US32D	242.90		5.65

Fasteners: Type 7 & (2) Type 1
 Additional bars by quotation
 *Add per linear inch or fraction thereof
 Standard fastening method



150V	US3	253.55	2	4.00
Push/Pull Set	US4	265.15		4.00
Material: Brass, bronze, aluminum,	US10	273.55		4.00
stainless steel	US10B	273.55		4.00
Bar Stock: 3/4" Round	US28	144.80		2.75
Projection: 2-1/4"	US32	315.85		6.70
CTC: 8"	US32D	249.30		5.65

Fasteners: Type 7 & (2) Type 5
 Additional bars by quotation
 *Add per linear inch or fraction thereof
 Fully concealed fastening method



151V	US3	265.15	2	4.00
Push/Pull Set	US4	276.95		4.00
Material: Brass, bronze, aluminum,	US10	287.85		4.00
stainless steel	US10B	287.85		4.00
Bar Stock: 3/4" Round	US28	157.50		2.75
Projection: 2-1/4"	US32	325.80		6.70
CTC: 10"	US32D	259.30		5.65

Fasteners: Type 7 & (2) Type 5
 Additional bars by quotation
 *Add per linear inch or fraction thereof
 Fully concealed fastening method



152V	US3	277.35	2	4.00
Push/Pull Set	US4	297.50		4.00
Material: Brass, bronze, aluminum,	US10	301.00		4.00
stainless steel	US10B	301.00		4.00
Bar Stock: 3/4" Round	US28	170.20		2.75
Projection: 2-1/4"	US32	331.30		6.70
CTC: 12"	US32D	269.35		5.65

Fasteners: Type 7 & (2) Type 5
 Additional bars by quotation
 *Add per linear inch or fraction thereof
 Fully concealed fastening method



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
153B	US3	300.50	2	4.00
Push/Pull Set	US4	336.75		4.00
Material: Brass, bronze, aluminum,	US10	336.75		4.00
stainless steel	US10B	336.75		4.00
Bar Stock: 1" Round	US28	171.20		2.75
Projection: 2-1/2"	US32	349.75		6.70
CTC: 10"	US32D	284.00		5.65

Fasteners: Type 7 & (2) Type 8
 Additional bars by quotation
 *Add per linear inch or fraction thereof
 For tempered glass only



154B	US3	310.70	2	4.00
Push/Pull Set	US4	352.45		4.00
Material: Brass, bronze, aluminum,	US10	360.35		4.00
stainless steel	US10B	360.35		4.00
Bar Stock: 1" Round	US28	196.20		2.75
Projection: 2-1/2"	US32	361.80		6.70
CTC: 12"	US32D	292.70		5.65

Fasteners: Type 7 & (2) Type 8
 Additional bars by quotation
 *Add per linear inch or fraction thereof
 For tempered glass only



155B	US3	346.05	2	4.00
Push/Pull Set	US4	367.65		4.00
Material: Brass, bronze, aluminum,	US10	389.20		4.00
stainless steel	US10B	389.20		4.00
Bar Stock: 1" Round	US28	223.90		2.75
Projection: 2-1/2"	US32	393.20		6.70
CTC: 18"	US32D	317.50		5.65

Fasteners: Type 7 & (2) Type 8
 Additional bars by quotation
 *Add per linear inch or fraction thereof
 For tempered glass only



153D	US3	257.90	2	4.00
Push/Pull Set	US4	294.05		4.00
Material: Brass, bronze, aluminum,	US10	294.05		4.00
stainless steel	US10B	294.05		4.00
Bar Stock: 1" Round	US28	129.70		2.75
Projection: 2-1/2"	US32	308.25		6.70
CTC: 10"	US32D	242.40		5.65

Fasteners: Type 7 & (2) Type 1
 Additional bars by quotation
 *Add per linear inch or fraction thereof
 Standard fastening method



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
154D	US3	266.60	2	4.00
Push/Pull Set	US4	303.85		4.00
Material: Brass, bronze, aluminum,	US10	319.05		4.00
stainless steel	US10B	319.05		4.00
Bar Stock: 1" Round	US28	144.80		2.75
Projection: 2-1/2"	US32	320.30		6.70
CTC: 12"	US32D	251.10		5.65
Fasteners: Type 7 & (2) Type 1				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				
155D	US3	303.35	2	4.00
Push/Pull Set	US4	342.45		4.00
Material: Brass, bronze, aluminum,	US10	346.60		4.00
stainless steel	US10B	346.60		4.00
Bar Stock: 1" Round	US28	153.95		2.75
Projection: 2-1/2"	US32	351.65		6.70
CTC: 18"	US32D	275.95		5.65
Fasteners: Type 7 & (2) Type 1				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				
153V	US3	285.70	2	4.00
Push/Pull Set	US4	321.40		4.00
Material: Brass, bronze, aluminum,	US10	321.40		4.00
stainless steel	US10B	321.40		4.00
Bar Stock: 1" Round	US28	158.15		2.75
Projection: 2-1/2"	US32	334.85		6.70
CTC: 10"	US32D	268.95		5.65
Fasteners: Type 7 & (2) Type 5				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				
154V	US3	293.95	2	4.00
Push/Pull Set	US4	331.15		4.00
Material: Brass, bronze, aluminum,	US10	345.80		4.00
stainless steel	US10B	345.80		4.00
Bar Stock: 1" Round	US28	179.15		2.75
Projection: 2-1/2"	US32	346.95		6.70
CTC: 12"	US32D	277.65		5.65
Fasteners: Type 7 & (2) Type 5				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
155V	US3	330.65	2	4.00
Push/Pull Set	US4	352.35		4.00
Material: Brass, bronze, aluminum,	US10	373.75		4.00
stainless steel	US10B	373.75		4.00
Bar Stock: 1" Round	US28	188.90		2.75
Projection: 2-1/2"	US32	378.20		6.70
CTC: 18"	US32D	302.65		5.65
Fasteners: Type 7 & (2) Type 5				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				
156B	US3	309.50	1	4.00
Offset Push/Pull Set	US4	309.50		4.00
Material: Brass, bronze, aluminum,	US10	323.55		4.00
stainless steel	US10B	323.55		4.00
Bar Stock: 3/4" Round	US28	198.00		2.75
Projection: 2-1/2"	US32	367.85		6.70
Offset: 2-1/2"	US32D	292.80		5.65
CTC: 8"				
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				
157B	US3	315.35	1	4.00
Offset Push/Pull Set	US4	323.85		4.00
Material: Brass, bronze, aluminum,	US10	338.50		4.00
stainless steel	US10B	338.50		4.00
Bar Stock: 3/4" Round	US28	201.85		2.75
Projection: 2-1/2"	US32	377.65		6.70
Offset: 2-1/2"	US32D	299.60		5.65
CTC: 10"				
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				
158B	US3	319.45	1	4.00
Offset Push/Pull Set	US4	342.90		4.00
Material: Brass, bronze, aluminum,	US10	357.60		4.00
stainless steel	US10B	357.60		4.00
Bar Stock: 3/4" Round	US28	219.45		2.75
Projection: 2-1/2"	US32	395.65		6.70
Offset: 2-1/2"	US32D	312.55		5.65
CTC: 12"				
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
156D	US3	256.55	1	4.00
Offset Push/Pull Set	US4	266.70		4.00
Material: Brass, bronze, aluminum,	US10	280.75		4.00
stainless steel	US10B	280.75		4.00
Bar Stock: 3/4" Round	US28	156.45		2.75
Projection: 2-1/2"	US32	326.45		6.70
Offset: 2-1/2"	US32D	251.25		5.65
CTC: 8"				
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				
157D	US3	263.80	1	4.00
Offset Push/Pull Set	US4	273.55		4.00
Material: Brass, bronze, aluminum,	US10	288.20		4.00
stainless steel	US10B	288.20		4.00
Bar Stock: 3/4" Round	US28	160.45		2.75
Projection: 2-1/2"	US32	336.20		6.70
Offset: 2-1/2"	US32D	258.15		5.65
CTC: 10"				
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				
158D	US3	292.55	1	4.00
Offset Push/Pull Set	US4	292.35		4.00
Material: Brass, bronze, aluminum,	US10	303.05		4.00
stainless steel	US10B	303.05		4.00
Bar Stock: 3/4" Round	US28	178.05		2.75
Projection: 2-1/2"	US32	354.00		6.70
Offset: 2-1/2"	US32D	271.00		5.65
CTC: 12"				
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				




Trim & Auxiliary




Description	Finish	2015 List	Case Qty.	CTC Over 36" *
156V	US3	284.35	1	4.00
Offset Push/Pull Set	US4	294.05		4.00
Material: Brass, bronze, aluminum,	US10	308.15		4.00
stainless steel	US10B	308.15		4.00
Bar Stock: 3/4" Round	US28	183.05		2.75
Projection: 2-1/2"	US32	352.90		6.70
Offset: 2-1/2"	US32D	277.80		5.65
CTC: 8"				
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				
157V	US3	291.65	1	4.00
Offset Push/Pull Set	US4	301.00		4.00
Material: Brass, bronze, aluminum,	US10	315.70		4.00
stainless steel	US10B	315.70		4.00
Bar Stock: 3/4" Round	US28	187.10		2.75
Projection: 2-1/2"	US32	362.90		6.70
Offset: 2-1/2"	US32D	284.60		5.65
CTC: 10"				
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				
158V	US3	304.15	1	4.00
Offset Push/Pull Set	US4	319.70		4.00
Material: Brass, bronze, aluminum,	US10	330.45		4.00
stainless steel	US10B	330.45		4.00
Bar Stock: 3/4" Round	US28	204.55		2.75
Projection: 2-1/2"	US32	380.60		6.70
Offset: 2-1/2"	US32D	297.60		5.65
CTC: 12"				
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				




Trim & Auxiliary




Description	Finish	2015 List	Case Qty.	CTC Over 36" *
159B	US3	340.25	1	4.00
Offset Push/Pull Set	US4	367.65		4.00
Material: Brass, bronze, aluminum,	US10	381.25		4.00
stainless steel	US10B	381.25		4.00
Bar Stock: 1" Round	US28	206.25		2.75
Projection: 2-1/2"	US32	373.90		6.70
Offset: 3"	US32D	318.70		5.65
CTC: 10"				
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



160B	US3	348.45	1	4.00
Offset Push/Pull Set	US4	374.45		4.00
Material: Brass, bronze, aluminum,	US10	388.15		4.00
stainless steel	US10B	388.15		4.00
Bar Stock: 1" Round	US28	222.80		2.75
Projection: 2-1/2"	US32	390.55		6.70
Offset: 3"	US32D	324.10		5.65
CTC: 12"				
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



161B	US3	345.25	1	4.00
Offset Push/Pull Set	US4	374.60		4.00
Material: Brass, bronze, aluminum,	US10	398.85		4.00
stainless steel	US10B	398.85		4.00
Bar Stock: 1" Round	US28	221.75		2.75
Projection: 2-1/2"	US32	403.65		6.70
Offset: 3"	US32D	324.55		5.65
CTC: 18"				
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



1. Items with the price in **bold and red** are Quick Ship items and ship in three days or less. Please use stock number when ordering. 2. U/M is each unless otherwise noted.

Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
159D	US3	297.50	1	4.00
Offset Push/Pull Set	US4	324.90		4.00
Material: Brass, bronze, aluminum,	US10	338.50		4.00
stainless steel	US10B	338.50		4.00
Bar Stock: 1" Round	US28	158.25		2.75
Projection: 2-1/2"	US32	332.55		6.70
Offset: 3"	US32D	277.15		5.65
CTC: 10"				
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				
160D	US3	305.80	1	4.00
Offset Push/Pull Set	US4	331.80		4.00
Material: Brass, bronze, aluminum,	US10	345.45		4.00
stainless steel	US10B	345.45		4.00
Bar Stock: 1" Round	US28	164.70		2.75
Projection: 2-1/2"	US32	349.05		6.70
Offset: 3"	US32D	282.70		5.65
CTC: 12"				
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				
161D	US3	323.10	1	4.00
Offset Push/Pull Set	US4	350.50		4.00
Material: Brass, bronze, aluminum,	US10	376.15		4.00
stainless steel	US10B	376.15		4.00
Bar Stock: 1" Round	US28	179.95		2.75
Projection: 2-1/2"	US32	382.35		6.70
Offset: 3"	US32D	306.30		5.65
CTC: 18"				
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
159V	US3	324.90	1	4.00
Offset Push/Pull Set	US4	352.35		4.00
Material: Brass, bronze, aluminum,	US10	365.95		4.00
stainless steel	US10B	365.95		4.00
Bar Stock: 1" Round	US28	189.60		2.75
Projection: 2-1/2"	US32	359.05		6.70
Offset: 3"	US32D	303.75		5.65
CTC: 10"				
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				
160V	US3	333.00	1	4.00
Offset Push/Pull Set	US4	359.05		4.00
Material: Brass, bronze, aluminum,	US10	372.15		4.00
stainless steel	US10B	372.75		4.00
Bar Stock: 1" Round	US28	199.65		2.75
Projection: 2-1/2"	US32	375.70		6.70
Offset: 3"	US32D	309.20		5.65
CTC: 12"				
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				
161V	US3	347.10	1	4.00
Offset Push/Pull Set	US4	377.85		4.00
Material: Brass, bronze, aluminum,	US10	403.55		4.00
stainless steel	US10B	403.55		4.00
Bar Stock: 1" Round	US28	289.30		2.75
Projection: 2-1/2"	US32	408.85		6.70
Offset: 3"	US32D	325.80		5.65
CTC: 18"				
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
164B	US3	613.80	1	8.00
Push/Pull Set	US4	638.70		8.00
Material: Brass, bronze, aluminum,	US10	650.75		8.00
stainless steel	US10B	650.75		8.00
Bar Stock: 1-1/4" Round	US28	483.55		5.45
Projection: 3"	US32	646.95		12.90
CTC: 12"	US32D	533.85		13.40
Fasteners: Type 7 & (2) Type 8				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				
165B	US3	650.75	1	8.00
Push/Pull Set	US4	687.60		8.00
Material: Brass, bronze, aluminum,	US10	687.60		8.00
stainless steel	US10B	687.60		8.00
Bar Stock: 1-1/4" Round	US28	503.25		5.45
Projection: 3"	US32	614.65		12.90
CTC: 18"	US32D	566.15		13.40
Fasteners: Type 7 & (2) Type 8				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				
164D	US3	558.35	1	8.00
Push/Pull Set	US4	595.20		8.00
Material: Brass, bronze, aluminum,	US10	595.20		8.00
stainless steel	US10B	595.20		8.00
Bar Stock: 1-1/4" Round	US28	429.55		5.45
Projection: 3"	US32	533.85		12.90
CTC: 12"	US32D	479.85		13.40
Fasteners: Type 7 & (2) Type 1				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
165D	US3	595.20	1	8.00
Push/Pull Set	US4	632.15		8.00
Material: Brass, bronze, aluminum,	US10	632.15		8.00
stainless steel	US10B	632.15		8.00
Bar Stock: 1-1/4" Round	US28	449.40		5.45
Projection: 3"	US32	560.75		12.90
CTC: 18"	US32D	506.80		13.40
Fasteners: Type 7 & (2) Type 1				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				
164V	US3	632.15	1	8.00
Push/Pull Set	US4	632.15		8.00
Material: Brass, bronze, aluminum,	US10	645.15		8.00
stainless steel	US10B	645.15		8.00
Bar Stock: 1-1/4" Round	US28	465.50		5.45
Projection: 3"	US32	582.30		12.90
CTC: 12"	US32D	521.30		13.40
Fasteners: Type 7 & (2) Type 5				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				
165V	US3	661.50	1	8.00
Push/Pull Set	US4	669.15		8.00
Material: Brass, bronze, aluminum,	US10	669.15		8.00
stainless steel	US10B	669.15		8.00
Bar Stock: 1-1/4" Round	US28	485.25		5.45
Projection: 3"	US32	609.20		12.90
CTC: 18"	US32D	557.15		13.40
Fasteners: Type 7 & (2) Type 5				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
167B	US3	720.85	1	8.00
Offset Push/Pull Set	US4	737.45		8.00
Material: Brass, bronze, aluminum,	US10	757.85		8.00
stainless steel	US10B	757.85		8.00
Bar Stock: 1-1/4" Round	US28	539.30		5.45
Projection: 3"	US32	681.20		12.90
Offset: 3-3/4"	US32D	601.95		13.40
CTC: 18"				
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				
167D	US3	688.35	1	8.00
Offset Push/Pull Set	US4	688.35		8.00
Material: Brass, bronze, aluminum,	US10	724.65		8.00
stainless steel	US10B	724.65		8.00
Bar Stock: 1-1/4" Round	US28	485.25		5.45
Projection: 3"	US32	627.20		12.90
Offset: 3-3/4"	US32D	542.80		13.40
CTC: 18"				
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				
167V	US3	691.40	1	8.00
Offset Push/Pull Set	US4	704.65		8.00
Material: Brass, bronze, aluminum, stainless	US10	704.65		8.00
steel	US10B	704.65		8.00
Bar Stock: 1-1/4" Round	US28	506.70		5.45
Projection: 3"	US32	645.60		12.90
Offset: 3-3/4"	US32D	578.60		13.40
CTC: 18"				
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	CTC Over 36" *
170D	US3	945.40	1	32.10
Push/Pull Set	US4	945.40		32.10
Material: Brass, bronze, aluminum,	US10	945.40		32.10
stainless steel	US10B	945.40		32.10
Bar Stock: 3/8" x 1-1/4"	US28	503.25		21.50
Base: 1-1/4" Square	US32	919.20		51.50
Projection: Push Bar 3/4"	US32D	838.30		53.60
Projection: Pull Bar 2-1/2"				
Fasteners: 1/4" 20 thru bolts Type 4				
*Add per linear inch or fraction thereof				
180H	US28	38.00	10	
Door Edgings - Mortise Type	US32D	53.85		
Material: Aluminum, stainless steel				
Length: Up to 42"				
Thickness: .045 - .050"				
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.				
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.				
Cutouts will hand product, specify handing. Other lengths by quotation.				
Hinge Cutout (Add to list price)	US28	25.95		
	US32D	25.95		
Bolt Cutout (Add to list price)	US28	26.00		
	US32D	26.00		
Latch Cutout (Add to list price)	US28	25.95		
	US32D	25.95		
UL Rated (Add to list price)	US28	-		
	US32D	15.70		




Trim & Auxiliary



Description	Finish	2015 List	Case Qty.
180K	US28	39.05	10
Door Edgings - Mortise Type	US32D	60.90	
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	
180M	US28	60.90	10
Door Edgings - Mortise Type	US32D	80.20	
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.
-------------	--------	-----------	-----------

180P	US28	65.00	10
Door Edgings - Mortise Type	US32D	84.80	

Material: Aluminum, stainless steel

Length: Up to 42"


Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	



180Q	US28	82.40	5
Door Edgings - Mortise Type	US32D	104.30	

Material: Aluminum, stainless steel

Length: Up to 42"

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.



Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.

Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	




Trim & Auxiliary



Description	Finish	2015 List	Case Qty.
181H	US28	60.90	5
Door Edgings - Overlap Type	US32D	85.00	
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	
181K	US28	56.90	5
Door Edgings - Overlap Type	US32D	79.60	
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	




Trim & Auxiliary



Description	Finish	2015 List	Case Qty.
181M	US28	76.95	5
Door Edgings - Overlap Type	US32D	97.50	
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	
181P	US28	80.85	10
Door Edgings - Overlap Type	US32D	101.05	
U/M - each			
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.
181Q	US28	86.20	5
Door Edgings - Overlap Type	US32D	97.35	
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	
182H	US28	36.60	10
Door Edgings - Surface	US32D	56.90	
Non-Mortise Type			
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	





Trim & Auxiliary



Description	Finish	2015 List	Case Qty.
182K	US28	39.05	10
Door Edgings - Surface	US32D	60.90	
Non-Mortise Type			
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	
182M	US28	61.30	10
Door Edgings - Surface	US32D	80.20	
Non-Mortise Type			
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.
182P	US28	65.00	10
Door Edgings - Surface	US32D	84.80	
Non-Mortise Type			
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	
182Q	US28	82.70	10
Door Edgings - Surface	US32D	104.30	
Non-Mortise Type			
Material: Aluminum, stainless steel			
Length: Up to 42"			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handing. Other lengths by quotation.			
Hinge Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
Bolt Cutout (Add to list price)	US28	26.00	
	US32D	26.00	
Latch Cutout (Add to list price)	US28	25.95	
	US32D	25.95	
UL Rated (Add to list price)	US28	-	
	US32D	15.70	



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
185G	US28	84.65	-	-	-
Corner Guard	w/tape				
Material: Aluminum, stainless steel	US32D	103.45	062999		
Size: 3" x 3" x 40"	w/tape				
Thickness: .050"	US28	56.05	044109		
Fasteners: #6 x 5/8" FPHSMS self drilling	US32D	75.65	087970		
#6 x 1" screws available upon request.					
Other lengths by quotation.					
230W	US3	14.50	053679	10	100
Convex Wall Stop	US4	14.30	053680		
Concealed Mounting	US10	15.30	053681		
Material: Cast brass or bronze	US10B	15.30	053683		
Stop: Rubber	US15	15.30	094602		
Diameter: 2-15/32"	US15A	15.30	054038		
Projection: 1-3/32"	US19	15.30	073621		
Fastener: #10 x 1-1/2" PPHWS with	US26	15.30	053682		
plastic and toggle anchor	US26D	15.30	053684		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.					
232W	US3	9.00	051972	10	100
Convex Wall Stop	US4	9.00	053231		
Concealed Mounting	US5	9.45	072846		
Material: Wrought brass, bronze or	US9	9.35	017030		
stainless steel	US10	9.35	051973		
Stop: Rubber	US10B	9.35	051974		
Diameter: 2-7/16"	US15	9.50	046072		
Projection: 1"	US15A	9.50	062556		
Fastener: #10 x 1-1/2" PPHWS with	US19	9.50	071703		
plastic and toggle anchor	US26	9.50	051975		
Add optional 230T machine screw with	US26D	9.50	051976		
metal toggle nut screwpack - 0.70 each list.	US32	9.50	053691		
	US32D	9.50	053678		
234W	US3	14.30	053227	10	100
Concave Wall Stop	US4	14.30	053228		
Material: Cast brass or bronze	US10	15.30	053229		
Stop: Rubber	US10B	15.30	053230		
Diameter: 2-15/32"	US15	15.30	094603		
Projection: 1-3/32"	US15A	15.30	054039		
Fastener: #10 x 1-1/2" PPHWS with	US19	15.30	067951		
plastic and toggle anchor	US26	15.30	053235		
Add optional 230T machine screw with	US26D	15.30	053236		
metal toggle nut screwpack - 0.70 each list.					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
236W	US3	9.00	051977	10	100
Concave Wall Stop	US4	9.00	053237		
Material: Wrought brass, bronze or stainless steel	US5	9.45	072849		
Stop: Rubber	US9	9.35	018702		
Diameter: 2-7/16"	US10	9.35	051978		
Projection: 1"	US10B	9.35	051979		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US15	9.45	014846		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US15A	9.45	054522		
	US19	9.45	018437		
	US26	9.05	051980		
	US26D	9.50	051981		
	US32	9.35	053238		
	US32D	9.00	053239		



241F	US3	9.10	051982	10	100
Dome Stop - Low	US4	9.10	053259		
Material: Die cast brass	US5	10.30	072845		
Base Diameter: 1-11/16"	US9	10.30	056749		
Base: 1/8" Thick	US10	10.30	051983		
Height: 1"	US10B	10.30	051984		
Fastener: #14 x 1-1/2" with plastic anchor and 1/4-20 x 3/4" FPHMS with lead anchor	US15	10.30	034785		
	US15A	10.30	054041		
	US19	10.30	073625		
	US26	10.30	051985		
	US26D	10.30	052148		



242F	US3	10.55	075489	10	100
Dome Stop - Universal	US4	10.55	099613		
Material: Forged brass	US10B	11.70	075488		
Base Diameter: 1-11/16"	US15	11.70	094363		
Base: 7/32" Thick	US26	11.70	081314		
Height: 1-5/8"	US26D	11.70	075487		
Fastener: #14 x 1-1/2" FPHWS with plastic anchor and 1/4 - 20 x 3/4" FPHMS with lead anchor					



243F	US3	10.65	051986	10	100
Dome Stop - High	US4	10.65	053268		
Material: Die cast brass	US5	11.75	077629		
Base Diameter: 1-11/16"	US9	11.75	056750		
Base: 7/16" Thick	US10	11.75	052149		
Height: 1-9/32"	US10B	11.75	052328		
Fastener: #14 x 1-1/2" FPHWS with plastic anchor and 1/4 - 20 x 1-1/4" FPHMS with lead anchor	US15	11.75	035110		
	US15A	11.75	054043		
	US19	11.75	068921		
	US26	11.75	052329		
	US26D	11.75	052150		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
244F	US3	23.60	097343	5	50
Cast Floor Stop	US4	23.60	058458		
Material: Cast brass	US10	25.10	097344		
Base: 1-3/4" x 4"	US10B	25.10	097345		
Base Thickness: 5/32"	US26	25.10	097346		
O/A Height: 1"	US26D	25.10	097347		
Fasteners: #14 x 1-1/2" FPHWS with plastic anchor; 1/4 - 20 x 3/4" FPHMS with lead anchor					
245F	US3	26.85	097348	5	50
Cast Floor Stop	US4	26.85	036320		
Material: Cast brass	US10	30.15	097349		
Base: 1-3/4" x 2"	US10B	30.15	097350		
Base Thickness: 1/2"	US26	30.15	097351		
O/A Height: 1-5/16"	US26D	30.15	097352		
Fasteners: #14 x 1-1/2" FPHWS with plastic anchor; 1/4 - 20 x 1-1/4" FPHMS with lead anchor					
246B	Mil	5.75	052934	10	100
Dome Stop Riser Plate	US3	7.60	054344		
Material: Brass	US4	7.60	066234		
Diameter: 1-3/4"	US10	7.60	059349		
Base: 3/8" thick	US10B	7.60	054443		
For use with 241F	US15	7.60	061758		
	US15A	7.60	054044		
	US19	7.60	054523		
	US26	7.60	066412		
	US26D	7.60	055308		
248G	US26D	24.30	159656	10	100
Modern Style Universal Stop					
Material: Brass w/ gray rubber bumper					
Diameter: 1-7/16"					
Height: 1-1/2"					
Fasteners: 1/4 - 20 x 1" FPHMS with lead anchor; #12 x 1-1/4" FPHWS with plastic anchor					
248F	US26D	24.30	023442	10	100
Modern Style Universal Stop					
Material: Brass w/ black rubber bumper					
Diameter: 1-7/16"					
Height: 1-1/2"					
Fasteners: 1/4 - 20 x 1" FPHMS with lead anchor; #12 x 1-1/4" FPHWS with plastic anchor					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
249F L-Shaped Floor Stop Material: Steel with rubber bumper Height: 2-5/8" Base: 1" x 2-1/2" x 7/32" thick Fastener: #14 x 1-1/2" FPHWS with plastic anchor	US2C	12.15	011616	5	50
250W Convex Wall Stop Material: Cast brass with rubber bumper Diameter: 1" Projection: 9/16" Fastener: #6 x 3/4" screw w/ anchor and .052" diameter nail	US3 US4 US10 US10B US15 US15A US19 US26 US26D	8.65 8.65 9.25 9.25 11.85 11.85 11.85 9.25 9.25	052784 056083 052785 052786 061694 054045 054526 052787 053275	20	200
251W Concave Wall Bumper Material: Adhesive backed rubber Diameter: 1-7/8" Projection: 25/32"	Grey	4.60	052935	20	200
252F Floor Stop Material: Cast brass with rubber bumper Diameter: 1-9/16" x 2-1/2" Height: 2-11/16" Fastener: 1 ea. 1/4 - 20 x 3/4" FPHMS with lead anchor; 5/16 - 18 x 2-1/2" stud with lead anchor; #14 x 1-1/2" FPHWS with plastic anchor 2" max door to floor clearance	US3 US10 US10B US15 US15A US19 US26 US26D	36.80 36.80 40.10 40.10 40.10 40.10 40.10 40.10	058522 058523 058517 061610 054046 054531 058518 058519	5	50
254S Wall Stop and Holder Material: Cast brass with rubber bumper Base Diameter: 2-11/32" Base Projection: 3-1/2" Engaged Projection: 5-19/32" Keeper: 1" x 2" Fastener: #10 x 1" FPHWS with plastic anchor	US3 US4 US10 US10B US15 US26 US26D	45.15 45.15 52.80 52.80 52.80 52.80 52.80	097810 030895 097811 097813 061598 097812 097814	5	50



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
254W	US3	45.15	097805	5	50
Wall Stop and Holder	US4	45.15	071803		
Material: Cast brass with rubber bumper	US10	52.80	097806		
Base Diameter: 2-11/32"	US10B	52.80	097807		
Base Projection: 3-1/2"	US15	52.80	061570		
Engaged Projection: 5-19/32"	US26	52.80	097808		
Keeper: 1" x 2"	US26D	52.80	097809		
Fastener: #10 x 1" FPHWS with plastic anchor; 5/16" - 18 x 2-1/2" stud with lead anchor					
255S	US3	32.00	017532	5	50
Wall Stop	US4	32.00	017533		
Material: Cast brass with rubber bumper	US10	34.45	094583		
Base Diameter: 2-11/32"	US10B	34.45	017534		
Projection: 3-11/16"	US15	34.45	061568		
Fastener: #10 x 1" OPHWS with plastic anchor	US26	34.45	017531		
	US26D	34.45	000917		
255W	US3	32.00	058532	5	50
Wall Stop	US4	32.00	075493		
Material: Cast brass with rubber bumper	US10	34.45	058533		
Base Diameter: 2-11/32"	US10B	34.45	058534		
Projection: 3-11/16"	US15	34.45	061567		
Fastener: #10 x 1" OPHWS with plastic anchor; 5/16" - 18 x 2-1/2" threaded stud, 5/16" lead anchor	US26	34.45	058675		
	US26D	34.45	058535		
256S	US3	45.15	068146	5	50
Wall Stop & Holder	US10	45.15	070578		
Material: Cast brass with rubber bumper	US10B	48.55	099449		
Base Diameter: 2-1/4"	US15	48.55	060858		
Engaged Projection: 5-11/16"	US26	48.55	088625		
Projection: 3-25/32"	US26D	48.55	067225		
Keeper: 25/32" x 1-1/2"					
Fastener: #10 x 1" OPHWS with plastic anchor					
256W	US3	45.15	058585	5	50
Wall Stop & Holder	US10	45.15	058586		
Material: Cast brass with rubber bumper	US10B	48.55	058587		
Base Diameter: 2-1/4"	US15	48.55	060860		
Engaged Projection: 5-11/16"	US26	48.55	058520		
Projection: 3-25/32"	US26D	48.55	058521		
Keeper: 25/32" x 1-1/2"					
Fastener: #10 x 1" OPHWS with plastic anchor; 5/16" - 18 x 2-1/2" stud with lead anchor					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
257F	US3	36.80	058546	5	50
Floor Stop	US10	36.80	058547		
Material: Cast brass with rubber bumper	US10B	40.10	058548		
Base: 1-9/16" x 2-15/32"	US15	40.10	060857		
Height: 2"	US15A	40.10	054048		
Fastener: #14 x 1-1/2" FPHWS with plastic anchor; 1/4 - 20 x 3/4" FPHMS with lead anchor; 5/16" - 18 x 2-1/2" stud with lead anchor	US19	40.10	054532		
	US26	40.10	058549		
	US26D	40.10	058550		



258F	US3	60.00	058551	5	50
Floor Stop & Holder	US10	60.00	058552		
Material: Cast brass with rubber bumper	US10B	60.00	058553		
Base: 1-9/16" x 2-15/32"	US15	60.00	060855		
Height: 3"	US26	60.00	058554		
Keeper: 1" x 2"	US26D	60.00	058555		
Fasteners: #10 x 1" FPHWS with plastic anchor; 1/4 - 20 x 3/4" FPHMS with lead anchor; 5/16 - 18 x 2-1/2" stud with lead anchor					



259F	US3	35.10	086836	5	50
Tri Base Floor Stop	US4	35.10	090238		
Material: Cast brass with rubber bumper	US10	35.10	086566		
Base: 2-1/2" wide x 1-9/16" deep	US10B	35.10	086567		
Height: 1-11/16"	US26	35.10	086568		
Fasteners: #10 x 1-1/4" FPHWS with plastic anchor; 10 - 32 x 3/4" FPHMS with lead anchor	US26D	35.10	084984		



259H	US3	42.25	013387	5	50
Tri Base Floor Stop - Tall	US4	42.25	012068		
Material: Cast brass with rubber bumper	US10	45.15	033155		
Base: 2-1/2" wide x 1-9/16" deep	US10B	45.15	006004		
Height: 2-1/4"	US26	45.15	031052		
Fasteners: #10 x 1-1/4" FPHWS with plastic anchor; 10 - 32 x 3/4" FPHMS with lead anchor	US26D	45.15	005661		



260W	US26D	66.65	059730	5	50
Angled Wall Stop					
Material: Cast brass with rubber bumper					
Base: 2-3/16" wide x 2-15/16" tall					
Projection: 3-21/32"					
Fasteners: #14 x 1-1/2" FPHWS with plastic anchor and 1/4 - 20 x 3/4" FPHMS with lead anchor					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
267F	US3	34.45	058536	5	50
Floor Stop	US10	34.45	058537		
Material: Cast brass with rubber bumper	US10B	34.45	058538		
Base: 2-1/4"	US15	34.45	060853		
Height: 3-1/8"	US15A	34.45	031421		
Fasteners: #10 x 1" OPHWS with plastic anchor; 5/16" - 18 x 2-1/2" stud with lead anchor	US19	34.45	033541		
	US26	34.45	058539		
	US26D	34.45	058540		
267S	US3	34.45	097803	5	50
Cast Floor Stop	US10	34.45	097804		
Material: Cast brass with rubber bumper	US10B	34.45	097800		
Base: 2-1/4"	US15	34.45	060851		
Height: 3-1/8"	US26	34.45	097801		
Fasteners: #10 x 1" OPHWS with plastic anchor	US26D	34.45	097802		
268F	US3	45.15	058541	5	50
Floor Stop & Holder	US10	45.15	058542		
Material: Cast brass with rubber bumper	US10B	45.15	058543		
Base: 2-1/4"	US15	45.15	075320		
Height: 3-19/32"	US15A	45.15	054050		
Keeper: 25/32" x 1-1/2"	US19	45.15	054533		
Fasteners: #10 x 1" OPHWS with plastic anchor; 5/16" - 18 x 2-1/2" stud with lead anchor	US26	45.15	058544		
	US26D	45.15	058545		
268S	US3	45.15	070926	5	50
Cast Floor Stop & Holder	US10	45.15	088879		
Material: Cast brass with rubber bumper	US10B	45.15	072110		
Base: 2-1/4"	US15	45.15	060840		
Height: 3-19/32"	US26	45.15	095114		
Keeper: 25/32" x 1-1/2"	US26D	45.15	068934		
Fasteners: #10 x 1" OPHW with plastic anchors					
269F	-	24.10	085062	5	50
Heavy Duty Floor Stop					
Material: 5/8" Steel pin with rubber bumper					
Bumper: 1-1/2" high					
Diameter: 2"					
Steel Bolt: 5/8" - 11 x 2-1/2" thread					
Special Grout by others					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
269T Heavy Duty Floor Stop - Tall Material: 5/8" Steel pin with rubber bumper Bumper: 3-1/2" high Diameter: 2" Steel Bolt: 5/8" - 11 x 2-1/2" thread Special Grout by others	-	29.10	083131	3	30
270C Kick Down Door Holder Material: Cast iron with rubber tip Base: 1-7/16" x 2-1/8" Arm: 3-13/16" Fasteners: #6 x 3/4" OPHTS S1 - Sprayed Alum., S2 - Sprayed Brass, S3 - Sprayed Bronze 270CR replacement rubber tips available, 6 per bag	S1 S2 S3	16.90 16.90 16.90	058588 058589 058590	5	50
270D Kick Down Door Holder Material: Cast brass with rubber tip Base: 1-19/32" x 1-25/32" Arm: 3-1/2" Fasteners: #6 x 3/4" OPHWS	US3 US10 US10B US15 US15A US19 US26 US26D	40.10 40.10 40.10 40.10 40.10 40.10 40.10 40.10	058525 058526 058527 060822 054051 054542 058568 058569	5	50
270R Replacement Rubber Tips Material: Black rubber For use with 270D or 271D door holders Sold in packs of 10	Rubber	26.25	073663	10	100
271D Kick Down Door Holder Material: Cast brass with rubber bumper Base: 1-19/32" x 1-25/32" Arm: 4-7/16" Fasteners: #6 x 3/4" OPHWS	US3 US10 US10B US26 US26D	45.15 45.15 45.15 45.15 45.15	058570 058571 058564 058565 058566	5	50



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
271W	US3	41.80	123928	10	50
Roller Bumper	US10	41.80	123929		
Material: Cast brass or bronze with	US10B	41.80	123930		
rubber roller	US26	41.80	123931		
Base: 2"	US26D	41.80	123927		
Projection: 4-1/2"					
Fasteners: #10 x 1" FPHWS with plastic anchor					
272W	US3	41.80	052779	10	100
Roller Bumper	US10	41.80	052780		
Material: Cast brass or bronze with	US10B	41.80	052781		
rubber roller	US26	41.80	052782		
Base: 2"	US26D	41.80	052783		
Projection: 6-1/4"					
Fasteners: #10 x 1" FPHWS with plastic anchor					
273W	US3	38.00	043325	5	50
Curved Roller Bumper	US4	41.80	043326		
Material: Cast brass or bronze with	US10	41.80	043323		
rubber roller	US10B	41.80	043327		
Projection: 2-21/32"	US26	41.80	043324		
Fasteners: #10 x 1" FPHWS with plastic anchor	US26D	41.80	043328		
274B	US3	5.45	048087	-	10
Door Guard Protective Plate	US4	5.45	046942		
Material: Brass	US10	5.45	048363		
Fasteners: Double sided pressure	US10B	5.45	048365		
sensitive tape	US15	5.45	060811		
To be used with the 274D	US26	5.45	048364		
	US26D	5.45	048366		
274C	Black	1.95	158025	-	50
Shim for Door Guard					
Material: Resilient black rubber, 3/32" thick					
To be used with the 274D					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
274D	US3	30.40	158021	5	50
Material: Cast brass	US4	30.40	158022		
Arm Length: 4-1/2"	US10	36.20	158016		
Fasteners: #6 x 3/4" OPHWS; #6 x 1-1/2"	US10B	36.20	158017		
OPHWS; 6 - 32 x 1/2" OPHMS	US15	36.20	158018		
	US26	43.10	158019		
	US26D	36.20	158020		
275D	US3	37.35	058752	1	12
Surface Bolt - 8"	US10	36.35	074243		
Material: Steel	US10B	37.35	056786		
Bolt Size: 1/4" x 3/4"	US26D	37.75	052287		
Bolt Throw: 1"					
Fasteners: #10 x 1-1/4" FPHWS; 10 - 24 x 1" FPHMS					
Universal and angle strikes included					
276D	US3	73.20	083603	1	12
Surface Bolt - 12"	US10	36.30	025645		
Material: Steel	US10B	69.75	073888		
Bolt Size: 1/4" x 3/4"	US26D	46.55	053325		
Bolt Throw: 1"					
Fasteners: #10 x 1-1/4" FPHWS; 10 - 24 x 1" FPHMS					
Universal and angle strikes included					
277D	US3	33.95	161173	1	10
Privacy Door Latch	US4	33.95	161174		
Material: Cast Zinc	US10B	33.95	161149		
Base: 2-5/8" x 1-9/16"	US26	31.85	161171		
Projection: 2-3/16"	US26D	30.80	161172		
Fasteners: #12 x 1-3/4" FPHSMS					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
278D	US3	19.10	086661	10	100
Surface Bolt - 6"	US10B	20.75	020392		
Material: Brass	US26D	19.75	086662		
Bolt Size: 7/16"					
Bolt Throw: 31/32"					
Projection: 3/4"					
Fasteners: #5 x 5/8" FPHWS					
Mortise and universal strikes included					
279D	US3	43.40	097353	10	100
Dutch Door Bolt	US10	36.20	097183		
Material: Brass	US10B	43.40	023685		
O/A Size: 1-11/16" x 4"	US26D	43.40	097354		
Bolt Size: 5/8" half round					
Bolt Throw: 3/8"					
Projection: 1-1/4"					
Knob Diameter: 29/32"					
Fasteners: #6 x 3/4" FPHWS					
Universal and angle strikes included					
280X	US3	23.75	052522	10	100
Dust Proof Strike	US4	23.75	053326		
w/ Removable Plate	US9	24.70	021465		
Material: Brass	US10	24.70	052559		
Face Plate: 1-7/16" x 2-29/32"	US10B	24.70	052523		
Barrel Diameter: 1"	US15	24.70	040347		
Depth: 2-3/16"	US15A	24.70	054052		
Plunger Diameter: 3/4"	US19	24.70	067955		
Fasteners: #8 x 1" FPHWS with plastic anchors; spanner wrench	US26	24.70	052839		
	US26D	24.70	052524		
281D	US3	18.10	056621	10	100
Slide Flush Bolt	US4	18.10	056789		
Material: Brass or bronze w/ steel components	US5	18.10	035600		
	US10	18.10	052723		
Face Plate: 3/4" x 6"	US10B	18.10	056790		
Bolt Diameter: 1/2"	US15	18.10	036438		
Bolt Throw: 1"	US15A	18.10	054055		
Strike: 7/8" x 1-3/4"	US19	18.10	054545		
Rod Backset: 7/16"	US26	18.10	052525		
Fasteners: #6 x 3/4" FPHWS	US26D	18.10	056791		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
282D	US3	30.15	052281	2	80
Manual Flush Bolt	US4	30.15	052282		
Metal Doors	US5	31.80	062354		
Material: Brass w/ steel components	US9	31.80	083207		
Face Plate: 1" x 6-3/4"	US10	31.80	052283		
Bolt Throw: 3/4"	US10B	31.80	052284		
Bolt Backset: 3/4"	US15	35.10	040346		
Rod Length: 12"	US15A	35.10	054056		
Strike: 15/16" x 2-1/4"	US19	35.10	067956		
Fasteners: #8 x 3/4" combination screws	US26	31.80	052285		
#8 x 1-1/2" combination screws	US26D	31.80	052286		
For use with A115 Frame Preparation					
282S Strike plate bag and 282P bolt head available					
282R Optional rod length available: 18", 25" and 30" (bolt head not included) - No Charge					
3-hour fire rating on metal doors up to 4 feet wide x 10 feet tall					
Sold in increments of 2					
283D	US3	43.40	052929	2	40
Manual Flush Bolt	US4	43.40	053328		
Wood Composite Door	US5	58.95	018995		
Material: Brass w/ steel components	US9	58.95	032026		
Face Plate: 1" x 6-25/32"	US10	43.40	052930		
Bolt Head: 1/2" Square	US10B	58.95	052931		
Bolt Throw: 3/4"	US15	58.95	060810		
Bolt Backset: 3/4"	US15A	58.95	054057		
Strike: 15/16" x 2-1/4"	US19	58.95	054567		
Fasteners: #8 x 3/4" combination screws;	US26	58.95	052932		
1-1/2 hour fire rating on wood doors up to	US26D	58.95	052933		
4 feet wide x 10 feet tall					
291D	US3	241.35	053297	1	10
Automatic Flush Bolts	US4	241.35	074059		
Wood Door	US10	241.35	053298		
Material: Stainless steel/brass w/ steel	US10B	241.35	053299		
components	US15	241.35	046049		
Face Plate: 1" x 8-1/2"	US32	241.35	117105		
Bolt Heads: 1/2" square	US32D	241.35	117104		
Bolt Throw: 3/4"					
Bolt Backset: 3/4"					
Fasteners: #10 x 1" SMS; #8 x 1" combination screws					
Mortise Strike: 15/16" x 2-1/4"					
280X Dust Proof Strike recommended					
1-1/2 hour fire rating on wood doors up to 4 feet wide x 9 feet tall					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
292D	US3	225.00	053301	1	10
Automatic Flush Bolts	US4	225.00	084898		
Metal Doors	US10	225.00	053302		
Material: Stainless steel/brass w/ steel	US10B	225.00	053303		
components	US15	225.00	046052		
Face Plate: 1" x 6-3/4"	US32	225.00	117106		
Bolt Head: 1/2" square	US32D	225.00	117107		
Bolt Throw: 3/4"					
Bolt Backset: 3/4"					
Fasteners: #8 x 1" combination screws					
Mortise Strike: 15/16" x 2-1/4"					
280X Dust Proof Strike recommended					
3-hour fire rating on metal doors up to 4 feet wide x 9 feet tall					
293D	US3	225.00	058567	1	10
Constant Latching Flush Bolts	US4	225.00	087519		
Metal Doors	US10	225.00	058560		
Material: Stainless steel/brass w/ steel	US10B	225.00	058561		
components	US15	225.00	093481		
Face Plate: 1" x 6-3/4"	US32	225.00	117108		
Bolt Head: 1/2" square	US32D	225.00	117109		
Bolt Throw: 3/4"					
Bolt Backset: 3/4"					
Fasteners: #8 x 1" combination screws					
T-Strike: 1-1/8" x 2-3/4"					
280X Dust Proof Strike recommended					
3-hour fire rating on metal doors up to 4 feet wide x 9 feet tall					
294D	US3	241.35	058563	1	10
Constant Latching Flush Bolts	US4	241.35	082014		
Wood Door	US10	241.35	058556		
Material: Stainless steel/brass w/ steel	US10B	241.35	058557		
components	US15	241.35	095081		
Face Plate: 1" x 8-1/2"	US32	241.35	117111		
Bolt Head: 1/2" square	US32D	241.35	117110		
Bolt Throw: 3/4"					
Bolt Backset: 3/4"					
Fasteners: #10 x 1" SMS; #8 x 1" combination screws					
T-Strike: 1-1/8" x 2-3/4"					
280X dustproof strike recommended					
1-1/2 hour fire rating for wood doors up to 4 feet wide x 9 feet tall					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
295M	US3	293.55	080579	1	10
Automatic Flush Bolt w/Fire Bolt	US4	293.55	080582		
Metal Doors	US10	293.55	080583		
Material: Stainless steel/brass with steel	US10B	293.55	080584		
components	US15	293.55	060808		
Face Plate: 1" x 6-3/4"	US32	293.55	080585		
Bolt Head: 1/2" square	US32D	293.55	080586		
Bolt Throw: 3/4"					
Bolt Backset: 3/4"					
Fasteners: #8 x 1" combination screws					
T-strike: 15/16" x 2-1/4"					
3-hour fire rating for metal doors up to 4 feet wide x 9 feet tall					
295W	US3	273.95	080593	1	10
Automatic Flush Bolt w/Fire Bolt	US4	260.85	080594		
Wood Doors	US10	273.95	080592		
Material: Stainless steel/brass with steel	US10B	273.95	080591		
components	US15	273.95	060807		
Face Plate: 1" x 8-1/2"	US32	273.95	080590		
Bolt Head: Flattened 1/2" square	US32D	273.95	080589		
Bolt Throw: 3/4"					
Backset: 3/4"					
Fasteners: #10 x 1" SMS; #8 x 1" combination screws					
Mortise Strike: 15/16" x 2-1/4"					
20 minute fire rating for wood doors up to 4 feet wide x 9 feet tall					
296W	US3	313.10	083221	1	10
Automatic Flush Bolt Set for Wood Doors	US4	313.10	083222		
Backset: 1-1/2"	US10	313.10	083223		
Fasteners: Sixteen (16) #8 x 1" APS;	US10B	313.10	083224		
four (4) plastic anchors	US15	313.10	060784		
Strike: 1-1/8" x 2-1/4"	US32	313.10	083225		
	US32D	313.10	083226		
1-1/2 hour fire rating for wood doors up to 4 feet wide x 9 feet tall					
297C	USP	31.80	058524	2	20
Carry Bar	US3	56.60	058528		
Material: Stainless steel/brass	US10	56.60	058529		
Base: 1-3/4" x 2-1/4"	US10B	56.60	058530		
Projection: 25/32"	US15	56.60	060778		
Fasteners: 12 - 24 x 3/4" PPHMS with	US32	56.60	117361		
sex nuts	US32D	56.60	117226		
For use on pairs of doors with astragal and 297D-298D coordinator.					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

297D

Coordinator with Filler Bar

Material: Steel

Base: 1-5/8" x 5/8"

Fasteners: 12-24 x 1-1/4" TPHMS; #8 x 1" combo screws

If overall frame width is different than widths shown, consult Hager Customer Service.

If active and inactive doors are unequal in length, consult Hager Customer Service for proper sizing.

60"	Black	161.00	069727	1	4
-----	-------	--------	--------	---	---

Coordinator with Filler Bar

Material: Steel

Fasteners: 12-24 x 1-1/4" TPHMS; #8 x 1" combo screws

If overall frame width is different than widths shown, consult Hager Customer Service. If active and inactive doors are unequal in length, consult Hager Customer Service for proper sizing.

72"	Black	173.00	052312	1	4
-----	-------	---------------	--------	---	---

96"	Black	249.30	052313	1	4
-----	-------	--------	--------	---	---

297F

Filler Bars

Material: Steel

Thickness: 5/8" standard

18-5/8"	Black FB1	23.50	098884	-	-
---------	-----------	-------	--------	---	---

42-5/8"	Black FB1	32.70	073866	-	-
---------	-----------	-------	--------	---	---

297M	Black	22.90	053257	-	-
-------------	-------	--------------	--------	---	---

Mounting Bracket

Material: Aluminum

Stop Height: 5/8"

Soffit Width: 1-3/8" to 2-3/8"

Fasteners: 12-24 x 2" FPHMS;

1/4 - 20 x 1/2" FPHMS

297N	Black	22.90	053258	2	20
-------------	-------	-------	--------	---	----

Mounting Bracket

Material: Aluminum

Soffit Width: 3" or greater

Fasteners: 12-24 x 2" FPHMS;

1/4 - 20 x 1/2" FPHMS

298D	US3	118.90	055123	1	10
-------------	-----	--------	--------	---	----

Gravity Coordinator

Material: Cast brass w/rubber roller

Base: 1-1/8" x 5-1/2"

Projection: 7"

Fasteners: #12 x 1" OPHWS;

#6 x 3/4" FPHWS; #8 x 3/4" FPHWS;

#8 x 3/4" TPHWS



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

300D

Chain Door Check

Material: Steel chain

Base Plate: Cast zinc base, galvanized steel chain, EPDM rubber cover

1-1/2" x 1-1/2"

Cover: EDPM Rubber

Fasteners: #8 x 1" FPHSMS

Optional grommet nut set available (part #1-320-9801)

25-1/2"

US26D

55.05

063667

1

10

30-1/2"

US26D

55.05

063668

1

10

301D

US3

4.35

023366

5

50

Heavy Duty Hinge Pin Stop

US26D

4.35

023363

Material: Wrought steel with rubber bumpers

Features: Works with both 1/4" and 5/16" hinge pins

Must purchase an NRP hinge for use with this pin stop



303W

US3

73.30

053306

5

50

Handrail Bracket

US4

73.30

067806

Material: Cast brass

US10

78.35

052151

Base Diameter: 3-5/32"

US10B

78.35

053307

Base to Center of Rail: 2-3/4"

US26

78.35

052327

US26D

78.35

052152

Fasteners: #10 x 1-1/4" FPHWS with plastic anchor; 10 - 24 x 13/16" FPHMS with lead anchors



305D

Wire Pull

Material: 5/16" brass rod

Projection: 1-9/32"

Fasteners: 8 - 32 x 1" TPHMS



CTC: 3"

US3

9.70

086821

10

100

US4

10.05

-

US10

10.05

020779

US10B

10.05

095891

US26

10.05

086823

US26D

10.05

086822

CTC: 3-1/2"

US3

9.70

086824

10

100

US4

10.05

007767

US10

10.05

089114

US10B

10.05

018946

US26

10.05

086826

US26D

10.05

086825

CTC: 4"

US3

9.70

086827

10

100

US4

10.05

019788

US10

10.05

090240

US10B

10.05

018468

US26

10.05

086829

US26D

10.05

086828



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
307D Metal Door Silencer Material: Rubber Diameter: 1/2" Projection: 1/8" U/M Bag of 100	Grey	33.60	052527	-	100
308D Wood Door Silencer Base: 3/8" x 3/4" Projection: 9/64" U/M Bag of 100	Grey	33.60	052526	-	100
310C Conversion Kit Strike: 1-11/16" x 2-1/4" Filler Plate: 1-1/8" x 3-3/8" Fasteners: #10 x 1-1/2" FPHWS; #10 x 1" FPHWS; 8 - 32 x 1/4" FPHMS; 10 - 24 x 1/2" FPHMS Converts Roller Latch to Push Pull Latch	US26D	50.60	711114	5	50
311H Push/Pull Latch Material: Zinc, stainless steel; Door Thickness: 1-3/4"; Bolt Throw: 1/2" Standard Backset: 2-3/4" Standard; 5" Optional; Projection: 2-5/8"; Strike: ASA 1-1/4" x 4-7/8" Standard T-Strike 1-1/8" x 2-3/4" Standard; Horizontal Mounting w/ 5" Backset Options: Engraving Handed: A - "PUSH" down; "PULL" up B - "PUSH" up; "PULL" down C - "PUSH" up; "PULL" up D - "PUSH" down; "PULL" down					
2-3/4"	US26	228.05	161063	1	10
	US26D	185.25	161064		
	US32	280.95	161067		
	US32D	267.60	161068		
5"	US26	228.05	161069	1	10
	US26D	185.25	161070		
	US32	280.95	161071		
	US32D	267.60	161072		
Lead Lined 2-3/4"	US26	271.40		1	10
	US26D	220.45	161066		
	US32	318.45			
	US32D	303.25	161073		
Lead Lined 5"	US26	271.40		1	10
	US26D	220.45	161076		
	US32	318.45			
	US32D	303.25	161080		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
313S	US32D	289.95	-	-	-
Anti-Vandal Trim					
Material: 11 GA stainless steel	US32D	328.65	-		
Max Projection: 1-7/8"	with				
Size: 6-11/32" x 11"	Plastisol				
Door Thickness: 1-3/4" - 2"					
Fasteners: 1/4" - 20" FPHMS with finish washers					
Available with latchguard (313L). Cylinder cutout available. Can be used with exit devices and mortise locks.					
318D	US3	45.25	055119	1	50
Roller Latch	US4	45.25	055120		
Material: Brass	US10	45.25	055121		
Latch Faceplate: 1" x 3-3/8"	US10B	48.85	055122		
Strike: 1-1/4" x 2-3/4"	US15	58.45	078198		
Strike Thickness: .171"	US15A	58.45	054058		
Max Roller Projection: 3/8"	US19	58.45	054569		
Fasteners: #8 x 1" FPHWS; 8 - 3/2 x 3/4"	US26	48.85	055127		
FPHMS; #10 x 1-1/2" FPHWS	US26D	48.85	055126		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
318S	US3	83.00	087304	1	50
Roller Latch with Stop	US4	83.00	087305		
Material: Brass	US10	83.00	075533		
Latch Face: 1-7/16" x 4-7/16"	US10B	83.00	055304		
Angle Stop: 9/16" x 4-7/16"	US26	90.10	087306		
Strike: 1-1/4" x 2-1/4"	US26D	90.10	055305		
Strike Thickness: .171"					
Max Roller Projection: 3/8"					
Fasteners: 8 - 32 x 3/4" FPHMS; #10 x 1-1/2" FPHWS					
320R	US3	79.90	049988	1	50
Roller Latch	US4	79.90	049989		
Material: Brass with nylon roller	US9	79.90	049990		
Latch Face: 2-1/4" x 1-1/8"	US10	79.90	049987		
Strike: 1-1/8" x 2-3/4"	US10B	79.90	049994		
Strike Thickness: .058 wrought	US15	79.90	060809		
Max Roller Projection: 7/16"	US26	91.60	049993		
Fasteners: #8 x 1" FPHWS	US26D	79.90	049995		
321R	US3	16.90	055947	1	50
Adjustable Ball Catch	US4	16.90	055953		
Material: Brass with steel ball roller	US10	20.15	055944		
Latch Face: 1" x 2-1/8"	US10B	20.15	055960		
Strike: 1-1/2" x 2-1/8"	US15	20.15	075224		
Strike Thickness: .050"	US15A	20.15	055961		
Fasteners: #6 FPHWS	US19	20.15	055945		
	US26D	16.90	055963		
322V	US3	25.10	056479	1	50
Door Knocker w/ 115° Viewer	US4	25.10	064778		
Material: Wrought brass	US10	28.10	056593		
Knocker Size: 2-7/32" x 3-1/4"	US26D	25.10	056478		
Projection: 19/32"					
Fasteners: #6 x 3/4" TPHSMS					
323S	US26D	17.35	158659	30	300
Three-Way Ball Catch					
Material: Brass with Stainless Steel Balls					
Body: 1/2" x 2-3/16" x 1/2"					
Strike: 3/8" x 1-3/8" x 5/8"					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
324W	US3	8.55	013810	1	50
Light Duty Wall Bumper	US4	9.10	013811		
Material: Brass or bronze	US5	10.20	013814		
Base: 1-1/4" diameter	US10	10.20	013809		
Projection: 3-1/4"	US10B	10.20	013812		
Tip Diameter: 5/8"	US15	10.20	040348		
Fasteners: #10 x 7/8" wood thread	US15A	10.20	013813		
Replacement rubber tip available (Part # 1-269-3073)	US19	10.20	030873		
	US26	8.80	013808		
	US26D	8.80	013807		
326F	US3	69.05	058510	5	30
Automatic Floor Stop and Holder	US10	72.85	058511		
Material: Cast brass	US10B	72.85	058512		
Holder Base: 3-1/16" x 3-1/2"	US26	72.85	058507		
Projection: 1-15/16"	US26D	72.85	058508		
Floor Strike: 2" x 4-3/32"					
Strike Height: 1-1/4"					
Max Door to Floor Clearance: 1/2" or less					
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2" FPHWS and anchors; 1/4 - 20 x 3/4" FPHMS with lead anchor					
326W	US3	76.70	058513	5	30
Automatic Wall Stop and Holder	US10	80.50	058514		
Material: Cast brass	US10B	80.50	058515		
Holder Base: 2-13/32" x 2-25/32"	US26	80.50	058516		
Holder Projection: 2-5/16"	US26D	80.50	058509		
Engaged Projection: 3-5/8"					
Strike Base: 1" x 2-1/16"					
Strike Projection: 2"					
Fasteners: #10 x 1" OPHWS and anchors; 10 - 24 x 1-1/4" FPHMS					




Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
327F	US3	69.05	034684	5	30
Automatic Floor Stop and Holder	US10	72.85	085315		
Material: Cast brass	US10B	72.85	076374		
Holder Base: 3-1/16" x 3-1/2"	US26	72.85	037584		
Projection: 1-15/16"	US26D	72.85	029249		
Floor Strike: 2" x 4-3/32"					
Strike Height: 1-3/4"					
Max Door to Floor Clearance: 9/16" to 1-1/16"					
Fasteners: 4 ea. x 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2" FPHWS and anchors					
1/4 - 20 x 3/4" FPHMS with lead anchor					
327W	US3	115.90	098618	5	20
Automatic Wall Stop and Holder	US4	115.90	098619		
Material: Cast brass	US10	115.90	098617		
Holder Base: 3-1/16" x 3-1/2"	US10B	115.90	098615		
Holder Projection: 1-15/16"	US26	115.90	098614		
Engaged Projection: 3-1/2"	US26D	109.25	098612		
Strike Diameter: 2-3/8"					
Strike Projection: 3-1/16"					
Fasteners: #12 x 1" TPHWS; 12-24 x 1"					
TPHMS; 1/4" - 20 x 3/4" FPHMS with lead anchor; #14 x 1-1/2" FPHWS					
Strike is adjustable 45° left or right					
328F	US3	69.05	043083	5	30
Automatic Floor Stop and Holder	US10	72.85	036197		
Material: Cast brass	US10B	72.85	045516		
Holder Base: 3-1/16" x 3-1/2"	US26	72.85	-		
Projection: 1-15/16"	US26D	72.85	032493		
Floor Strike: 2" x 4-3/32"					
Strike Height: 2-1/4"					
Max Door to Floor Clearance: 1-1/8" to 1-9/16"					
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2"					
FPHWS and anchors; 1/4 - 20 x 3/4" FPHMS with lead anchor					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
329F	US3	69.05	078700	5	30
Automatic Floor Stop and Holder	US10	72.85	040616		
Material: Cast brass	US10B	72.85	044158		
Holder Base: 3-1/16" x 3-1/2"	US26	72.85	116003		
Projection: 1-15/16"	US26D	72.85	029252		
Strike Height: 2-3/4"					
Floor Strike: 2" x 4-3/32"					
Max Door to Floor Clearance: 1-5/8" to 2-1/16"					
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2"					
FPHWS and anchors; 1/4 - 20 x 3/4" FPHMS with lead anchor					
330D	US3	15.65	086840	1	20
Pocket Door Latch	US5	17.90	086841		
Material: Brass	US10	26.85	066707		
Fits: 1-3/8" - 1-3/4" door	US10B	26.85	056768		
Size: 2-3/4" x 2-1/2"	US15	26.85	078972		
Finger Pull Extends: 1-3/8"	US19	26.85	054570		
Fasteners: #6 x 5/8" OPHWS	US26	17.90	086837		
	US26D	17.90	086838		
330L	US3	22.40	143162	1	20
Privacy Pocket Door Latch	US5	23.90	143164		
Material: Brass	US10	31.80	143165		
Size: 2-3/4" x 2-1/2"	US10B	31.80	143158		
Finger Pull Extends: 1-3/8"	US15	31.80	143159		
Strike: 1" x 2-1/4"	US15A	31.80	143160		
1-3/8" doors	US19	31.80	143166		
Fasteners: #6 x 5/8" OPHWS;	US26	23.90	143167		
#6 x 3/4" FPHWS	US26D	23.90	143161		
330M	US3	22.40	143172	1	20
Privacy Pocket Door Latch	US5	23.90	143178		
Material: Brass	US10	31.80	143168		
Size: 2-3/4" x 2-1/2"	US10B	31.80	143169		
Finger Pull Extends: 1-3/8"	US15	31.80	143173		
Strike: 1" x 2-1/4"	US15A	31.80	143174		
1-3/4" doors	US19	31.80	143175		
Fasteners: #6 x 5/8" OPHWS;	US26	23.90	143170		
#6 x 3/4" FPHWS	US26D	23.90	143171		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
336A 161 Prep - Door Edge Filler Plate Gauge: .134" Size: 1-1/8" x 2-1/4"	Primed steel	2.75	023352	25	250
336B 86 Prep - Door Edge Filler Plate Gauge: .180 Size: 1-1/4" x 8"	Primed steel	5.15	023329	25	250
336C Door Face Filler Plate Gauge: .055" Size: 1-3/4" Diameter	Primed steel	3.90	023346	25	250
336D Door Face Filler Plate Gauge: .055 Size: 2-5/8" Diameter	Primed steel	4.20	023343	25	250
336E Square - Door Edge Filler Plate Gauge: .134 Size: 1-3/4" x 4-1/2"	Primed steel	4.30	023334	25	250
336F Bevel - Door Edge Filler Plate Gauge: .134 Size: 1-1/2" x 4-1/2"	Primed steel	4.65	023332	25	250
336G Square - Door Edge Filler Plate Gauge: .134 Size: 1-3/4" x 5"	Primed steel	4.85	023340	25	250



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
336H Bevel - Door Edge Shim Filler Plate Gauge: .134 Size: 1-1/2" x 5"	Primed steel	4.35	023336	25	250
336J Frame - Flush Bolt Strike Filler Plate Gauge: .083 Size: 15/16" x 2-1/4"	Primed steel	2.75	023342	25	250
336K Door - Flush Bolt Filler Plate Gauge: .134 Size: 1" x 6-3/4"	Primed steel	4.35	023341	25	250
336L Frame - Hinge Filler Plate Gauge: .134 Size: 1-5/8" x 4-1/2"	Primed steel	3.35	023330	25	250
336M Frame - Hinge Filler Plate Gauge: .134 Size: 1-5/8" x 5"	Primed steel	4.65	023331	25	250
336N 86 to 161 Edge Prep Latch Adapter Filler Plate Gauge: .238 Size: 1-1/4" x 8"	Primed steel	11.80	023351	25	100
336P Frame - Deadlock Strike Filler Plate Gauge: .083 Size: 1-1/8" x 2-3/4"	Primed steel	3.65	082122	25	250



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
336Q Frame - ASA Strike Filler Plate Gauge: .093 Size: 1-1/4" x 4-7/8"	Primed steel	2.75	023356	25	250
336R Frame - Cylindrical Lock Strike Filler Plate Gauge: .083 Size: 1-1/8" x 2-3/4"	Primed steel	2.75	023354	25	250
337A Template Hinge Shim Gauge: .028 Size: 1-7/16" x 4-1/2"	Primed steel	2.10	023347	50	500
337B Template Hinge Shim Gauge: .065 Size: 1-7/16" x 4-1/2"	Primed steel	2.10	023348	50	500
337C Template Hinge Shim Gauge: .028 Size: 1-7/16" x 5"	Primed steel	2.20	023349	50	500
337D Template Hinge Shim Gauge: .065 Size: 1-7/16" x 5"	Primed steel	2.25	023350	50	500
340D Latch Protector Plate Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 18 x 1-1/2" carriage bolts with sex nuts For use w/ most mortise locks For use w/ cylindrical locksets with 3-3/4" backset or greater.	US2C US32D	21.00 45.15	041188 002179	1	10



Trim & Auxiliary



MEN

WOMEN

PUSH

Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
341D	US2C	21.00	041191	1	10
Latch Protector Plate w/ Lock Cut Out	US32D	45.15	002180		
Material: 12 GA steel, stainless steel					
Size: 3" x 11"					
For 1-3/4" door thickness					
Fasteners: 5/16 - 18 x 1-1/2" carriage bolts with sex nuts					
For use with cylindrical locksets with a 2-3/4" backset.					
345D	US2C	31.15	041194	1	10
Latch Protector Plate	US32D	40.10	002181		
Material: 12 GA steel, stainless steel					
Size: 1-5/8" x 10"					
For 1-3/4" door thickness					
Fasteners: 5/16-18 x 1-1/2" carriage bolts with sex nuts					
For use with cylindrical locksets					
350M	Brown (W1)	15.00	089107	-	5
Engraved Plastic Sign - MEN	Black (W2)	15.00	092413		
Material: .125" thick plastic	Blue (W3)	15.00	090948		
Lettering: 3/4" Helvetica	Silver (B1)	15.00	089108		
Size: 2" x 5"	Gold (B2)	15.00	030383		
Signs are individually packed in a polybag	w/ black lettering				
350W	Brown (W1)	16.85	089103	-	5
Engraved Plastic Sign - WOMEN	Black (W2)	16.85	092414		
Material: .125" thick plastic	Blue (W3)	16.85	091068		
Lettering: 3/4" Helvetica	Silver (B1)	16.85	089104		
Size: 2" x 5"	Gold (B2)	16.85	030384		
Fasteners: Double sided pressure sensitive tape, or screws (specify)	w/ black lettering				
Signs are individually packed in a polybag					
350H	Brown (W1)	16.85	089109	-	5
Engraved Plastic Sign - PUSH	Black (W2)	16.85	097215		
Material: .125" thick plastic	Blue (W3)	16.85	032116		
Lettering: 3/4" Helvetica	Silver (B1)	16.85	089110		
Size: 2" x 4"	Gold (B2)	16.85	066158		
Fasteners: Double sided pressure sensitive tape, or screws (specify)	w/ black lettering				
Signs are individually packed in a polybag					








Trim & Auxiliary

	Description	Color	2015 List	Stock No.	Box Qty.	Case Qty.
PULL	350L	Brown (W1)	16.85	089111	-	5
	Engraved Plastic Sign - PULL	Black (W2)	16.85	097216		
	Material: .125" thick plastic	Blue (W3)	16.85	032117		
	Lettering: 3/4" Helvetica	Silver (B1)	16.85	089106		
	Size: 2" x 4"	Gold (B2)	16.85	024447		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	w/ black lettering				
	Signs are individually packed in a polybag					
635	350R	Brown (W1)	15.00	000848	-	5
	Engraved Plastic Sign - Number	Black (W2)	15.00	010640		
	Material: .125" thick plastic	Blue (W3)	15.00	119668		
	Lettering: 3/4" Helvetica	Silver (B1)	15.00	067081		
	Size: 2" x 4"	w/ black lettering				
	Fasteners: Double sided pressure sensitive tape, or screws (specify)					
	Signs are individually packed in a polybag					
PUSH	Up to 3 characters (4 additional characters \$6.30)					
	351H	Brown (W1)	15.00	011628	-	5
	Engraved Plastic Sign - PUSH	Black (W2)	15.00	016508		
	Material: .125" thick plastic	Blue (W3)	15.00	017432		
	Lettering: 3/4" Helvetica	Silver (B1)	15.00	097655		
	Size: 1" x 4-1/2"	Gold (B2)	15.00	009462		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	w/ black lettering				
PULL	Signs are individually packed in a polybag					
	351L	Brown (W1)	15.00	011623	-	5
	Engraved Plastic Sign - PULL	Black (W2)	15.00	016509		
	Material: .125" thick plastic	Blue (W3)	15.00	017433		
	Lettering: 3/4" Helvetica	Silver (B1)	15.00	097656		
	Size: 1" x 4-1/2"	Gold (B2)	15.00	009464		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	w/ black lettering				
MEN	Signs are individually packed in a polybag					
	352M	Brown (W1)	19.60	092362	-	5
	Engraved Plastic Sign - MEN	Black (W2)	19.60	089552		
	Material: .125" thick plastic	Blue (W3)	19.60	089105		
	Lettering: 3/4" Helvetica	Silver (B1)	19.60	092753		
	Size: 2-1/2" x 6"	Gold (B2)	19.60	098437		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	w/ black lettering				
	Signs are individually packed in a polybag					




Trim & Auxiliary

	Description	Color	2015 List	Stock No.	Box Qty.	Case Qty.
	352W	Brown (W1)	20.55	092363	-	5
	Engraved Plastic Sign - WOMEN	Black (W2)	20.55	089553		
	Material: .125" thick plastic	Blue (W3)	20.55	089100		
	Lettering: 3/4" Helvetica	Silver (B1)	20.55	092754		
	Size: 2-1/2" x 7"	Gold (B2)	20.55	098438		
	Fasteners: Double sided pressure	w/ black				
	sensitive tape, or screws (specify)	lettering				
	Signs are individually packed in a polybag					
	354A	Brown (W1)	25.25	-	-	5
	Engraved Plastic Sign - Restroom	Black (W2)	25.25	024414		
	Material: .125" thick plastic	Blue (W3)	25.25	035530		
	Lettering: 3/4" Helvetica	w/ white				
	Size: 2" x 6"	lettering				
	Fasteners: Double sided pressure sensitive tape					
	Signs are individually packed in a polybag					
	354B	Brown (W1)	25.25	-	-	5
	Engraved Plastic Sign - Restrooms	Black (W2)	25.25	049899		
	Material: .125" thick plastic	Blue (W3)	25.25	025589		
	Lettering: 3/4" Helvetica	w/ white				
	Size: 2" x 6"	lettering				
	Fasteners: Double sided pressure sensitive tape					
	Signs are individually packed in a polybag					
	360M	US3	25.30	090400	-	5
	Engraved Metal Sign - MEN	US28	31.25	095542		
	Material: .050" thick metal	US32D	31.25	090407		
	Lettering: 3/4" Helvetica black filled					
	Size: 2" x 6"					
	Fasteners: Double sided pressure sensitive tape					
	Signs are individually packed in a polybag					
	360W	US3	42.00	020058	-	5
	Engraved Metal Sign - WOMEN	US28	57.75	095988		
	Material: .050" thick metal	US32D	57.75	090409		
	Lettering: 3/4" Helvetica black filled					
	Size: 2" x 6"					
	Fasteners: Double sided pressure sensitive tape					
	Signs are individually packed in a polybag					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
361H	US3	33.70	090412	-	5
Engraved Metal Sign - PUSH	US10B	38.75	001026		
Material: .050" thick metal	US28	33.70	092478		
Lettering: 3/4" Helvetica black filled	US32D	46.45	090414		
Size: 2" x 4"					
Fasteners: Double sided pressure sensitive tape					
Signs are individually packed in a polybag					
361L	US3	33.70	090410	-	5
Engraved Metal Sign - PULL	US10B	38.75	001027		
Material: .050" thick metal	US28	33.70	092474		
Lettering: 3/4" Helvetica black filled	US32D	46.45	090411		
Size: 2" x 4"					
Fasteners: Double sided pressure sensitive tape					
Signs are individually packed in a polybag					
362H	US3	33.70	096199	-	5
Engraved Metal Sign - PUSH	US10B	38.75	-		
Material: .050" thick metal	US28	33.70	022877		
Lettering: 3/4" Helvetica black filled	US32D	46.45	018669		
Size: 1" x 4-1/2"					
Fasteners: Double sided pressure sensitive tape					
Signs are individually packed in a polybag					
362L	US3	33.70	097728	-	5
Engraved Metal Sign - PULL	US10B	38.75	-		
Material: .050" thick metal	US28	33.70	022878		
Lettering: 3/4" Helvetica black filled	US32D	46.45	016954		
Size: 1" x 4-1/2"					
Fasteners: Double sided pressure sensitive tape					
Signs are individually packed in a polybag					
364N	Red (W4) w/ raised white symbol	30.30	089099	-	5
Engraved International Symbol No Smoking					
Material: .125" thick plastic					
Size: 6" x 6"					
Fasteners: Pressure sensitive tape standard, or screws (specify)					
Signs are individually packed in a polybag					



Trim & Auxiliary



Description	Color	2015 List	Stock No.	Box Qty.	Case Qty.
364S	Blue (W3)	18.10	099952	-	5
International Handicap Symbol	w/ raised				
Material: .0625" thick plastic	white				
Raised HANDICAP symbol	symbol				
Size: 3" x 3"					
Fasteners: Pressure sensitive tape					
standard, or screws (specify)					
Signs are individually packed in a polybag					



364M	Blue (W3)	22.60	092522	-	5
International Handicap Symbol	w/ raised				
Material: .0625" thick plastic	white				
Raised HANDICAP symbol	symbol				
Size: 4" x 4"					
Fasteners: Double sided pressure sensitive					
tape standard, or screws (specify)					
Signs are individually packed in a polybag					



364L	Brown (W1)	31.15	017405	-	5
International Handicap Symbol	Black (W2)	31.15	098102		
Material: .125" thick plastic	Blue (W3)	31.15	089101		
1/32" raised HANDICAP symbol	w/ raised				
Size: 6" x 6"	white				
Fasteners: Double sided pressure sensitive	symbol				
tape standard, or screws (specify)					
Signs are individually packed in a polybag					



365M	Brown (W1)	50.85	089102	-	5
ADA Tactile Signage - MEN	Black (W2)	50.85	089097		
Material: .125" thick plastic	Blue (W3)	50.85	089098		
Grade 2 Braille Translation	w/ raised				
Size: 6" x 8"	white				
Fasteners: Double sided pressure	symbol				
sensitive tape					
Signs are individually packed in a polybag					



365W	Brown (W1)	53.45	089116	-	5
ADA Tactile Signage - WOMEN	Black (W2)	53.45	089117		
Material: .125" thick plastic	Blue (W3)	53.45	089118		
Grade 2 Braille Translation	w/ raised				
Size: 6" x 8"	white				
Fasteners: Double sided pressure	symbol				
sensitive tape					
Signs are individually packed in a polybag					



Trim & Auxiliary



Description	Color	2015 List	Stock No.	Box Qty.	Case Qty.
366R	Brown (W1)	25.50	113411	-	5
ADA Tactile Signage	Black (W2)	25.50	008919		
Room Number	Blue (W3)	25.50	008910		
Material: .125" thick plastic	w/ raised				
Grade 2 Braille Translation	white				
Size: 2-1/2" x 5"	symbol				
Fasteners: Double sided pressure sensitive tape					
Up to 3 characters (Max. 4) additional characters					
Signs are individually packed in a polybag					
Up to 3 characters (4 additional characters \$6.30)					
366S	Brown (W1)	45.30	089112	-	5
ADA Tactile Signage - STAIRS	Black (W2)	45.30	089113		
Material: .125" thick plastic	Blue (W3)	45.30	089115		
Grade 2 Braille Translation	w/ raised				
Size: 6" x 8"	white				
Fasteners: Double sided pressure sensitive tape	symbol				
Signs are individually packed in a polybag					
368E	Brown (W1)	45.30	089119	-	5
ADA Tactile Signage - EXIT	Black (W2)	45.30	090296		
Material: .125" thick plastic	Blue (W3)	45.30	089088		
Grade 2 Braille Translation	w/ raised				
Size: 6" x 8"	white				
Fasteners: Double sided pressure sensitive tape	symbol				
Signs are individually packed in a polybag					
368M	Brown (W1)	53.70	089089	-	5
ADA Tactile Signage - MEN	Black (W2)	53.70	089456		
Material: .125" thick plastic	Blue (W3)	53.70	089090		
Grade 2 Braille Translation	w/ raised				
Size: 6" x 8"	white				
Fasteners: Double sided pressure sensitive tape	symbol				
Signs are individually packed in a polybag					
368W	Brown (W1)	56.35	089092	-	5
ADA Tactile Signage - WOMEN	Black (W2)	56.35	090033		
Material: .125" thick plastic	Blue (W3)	56.35	089093		
Grade 2 Braille Translation	w/ raised				
Size: 6" x 8"	white				
Fasteners: Double sided pressure sensitive tape	symbol				
Signs are individually packed in a polybag					



Trim & Auxiliary



Description	Color	2015 List	Stock No.	Box Qty.	Case Qty.
368U	Brown (W1)	62.15	089719	-	5
ADA Tactile Signage - UNISEX	Black (W2)	62.15	090224		
Material: .125" thick plastic	Blue (W3)	62.15	089091		
Grade 2 Braille Translation	w/ raised				
Size: 8" x 8"	white				
	symbol				
Fasteners: Double sided pressure sensitive tape					
Signs are individually packed in a polybag					
369L	Brown (W1)	50.85	089094	-	5
ADA Tactile Signage - ACCESS LEFT	Black (W2)	50.85	094727		
Material: .125" thick plastic	Blue (W3)	50.85	089095		
Grade 2 Braille translation	w/ raised				
Size: 6" x 8"	white				
Fasteners: Double sided pressure	symbol				
sensitive tape					
Signs are individually packed in a polybag					
369R	Brown (W1)	50.85	089096	-	5
ADA Tactile Signage - ACCESS RIGHT	Black (W2)	50.85	094726		
Material: .125" thick plastic	Blue (W3)	50.85	089120		
Grade 2 Braille translation	w/ raised				
Size: 6" x 8"	white				
	symbol				
Fasteners: Double sided pressure sensitive tape					
Signs are individually packed in a polybag					
370M	Blue (W3)	31.15	089558	-	5
ADA Tactile Signage - RESTROOM MEN	w/ raised				
Material: 9/16" thick plastic	white				
Grade 2 Braille Translation	symbol and				
Size: 10-1/2" side	lettering				
Fasteners: Double sided pressure sensitive tape					
Signs are individually packed in a polybag					
370U	Blue (W3)	31.15	091565	-	5
ADA Tactile Signage - RESTROOM UNISEX	w/ raised				
Material: 9/16" thick plastic	white				
Grade 2 Braille Translation	symbol and				
Size: 12" diameter	lettering				
Fasteners: Double sided pressure sensitive tape					
Signs are individually packed in a polybag					



Trim & Auxiliary



Description	Color	2015 List	Stock No.	Box Qty.	Case Qty.
370W ADA Tactile Signage - RESTROOM WOMEN Material: 9/16" thick plastic Grade 2 Braille Translation Size: 12" diameter Fasteners: Double sided pressure sensitive Signs are individually packed in a polybag	Blue (W3) w/ raised white symbol and lettering	31.15	089557	-	5



901P Coat Hook - Short single Material: Brass Diameter: 1" Projection: 1-1/4" Fasteners: #14 x 1-1/4" wood thread	US3 US26D	17.35 17.35	004095 006028	1	-
---	--------------	----------------	------------------	---	---



902P Coat Hook - Long Single Material: Brass Diameter: 1" Projection: 2-1/2" Fasteners: #14 x 1-1/4" wood thread	US3 US26D	24.35 24.35	004098 011657	1	12
--	--------------	----------------	------------------	---	----



903P Coat Hook - Long Double Material: Brass Diameter: 1" Projection: 2-1/2" Fasteners: #14 x 1-1/4" wood thread	US3 US26D	33.45 33.45	022247 006364	1	12
--	--------------	----------------	------------------	---	----



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

910P

Offset Mounting Vertical Pull

Pull Diameter: 1-1/4"

Fasteners: 3/8 - 16 FPHMS with finish washers

Clearance: 1-1/2"

Projection: 2-3/4"

Offset: 1-5/8"

Length: 36"

CTC: 20"

US3	312.70	-	1	12
US4	312.70	117797		
US10	323.25	045611		
US10B	323.25	075958		
US15A	323.25	-		
US26	323.25	013794		
US26D	323.25	034212		
US28	295.55	097652		
US32D	236.50	034762		

Length: 72"

CTC: 56"

US3	376.10	-	1	12
US4	376.10	-		
US10	399.00	-		
US10B	399.00	001762		
US15A	399.00	-		
US26	399.00	013765		
US26D	399.00	001766		
US28	328.50	-		
US32D	332.95	001767		

910B

Offset Mounting Vertical Pull

BTB Mounting

Pull Diameter: 1-1/4"

Clearance: 1-1/2"

Projection: 2-3/4"

Offset: 1-5/8"

Length: 36"

CTC: 20"

US3	644.10	141396	1	12
US4	644.10	133716		
US10	665.25	048451		
US10B	665.25	043270		
US15A	665.25	-		
US26	665.25	-		
US26D	665.25	048202		
US28	609.85	-		
US32D	491.70	022333		

Length: 72"

CTC: 56"

US3	770.95	-	1	12
US4	770.95	-		
US10	816.70	-		
US10B	816.70	045049		
US15A	816.70	-		
US26	816.70	145909		
US26D	816.70	095610		
US28	675.75	043452		
US32D	684.60	034310		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

915P

Straight Mounting Vertical Pull

Pull Diameter: 1-1/4"

Fasteners: 3/8 - 16 FPHMS with finish washers

Length: 36" US3 295.55 - 1 12

CTC: 20" US4 295.55 030973

Clearance: 1-1/2" US10 311.80 -

Projection: 2-3/4" US10B 311.80 024013

US15A 311.80 -

US26 311.80 011437

US26D 311.80 095117

US28 226.40 046879

US32D 258.15 022924

Length: 72" US3 344.40 026509 1 12

CTC: 56" US4 344.40 093132

Clearance: 1-1/2" US10 366.00 -

Projection: 2-3/4" US10B 366.00 047686

US15A 366.00 -

US26 366.00 107976

US26D 366.00 076713

US28 295.55 147145

US32D 311.80 033534

915B

Straight Mounting Vertical Pull

BTB Mounting

Pull Diameter: 1-1/4"

Length: 36" US3 609.85 083233 1 12

CTC: 20" US4 609.85 095145

Clearance: 1-1/2" US10 642.30 127056

Projection: 2-3/4" US10B 642.30 045158

US15A 642.30 -

US26 642.30 042157

US26D 642.30 099445

US28 471.55 086258

US32D 535.00 036192

Length: 72" US3 707.55 079229 1 12

CTC: 56" US4 707.55 030970

Clearance: 1-1/2" US10 750.70 -

Projection: 2-3/4" US10B 750.70 039857

US15A 750.70 -

US26 750.70 -

US26D 750.70 075209

US28 609.85 091752

US32D 642.30 038310



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
920P	US3	376.10	175665	1	12
C-Shaped Pull	US4	376.10	023694		
Projection: 2-1/4"	US10	429.80	068045		
Base Diameter: 1"	US10B	429.80	067513		
Clearance: 1-3/4"	US15A	429.80	007029		
CTC: 8-1/2"	US26	429.80	-		
Fasteners: 3/8 - 16 FPHMS	US26D	376.10	127861		
with finish washers	US28	241.35	-		
	US32D	366.00	006521		
920B	US3	770.95	075752	1	12
C-Shaped Pull	US4	770.95	023825		
BTB Mounting	US10	878.35	-		
Projection: 2-1/4"	US10B	878.35	-		
Base Diameter: 1"	US15A	878.35	-		
Clearance: 1-3/4"	US26	878.35	-		
CTC: 8-1/2"	US26D	770.95	-		
	US28	501.45	-		
	US32D	750.70	028143		
921P	US3	752.10	108557	1	12
C-Shaped Pull	US4	752.10	-		
Projection: 2-1/8"	US10B	752.10	025579		
Clearance: 1-1/2"	US15A	752.10	-		
Offset: 8-1/2"	US26	752.10	-		
CTC: 17-1/2"	US26D	752.10	063488		
Fasteners: 3/8 - 16 FPHMS	US32D	708.90	039887		
with finish washers					
921B	US3	1,522.90	-	1	12
C-Shaped Pull	US4	1,522.90	-		
BTB Mounting	US10B	1,522.90	-		
Projection: 2-1/8"	US15A	1,522.90	-		
Clearance: 1-1/2"	US26	1,522.90	-		
Offset: 8-1/2"	US26D	1,522.90	092126		
CTC: 17-1/2"	US32D	1,436.55	021628		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
922P					
C-Shaped Pull Continuous					
Pull Diameter: 1"					
Projection: 2-1/2"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Clearance: 1-1/2"					
CTC: 10"					
	US3	234.75	052183	1	12
	US4	234.75	-		
	US10	285.40	001074		
	US10B	285.40	076741		
	US15A	285.40	-		
	US26	285.40	080488		
	US26D	285.40	033046		
	US28	151.15	-		
	US32D	226.40	040459		
CTC: 12"					
	US3	269.55	007927	1	12
	US4	269.55	018417		
	US10	301.25	029399		
	US10B	301.25	029237		
	US15A	301.25	-		
	US26	301.25	031122		
	US26D	301.25	033048		
	US28	172.25	-		
	US32D	247.60	017908		



922B					
C-Shaped Pull Continuous					
BTB Mounting					
Pull Diameter: 1"					
Projection: 2-1/2"					
Clearance: 1-1/2"					
CTC: 10"					
	US3	488.25	043544	1	12
	US4	488.25	054798		
	US10	589.50	-		
	US10B	589.50	076740		
	US15A	589.50	-		
	US26	589.50	038676		
	US26D	589.50	028387		
	US28	321.00	047322		
	US32D	471.55	031463		
CTC: 12"					
	US3	557.85	025373	1	12
	US4	557.85	049391		
	US10	621.25	000000		
	US10B	621.25	031604		
	US15A	621.25	-		
	US26	621.25	039882		
	US26D	621.25	054764		
	US28	363.25	-		
	US32D	513.90	032177		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
923P					
C-Shaped Pull Flanged					
Pull Diameter: 1"					
Projection: 2-3/4"					
Clearance: 1-3/4"					
Base Diameter: 3/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 10"	US3	268.65	-	1	12
	US4	268.65	-		
	US10	284.50	-		
	US10B	284.50	042387		
	US15A	284.50	-		
	US26	284.50	-		
	US26D	284.50	-		
	US28	150.65	042579		
	US32D	225.55	107215		
CTC: 12"	US3	289.80	028028	1	12
	US4	289.80	041657		
	US10	301.25	-		
	US10B	301.25	086167		
	US15A	301.25	-		
	US26	301.25	007281		
	US26D	301.25	059492		
	US28	173.55	-		
	US32D	247.60	043111		



923B					
C-Shaped Pull Flanged					
BTB Mounting					
Pull Diameter: 1"					
Projection: 2-3/4"					
Clearance: 1-3/4"					
Base Diameter: 3/4"					
CTC: 10"	US3	556.05	-	1	12
	US4	556.05	-		
	US10	587.70	-		
	US10B	587.70	-		
	US15A	587.70	-		
	US26	587.70	056938		
	US26D	587.70	027475		
	US28	320.05	087162		
	US32D	469.80	097112		
CTC: 12"	US3	598.35	033306	1	12
	US4	598.35	-		
	US10	621.25	-		
	US10B	621.25	109525		
	US15A	621.25	-		
	US26	621.25	036898		
	US26D	621.25	100390		
	US28	365.85	-		
	US32D	513.90	032950		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
924P	US3	332.95	047324	1	12
C-Shaped Pull	US4	332.95	081526		
O/A Height: 15"	US10B	366.00	039224		
Projection: 2-1/2"	US15A	366.00	112695		
Clearance: 1-1/2"	US26	366.00	-		
Offset: 6-1/2"	US26D	332.95	033435		
Fasteners: 3/8 -16 FPHMS with finish washers	US32D	484.35	091516		
924B	US3	684.60	-	1	12
C-Shaped Pull	US4	684.60	094302		
BTB Mounting	US10B	750.70	027198		
O/A Height: 15"	US15A	750.70	113505		
Projection: 2-1/2"	US26	750.70	-		
Clearance: 1-1/2"	US26D	684.60	034830		
Offset: 6-1/2"	US32D	987.45	044848		
925P					
C-Shaped Pull					
Pull Diameter: 1-1/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
6-1/2"	US3	295.55	-	1	12
	US4	295.55	-		
	US10	311.80	-		
	US10B	311.80	-		
	US15A	311.80	-		
	US26	311.80	-		
	US26D	289.80	-		
	US28	214.05	-		
	US32D	241.35	082874		
8-1/2"	US3	301.25	105030	1	12
	US4	301.25	-		
	US10	322.35	-		
	US10B	322.35	009660		
	US15A	322.35	-		
	US26	322.35	-		
	US26D	322.35	020046		
	US28	225.55	-		
	US32D	258.15	093311		
12-1/2"	US3	354.95	063609	1	12
	US4	354.95	022243		
	US10	376.10	-		
	US10B	376.10	095383		
	US15A	376.10	-		
	US26	376.10	-		
	US26D	376.10	015911		
	US28	258.15	-		
	US32D	344.40	019494		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
925B					
C-Shaped Pull					
BTB Mounting					
Pull Diameter: 1-1/4"					
6-1/2"	US3	609.85	-	1	12
	US4	609.85	-		
	US10	642.30	-		
	US10B	642.30	-		
	US15A	642.30	-		
	US26	642.30	-		
	US26D	598.35	-		
	US28	446.85	-		
	US32D	501.45	032601		
8-1/2"	US3	621.25	-	1	12
	US4	621.25	-		
	US10	663.45	-		
	US10B	663.45	126789		
	US15A	663.45	-		
	US26	663.45	-		
	US26D	663.45	-		
	US28	469.80	-		
	US32D	535.00	091632		
12-1/2"	US3	728.65	084531	1	12
	US4	728.65	-		
	US10	770.95	-		
	US10B	770.95	-		
	US15A	770.95	-		
	US26	770.95	-		
	US26D	770.95	-		
	US28	535.00	-		
	US32D	707.55	-		
926P	US3	344.40	087555	1	12
Curved Shaped Pull	US4	344.40	-		
Base Diameter: 1-1/4"	US10B	386.70	000085		
Projection: 3"					
Clearance: 1-13/16"					
Offset: 5-9/32"					
CTC: 12"					
Pull Diameter: 1-3/16"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
926B	US3	707.55	-	1	12
Curved Shaped Pull	US4	707.55	-		
BTB Mounting	US10B	792.10	-		
Base Diameter: 1-1/4"					
Projection: 3"					
Clearance: 1-13/16"					
Offset: 5-9/32"					
CTC: 12"					
Pull Diameter: 1-3/16"					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
-------------	--------	-----------	-----------	----------	-----------

930P

90° Pull

Fasteners: 3/8 - 16 FPHMS with finish washers

Projection: 3"

Clearance: 1-3/4"

10" x 10", 14-5/32 CTC

US3	226.40	-	1	12
US4	226.40	-		
US10B	258.15	104490		
US15A	258.15	-		
US26	258.15	-		
US26D	258.15	038630		
US28	139.20	-		
US32D	214.95	041518		

12" x 12" 16-31/32" CTC

US3	242.25	-	1	12
US4	242.25	-		
US10B	279.70	-		
US15A	279.70	-		
US26	236.50	063600		
US26D	236.50	-		
US28	151.15	-		
US32D	226.40	063295		



930B

90° Pull

BTB Mounting

Projection: 3"; Clearance: 1-3/4"

10" x 10", 14-5/32 CTC

US3	471.55	078218	1	12
US4	471.55	-		
US10B	535.00	104485		
US15A	535.00	-		
US26	535.00	-		
US26D	535.00	-		
US28	297.15	-		
US32D	448.60	102505		

12" x 12" 16-31/32" CTC

US3	503.20	-	1	12
US4	503.20	-		
US10B	578.10	-		
US15A	578.10	-		
US26	491.70	-		
US26D	491.70	-		
US28	321.00	-		
US32D	471.55	048305		



932P

S-Shaped Pull

Projection: 3"

Clearance: 2"

Pull Diameter: 1"

Fasteners: 3/8 - 16 FPHMS

with finish washers

US3	451.35	017835	1	12
US4	451.35	019496		
US10B	494.55	039480		
US15A	494.55	020472		
US26	494.55	-		
US26D	451.35	019495		
US28	366.00	-		
US32D	441.30	021879		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
933P	US3	86.40	021632	1	12
Colonial Style Door Pull	US4	75.90	025560		
Projection: 2-3/16"	US10B	102.25	041459		
Pull Diameter: 1"	US26	102.25	140775		
Base Diameter: 15/16"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Clearance: 1-3/16"					
CTC: 6"					
933B	US3	191.55	-	1	12
Colonial Style Door Pull	US4	170.50	-		
BTB Mounting	US10B	223.20	020879		
Projection: 2-3/16"	US26	223.20	-		
Pull Diameter: 1"					
Base Diameter: 15/16"					
Clearance: 1-3/16"					
CTC: 6"					
934P					
Offset Pull					
Projection: 3-1/8"					
Pull Diameter: 1-1/4"					
Base Diameter: 1"					
Clearance: 1-7/8"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	311.80	015408	1	12
	US4	311.80	055245		
	US10B	311.80	018229		
	US15A	311.80	022244		
	US26	311.80	024963		
	US26D	311.80	009614		
	US28	308.25	-		
	US32D	376.10	087258		
CTC: 16"	US3	322.80	015588	1	12
	US4	322.80	-		
	US10B	322.80	018887		
	US15A	322.80	014454		
	US26	322.80	-		
	US26D	322.80	081586		
	US28	317.10	-		
	US32D	389.25	055788		
CTC: 18"	US3	353.60	012816	1	12
	US4	353.60	-		
	US10B	353.60	018219		
	US15A	353.60	-		
	US26	353.60	024883		
	US26D	353.60	-		
	US28	347.85	-		
	US32D	426.25	089638		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
934B					
Offset Pull					
BTB Mounting					
Base Diameter: 1"					
Projection: 3-1/8"					
Clearance: 1-7/8"					
Pull Diameter: 1-1/4"					
CTC: 12"	US3	642.30	-	1	12
	US4	642.30	048154		
	US10B	642.30	042701		
	US15A	642.30	-		
	US26	642.30	-		
	US26D	642.30	-		
	US28	635.25	-		
	US32D	770.95	120341		
CTC: 16"	US3	664.35	083864	1	12
	US4	664.35	-		
	US10B	664.35	-		
	US15A	664.35	-		
	US26	664.35	-		
	US26D	664.35	-		
	US28	652.95	-		
	US32D	797.25	-		
CTC: 18"	US3	725.95	-	1	12
	US4	725.95	048152		
	US10B	725.95	-		
	US15A	725.95	-		
	US26	725.95	-		
	US26D	725.95	-		
	US28	714.45	-		
	US32D	871.20	098230		
936P	US3	45.90	021976	1	12
Coat Hook Single/Angled	US26D	45.90	009820		
Material: Brass					
Base Diameter: 1-15/16"					
Hook Diameter: 11/16"					
Projection: 3-5/16"					
937P	US3	47.00	028259	1	12
Coat Hook	US26D	47.00	009821		
Material: Brass					
Projection: 3-3/4" top hook; 2-1/2" bottom hook					
940P	US3	17.15	028110	1	12
Double Coat Hook	US26D	17.15	022327		
Material: Brass					
Top Projection: 3-15/16"					
Bottom Projection: 2-1/8"					
Thickness: 1/4"					
Fasteners: #10 x 1" FPHWS					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
941P	US3	15.95	043274	1	12
Single Coat Hook	US26D	15.95	017192		
Material: Brass					
Projection: 2-1/8"					
Thickness: 1/4"					
Fasteners: #10 x 1" FPHWS					
945P	US3	43.55	041591	1	12
Double Coat Hook - Surface mounting	US26D	43.55	000986		
Material: Brass					
O/A Height: 5-1/2"					
Projection: 3-5/16"					
Fasteners: #10 x 1" FPHWS w/ anchors					
946P	US3	83.05	035563	1	12
Double Coat Hook w/ Concealed Mounting	US26D	83.05	016502		
Material: Brass					
O/A Height: 5-1/2"					
Projection: 3-11/16"					
Fasteners: #10 x 1" FPHWS w/ anchors					
951P	US3	83.05	009815	1	12
Double Coat Hook/Straight	US26D	83.05	007030		
Material: Brass					
O/A Height: 5-3/4"					
Projection: 2-3/4"					
952P	US3	66.65	009818	1	12
Single Coat Hook/Straight	US26D	66.65	009816		
Material: Brass					
O/A Height: 2-13/16"					
Projection: 2-7/32"					
956P	US3	80.85	022248	1	12
Double Coat Hook/Angled	US26D	80.85	009823		
Material: Brass					
O/A Height: 5-11/16"					
Projection: 3-23/32"					
957P	US3	20.45	038315	1	12
Coat Hook	US26D	20.45	010738		
Materials: Brass					
Projection: 1-3/4"					
Base Diameter: 3/4"					
Fasteners: #10 x 1" wood thread					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
960P	US3	408.20	009259	1	12
Square Tip Pull	US4	408.20	038157		
O/A Height: 16"	US10B	408.20	011621		
Base Diameter: 1-1/4"	US15A	408.20	013611		
Pull Diameter: 1"	US26	408.20	020471		
Projection: 3-1/4"	US26D	408.20	015493		
Clearance: 1-3/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"					
960B	US3	835.15	-	1	12
Square Tip Pull	US4	835.15	044725		
BTB Mounting	US10B	835.15	075667		
O/A Height: 16"	US15A	835.15	-		
Base Diameter: 1-1/4"	US26	835.15	-		
Pull Diameter: 1"	US26D	835.15	069324		
Projection: 3-1/4"					
Clearance: 1-3/4"					
CTC: 12"					
961P	US3	386.70	000571	1	12
Steeple Tip Pull	US4	386.70	-		
O/A Height: 16-5/16"	US10B	386.70	015679		
Base Diameter: 2"	US15A	386.70	009262		
Pull Diameter: 1"	US26	386.70	-		
Projection: 3"	US26D	386.70	015011		
Clearance: 1-3/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"					
961B	US3	792.10	026830	1	12
Steeple Tip Pull	US4	792.10	074979		
BTB Mounting	US10B	792.10	078830		
O/A Height: 16-5/16"	US15A	792.10	-		
Base Diameter: 2"	US26	792.10	-		
Pull Diameter: 1"	US26D	792.10	092283		
Projection: 3"					
Clearance: 1-3/4"					
CTC: 12"					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
962P	US3	386.70	007923	1	12
Acorn Tip Pull	US4	386.70	011372		
O/A Height: 16-5/16"	US10B	386.70	011629		
Base Diameter: 2"	US15A	386.70	000573		
Pull Diameter: 1"	US26	386.70	009264		
Projection: 3"	US26D	386.70	-		
Clearance: 1-7/8"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"					
963P					
Acorn Tip Pull - Offset					
Pull Diameter: 1"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	419.25	090673	1	12
	US4	403.40	-		
	US10B	419.25	093281		
	US15A	419.25	-		
	US26	419.25	-		
	US26D	419.25	-		
CTC: 16"	US3	516.15	-	1	12
	US4	488.85	-		
	US10B	516.15	125026		
	US15A	516.15	-		
	US26	516.15	-		
	US26D	516.15	089733		
CTC: 18"	US3	520.50	068942	1	12
	US4	418.35	080532		
	US10B	524.55	099640		
	US15A	524.55	-		
	US26	524.55	-		
	US26D	524.55	015561		
CTC: 24"	US3	545.10	-	1	12
	US4	488.85	-		
	US10B	545.10	049909		
	US15A	545.10	-		
	US26	545.10	-		
	US26D	545.10	073269		
CTC: 30"	US3	566.75	-	1	12
	US4	541.20	-		
	US10B	566.75	049907		
	US15A	566.75	-		
	US26	566.75	-		
	US26D	566.75	-		
967P	US3	1,020.60	024430	1	12
Curved Pull	US4	1,020.60	009305		
O/A Height: 20-1/2"	US10B	1,180.95	016556		
Clearance: 3-9/16"	US15A	1,180.95	006769		
Projection: 5-9/16"	US26	1,180.95	011769		
Specify handing	US26D	1,180.95	008614		
Fasteners: 3/8 - 16 FPHMS with finish washers					



Trim & Auxiliary



Description	Finish	2015 List	Case Qty.	Over 36" *
970P	US3	467.55	12	8.00
Push/Pull Set	US4	467.55		8.00
Base Diameter: 1"	US10	467.55		8.00
Pull Projection: 3"	US10B	467.55		8.00
Pull Clearance: 2"	US15A	467.55		8.00
CTC Length: 16-3/4"	US26	467.55		8.00
Push clearance: 1-3/4"	US26D	467.55		8.00
Push projection: 2-3/4"	US32D	451.20		13.40
Fasteners: Type 3 Mounting				
Handing Required				
Additional Bars by Quotation				
*Add per linear inch or fraction thereof				

Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
974P					
Door Pull					
Pull Diameter: 1" (25 mm)					
Base Diameter: 2" (51 mm)					
Projection: 2-1/2"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	464.15	096812	1	12
	US4	464.15	-		
	US10B	464.15	077525		
	US26	464.15	-		
	US26D	464.15	067183		
	US32D	464.15	090347		
CTC: 18"	US3	483.10	-	1	12
	US4	483.10	-		
	US10B	483.10	-		
	US26	483.10	-		
	US26D	483.10	077942		
	US32D	483.10	008568		
CTC: 24"	US3	504.65	-	1	12
	US4	504.65	-		
	US10B	504.65	-		
	US26	504.65	-		
	US26D	504.65	118329		
	US32D	504.65	065323		
CTC: 30"	US3	526.20	-	1	12
	US4	526.20	-		
	US10B	526.20	-		
	US26	526.20	-		
	US26D	526.20	-		
	US32D	526.20	-		
CTC: 36"	US3	526.20	-	1	12
	US4	526.20	-		
	US10B	526.20	-		
	US26	526.20	-		
	US26D	526.20	117957		
	US32D	526.20	138337		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
974B					
Door Pull					
BTB Mounting					
Pull Diameter: 1" (25 mm)					
Base Diameter: 2" (51 mm)					
Projection: 2-1/2"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	947.05	-	1	12
	US4	947.05	-		
	US10B	947.05	094407		
	US26	947.05	-		
	US26D	947.05	-		
	US32D	947.05	094083		
CTC: 18"	US3	984.90	-	1	12
	US4	984.90	-		
	US10B	984.90	-		
	US26	984.90	-		
	US26D	984.90	091914		
	US32D	984.90	080540		
CTC: 24"	US3	1,028.05	-	1	12
	US4	1,028.05	-		
	US10B	1,028.05	031371		
	US26	1,028.05	111278		
	US26D	1,028.05	094396		
	US32D	1,028.05	080541		
CTC: 30"	US3	1,071.15	-	1	12
	US4	1,071.15	-		
	US10B	1,071.15	-		
	US26	1,071.15	-		
	US26D	1,071.15	107473		
	US32D	1,071.15	124943		
CTC: 36"	US3	1,071.15	-	1	12
	US4	1,071.15	-		
	US10B	1,071.15	-		
	US26	1,071.15	-		
	US26D	1,071.15	-		
	US32D	1,071.15	091943		



Trim & Auxiliary

Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
975P					
Vertical Pull					
Pull Diameter: 1"					
Projection: 2-3/4"					
Fasteners: 3/8 - 16 FPHMS					
with finish washers					
Length: 36"	US3	254.60	119311	1	12
CTC: 20"	US4	254.60	-		
	US10	254.60	068796		
	US10B	254.60	042466		
	US15A	254.60	012591		
	US26	254.60	050339		
	US26D	254.60	012278		
	US32D	254.60	010891		
Length: 72"	US3	366.00	119290	1	12
CTC: 56"	US4	366.00	074642		
	US10	366.00	070431		
	US10B	366.00	022804		
	US15A	366.00	012601		
	US26	366.00	030738		
	US26D	366.00	029768		
	US32D	366.00	028382		
975B					
Vertical Pull					
BTB Mounting					
Pull Diameter: 1"					
Projection: 2-3/4"					
Length: 36"	US3	527.95	-	1	12
CTC: 20"	US4	527.95	-		
	US10	527.95	-		
	US10B	527.95	025610		
	US15A	527.95	-		
	US26	527.95	030737		
	US26D	527.95	021401		
	US32D	527.95	028442		
Length: 72"	US3	750.70	-	1	12
CTC: 56"	US4	750.70	-		
	US10	750.70	070432		
	US10B	750.70	021488		
	US15A	750.70	-		
	US26	750.70	030738		
	US26D	750.70	021402		
	US32D	750.70	021547		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
976P	US32D	562.80	088820	1	12
Door Pull Offset					
Overall: 29-1/2"; CTC: 19-13/16"					
Base Diameter: 1-1/4"					
Pull Diameter: 1-1/4"					
Projection: 5-3/8"					
Clearance: 4-1/8"					
Offset: 1-3/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
976B	US32D	1,144.30	062051	1	12
Door Pull Offset					
Overall: 29-1/2"; CTC: 19-13/16"					
BTB Mounting					
Base Diameter: 1-1/4"					
Pull Diameter: 1-1/4"					
Projection: 5-3/8"					
Clearance: 4-1/8"					
Offset: 1-3/4"					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
980P					
Segment Shape - Straight					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 9"	US3	170.05	-	1	12
	US4	170.05	-		
	US10B	170.05	012840		
	US15A	170.05	076601		
	US26	170.05	-		
	US26D	170.05	-		
	US32D	170.05	027302		
CTC: 12"	US3	170.05	-	1	12
	US4	170.05	095352		
	US10B	170.05	083262		
	US15A	170.05	-		
	US26	170.05	014517		
	US26D	170.05	049530		
	US32D	170.05	031717		
CTC: 18"	US3	188.50	-	1	12
	US4	188.50	-		
	US10B	188.50	012799		
	US15A	188.50	014455		
	US26	188.50	064564		
	US26D	188.50	057861		
	US32D	188.50	016625		
CTC: 24"	US3	188.50	041663	1	12
	US4	188.50	085204		
	US10B	188.50	065896		
	US15A	188.50	-		
	US26	188.50	011979		
	US26D	188.50	036275		
	US32D	188.50	024698		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
980B					
Segment Shape - Straight					
BTB Mounting					
CTC: 9"	US3	358.80	-	1	12
	US4	358.80	-		
	US10B	358.80	116185		
	US15A	358.80	114829		
	US26	358.80	-		
	US26D	358.80	-		
	US32D	358.80	083497		
CTC: 12"	US3	358.80	-	1	12
	US4	358.80	-		
	US10B	358.80	101513		
	US15A	358.80	-		
	US26	358.80	-		
	US26D	358.80	039876		
	US32D	358.80	032307		
CTC: 18"	US3	395.70	-	1	12
	US4	395.70	-		
	US10B	395.70	077056		
	US15A	395.70	077533		
	US26	395.70	088558		
	US26D	395.70	044015		
	US32D	395.70	022336		
CTC: 24"	US3	395.70	-	1	12
	US4	395.70	-		
	US10B	395.70	017774		
	US15A	395.70	-		
	US26	395.70	-		
	US26D	395.70	027476		
	US32D	395.70	032023		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
981P					
Segment Shape - Offset Pull					
Projection: 2-3/8"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 9"	US3	193.35	-	1	12
	US4	193.35	-		
	US10B	193.35	047545		
	US15A	193.35	087991		
	US26	193.35	-		
	US26D	193.35	047907		
	US32D	193.35	046757		
CTC: 12"	US3	200.85	026794	1	12
	US4	200.85	111689		
	US10B	200.85	027812		
	US15A	200.85	026777		
	US26	200.85	011836		
	US26D	200.85	035056		
	US32D	200.85	004578		
CTC: 18"	US3	226.40	053460	1	12
	US4	226.40	-		
	US10B	226.40	075906		
	US15A	226.40	019090		
	US26	226.40	042120		
	US26D	226.40	010525		
	US32D	226.40	015319		
CTC: 24"	US3	279.70	011702	1	12
	US4	279.70	006783		
	US10B	279.70	039910		
	US15A	279.70	020401		
	US26	279.70	092955		
	US26D	279.70	010526		
	US32D	279.70	033975		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
981B					
Segment Shape - Offset Pull					
BTB Mounting					
Projection: 2-3/8"					
CTC: 9"	US3	405.45	-	1	12
	US4	405.45	-		
	US10B	405.45	089663		
	US15A	405.45	-		
	US26	405.45	-		
	US26D	405.45	-		
	US32D	405.45	076275		
CTC: 12"	US3	420.40	027231	1	12
	US4	420.40	-		
	US10B	420.40	078949		
	US15A	420.40	-		
	US26	420.40	-		
	US26D	420.40	023547		
	US32D	420.40	037048		
CTC: 18"	US3	471.55	-	1	12
	US4	471.55	050164		
	US10B	471.55	001599		
	US15A	471.55	-		
	US26	471.55	022355		
	US26D	471.55	022637		
	US32D	471.55	028505		
CTC: 24"	US3	578.10	-	1	12
	US4	578.10	-		
	US10B	578.10	085243		
	US15A	578.10	-		
	US26	578.10	049864		
	US26D	578.10	027598		
	US32D	578.10	031349		
982P	US3	419.25	087996	1	12
Straight Pull	US4	419.25	-		
Base Diameter: 1-5/16"	US10B	451.35	084256		
Projection: 3-1/8"	US15A	451.35	-		
Clearance: 1-13/16"	US26	451.35	-		
CTC: 20"	US26D	451.35	058080		
Fasteners: 3/8 - 16 FPHMS with finish washers	US32D	516.15	080284		
982B	US3	857.20	-	1	12
Straight Pull	US4	857.20	-		
BTB Mounting	US10B	921.45	-		
Base Diameter: 1-5/16"	US15A	921.45	-		
Projection: 3-1/8"	US26	921.45	-		
Clearance: 1-13/16"	US26D	921.45	009491		
CTC: 20"	US32D	1,051.05	091255		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
983P					
Curved Pull					
Base Diameter: 14-1/4"					
Projection: 3-1/8"					
Clearance: 1-7/8"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Specify handing					
Left Hand	US3	419.25	-	1	12
	US4	419.25	072498		
	US10B	451.35	099179		
	US15A	451.35	-		
	US26	451.35	072454		
	US26D	451.35	-		
	US32D	516.15	-		
Right Hand	US3	419.25	-	1	12
	US4	419.25	072483		
	US10B	451.35	099018		
	US15A	451.35	-		
	US26	451.35	072461		
	US26D	451.35	105909		
	US32D	516.15	-		



983B					
Curved Pull					
BTB Mounting					
Base Diameter: 14-1/4"					
Projection: 3-1/8"					
Clearance: 1-7/8"					
Specify handing					
Left Hand	US3	857.20	099638	1	12
	US4	857.20	-		
	US10B	921.45	044345		
	US15A	921.45	-		
	US26	921.45	072463		
	US26D	921.45	065560		
	US32D	1,051.05	085556		
Right Hand	US3	857.20	098156	1	12
	US4	857.20	-		
	US10B	921.45	044347		
	US15A	921.45	-		
	US26	921.45	-		
	US26D	921.45	065559		
	US32D	1,051.05	085557		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
984P					
Curved Pull					
Projection: 3"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	279.70	-	1	12
	US4	279.70	021651		
	US10B	279.70	067449		
	US15A	279.70	-		
	US26	279.70	-		
	US26D	279.70	013764		
	US32D	348.80	078894		
CTC: 20"	US3	417.50	077926	1	12
	US4	417.50	-		
	US10B	417.50	092541		
	US15A	417.50	-		
	US26	417.50	-		
	US26D	417.50	014652		
	US32D	539.45	082549		
984B					
Curved Pull					
BTB Mounting					
Projection: 3"					
CTC: 12"	US3	578.10	-	1	12
	US4	578.10	-		
	US10B	578.10	033349		
	US15A	578.10	-		
	US26	578.10	-		
	US26D	578.10	-		
	US32D	716.35	057306		
CTC: 20"	US3	853.75	-	1	12
	US4	853.75	039804		
	US10B	853.75	033348		
	US15A	853.75	-		
	US26	853.75	-		
	US26D	853.75	032543		
	US32D	1,097.65	114348		
985P					
Curved Pull	US3	236.50	006990	1	12
	US4	236.50	020375		
O/A Height: 14"	US10B	269.55	009303		
Base Diameter: 2"	US15A	269.55	014456		
Projection: 3"	US26	269.55	055276		
Clearance: 1-9/16"	US26D	236.50	007482		
Offset: 1-5/8"	US32D	344.40	010406		
CTC: 12"					
Fasteners: 3/8 - 16 FPHMS with finish washers					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
985B	US3	491.70	025851	1	12
Curved Pull	US4	491.70	029159		
BTB Mounting	US10B	557.85	024891		
O/A Height: 14"	US15A	557.85	027680		
Base Diameter: 2"	US26	557.85	-		
Projection: 3"	US26D	491.70	025866		
Offset: 1-5/8"	US32D	707.55	023384		
Clearance: 1-9/16"					
CTC: 12"					



986P	US3	590.95	081279	1	12
Curved Pull	US4	590.95	033174		
O/A Height: 22"	US10B	590.95	014868		
Pull Diameter: 1-1/4"	US15A	590.95	021822		
Base Diameter: 2"	US26	590.95	016593		
Projection: 3-7/8"	US26D	590.95	010418		
Offset: 3"	US32D	537.20	011392		
Clearance: 2-5/8"					
CTC: 20"					
Fasteners: 3/8 - 16 FPHMS with finish washers					



986B	US3	1,200.60	-	1	12
Curved Pull	US4	1,200.60	032338		
BTB Mounting	US10B	1,200.60	013369		
O/A Height: 22"	US15A	1,200.60	042684		
Pull Diameter: 1-1/4"	US26	1,200.60	-		
Base Diameter: 2"	US26D	1,200.60	022069		
Projection: 3-7/8"	US32D	1,093.15	040173		
Offset: 3"					
Clearance: 2-5/8"					
CTC: 20"					



987P	US3	516.15	-	1	12
Double Curved Pull	US4	516.15	-		
Base Diameter: 1-1/4"	US10B	516.15	038422		
Projection: 3"	US15A	516.15	014457		
Clearance: 2"	US26	516.15	080621		
CTC: 20"	US26D	516.15	017011		
Fasteners: 3/8 - 16 FPHMS with finish washers	US32D	504.65	018215		



987B	US3	1,051.05	-	1	12
Double Curved Pull	US4	1,051.05	-		
BTB Mounting	US10B	1,051.05	062018		
Base Diameter: 1-1/4"	US15A	1,051.05	080604		
Projection: 3"	US26	1,051.05	083130		
Clearance: 2"	US26D	1,051.05	025865		
CTC: 20"	US32D	1,028.05	022332		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
988P	US3	279.70	-	1	12
Offset Pull	US26	279.70	-		
Projection: 3"	US32D	279.70	032028		
CTC: 24"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
988B	US3	578.10	-	1	12
Offset Pull	US26	578.10	-		
BTB Mounting	US32D	578.10	032030		
Projection: 3"					
CTC: 24"					
990P					
18° Pull Bar - Handed					
Pull Diameter: 1"					
O/A Height: 25"					
Projection: 2-3/4"					
Clearance: 1-3/4"					
CTC: 24"					
Specify handing					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Left Hand	US3	644.65	-	1	12
	US4	644.65	-		
	US10B	644.65	-		
	US15A	644.65	-		
	US26	644.65	-		
	US26D	644.65	097531		
	US32D	579.50	078681		
Right Hand	US3	644.65	-	1	12
	US4	644.65	-		
	US10B	644.65	098837		
	US15A	644.65	-		
	US26	644.65	-		
	US26D	644.65	097700		
	US32D	579.50	078682		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
990B					
18° Pull Bar - Handed					
BTB Mounting					
Pull Diameter: 1"					
O/A Height: 25"					
Projection: 2-3/4"					
Clearance: 1-3/4"					
CTC: 24"					
Specify handing					
Left Hand	US3	1,308.00	-	1	12
	US4	1,308.00	-		
	US10B	1,308.00	055038		
	US15A	1,308.00	-		
	US26	1,308.00	-		
	US26D	1,308.00	105210		
	US32D	1,177.75	124116		
Right Hand	US3	1,308.00	-	1	12
	US4	1,308.00	-		
	US10B	1,308.00	054966		
	US15A	1,308.00	-		
	US26	1,308.00	-		
	US26D	1,308.00	105211		
	US32D	1,177.75	124120		
1442	US3	45.25	070478	1	12
Roller Latch with Full Lip Strike	US4	45.25	011444		
Material: Forged brass	US10	48.85	011442		
Latch Face: 1" x 3-3/8"	US10B	48.85	070462		
Strike: 1-11/16" x 2-1/4" x 5/32" thick	US15	58.45	060770		
Max Roller Projection: 3/8"	US15A	58.45	054026		
Fasteners: #8 x 1" FPHWS; 8 - 32 x 3/4"	US19	58.45	054513		
FPHMS; #10 x 1-1/2" FPHWS	US26	48.85	064292		
Non-Ferrous Version available	US26D	48.85	011443		
(NF) components - must specify NF					
1443	US3	45.25	061158	1	12
Roller Latch w/ ASA Strike	US4	45.25	-		
Material: Forged brass	US10	48.85	011445		
Latch Face: 1" x 3-3/8"	US10B	48.85	061159		
Strike: 1-1/4" x 4-7/8" w/ 5/8" Lip	US15	58.45	060765		
Strike Thickness: .093"	US15A	58.45	054032		
Max Roller Projection: 3/8"	US19	58.45	054515		
Fasteners: 12 - 24 x 1/2" FPHMS;	US26	46.50	088079		
#12 x 3/4" FPHWS; #10 x 1-1/2" FPHWS	US26D	46.50	011446		
2610	US3	0.90	013049	-	500
Finger Pull	US4	0.90	071953		
Material: Brass	US5	0.90	067282		
Overall Diameter: 31/32"	US10A	0.90	068711		
Finger Pull Diameter: 3/4"	US15	0.90	040589		
Pull Clearance: 5/16"	US15A	0.90	040590		
Projection: 1/32"	US26	0.90	013047		
	US26D	0.90	071169		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
2620	US3	1.50	013081	-	50
Round Flush Pull	US4	1.50	072997		
Material: Brass	US5	1.50	072148		
Overall Diameter: 2-1/16"	US10A	1.50	072534		
Finger Pull Diameter: 1-11/16"	US15	1.50	072624		
Pull Clearance: 11/32"	US15A	1.50	072158		
Projection: 5/64"	US26	1.50	072554		
	US26D	1.50	075322		
2630	US3	3.95	051919	-	50
Round Flush Pull	US4	3.95	073783		
Material: Brass	US5	3.95	053163		
Overall Diameter: 2-7/16"	US10A	3.95	073053		
Finger Pull Diameter: 2-1/16"	US15	3.95	073056		
Pull Clearance: 11/32"	US15A	3.95	054307		
Projection: 3/32"	US26	3.95	023430		
	US26D	3.95	023431		
2640	US3	5.55	096760	-	50
Oblong Flush Pull	US4	5.55	075056		
Material: Brass	US5	5.55	074270		
Size: 1-5/16" x 2-3/4"	US10A	5.55	074533		
Cup Clearance: 5/16"	US15	5.55	074711		
Fasteners: #6 x 5/8" OPHWS	US15A	5.55	074350		
	US26	5.55	026751		
	US26D	5.55	074664		
9558	Wood	1.70	096567	-	100
Wood Knob					
Knob Diameter: 1-1/2"					
Base Diameter: 15/16"					
Fasteners: #8 x 1-3/4" PPHWS					
9566	US3	6.45	099824	-	100
Knob	US4	7.25	098635		
Material: Zinc	US5	7.25	028859		
Knob Diameter: 1-1/4"	US10A	7.25	098634		
Projection: 1"	US10B	7.25	098633		
Fasteners: #8 - 32 x 2" PPHMS;	US15	7.25	098632		
#8 - 32 x 1-3/4" PPHMS	US15A	7.25	098629		
	US26	6.45	098628		
	US26D	7.25	098627		
9567	US3	3.05	099825	-	100
Rose - For use with 9566 knob	US4	3.20	098626		
Material: Zinc	US5	3.20	018102		
Base Diameter: 1-3/4"	US10A	3.20	098625		
Projection: 15/32"	US10B	3.20	098624		
Fasteners: #8 - 32 x 2" PPHMS;	US15	3.20	098623		
#8 - 32 x 1-3/4" PPHMS	US15A	3.20	098622		
	US26	3.05	098621		
	US26D	3.20	098620		



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.
9865	Plastic	0.95	098993	-	100
Plastic Pull					
Overall Diameter: 1-31/32"					
Finger Pull Diameter: 1-19/32"					
Pull Clearance: 11/32"					
Projection: 5/64"					
9882	US3	13.85	049582	-	100
Pocket Door Edge Pull	US4	16.75	049583		
Material: Brass	US10	13.85	049578		
Finger Pull Extends: 3/4"	US10B	16.75	049580		
Faceplate: 3/4" x 3-7/8"	US26	16.75	049579		
Fasteners: #6 x 5/8" FPHWS	US26D	16.75	049581		
Note: See Sliding Door section for pricing and multiplier.					
9884	US3	7.35	099056	-	20
Pocket Door Edge Pull					
Material: Zinc					
Finger Pull Extends: 1-1/16"					
Faceplate: 21/32" x 3-1/2"					
Fasteners: #6 x 5/8" FPHWS					
Note: See Sliding Door section for pricing and multiplier.					



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.	Disc Code
199B						
Door Protection Plate						
U/M - 1 each						
Material: Aluminum (.038")						
Fasteners: #6 x 5/8" TPH Tapping Screws						
6" x 30"	BGA	26.80	099256	1	-	390
6" x 34"	BGA	28.75	097105			390
8" x 30"	BGA	32.55	099257			391
8" x 34"	BGA	34.75	097106			391
208	US15A/AN	6.45	039115	5	50	780
Kick Down Door Holder	US26	6.45	001104			
Material: Aluminum alloy	US26D	6.45	075679			
Base: 1-5/8" x 1-7/8"						
Arm: 3-7/8"						
Fasteners: #6 x 3/4" FPHWS						
209	US10A	1.10	076163	5	50	780
Floor Door Stop						
Material: Zinc						
Height: 1-1/4"						
Base Diameter: 1-3/32"						
Tip Diameter: 19/32"						
Fasteners: #8 x 2" FPHWS						
U/M - 1 each						
210	US3	1.80	076443	5	50	780
Door Stop - Rigid	US4	1.55	078852			
Material: Zinc	US5/ABA	1.65	078854			
Projection: 3"	US10A	1.65	075736			
Base Diameter: 1"	US10R	1.65	097367			
Tip Diameter: 11/16"	US15A/AN	1.65	039117			
Fasteners: #8 x 5/8" wood thread	US15	1.65	039118			
U/M - 1 each	US26	1.60	076171			
	US26D	1.80	076170			
211	US3	1.40	076206	10	100	780
Door Stop - Flexible	US4	1.20	001109			
Material: Zinc	US5/ABA	1.55	053162			
Projection: 3-1/8"	US10A	1.55	076199			
Base Diameter: 1"	US10R	1.55	097368			
Tip Diameter: 9/16"	US15A/AN	1.55	039126			
Fasteners: #8 x 3/4" PPHWS	US15	1.55	039121			
U/M - 1 each	US26	1.30	076205			
	US26D	1.40	076203			



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.	Disc Code
212	US3	1.90	056477	10	100	780
Hinge Pin Door Bumper	US4	1.80	023084			
Material: Zinc	US5/ABA	1.90	023083			
U/M - 1 each	US10A	1.55	076219			
Adjustable from 180° to 120°	US10R	1.55	097369			
For use with residential hinges	US15A/AN	1.90	034530			
Works with 1/4" hinge pins	US15	1.85	034492			
	US26	1.40	076221			
	US26D	1.40	076220			
1412	US3	8.10	056475	5	50	780
Door Guard	US5/ABA	6.25	011433			
Arm Length: 4"	US10A	6.25	076222			
Material: Zinc	US15A/AN	6.25	035285			
Fasteners: #6 x 3/4" FPHWS	US15	6.25	035279			
U/M - 1 each with screws	US26	6.25	011431			
	US26D	8.10	076223			
1413	US3	8.20	051915	10	100	780
Flush Bolt - Square Corners	US4	8.20	055562			
Material: Brass w/ steel components	US5/ABA	10.05	051916			
Bolt Diameter: 1/2"	US10A	10.05	055563			
Bolt Throw: 15/16"	US10R	10.05	072931			
Faceplate: 3/4" x 6"	US15A/AN	10.05	035291			
Backset: 7/16"	US15	8.20	035457			
Strike: 7/8" x 1-3/4"	US26	8.20	055568			
Fasteners: #6 x 3/4" FPHWS	US26D	8.20	055561			
U/M - 1 each with screws						
1414	US3	8.20	051917	10	100	780
Flush Bolt - Round Corners	US5/ABA	10.05	051918			
Material: Brass w/ steel components	US10A	10.05	055586			
Bolt Diameter: 1/2"	US10R	10.05	097374			
Bolt Throw: 15/16"	US15A/AN	10.05	040832			
Faceplate: 3/4" x 6"	US15	8.20	040830			
Backset: 7/16"	US26	8.20	055570			
Strike: 7/8" x 1-3/4"	US26D	8.20	055589			
Fasteners: #6 x 3/4" FPHWS						
Strikeplate and screws						
U/M - 1 each						
1415	US3	1.90	081300	100	500	780
Strike Plate	US10A	1.90	081308			
Material: Brass	US15A/AN	1.90	081311			
Size: 7/8" x 1-3/4"	US15	1.90	081305			
Fasteners: #6 x 3/4" FPHWS	US26D	1.90	081307			
U/M - 1 each with screws						



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.	Disc Code
1416	US3	9.70	078952	10	100	780
Flush Bolt - Single Route	US4	9.70	076239			
Material: Brass w/ steel components	US5/ABA	11.50	076225			
Bolt Diameter: 5/16"	US10A	11.50	076236			
Backset: 3/8"	US10R	11.50	097375			
Faceplate: 3/4" x 7-1/8"	US15A/AN	11.50	035990			
Strike: 21/32" x 1-1/2"	US15	11.50	036004			
Bolt Throw: 7/8"	US26	9.70	076238			
Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4"	US26D	9.70	076237			
FPHWS						
U/M - 1 each with strikeplate and screws						
1418	US3	11.40	068407	10	100	780
Flush Bolt with Extension Rod	US4	11.40	068337			
Material: Brass w/ steel components	US5/ABA	11.40	068263			
Bolt Diameter: 5/16"	US10A	13.15	068467			
Backset: 3/8"	US10R	12.55	072930			
Faceplate: 23/32" x 7-3/8"	US15A/AN	13.15	068249			
Strike: 5/8" x 1-1/2"	US15	11.40	068448			
Bolt Throw: 3/4"	US26	11.40	068447			
Extended Rod Length: 16"	US26D	11.40	068436			
Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4"						
FPHWS						
U/M - 1 each with strikeplate and screws						
1419	US3	9.10	019228	10	100	485
Flip/Foot Bolt Flush Bolt	US4	9.10	019227			
Material: Brass with steel components	US5/ABA	11.40	019224			
Faceplate: 3/4" x 7-1/8"	US10A	11.40	019627			
Strike: 5/8" x 1-1/2"	US10R	11.40	019212			
Bolt Diameter: 5/16"	US15A/AN	9.10	019216			
Bolt Throw: 3/4"	US15	9.10	019231			
Backset: 5/16"	US26	9.10	019230			
Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4"	US26D	9.10	019229			
FPHWS						
U/M - 1 each						
1439	-	1.90	011439	25	100	780
Magnetic Catch						
Material: Plastic						
Catch: 1-1/16" x 2"						
Strike: 7/8" x 1"						
Fasteners: #6 x 1/2" TPHWS; #4 x 1/2" FPHWS						
U/M - 1 each with screws						



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.	Disc Code
1446	US3	3.65	051902	10	50	780
Ball Catch	US4	3.65	055624			
Material: Zinc	US5/ABA	4.10	051903			
Faceplate: 1" x 2-1/4"	US10A	4.10	055634			
Strike: 1-3/8" x 2-1/4"	US10R	4.10	097376			
Fasteners: #6 FPHWS	US15A/AN	4.10	036870			
U/M - 1 each with two strikeplates and screws	US15	4.10	036878			
	US26	3.65	055635			
	US26D	3.65	055608			
1447	US3	3.30	043896	10	50	780
Drive in Ball Catch	US4	3.65	055638			
Material: Zinc	US5/ABA	4.10	055636			
Faceplate: 1" diameter	US10A	4.10	055639			
Strike: 1-3/8" x 2-1/4"	US10R	4.10	097377			
Fasteners: #6 FPHWS	US15A/AN	4.10	037445			
U/M - 1 each with 2 strikeplates and screws	US15	4.10	036882			
	US26	3.30	055640			
	US26D	3.65	055637			
1448	US3	1.90	079333	100	500	780
Strike Plate for 1446 or 1447	US4	1.90	079334			
Size: 1-3/8" x 2-1/4"	US5/ABA	1.90	079351			
Fasteners: #6 FPHWS	US10A	1.90	079339			
U/M - 1 each with screws	US10R	1.90	097378			
	US15A/AN	1.90	079340			
	US15	1.90	079335			
	US26	1.90	079337			
	US26D	1.90	079338			
1449	US4	1.65	101876	100	300	780
Drive In Ball Catch for 1448						
Material: Zinc						
Faceplate: 1" diameter						
U/M - 1 each						
1755	US3	5.55	056866	10	100	490
115° One Way Door Viewer	US4	5.30	011919			
UL Listed	US5/ABA	5.70	076270			
U/M - 1 each	US10A	5.70	076272			
90 min. fire rated	US10R	5.70	097475			
Door Thickness: 1-3/8" - 2-1/8"	US15A/AN	5.70	076271			
	US15	5.70	076276			
	US26	5.55	076274			
	US26D	5.30	055225			



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.	Disc Code
1756	US3	12.90	011920	-	50	490
185° One Way Door Viewer	US4	12.70	066884			
UL Listed	US5/ABA	13.05	072679			
U/M - 1 each	US10A	13.05	076442			
90 Minute Fire-Rated	US10R	13.05	097476			
Door Thickness: 1-3/8" - 2-1/8"	US15A/AN	13.05	076441			
	US15	13.05	067422			
	US26	12.90	044337			
	US26D	12.90	086149			
1758	US3	8.95	146215	10	100	490
115° One Way Door Viewer with Privacy Flap	US10A	8.95	146216			
Door Thickness: 1-3/8" - 2-1/8"	US26	8.95	146217			
UL Listed	US26D	8.95	146718			
U/M - 1 each						
90 Minute Fire-Rated						
1759	US3	17.00	146219	-	50	490
185° One Way Door Viewer with Privacy Flap	US10A	17.00	146220			
Door Thickness: 1-3/8" - 2-1/8"	US26	17.00	146221			
UL Listed	US26D	17.00	146222			
U/M - 1 each						
90 Minute Fire-Rated						
1765	US3	4.00	146207	1	200	490
Privacy Flap for 115° One Way Viewer 1755	US10A	4.00	146208			
	US26	4.00	146209			
	US26D	4.00	146210			
1766	US3	4.75	146211	1	200	490
Privacy Flap for 185° One Way Viewer 1756	US10A	4.75	146212			
	US26	4.75	146213			
	US26D	4.75	146214			
1795						
Adjustable Closet Rod						
1" Pole Diameter						
U/M - 1 each with screws						
0.36 gauge steel with bright zinc finish						
18-30"		4.15	011928	-	10	780
30-48"		5.60	011929			
48-72"		7.85	011930			
72-96"		10.15	011931			
96-150"		14.50	011932			
(2438-3810 mm)						
1797	BY	3.85	000326	-	20	780
Shelf and Rod Support						
U/M - 1 each with screws						



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.	Disc Code
1799 Adjustable Shelf and Rod Support U/M - 1 each with screws	BY	3.85	000328	-	20	780
1801 Shelf Bracket U/M - 1 each with screws	BY	3.00	053634	-	20	780
BL6209 Floor Door Stop Height: 1-3/8" Base Diameter: 13/16" Tip Diameter: 1/2" Fastener: #8 x 11/32" thread U/M - 1 each	US15A/AN	1.00	056231	-	150	780
BL6211 Door Stop Flexible Projection: 3" Tip Diameter: 7/16" Base Diameter: 3/4" Fastener: #8 x 11/32" thread U/M - 1 each	US3 US4 US5/ABA US10A US10R US15 US26D	0.85 0.75 0.80 0.80 0.80 0.80 0.80	056256 058289 058295 056269 097482 040032 040031	-	150	780
BL6212 Hinge Pin Door Bumper U/M - 1 each Adjustable from 180° to 120° For use with residential hinges Works with 1/4" hinge pins	US3 US4 US5/ABA US10A US10R US15A/AN US15 US26 US26D	1.05 1.00 1.00 1.00 1.00 1.00 1.00 1.05 1.00	056320 058298 058296 056321 097483 056315 040033 056323 040035	-	100	780
6601 Handrail Bracket Material: Cast Aluminum Base to Center of Rail: 2-3/4" Projection: 3-1/4" Fasteners: #8 x 1-1/2" OPHWS; #8 x 3/4" OPHWS U/M - 1 each with screws	US3 US4 US5/ABA US10A US10R US15A/AN US15 US26 US26D	2.05 2.05 2.60 2.75 2.75 2.60 2.60 2.05 2.60	011385 011380 011328 011374 011371 011327 011335 011332 011331	-	300	780



Trim & Auxiliary



Description	Finish	2015 List	Stock No.	Box Qty.	Case Qty.	Disc Code
BL6610	US3	1.00	056300	-	100	780
Coat & Hat Hook	US4	0.95	058317			
Max. Projection: 2-13/16"	US5/ABA	1.00	058529			
Min. Projection: 1-5/16"	US10A	1.00	056299			
Fastener: #6 x 3/4" FPHWS	US15	1.00	040045			
U/M - 1 each with screws	US26	1.00	056298			
	US26D	1.00	040046			
BL6793	2D	1.40	013512	-	100	780
Pole Sockets						
Material: Steel						
U/M - 2 each with screws						
BL6794		0.85	013514	-	100	780
Pole Sockets						
Material: Plastic						
U/M - 2 each with screws						



Thresholds & Weatherstripping

TABLE OF CONTENTS

A	I
Abrasive Cast Aluminum Thresholds	Interlocking Thresholds 14-17
Half Saddle Thresholds 17	Interlocking Weatherstripping..... 20-21
Interlocking Thresholds..... 16,17	Intumescent Weatherstripping..... 21-24
Nosing 17	
Panic Thresholds..... 15	J
Saddle Thresholds 16	Jamb Weatherstripping
	Jamb Weatherstripping..... 32-35
Anchor 15	Adjustable..... 31-33
Astragal 27-34	Magnetic..... 32
B	L
Barrier Free Ramps 10	Lead Times 5
Bumper Thresholds 9,11	
Bumper/Stop Strips 11,12	M
	Materials and Finishes..... 2
C	
Carpet Thresholds 12	O
Cast Abrasive Aluminum Thresholds 15,16	Overhead Drip Guards 30
Cover Plate 20	
	P
D	Panic Thresholds 12-15
Door Bottoms	Press-On Weatherstripping..... 21-25
Automatic Door Bottoms..... 24-26	Product Information..... 2
Door Shoes 26-28	
Door Sweeps 26-27,29	R
	Replacement Inserts..... 4
E	Residential Thresholds 6-8
Edge Sealing Systems 21-24	
Elevator..... 11	S
	Smoke Seals 21-25
F	Saddle Thresholds 6-12, 16, 18-20
Fabrication Options 5	Spring Bronze..... 30
Fastener Options 3	Stock Numbers 36-57
Finish Options..... 5	Sure-Step..... 5
Floor Plates and Supports 10-11	
	T
G	Thermal Barrier Thresholds
Garage Weatherstripping..... 29	Saddle Thresholds 8
	Panic Thresholds..... 13-14
H	
Half Saddle Thresholds..... 6, 9-10, 12, 14, 17	W
How to Order 3	Water Return - Interlocking 15



Thresholds & Weatherstripping

PRODUCT INFORMATION

Drawings or illustrations used in the Price Book are subject to change without notice. Questions regarding any dimensions should be directed to Hager Companies Customer Service.

MATERIALS AND FINISHES

Metals

All aluminum extrusions are of alloy 6063-T5. All bronze extrusions are of alloy CDA385 brass specified as Architectural Bronze in the industry. For stock finishes, refer to the code listed below each individual item throughout the price book. Please inquire for the availability on non-stock finishes.

MIL-	Mill Finish Aluminum	LBA -	Light Bronze Anodized Aluminum
300-	Polished Bronze (CDA385)	MIB-	Mill Finish Bronze (CDA385)
CAL-	Cast Aluminum	USP-	Primed Steel
DBA-	Dark Bronze Anodized Aluminum	BLA-	Black Anodized Aluminum
SCA-	Hager Carb-Coat on Aluminum	32D-	Matte Stainless Steel (Non-Extruded)
SCB-	Hager Carb-Coat on Bronze	WH-	White Paint on Aluminum
GLD-	Gold Anodized Aluminum	CLR-	Clear Anodized Aluminum
10B-	Antique Bronze, Oiled	BCA-	Bright Clear Anodized Aluminum

Gaskets

Gasketing is available in a wide variety of materials. Vinyl is an economical choice and remains flexible down to -40°F. Neoprene gasketing is supplied both as a solid (dense) and as a closed cell sponge with a tough outer skin, remaining flexible down to -50°F. Silicone gasketing provides the best resistance to cold by remaining flexible down to -70°F.

B-	Nylon Brush (Black)	V-	Vinyl
N-	Neoprene, Solid EPDM	W-	Pile (Thread May Be Removed To Allow Expansion) (Grey)
	Closed Cell Sponge EPDM, TPE (Black)	F-	Vinyl with Fins (Grey)
S-	Silicone		

Colors for Press-On Gasketing

B	- Brown
S	- Charcoal or Black
T	- Tan
W	- White
G	- Grey

FASTENERS

All products are furnished with appropriate fasteners as listed, except where noted. Most thresholds are furnished with mounting holes and #10 x 1-1/2" flat head sheet metal screws. Most weatherstripping products are furnished with slotted holes and #6 x 5/8" pan head sheet metal screws. Brass screws are furnished with bronze products.

FIRE LABELING

All products containing non-metallic seals have been listed and labeled resulting from a determination by a certified fire laboratory that these products do not adversely affect the fire resistance of the door or frame. All products are regularly checked under a labeling and listing inspection service.



Thresholds & Weatherstripping

HOW TO ORDER

When placing your order, please specify item number, gasket code, size and finish code. Also be sure to state any special fabrication needs or optional fasteners desired. Thresholds are fabricated in standard sizes with 1/2" extra on thresholds 50" and under. Thresholds over 50" are supplied with 1" extra length for fitting.

Example:

	<u>891S</u>	<u>V</u>	<u>36 x 84</u>	<u>MIL</u>
	/	/	/	/
<u>Item #</u>	<u>Gasketing</u>	<u>Size</u>	<u>Finish</u>	
515S	S-Silicone	36"	GLD	
575S	W-Pile	48"	MIB	
750S	N-Neoprene	36" x 84"	32D	
802S	B-Nylon Brush	48" x 96"	MIL	
885S	V-Vinyl	36" x 84"	DBA	

Thresholds must be purchased and billed at 4" increments, except for Abrasive Cast Aluminum Thresholds and Automatic Door Bottoms. Weatherstripping must be purchased and billed at 4" increments. Threshold and weatherstripping products supplied in lengths up to 12'.

FASTENER OPTIONS

Thresholds

Add to List Price

#10 Wood Screws and Plastic Anchors.....	\$ 0.40 /ft
#10 Wood Screws and Lead Anchors	0.95 /ft
#10 Machine Screws and Lead Anchors	0.95 /ft
#10 S.S. Wood Screws	1.25 /ft
#10 S.S. Wood Screws and Plastic Anchors	1.55 /ft
#10 S.S. Wood Screws and Lead Anchors	1.65 /ft
#10 Torx Wood Screws	2.75 /ft
#10 S.S. Torx Wood Screws	3.30 /ft
#10 Torx Machine Screws.....	2.95 /ft
#10 S.S. Torx Machine Screws.....	2.95 /ft
Torx Machine Screws and Lead Anchors	3.85 /ft
1/4" Machine Screws and Lead Anchors.....	1.15 /ft
1/4" S.S. Machine Screws and Lead Anchors.....	1.65 /ft
1/4" Flat Head Sleeve Anchor	2.95 /ft
1/4" Tap-Con Type (Self-Tapping Concrete)	1.65 /ft
Cast-On Anchors (Cast Products Only)	7.60 /ea
Thru-bolts 1/4 - 20 x 1-1/4" FPHM with 1-1/4" post	2.80 /ft

Note: Standard fasteners included: #10 x 1-1/2" Phillips flat-head sheet metal screws.

Weatherstripping

Add to List Price

#6 x 5/8" Phillips Pan-head Stainless Steel Screws.....	\$ 1.00 /ft
#6 x 5/8" Phillips Self-drilling (TEK) Screws	0.70 /ft
#6 x 5/8" Phillips Pan-head Torx Sheet Metal Screws.....	1.75 /ft
Two-way Self-adhesive Tape	1.15 /ft

Note: Standard fasteners included: #6 x 5/8" Phillips pan-head sheet metal screws.



Thresholds & Weatherstripping

REPLACEMENT INSERTS

Vinyl - Grey

List Price (Per Foot)

400S.....	\$ 3.20
434S, 435S, 477S, 478S, 481S, 515S, 516S, 517S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 570S, 575S, 580S, 599S, 771S, 837S, 860S	1.10
751S, 772S, 775S	3.30
756S, 770S, 884S	2.20
774S, 777S, 778S, 779S, 780S, 781S, 782S, 783S	2.00
881S, 885S, 890S, 891S, 896S	1.20

Vinyl - Black

Black inserts are supplied standard with DBA aluminum extrusions. Must specify on order for black replacement gaskets.

434S, 435S, 477S, 478S, 481S, 515S, 516S, 517S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 570S, 575S, 580S, 599S, 771S, 837S, 860S	1.10
881S, 885S, 890S, 891S, 896S	1.25

Silicone - Grey

434S, 435S, 477S, 478S, 481S, 515S, 516S, 517S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 570S, 575S, 580S, 599S, 771S, 837S, 860S	2.50
730S, 740S	4.50
750S	4.15
751S, 772S	3.25
875S	5.55
881S, 885S, 890S, 891S, 896S	1.65

Silicone - Black

Black inserts are supplied standard with DBA aluminum extrusions. Must specify on order for black replacement gaskets.

434S, 435S, 477S, 478S, 481S, 515S, 516S, 517S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 570S, 575S, 580S, 599S, 771S, 837S, 860S	2.50
881S, 885S, 890S, 891S, 896S	1.65

Neoprene - Black

434S, 435S, 477S, 478S, 481S, 515S, 516S, 517S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 570S, 575S, 580S, 599S, 771S, 837S, 860S	1.65
730S, 740S, 751S, 772S, 864S, 870S, 872S*, 873S, 877S, 878S, 880S, 892S	1.80
743S, 747S, 861S	3.15
754S, 774S, 777S, 778S, 779S, 780S, 781S, 782S	2.35
750S, 753S, 862S, 863S	1.95
858S, 865S, 866S	3.30
871S, 874S, 875S	2.20
881S, 885S, 890S, 891S, 896S	1.50
887S	5.40

Pile - Grey

434S, 435S, 477S, 478S, 515S, 516S, 517S, 518S, 520S, 532S, 541S, 552S, 560S, 565S, 570S, 575S, 580S, 599S, 728S, 751S, 771S, 772S, 789S, 806S, 808S, 837S, 845S, 847S, 881S, 885S, 893S ..	1.20
--	------

Nylon Brush - Black

770S, 800S, 802S, 882S, 883S	4.30
801S, 803S, 806S, 808S	5.00



Thresholds & Weatherstripping

FABRICATION OPTIONS

	Add to List Price
Bevel One Edge of Threshold	\$ 5.85 /ft
Rip One Edge (Width) of Threshold.....	5.85 /ft
L-Notch Both Ends of Threshold	10.40 /ea
U-Notch Both Ends of Threshold	20.30 /ea
Cast Abrasive Notching	POA
Miter Return on One Edge, One End of Threshold.....	45.25 /ea
Miter Return on One Edge, Both Ends of Threshold.....	76.55 /ea
Miter Return on Both Edges, One End of Threshold.....	76.55 /ea
Miter Return on Both Edges, Both Ends of Threshold.....	153.00 /ea
Tack Weld One Line of Threshold	POA
Pan for Water Return Threshold	1.10 /ft
End Caps for Automatic Door Bottoms (Mortised Models)	DBA 7.10 /2 Caps
.....	GLD 7.10 /2 Caps
Lead Lining (Automatic Door Bottoms) - Up to 48"	165.55
Lead Lining (Automatic Door Bottoms) - Above 48"	218.60

FINISH OPTIONS

	Add to List Price
Clear Anodized (CLR)	Price on Application
Black Anodized (BLA)	Price on Application
Oil Rubbed Bronze (10B)	Price on Application
Polished Bronze (300)	Price on Application
White Paint (WHP)	Price on Application

SURE STEP










	Add to List Price
Up to 4" Width	23.20 /ft
Up to 5" Width	27.90 /ft
Up to 6" Width	34.80 /ft
Up to 7" Width	40.60 /ft
Up to 8" Width	47.50 /ft

LEAD TIMES

Products identified as Quick Ship items will ship in 3 days or less (these items are denoted with stock numbers in **bold and red** in the Stock Numbers section in the back of Thresholds & Weatherstripping). Stock items will typically ship within 5 business days. Non-stock items will typically ship within 2 weeks depending on seasonal volume and order complexity. Made to order industrials must be scheduled. Items that require outside finishing (anodizing, custom paint) or include non-standard components may take longer. Custom orders that require a request for quote are subject to longer lead times. The anticipated ship date will be included with each order acknowledgement.




Thresholds & Weatherstripping










Description	Finish	Without Insert	N	With Insert S V W	Comparison Numbers
400S Threshold - Saddle w/ Vinyl 3-1/2" x 3/4"	MIL			10.25	NGP: 405
	DBA			12.70	Pemko: 206V
	GLD			14.00	ANSI: J31130
401S Threshold - Saddle 2-1/2" x 5/16"	MIL	6.25			NGP: 410
	DBA	8.40			Pemko: 166
	GLD	8.50			ANSI: J32130
	MIB	124.90			
402S Threshold - Saddle 3" x 1/2"	MIL	6.60			NGP: 211
	DBA	9.80			Pemko: 169
	GLD	10.75			ANSI: J32100
403S Threshold - Saddle 4" x 1/4"	MIL	7.20			NGP: 413
	DBA	11.75			Pemko: 270
	GLD	11.60			ANSI: J32130
	MIB	116.20			
	32D	130.60			
404S Threshold - Saddle 4" x 1/2"	MIL	7.05			NGP: 424E
	DBA	11.70			Pemko: 170
	GLD	12.30			ANSI: J32130
	MIB	79.45			NGP: 412SS
	32D	134.55			
406S Threshold - Half Saddle 7" x 3/4"	MIL	22.40			NGP: 458
	DBA	23.70			Pemko: 1877
	GLD	26.40			ANSI: J33100
407S Threshold - Half Saddle 1/2" Step 5-1/2" x 3/4"	MIL	12.15			NGP: 655
	DBA	18.60			Pemko: 157
	GLD	19.25			ANSI: J33180
408S Threshold - Saddle 3-1/2" x 5/8"	MIL	7.00			Pemko: 212
	DBA	9.95			ANSI: J30100
	GLD	10.55			
409S Threshold - Saddle 3-1/4" x 5/8"	MIL	4.55			Pemko: 218
	DBA	8.05			ANSI: J30100
	GLD	8.05			



Thresholds & Weatherstripping












Description	Finish	Without Insert	N	With Insert S V	W	Comparison Numbers
410S Threshold - Saddle 4" x 1/2"	MIL	6.55				NGP: 424
	DBA	10.95				Pemko: 170
	GLD	12.15				ANSI: J32130
	MIB	124.55				
411S Threshold - Saddle 4" x 5/8"	MIL	10.50				NGP: 524
	DBA	16.15				Pemko: 198
	GLD	16.80				ANSI: J32100
	MIB	143.50				
412S Threshold - Saddle 5" x 1/2"	MIL	10.60				NGP: 425E
	DBA	15.45				Pemko: 171
	GLD	16.90				ANSI: J32130
	MIB	134.75				NGP: 512SS
	32D	140.15				
413S Threshold - Saddle 5" x 1/4"	MIL	10.05				NGP: 513
	DBA	15.20				Pemko: 271
	GLD	16.30				ANSI: J32130
	MIB	127.95				
	32D	140.15				
414S Threshold - Saddle 5" x 5/8"	MIL	13.80				NGP: 525
	DBA	16.95				Pemko: 156
	GLD	17.35				ANSI: J32100
415S Threshold - Saddle 6" x 1/2"	MIL	13.55				NGP: 426
	DBA	18.35				Pemko: 172
	GLD	19.55				ANSI: J32130
	MIB	181.10				
416S Threshold - Saddle 7" x 1/2"	MIL	18.75				NGP: 427
	DBA	22.75				Pemko: 176
	GLD	24.90				ANSI: J32130
	MIB	213.75				
417S Threshold - Saddle 6" x 1/4"	MIL	13.00				NGP: 613
	DBA	17.55				Pemko: 272
	GLD	19.20				ANSI: J32130
	MIB	151.90				



04/01/2015
www.hagerco.com

Price Code: POA - Price on Application
Insert Codes: V - Vinyl; N - Neoprene, EPDM, or TPW; S - Silicone; W - Pile; B - Nylon Brush; F - Fin
Finish Codes: MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze; 32D - Matte Stainless Steel; USP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum


Thresholds & Weatherstripping




Description	Finish	Without Insert	N	With Insert S V	W	Comparison Numbers
418S Threshold - Saddle 3" x 1/4"	MIL	6.85				NGP: 411
	DBA	9.55				Pemko: 151
	GLD	9.45				ANSI: J32330
	MIB	93.25				
419S Threshold - Saddle 4" x 1"	MIL	6.55				Pemko: 219
	DBA	9.05				ANSI: J30100
	GLD	10.05				
420S Threshold - Saddle Thermal Barrier 4" x 1/2"	MIL	11.85				NGP: 8424
	DBA	18.00				Pemko: 252X2FG
	GLD	19.25				ANSI: J32193
421S Threshold - Saddle Thermal Barrier 5" x 1/2"	MIL	14.60				NGP: 8425
	DBA	19.90				Pemko: 252X3FG
	GLD	21.70				ANSI: J32193
422S Threshold - Saddle Thermal Barrier 6" x 1/2"	MIL	15.90				NGP: 8426
	DBA	22.05				Pemko: 253X3FG
	GLD	23.00				ANSI: J32193
423S Threshold - Saddle Thermal Barrier 7" x 1/2"	MIL	18.80				NGP: 8427
	DBA	24.60				Pemko: 253X4FG
	GLD	26.20				ANSI: J32193
424S Threshold - Saddle Thermal Barrier 8" x 1/2"	MIL	19.90				NGP: 8428
	DBA	27.45				Pemko: 254X4FG
	GLD	30.05				ANSI: J32193
426S Threshold - Saddle 8" x 1/2"	MIL	21.10				NGP: 428E
	DBA	27.20				Pemko: 2548
	GLD	29.65				ANSI: J32130
	MIB	263.35				
427S Threshold - Saddle Heavy Duty 5" x 1/2"	MIL	26.65				NGP: 425HD
	DBA	34.80				Pemko: 1715
						ANSI: J32130




Thresholds & Weatherstripping




Description	Finish	Without Insert	N	With Insert S V W	Comparison Numbers
428S	MIL	19.40			NGP: 813
Threshold - Saddle	DBA	24.20			Pemko: 2748
8" x 1/4"	GLD	26.35			ANSI: J32130
	MIB	241.30			




429S	MIL	19.95			ANSI: J35200
Threshold - Half Saddle	DBA	28.00			
3-3/4" x 3/4"	GLD	30.20			




430S	MIL	17.90			NGP: 713
Threshold - Saddle	DBA	22.20			Pemko: 276
7" x 1/4"	GLD	23.95			ANSI: J32130




431S	MIL	19.05			NGP: 325
Threshold - Half Saddle	DBA	25.65			Pemko: 229
5" x 1/2"	GLD	26.25			ANSI: J33130
	MIB	169.70			




432S	MIL	16.95			NGP: 324
Threshold - Half Saddle	DBA	23.65			Pemko: 227
4" x 1/2"	GLD	24.20			ANSI: J33130
	MIB	185.00			




433S	MIL	7.60			NGP: 322
Threshold - Half Saddle	DBA	9.60			Pemko: 253
3" x 1/2"	GLD	10.75			ANSI: J33130
	MIB	144.80			



434S	MIL		7.65	7.80	6.10	6.55	NGP: 21
Threshold - Bumper	DBA		10.65	10.50	9.15	9.30	Pemko: 205
Vinyl insert supplied unless other material specified	GLD		11.40	11.25	10.05	10.25	ANSI: J30100
3-1/8" x 5/8"							












435S	MIL		9.45	10.10	7.70	8.30	NGP: 25
Threshold - Bumper	DBA		12.00	12.70	9.85	10.60	Pemko: 2051
Vinyl insert supplied unless other material specified	GLD		12.70	13.45	11.25	11.85	ANSI: J30100
3-1/8" x 1"							



436S	MIL	4.80					NGP: 410
Threshold - Saddle	DBA	6.75					Pemko: 173
2-1/4" x 3/16"	GLD	7.05					ANSI: J32330













Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S V	W	Comparison Numbers
438S Threshold - Half Saddle 1/4" Step 5-1/2" x 1/2"	MIL	12.50				NGP: 410
	DBA	19.20				Pemko: 173 ANSI: J32330
440S Threshold - Floor Plate 2" x 1/4"	MIL	7.90				NGP: 8142
	DBA	9.95				Pemko: 190
	GLD	12.35				ANSI: J37100
	MIB	80.90				
442S Threshold Barrier Free Ramp 1/2" Rise 6" x 1/2"	MIL	13.40				NGP: 657
	DBA	16.50				Pemko: 259
	GLD	18.05				ANSI: J38130
443S Threshold Barrier Free Ramp 1/4" Rise 6" x 3/4"	MIL	13.95				NGP: 658
	DBA	17.00				Pemko: 257
	GLD	18.05				ANSI: J30180
444S Threshold Barrier Free Ramp 3/4" Rise 12" x 3/4"	MIL	24.60				NGP: R72
	DBA	30.15				Pemko: 257X259
	GLD	32.05				ANSI: J38183
445S Threshold - Floor Plate 3" x 1/4"	MIL	10.30				NGP: 8143
	DBA	14.25				Pemko: 191
	GLD	16.60				ANSI: J37100
	MIB	110.70				
448S Threshold - Saddle 10" x 1/4"	MIL	25.65				NGP: 8143
	DBA	33.80				Pemko: 191
						ANSI: J37100
450S Threshold - Floor Plate 4" x 1/4"	MIL	13.45				NGP: 8144
	DBA	17.25				Pemko: 192
	GLD	18.85				ANSI: J37100
	MIB	140.75				
451S Threshold - Saddle Thermal Barrier 9" x 1/2"	MIL	21.85				NGP: 8429
	DBA	30.85				Pemko: 254X5FG
	GLD	34.25				ANSI: J32193












Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
452S Threshold - Saddle Thermal Barrier 10" x 1/2"	MIL	25.25					NGP: 8430
	DBA	33.95					Pemko: 255X5FG
	GLD	37.00					ANSI: J32193
455S Threshold - Floor Plate 5" x 1/4"	MIL	17.25					NGP: 8145
	DBA	22.20					ANSI: J37100
	GLD	24.20					
	MIB	192.20					
460S Threshold - Floor Plate 6-1/8" x 1/4"	MIL	17.35					NGP: 8146
	DBA	24.15					Pemko: 193
	GLD	25.95					ANSI: J37100
	MIB	211.90					
465S Threshold - Floor Plate 8" x 1/4"	MIL	24.75					NGP: 8148
	DBA	35.25					Pemko: 228
	GLD	36.75					ANSI: J37100
470S Threshold Plate Support 1-3/4" x 1/2"	MIL	4.65					NGP: 8140
	DBA	6.75					Pemko: 195
	GLD	7.05					
	MIB	58.90					
477S Threshold - Bumper 5" x 1/2"	MIL		12.15	12.75	11.25	11.50	NGP: 950
	DBA		15.90	17.00	14.85	15.05	Pemko: 2001
	GLD		17.25	17.85	15.90	16.55	ANSI: J36100
478S Threshold - Bumper 7" x 1/2"	MIL		17.65	18.40	16.80	17.65	ANSI: J30100
	DBA		23.25	23.85	22.25	23.25	
	GLD		24.40	25.45	23.45	24.40	
480S Threshold Elevator 1/2"	MIL	3.80					NGP: 58
	DBA	4.70					Pemko: 188
481S Threshold Bumper Strip 23/32" x 3/8"	MIL		5.80	6.15	4.95	5.15	NGP: 2
	DBA		7.25	7.50	6.65	6.65	Pemko: 184
	GLD		7.50	7.90	6.95	7.05	
483S Threshold Bumper Strip 3/4" x 3/8"	MIL	6.95					NGP: 1
	DBA	10.65					
	GLD	11.40					




Thresholds & Weatherstripping










Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
484S	MIL	4.90					NGP: 8136
Threshold Bumper Strip	DBA	7.05					Pemko: 196
1-1/8" x 1/4"	GLD	7.25					
	MIB	56.05					
492S	MIL	12.75					Pemko: 154
Threshold - Saddle	DBA	16.25					ANSI: J32330
5" x 1/2"	GLD	17.00					
501S	MIL	9.75					Pemko: 230
Threshold - Half Saddle	DBA	13.55					ANSI: J33100
2-13/16" x 3/4"	GLD	14.30					
503S	MIL	8.20					NGP: 416
Threshold - Carpet Edge	DBA	11.40					ANSI: J32180
2" x 7/8"	GLD	12.00					
504S	MIL	8.35					NGP: 417
Threshold - Carpet Edge	DBA	10.75					Pemko: 174
2-1/8" x 1/2"	GLD	11.85					ANSI: J32183
505S	MIL	5.15					NGP: 414
Threshold - Carpet Divider	DBA	6.95					Pemko: 236
1-13/16" x 7/16"	GLD	7.25					ANSI: J32113
506S	MIL	9.60					NGP: 404
Threshold - Carpet Divider	DBA	12.55					Pemko: 2364
4" x 7/16"	GLD	13.85					ANSI: J32113
508S	MIL	5.85					NGP: 414-75
Threshold - Carpet Divider	DBA	6.50					Pemko: 246
1-13/16" x 11/16"	GLD	6.25					ANSI: J32140
515S	MIL		17.70	18.05	15.95	16.10	NGP: 8432
Threshold - Panic	DBA		22.20	22.45	21.55	21.45	Pemko: 252X226FG
Thermal Barrier	GLD		23.65	23.65	22.20	23.10	ANSI: J36190
4-1/8" x 7/8"							



Thresholds & Weatherstripping












Description	Finish	Without Insert	N	With Insert	V	W	Comparison Numbers
516S Threshold - Panic Thermal Barrier 5-1/8" x 7/8"	MIL		17.70	17.95	17.65	17.90	NGP: 8435
	DBA		23.55	23.70	22.55	23.55	Pemko: 253X226FG
	GLD		24.35	25.25	24.40	24.65	ANSI: J36190
517S Threshold - Panic Thermal Barrier 6-1/8" x 7/8"	MIL		20.15	20.35	18.85	19.75	NGP: 8436
	DBA		26.75	26.55	26.35	26.00	Pemko: 254X226FG
	GLD		28.30	30.65	27.75	28.95	ANSI: J36190
518S Threshold - Panic Thermal Barrier 7-1/2" x 7/8"	MIL		23.55	23.90	22.30	22.30	NGP: 8437
	DBA		31.35	31.65	29.65	29.65	Pemko: 255X226FG
	GLD		34.55	34.75	33.80	33.80	ANSI: J36190
520S Threshold - Panic 5" x 1/2"	MIL		11.55	11.75	10.20	11.15	NGP: 896
	DBA		14.70	14.95	13.90	14.55	Pemko: 2005
	GLD		16.80	17.10	15.20	16.25	ANSI: J36130
	MIB		144.30	144.30	144.30	144.30	
532S Threshold - Panic 5" x 1"	MIL		13.65	14.00	12.55	13.40	NGP: 803
	DBA		18.55	19.05	17.80	17.85	Pemko: 181
	GLD		22.55	22.80	19.75	20.20	ANSI: J36100
	MIB		174.60	174.60	174.60	174.60	
541S Threshold - Panic 5" x 7/8"	MIL		15.70	16.45	14.05	13.60	NGP: 884
	DBA		19.45	19.25	18.20	17.80	Pemko: 177
	GLD		21.20	21.35	19.45	19.60	ANSI: J36100
	MIB		185.00	185.00	185.00	185.00	
552S Threshold - Panic 5" x 3/4"	MIL		12.90	13.20	12.40	12.90	NGP: 890
	DBA		18.10	18.35	17.90	18.10	Pemko: 179
	GLD		20.15	20.25	18.70	19.20	ANSI: J36100
	MIB		178.10	178.10	178.10	178.10	
560S Threshold - Panic 3-1/2" x 1"	MIL		11.90	12.15	11.40	11.25	NGP: 891
	DBA		16.65	16.65	15.90	15.95	Pemko: 185
	GLD		18.35	18.25	17.25	17.35	ANSI: J36300



04/01/2015
www.hagerco.com

Price Code: POA - Price on Application
Insert Codes: V - Vinyl; N - Neoprene, EDPM, or TPW; S - Silicone; W - Pile; B - Nylon Brush; F - Fin
Finish Codes: MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze; 32D - Matte Stainless Steel; USP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum






Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
565S Threshold - Panic 3-5/8" x 7/8"	MIL		12.50	12.90	11.55	11.85	NGP: 892
	DBA		16.90	17.30	16.30	16.55	Pemko: 1855
	GLD		18.55	19.80	16.90	18.10	ANSI: J36300
572S Threshold - Half Saddle 1/2" Offset 7" x 1"	MIL	16.80					Pemko: 812
	DBA	22.70					ANSI: J33180
	GLD	23.90					
575S Threshold - Panic 5" x 1"	MIL		16.30	16.30	13.25	13.45	Pemko: 181
	DBA		21.80	22.25	17.95	18.15	ANSI: J36100
	GLD		23.15	23.45	19.95	20.30	
	MIB		185.00	185.00	185.00	185.00	
580S Threshold - Panic 5" x 7/8"	MIL		13.00	13.80	13.80	12.40	NGP: 804
	DBA		20.35	19.00	19.00	17.80	Pemko: 177
	GLD		21.35	20.85	20.85	19.00	ANSI: J36100
599S Threshold - Panic 3-1/2" x 7/8"	MIL		12.35	13.85	12.15	11.85	NGP: 895
	DBA		16.30	17.70	16.10	16.20	Pemko: 159
	GLD		19.00	19.25	17.05	16.65	ANSI: J36300
600S Threshold - Interlock Cap 1-1/2" x 5/16"	MIL	5.15					NGP: 432
	DBA	5.65					Pemko: 101
	GLD	5.95					ANSI: J34170
602S Threshold - Interlock 3-1/2" x 9/16"	MIL	7.45					NGP: 435
	DBA	11.55					Pemko: 110
	MIB	125.00					ANSI: J34170
603S Threshold - Interlock 5" x 7/8"	MIL	13.25					Pemko: 120
	DBA	17.65					ANSI: J34170
	MIB	152.65					
604S Threshold - Interlock 5" x 1/2"	MIL	11.65					Pemko: 114
	DBA	14.95					ANSI: J34170
	MIB	167.20					



Thresholds & Weatherstripping




Description	Finish	Without Insert	N	With Insert S V	W	Comparison Numbers
6085	MIL	14.30				Pemko: 136
Threshold - Interlock	DBA	17.65				ANSI: J34170
Water Return	MIB	109.25				
*Pan Extra - See options, must specify on order 4-1/2" x 7/8"						
6125	MIL	9.90				NGP: 484
Threshold - Interlock	DBA	14.25				Pemko: 145
Water Return	GLD	15.40				ANSI: J34170
*Pan Extra - See options, must specify on order 4" x 7/8"						
6195	MIL	15.90				NGP: 721
Adjustable						Pemko: SL450U
Threshold Anchor						
2-7/8" x 1"						
6205						ANSI: J35400
Threshold - Panic						
Cast Abrasive Aluminum						
8' Max Length						
4" x 1-1/4"	CAL	133.40				
5" x 1-1/4"	CAL	147.05				
6" x 1-1/4"	CAL	161.25				
6215						ANSI: J35400
Threshold - Panic						
Cast Abrasive Aluminum						
8' Max Length						
4" x 7/8"	CAL	133.40				
5" x 7/8"	CAL	147.05				
6" x 7/8"	CAL	161.25				
6225						ANSI: J35400
Threshold - Panic						
Cast Abrasive Aluminum						
8' Max Length						
4" x 1-1/8"	CAL	113.95				
5" x 1-1/8"	CAL	127.80				
6" x 1-1/8"	CAL	142.30				



04/01/2015
www.hagerco.com


Price Code: POA - Price on Application
Insert Codes: V - Vinyl; N - Neoprene, EDPM, or TPW; S - Silicone; W - Pile; B - Nylon Brush; F - Fin
Finish Codes: MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze; 32D - Matte Stainless Steel; USP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum

Thresholds & Weatherstripping




Description	Finish	Without Insert	N	With Insert	S	V	W	Comparison Numbers
-------------	--------	----------------	---	-------------	---	---	---	--------------------


6235								ANSI: J34273
Threshold - Interlock								
Cast Abrasive Aluminum								
8' Max Length								
4" x 1/2"	CAL	128.60						
5" x 1/2"	CAL	147.05						
6" x 1/2"	CAL	164.05						




624S								ANSI: J37230
Threshold - Saddle								
Cast Abrasive Aluminum								
8' Max Length								
4" x 5/16"	CAL	91.25						
5" x 5/16"	CAL	113.65						
6" x 5/16"	CAL	121.80						



625S								ANSI: J32200
Threshold - Saddle								
Cast Abrasive Aluminum								
8' Max Length								
4" x 9/16"	CAL	91.25						
5" x 9/16"	CAL	113.65						
6" x 9/16"	CAL	121.80						




626S								ANSI: J37230
Threshold - Saddle								
Cast Abrasive Aluminum								
8' Max Length								
4" x 3/8"	CAL	94.90						
5" x 3/8"	CAL	110.70						
6" x 3/8"	CAL	126.80						







627S								ANSI: J32230
Threshold - Saddle								
Cast Abrasive Aluminum								
8' Max Length								
4" x 1/2"	CAL	91.25						
5" x 1/2"	CAL	113.65						
6" x 1/2"	CAL	121.80						




Thresholds & Weatherstripping




Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
6285 Threshold - Interlock Cast Abrasive Aluminum 8' Max Length							ANSI: J34273
4" x 5/8"	CAL	128.60					
5" x 5/8"	CAL	147.05					
6" x 5/8"	CAL	164.05					
640S Stair Nosing Cast Abrasive Aluminum 8' Max Length							ANSI: J30200
3" x 9/16"	CAL	54.55					
4" x 9/16"	CAL	68.15					
6" x 9/16"	CAL	93.20					
641S Stair Nosing Cast Abrasive Aluminum 8' Max Length							ANSI: J30200
3" x 5/8"	CAL	54.55					
4" x 5/8"	CAL	68.15					
6" x 5/8"	CAL	93.20					
642S Stair Nosing Cast Abrasive Aluminum 8' Max Length							ANSI: J30200
3" x 1-5/16"	CAL	68.15					
4" x 1-5/16"	CAL	80.45					
6" x 1-5/16"	CAL	105.35					
643S Threshold - Half Saddle Cast Abrasive Aluminum 8' Max Length							ANSI: J33230
4" x 1/2"	CAL	91.25					
5" x 1/2"	CAL	113.65					
6" x 1/2"	CAL	119.55					



Thresholds & Weatherstripping




Description	Finish	Without Insert	N	With Insert	S	V	W	Comparison Numbers
651S Threshold - Saddle for floor closers center hung without mitered end 7" x 1/2"								NGP: Type 1 Pemko: Type 11 ANSI: J39130
Up to 36"	MIL	136.55						
	DBA	152.40						
	MIB	POA						
Up to 72"	MIL	272.20						
	DBA	304.60						
	MIB	POA						
Lengths over 72" add the following per inch	MIL	2.35						
	DBA	2.95						
	MIB	POA						



652S Threshold - Saddle for floor closers center hung without mitered end 5" x 1/2"								NGP: Type 1 Pemko: Type 11 ANSI: J39130
Up to 36"	MIL	109.40						
	DBA	130.45						
	MIB	POA						
Up to 72"	MIL	222.80						
	DBA	269.95						
	MIB	POA						
Lengths over 72" add the following per inch	MIL	2.50						
	DBA	3.00						
	MIB	POA						




Thresholds & Weatherstripping



1/2" x 7"
[12,7 x 177,8]


Description	Finish	Without Insert	N	With Insert S V	W	Comparison Numbers
653S Threshold - Saddle For Floor Closers Offset hung with Mitered Ends 7" x 1/2"						NGP: Type 3 Pemko: Type 13 ANSI: J39153
Up to 36"	MIL	177.40				
	DBA	193.50				
	MIB	POA				
Up to 72"	MIL	342.75				
	DBA	368.50				
	MIB	POA				
Lengths over 72" add the following per inch	MIL	2.35				
	DBA	2.95				
	MIB	POA				
654S Threshold - Saddle For Floor Closers Offset hung with Mitered Ends 7" x 1/2"						NGP: Type 4 Pemko: Type 14 ANSI: J39153
Up to 36"	MIL	187.45				
	DBA	205.45				
	MIB	POA				
Up to 72"	MIL	373.10				
	DBA	409.30				
	MIB	POA				
Lengths over 72" add the following per inch	MIL	2.35				
	DBA	2.95				
	MIB	POA				








1/2" x 7"
[12,7 x 177,8]





Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert	S	V	W	Comparison Numbers
6555 Threshold - Saddle For Floor Closers Offset hung with Mitered Ends 7" x 1/2"								NGP: Type 5 Pemko: Type 15 ANSI: J39153
Up to 36"	MIL	225.20						
	DBA	243.35						
	MIB	POA						
Up to 72"	MIL	451.45						
	DBA	484.70						
	MIB	POA						
Lengths over 72" add the following per inch	MIL	2.35						
	DBA	2.95						
	MIB	POA						
6765 Cover Plate 8' Max. Length 1/8" Height	MIL	6.15						NGP: 818 Pemko: 18/1A ANSI: J17300
Charges: length X per foot charge X width in inches (3" min.) Example: 6 (ft. length) x \$6.15 (ft. list) x 6 (in. width)								
6775 Cover Plate 8' Max. Length 1/4" Height	MIL	9.40						NGP: 814 Pemko: 14/1A ANSI: J17300
Charges: length X per foot charge X width in inches (3" min.) Example: 6 (ft. length) x \$9.40 (ft. list) x 6 (in. width)								
7015 Weatherstrip Interlock "J" Hook	MIL	1.55						NGP: 80 Pemko: Z61 ANSI: R0Y016
	MIB	7.50						
7115 Weatherstrip Interlock w/ Vinyl	MIL					4.85		ANSI: R3D036
	DBA					6.95		
	GLD					6.50		
7135 Weatherstrip Interlock "L" Hook	MIL	2.50						NGP: 81 Pemko: 66 ANSI: R0Y036
	DBA	4.45						
	GLD	3.50						
	MIB	37.15						







Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S V W	Comparison Numbers
715S Weatherstrip Interlock	CLR DBA GLD MIB	2.50 5.00 5.00 37.15			NGP: 120 Pemko: 305 ANSI: R3Y006
717S Weatherstrip Interlock Overhead Rain Drip	MIL DBA	3.50 5.90			NGP: 124 Pemko: 336 ANSI: R3Y106
718S Weatherstrip Interlock Overhead w/ Vinyl	MIL DBA			3.55 5.65	NGP: 123 Pemko: 335 ANSI: R3D036
719 Press-on Weatherstrip Edge Sealing System & Smoke Seal Intumescent material					NGP: 9450 ANSI: ROW154
7'	Brown	35.55			
8'	Gray	39.30			
9'	Charcoal	44.15			
3' x 7'	Tan	83.20			
4' x 7'	White	87.70			
4' x 8'		97.85			
6' x 7'		97.85			
7' x 7'		102.80			
720 Press-on Weatherstrip Edge Sealing System & Smoke Seal Intumescent material					NGP: 9850 Pemko: SFG45 ANSI: ROW154
3' x 7'	Brown	71.80			
4' x 7'	Gray	76.20			
4' x 8'	Charcoal	84.30			
6' x 7'	Tan	84.30			
7' x 7'	White	88.65			
6' x 8'		92.50			
8' x 8'		100.65			




Thresholds & Weatherstripping






Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
721 Press-on Weatherstrip Smoke Seal TPE							NGP: 5020 ANSI: ROW154
7'	Brown	16.90					
8'	Gray	19.35					
9'	Charcoal	21.65					
3' x 7'	Tan	40.90					
4' x 7'	White	43.20					
4' x 8'		47.90					
6' x 7'		47.90					
7' x 7'		49.65					
722 Press-on Weatherstrip Edge Sealing System & Smoke Seal Intumescent material							Pemko: HSS2000xs88 ANSI: ROW154
3' x 7'	Charcoal	69.95					
4' x 7'	Brown	74.10					
4' x 8'	Tan	82.30					
6' x 7'	White	82.30					
7' x 7'		85.55					
6' x 8'		90.55					
8' x 8'		98.85					
724 Press-on Weatherstrip Edge Sealing System Intumescent material							NGP: 9500 ANSI: ROW156
7'	Brown	55.55					
8'	Gray	63.40					
9'	Charcoal	71.40					
3' x 7'	Tan	116.40					
4' x 8'	White	158.25					
725 Press-on Weatherstrip Sponge Neoprene	Charcoal		1.15				NGP: 362 Pemko: P493 ANSI: ROC156






Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
726 Press-on Weatherstrip Smoke Seal							NGP: 5050 Pemko: S88 ANSI: ROE154
17'	Brown			27.55			
18'	Charcoal			29.95			
19'	Tan			31.60			
20'	White			32.25			
21'				34.85			
22'				36.50			
25'				41.60			
260'				428.10			
520'				855.85			
727 Press-on Weatherstrip TPE material							NGP: PF180 Pemko: PF114PS ANSI: ROY156
7'	Charcoal	9.80					
8'		11.15					
3' x 7'		23.60					
4' x 8'		27.25					
728 Press-on Weatherstrip TPE							NGP: 5030 Pemko: S44 ANSI: R00154
17'	Charcoal			23.55			
20'	White			27.60			
21'				28.85			
25'				34.40			
260'				325.45			
520'				650.30			
729 Press-on Weatherstrip Edge Sealing System Intumescent material							NGP: 9800 Pemko: HSS2000 ANSI: ROW156
17'	Brown	32.70					
19'	Charcoal	35.10					
21'	Tan	38.25					
25'	White	45.00					
150'		262.85					






Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S V	W	Comparison Numbers
730S Automatic Door Bottom Mortise Application End Caps Furnished (max. drop 3/4")						NGP: 225 Pemko: 411 ANSI: R3Y326
24" to 36"	MIL		50.90	61.30		
37" to 48"	MIL		66.10	77.60		
734 Press-on Weatherstrip Edge Sealing System & Smoke Seal Intumescent material						NGP: 9550 ANSI: ROW154
7'	Brown	54.30				
8'	Charcoal	62.10				
9'	Tan	69.85				
3' x 7'	White	140.10				
6' x 7'		154.95				
8' x 8'		185.95				
736 Press-on Weatherstrip Smoke Seal						NGP: 2525 Pemko: PK55 ANSI: ROE154
17'	Charcoal			28.05		
18'	White			32.30		
19'	Tan			34.05		
20'				34.90		
21'				35.50		
22'				39.35		
25'				42.25		
260'				461.75		
520'				889.00		
737 Press-on Weatherstrip Smoke Seal						NGP: 5060 Pemko: S77 ANSI: ROE154
17'	Charcoal			31.80		
18'	White			33.70		
19'				35.50		
20'				37.40		
21'				39.15		
22'				41.00		
25'				46.45		
260'				396.05		
520'				731.10		









Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert	S	V	W	Comparison Numbers
738 Press-on Weatherstrip Smoke Seal								NGP: 5075 Pemko: S773 ANSI: R0E154
17'	Charcoal			40.30				
18'				42.65				
20'				47.40				
21'				49.75				
22'				52.10				
740S Automatic Door Bottom - Surface Applied End Caps Furnished (max. drop 3/4")								NGP: 222 Pemko: 4131 ANSI: R3Y336
24" to 36"	CLR		58.95	76.50				
	DBA		69.30	88.50				
	GLD		72.80	92.85				
37" to 48"	CLR		70.50	86.50				
	DBA		82.10	104.80				
	GLD		86.20	110.05				
742S Automatic Door Bottom - Hollow Metal Door Application (max. drop 1/2")								NGP: 320 Pemko: 420 ANSI: R3D326
24" to 36"	MIL			47.10				
37" to 48"	MIL			55.65				
743S Automatic Door Bottom Mortise Application End Caps Furnished (max drop 3/4")								NGP: 422 Pemko: 434 ANSI: R3C326
24" to 36"	MIL		87.40					
37" to 48"	MIL		105.45					










Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert	S	V	W	Comparison Numbers
747S Automatic Heavy Duty Door Bottom - Surface Applied End Caps Furnished in Listed Furnishes (max. drop 3/4")								NGP: 420 Pemko: 4301 ANSI: R3C336
24" to 36"	CLR		95.10					
	DBA		105.50					
	GLD		117.35					
37" to 48"	CLR		117.40					
	DBA		130.15					
	GLD		141.95					
750S Door Bottom - Sweep	CLR		4.20	5.10				NGP: 200 Pemko: 315 ANSI: R0Y436
	DBA		5.60	6.95				
	GLD		6.05	7.15				
	MIB		25.00	24.80				
	32D		29.65	29.60				
751S Door Bottom - Shoe	MIL		7.00	8.35	7.20	7.55		NGP: 117 Pemko: 317 ANSI: R0Y436
	DBA		8.50	10.15	8.95	9.25		
	GLD		9.55	10.55	9.35	9.45		
752S Door Bottom - Sweep	MIL				5.55			NGP: 102V ANSI: R3D436
	DBA				6.80			
	GLD				6.65			
753S Door Bottom - Sweep	MIL		6.25					NGP: 114 Pemko: 368 ANSI: R3B436
	DBA		7.05					
	GLD		7.50					
754S Door Bottom - Sweep	CLR		5.90					NGP: 197 Pemko: 321 ANSI: R3B436
	DBA		7.45					
	GLD		7.65					












Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
756S	MIL				2.85		NGP: 97
Door Bottom - Sweep or Astragal*	DBA				4.10		Pemko: 307
	GLD				4.35		ANSI: R3D434
*Order 2 for a set							
759S	MIL				4.40		NGP: 96
Door Bottom - Sweep	DBA				4.95		Pemko: 57
	GLD				5.25		ANSI: R3D436
Description	Finish	Without Insert	B	With Insert S	V	W	Comparison Numbers
770S	MIL	2.70	6.40		3.90		NGP: 101
Door Bottom - Sweep w/ Rain Drip	DBA	4.80	7.90		5.45		Pemko: 3452
	GLD	5.05	8.10		5.80		ANSI: R3Y534
Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
771S	MIL		10.10	10.50	9.75	9.30	NGP: 143
Astragal	DBA		11.10	11.50	10.60	11.85	Pemko: 300
							ANSI: R3Y725
772S	MIL		6.25	6.70	6.50	6.15	NGP: 116
Door Bottom - Shoe or Astragal	DBA		7.70	8.40	7.95	7.55	Pemko: 313
	GLD		8.25	8.70	8.25	7.80	ANSI: R3Y726
774S	MIL		7.55		5.05		NGP: 112
Door Bottom - Shoe or Astragal	DBA		9.40		6.05		Pemko: 209
							ANSI: R3Y725
775S	MIL				4.50		ANSI: R3C735
Door Bottom - Shoe or Astragal	DBA				6.70		











Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
776S	CLR		10.25				NGP: 14
Door Bottom - Shoe or Astragal	DBA		13.35				Pemko: 318
1-3/4" Door							ANSI: R3C735
777S	MIL		6.15		5.45		NGP: 318
Door Bottom - Shoe w/ Rain Drip	DBA		8.20		6.80		Pemko: 210
	GLD		8.65		7.25		ANSI: R3D536
778S	MIL		6.80		5.90		NGP: 319E
Door Bottom - Shoe w/ Rain Drip	DBA		9.90		8.45		Pemko: 215
	GLD		10.85		8.95		ANSI: R3D536
779S	MIL		6.05		5.25		NGP: 36
Door Bottom - Shoe	DBA		7.40		6.05		Pemko: 217
	GLD		7.75		6.40		ANSI: R3D436
780S	MIL		7.05		5.90		NGP: 35
Door Bottom - Shoe	DBA		9.30		7.70		Pemko: 222
	GLD		9.65		8.45		ANSI: R3D436
781S	MIL				4.95		Pemko: 220
Door Bottom - Shoe	DBA				6.45		ANSI: R3D436
	GLD				6.70		
782S	MIL		15.95		14.15		NGP: 36
Door Bottom - Shoe	DBA		20.45		18.80		Pemko: 221
	GLD		21.90		19.80		ANSI: R3D436
783S	MIL				5.75		NGP: 319E
Door Bottom - Shoe w/ Rain Drip	DBA				8.35		Pemko: 216
Low Profile	GLD				9.05		ANSI: R3D536
785S	MIL		2.80				NGP: 188
Jamb Weatherstrip	DBA		4.10				Pemko: 330
up to 96"	GLD		4.45				ANSI: R3D164



Thresholds & Weatherstripping









Description	Finish	B	N	With Insert S V W	Comparison Numbers
787S Garage Weatherstrip	MIL		34.15		NGP: 81369 Pemko: 196+N199 ANSI: R3D016
789S Door Bottom Rain Drip	MIL			12.70	ANSI: R3F536
	DBA			15.85	
	GLD			16.80	
800S Jamb Weatherstrip	MIL	5.15			NGP: A626A Pemko: 45041CP ANSI: R3F164
	DBA	6.65			
	GLD	7.00			
801S Door Sweep or Jamb Weatherstrip or Astragal*	MIL	6.20			NGP: D608 Pemko: 18100 ANSI: R3D434
	DBA	8.20			
	GLD	7.80			
*Order 2 for a set					
802S Door Sweep or Jamb Weatherstrip or Astragal*	MIL	4.20			NGP: B606 Pemko: 18061 ANSI: R3F164
	DBA	5.55			
	GLD	5.95			
*Order 2 for a set					
803S Jamb Weatherstrip	MIL	8.55			NGP: D620 Pemko: 45100 ANSI: R3F164
	DBA	9.95			
	GLD	10.60			
806S Door Sweep	MIL	10.75			NGP: E609 Pemko: 18137 ANSI: R3F436
	DBA	11.25			
	GLD	11.65			
808S Jamb Weatherstrip	MIL	14.10			NGP: G622 Pemko: 54175 ANSI: R3F164
	DBA	15.95			
	GLD	17.55			



04/01/2015
www.hagerco.com

Price Code: POA - Price on Application
Insert Codes: V - Vinyl; N - Neoprene, EDPM, or TPW; S - Silicone; W - Pile; B - Nylon Brush; F - Fin
Finish Codes: MIL - Mill Finished Aluminum; DBA - Dark Bronze Anodized; GLD - Gold Anodized; MIB - Mill Finished Bronze; 32D - Matte Stainless Steel; USP - Primed for Painting; CLR - Clear Anodized; CAL - Cast Aluminum








Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
810S Overhead Rain Drip	MIL	4.65					NGP: 16
	DBA	6.25					Pemko: 346
	GLD	7.00					ANSI: R3Y036
820S Jamb Weatherstrip Spring Bronze 100' Roll only	MIB	224.05					NGP: 43SB Pemko: B70C-100 ANSI: R1Y156
822S Jamb Weatherstrip Spring Bronze 8' Lengths only	MIB	7.90					NGP: 43SB Pemko: B75 ANSI: R1Y156
823S Jamb Weatherstrip Spring Bronze 8' Lengths only	MIB	1.90					Pemko: B72 ANSI: R1Y156
824S Jamb Weatherstrip Spring Bronze	MIB	2.75					ANSI: R1Y166
835S Astragal - Bar Type 10' Max length	MIL	5.50					NGP: 139
	DBA	7.05					Pemko: 357
	GLD	7.85					ANSI: R0Y636
	USP	7.45					
	32D	28.75					
836S Astragal T-Type	MIL	5.25					NGP: 176
	DBA	6.50					Pemko: 359
	GLD	6.95					ANSI: R3Y616



Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
837S	MIL		6.95	7.25	5.30	5.90	NGP: 158
Astragal T-Type	DBA		9.30	9.40	7.35	8.15	Pemko: 355
	GLD		9.70	9.75	7.80	8.65	ANSI: R3Y714
838S	MIL					4.10	NGP: 136P
Meeting Stile							Pemko: A371P
*insert not replaceable							ANSI: R3F725

Description	Finish	B	N	With Insert S	V	W	Comparison Numbers
839S	MIL	3.40					Pemko: 5041AP
Kerf-in Mortise							ANSI: R3A425
Astragal Sweep							
*Brush insert							

Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
840S	MIL					10.75	Pemko: 378
Automatic Security	DBA					15.65	ANSI: R3A636
Astragal	GLD					16.30	
96" Max. height							

844S	MIL		11.30				NGP: 148
Dome Astragal	DBA		14.30				Pemko: 378
							ANSI: R3A636








845S	MIL					14.70	NGP: 140P
Astragal - Surface Applied	DBA					18.50	Pemko: 351P
Adjustable Spring Loaded w/ Pile	GLD					19.20	ANSI: R3F834
Must also order 846 for a set.							

846S	MIL	14.70					NGP: 140P
Astragal - Surface Applied	DBA	18.50					Pemko: 351P
Adjustable Spring Loaded	GLD	19.20					ANSI: R3F834
Must also order 845 for a set							

847S	MIL					14.70	NGP: 144P
Astragal - Mortise Type Adjustable	DBA					18.50	Pemko: 354P
Spring Loaded w/ Pile	GLD					19.20	ANSI: R3F824
Must also order 848 for a set							











Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
848S	MIL	14.70					NGP: 144P
Astragal - Mortise Type Adjustable	DBA	18.50					Pemko: 354P
Spring Loaded	GLD	19.20					ANSI: R3F824
Must also order 847 for a set							
849S	MIL	35.95					NGP: 140P
Adjustable Astragals	DBA	42.30					Pemko: 351M
Magnetic	GLD	44.40					ANSI: R3L835
80" to 96" Doors only (sold as set ONLY)							
858S	MIL		16.80				NGP: 305N
Heavy Duty	DBA		20.70				Pemko: 350
Jamb Weatherstrip	GLD		21.65				ANSI: R3C264
Adjustable							
Spring loaded for stopless frames only							
859S	MIL	7.90					NGP: 159M
Magnetic	DBA	8.55					Pemko: 281M
Weatherstrip	GLD	9.40					ANSI: R3L264
860S	MIL		14.25	13.85	13.05	13.25	NGP: 106
Jamb Weatherstrip	DBA		18.15	17.45	16.65	16.75	Pemko: 322
Adjustable	GLD		18.05	18.25	17.05	17.25	ANSI: R3B264
861S	MIL		7.25				NGP: 108
Jamb Weatherstrip	DBA		8.75				Pemko: 285
	GLD		9.10				ANSI: R3C164
862S	CLR	6.05					NGP: 137
Jamb Weatherstrip	DBA	6.95					Pemko: 319
	GLD	7.65					ANSI: R3B164
863S	CLR	6.70					NGP: 138
Jamb Weatherstrip	DBA	7.95					Pemko: 292
	GLD	8.25					ANSI: R3B164
864S	CLR	11.55					NGP: 107
Jamb Weatherstrip	DBA	14.25					Pemko: 379
Adjustable	GLD	14.90					ANSI: R3C164




Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S V W	Comparison Numbers
8655 Jamb Weatherstrip Adjustable	MIL		15.80		NGP: 103N
	DBA		18.65		Pemko: 350CSR
	GLD		19.60		ANSI: R3C264
8665 Jamb Weatherstrip Adjustable Spring Loaded	MIL		16.20		NGP: 303N
	DBA		19.25		ANSI: R3C264
	GLD		20.40		
8705 Jamb Weatherstrip	CLR		3.80		NGP: 127
	DBA		5.15		Pemko: 305
	GLD		5.30		ANSI: R0C164
	MIB		23.65		NPG: 120SS
	32D		22.60		
8715 Jamb Weatherstrip	MIL		5.75		NGP: 133
	DBA		7.45		Pemko: 315
	GLD		7.65		ANSI: R3C164
8725 Door Bottom Sweep or Astragal Order 2 for set *32D and MIB are supplied with gray insert and differ from black gasket supplied with other finishes	CLR		5.30		NGP: 125
	DBA		6.25		ANSI: R0B634
	GLD		7.25		
	MIB*		47.75		
	32D*		25.20		
8735 Jamb Weatherstrip	MIL		4.10		NGP: 110
	DBA		4.75		Pemko: 332
	GLD		4.90		ANSI: R3C164
8745 Astragal/Jamb Weatherstrip	MIL		5.55		NGP: 122
	DBA		7.50		Pemko: 375
	GLD		8.10		ANSI: R3C164
	32D		32.30		
8755 Jamb Weatherstrip	CLR		4.65	6.50	NGP: 130
	DBA		5.65	8.10	Pemko: 315
	GLD		6.15	8.00	ANSI: R0Y134
	MIB		21.25	24.85	








Thresholds & Weatherstripping



Description	Finish	Without Insert	N	With Insert S	V	W	Comparison Numbers
8775 Jamb Weatherstrip	MIL		8.50				ANSI: R3C164
	DBA		12.35				
	GLD		12.90				
8785 Jamb Weatherstrip	CLR		5.55				NGP: 134
	DBA		6.35				Pemko: 321
	GLD		6.50				ANSI: R3C164
8805 Jamb Weatherstrip	MIL		4.65				NGP: 165
	DBA		5.85				Pemko: 296
	GLD		6.55				ANSI: R3C164
8815 Jamb Weatherstrip Hardware Compatible	MIL		7.50	7.60	6.45	8.40	NGP: 700E
	DBA		8.85	9.15	7.80	10.15	Pemko: 290
	GLD		9.40	10.10	8.45	10.40	ANSI: R3Y164
Description	Finish	B	N	With Insert S	V	W	Comparison Numbers
8825 Astragal, Door Sweep, Jamb Weatherstrip with Snap Cover	CLR	6.75					NGP: 170
	DBA	9.25					Pemko: 29310
	GLD	9.45					ANSI: R3Y164
8835 Door Sweep with Snap Cover	CLR	7.50					NGP: 170
	DBA	9.60					Pemko: 29310
	GLD	10.10					ANSI: R3Y164
Description	Finish	F	N	With Insert S	V	W	Comparison Numbers
8845 Astragal, Door Sweep with Snap Cover	CLR				5.65		NGP: 170
	DBA				8.25		Pemko: 29310
	GLD				8.45		ANSI: R3Y164
8855 Jamb Weatherstrip with Snap Cover	CLR	7.05	6.95	7.00	5.95	6.25	NGP: 170
	DBA	9.05	9.10	9.45	8.25	8.40	Pemko: 29310
	GLD	9.80	9.35	9.45	8.25	8.80	ANSI: R3Y164
8875 Heavy Duty Jamb Weatherstrip Adjustable	MIL		16.75				NGP: 1038N
	DBA		19.10				Pemko: 322CSN
	GLD		20.40				ANSI: R3C164



Thresholds & Weatherstripping



Description	Finish	With Insert					Comparison Numbers
		F	N	S	V	W	
8905 Jamb Weatherstrip	MIL		2.50	2.80	1.55		NGP: 152
	DBA		3.75	4.45	3.00		Pemko: 316
	GLD		3.85	4.60	3.20		ANSI: R3Y164
8915 Jamb Weatherstrip	MIL	2.95	3.20	3.15	1.85		NGP: 155
	DBA	3.75	4.75	4.95	3.10		Pemko: 303
	GLD	3.85	5.00	5.30	3.20		ANSI: R3Y164
8925 Jamb Weatherstrip Insert: Gray Neoprene	MIL		2.95				NGP: 190
	DBA		3.90				Pemko: 294
	GLD		4.10				ANSI: R3B164
8935 Jamb Weatherstrip	MIL					2.95	NGP: A605
	DBA					4.30	Pemko: 309
	GLD					4.50	ANSI: R3F164
8965 Jamb Weatherstrip	MIL		3.00	2.80	1.40		NGP: 156
	DBA		4.60	4.35	2.80		Pemko: 297
	GLD		4.65	4.45	3.10		ANSI: R3Y164



Thresholds & Weatherstripping - Stock Numbers

Thresholds		404S 96" MIL	053016
400S 36" DBA VINYL	057047	406S 36" MIL	051431
401S 36" DBA	069704	406S 72" GLD	025728
401S 36" MIB	065336	406S 72" MIL	051434
401S 36" MIL	051003	407S 36" DBA	069696
401S 48" MIB	020273	407S 36" GLD	022070
401S 72" SCA	134225	407S 36" MIL	051435
402S 36" MIL	051415	407S 48" MIL	051436
403S 36" US3	055207	407S 72" GLD	082336
403S 36" US32D	031227	407S 96" MIL	077245
403S 36" US9	073874	410S 36" DBA	058997
403S 36" DBA	054097	410S 36" MIB	063300
403S 36" LBA	002372	410S 36" MIL	051009
403S 36" MIB	063201	410S 48" DBA	061578
403S 36" MIL	051829	410S 48" MIL	051011
403S 36" SCA	007258	410S 72" DBA	061579
403S 48" US10B	046127	410S 72" GLD	038946
403S 48" US3	055216	410S 72" MIB	059484
403S 48" US32D	004453	410S 72" MIL	051013
403S 48" MIL	051420	410S 96" MIL	056399
403S 72" US32D	037064	411S 36" BLA	081343
403S 72" DBA	054098	411S 36" MIB	030827
403S 72" MIB	062857	411S 36" MIL	051015
404S 36" US3	066258	411S 72" MIB	030828
404S 36" US32D	029919	412S 36" US32D	030454
404S 36" DBA	053510	412S 36" US32D NH	001776
404S 36" MIB	016041	412S 36" DBA	053693
404S 36" MIL	051423	412S 36" GLD	053738
404S 48" US32D	029920	412S 36" MIL	051021
404S 48" DBA	058788	412S 36" SCA	055441
404S 48" MIL	051424	412S 36" SCB	017067
404S 72" US3	066324	412S 48" US10B	040516
404S 72" US32D	031159	412S 48" US32D	033440
404S 72" MIL	051426	412S 48" DBA	054063
404S 96" US32D	079828	412S 48" MIL	051023
		412S 48" SCA	074258
		412S 72" US32D	030457
		412S 72" DBA	053067



Thresholds & Weatherstripping - Stock Numbers

412S 72" GLD	063301	415S 48" SCA	066494
412S 72" MIL	051025	415S 72" US9	074543
412S 72" SCA	060167	415S 72" MIB	054640
412S 72" SCB	129267	415S 72" MIL	051037
412S 96" US32D	090042	416S 36" DBA	060723
412S 96" GLD	055211	416S 36" GLD	081665
412S 96" MIL	052764	416S 36" MIB	053151
413S 36" US3	052029	416S 36" MIL	051051
413S 36" US32D	025717	416S 36" SCA	090216
413S 36" DBA	015900	416S 48" DBA	063049
413S 36" MIB	065335	416S 48" MIB	026002
413S 36" MIL	051027	416S 48" MIL	051053
413S 48" US32D	039101	416S 72" EBRP	061273
413S 48" DBA	065227	416S 72" DBA	016047
413S 48" MIB	075840	416S 72" MIB	053150
413S 48" MIL	051029	416S 72" MIL	051055
413S 72" US3	052031	416S 96" MIB	000079
413S 72" US32D	023441	416S 96" MIL	052960
413S 72" DBA	054295	417S 36" US9	066359
413S 72" MIL	051031	417S 36" DBA	059553
413S 72" MIB	065600	417S 36" MIB	079232
413S 96" US3	052032	417S 36" MIL	056494
413S 96" MIB	000396	417S 36" SCA	058889
413S 96" MIL	054157	417S 48" DBA	024802
414S 36" DBA	000955	417S 48" MIB	089813
414S 36" MIL	051451	417S 48" MIL	057023
414S 72" DBA	117097	417S 72" DBA	075007
415S 36" US3	047179	417S 72" MIB	074429
415S 36" DBA	057305	417S 72" MIL	057024
415S 36" MIB	056249	417S 96" MIL	060172
415S 36" MIL	051033	418S 36" US10B	031199
415S 36" SCA	071687	418S 36" MIB	061328
415S 48" DBA	023733	418S 36" MIL	056495
415S 48" MIB	069856	418S 48" MIB	051530
415S 48" MIL	051035	418S 48" MIL	062685
		418S 72" US3	048580
		418S 72" MIB	081511
		418S 72" MIL	059607



Thresholds & Weatherstripping - Stock Numbers

418S 96" MIL	066488	430S 36" MIL	062855
419S 36" MIL	056496	430S 48" MIL	088799
419S 48" DBA	108927	430S 72" DBA	095313
420S 36" MIL	061332	430S 72" MIL	070161
420S 48" MIL	030506	430S 72" SCA	084515
420S 72" MIL	073999	431S 36" DBA	070641
421S 36" MIL	059872	431S 36" GLD	048973
421S 72" DBA	068739	431S 36" MIB	053331
421S 72" MIL	064918	431S 36" MIL	051455
422S 36" MIL	064486	431S 48" DBA	078959
422S 48" MIL	085099	431S 48" MIL	051456
422S 72" MIL	064485	431S 72" DBA	055522
423S 72" MIL	082531	431S 72" GLD	066756
424S 36" MIL	066013	431S 72" MIB	067194
424S 48" MIL	095418	431S 72" MIL	051458
426S 36" DBA	002015	431S 96" MIL	096450
426S 36" MIL	061695	432S 36" BLA	095183
426S 48" MIL	077225	432S 36" DBA	059786
426S 72" MIL	064254	432S 36" MIL	053172
426S 96" MIL	064253	432S 48" US10B	095706
427S 36" MIL	061190	432S 48" MIL	062853
427S 48" MIL	061133	432S 72" US10B	095703
427S 72" MIL	061125	432S 72" BLA	095185
427S 96" DBA	134871	432S 72" DBA	057872
428S 36" MIB	134160	432S 72" MIB	055335
428S 36" MIL	069001	432S 72" MIL	053822
428S 48" MIL	030450	433S 36" DBA	054825
428S 72" DBA	066973	433S 36" GLD	058459
428S 72" MIL	059870	433S 36" MIL	051463
428S 96" DBA	021942	433S 48" MIL	051464
428S 96" MIB	021256	433S 72" DBA	063629
429S 36" MIL	019980	433S 72" GLD	062034
429S 48" MIL	069129	433S 72" MIB	082680
429S 72" DBA	078744	433S 72" MIL	051466
429S 72" MIL	069130	434S 36" MIL	052038
		434S 36" MIL NEOPRENE	026655
		434S 36" MIL SILICONE	031084
		434S 36" MIL VINYL	056329



Thresholds & Weatherstripping - Stock Numbers

435S 36" GLD	106702	448S 96" MIL	066757
435S 36" MIL NEOPRENE	028335	448S 96" MIL NH	139421
435S 72" MIL NEOPRENE	080550	450S 36" GLD	131762
435S 36" MIL VINYL	056497	450S 36" MIB	023360
435S 72" MIL VINYL	056644	450S 48" MIB	069674
436S 36" DBA	038944	450S 48" MIL	051473
436S 36" MIL	027686	450S 72" GLD	060490
436S 48" DBA	093704	450S 96" MIL	012758
436S 48" GLD	089938	451S 48" MIL	098765
436S 48" MIL	023620	451S 72" MIB	114897
436S 72" DBA	075861	451S 72" MIL	073016
436S 72" MIL	032198	452S 72" MIL	092409
436S 96" MIL	054106	455S 36" MIB	034908
438S 36" DBA	046790	455S 72" GLD	031990
438S 36" GLD	048227	455S 72" MIB	079303
438S 36" MIL	013799	455S 96" MIL	070042
438S 72" DBA	045585	460S 36" MIB	044822
438S 72" GLD	078454	460S 72" MIB	005291
440S 36" MIB	065069	460S 72" MIL	051483
440S 72" GLD	140089	460S 96" MIL	075035
440S 72" MIB	140048	465S 72" MIL	051488
442S 36" MIL	065007	470S 36" MIB	044823
442S 36" SCA	071626	470S 36" MIL	051492
442S 48" MIL	063483	470S 72" GLD	062275
442S 72" MIL	086139	470S 72" MIB	005297
443S 36" MIL	065346	470S 72" MIL	051494
444S 36" MIL	089632	475S 36" MIL	036158
444S 48" MIL	094554	475S 72" MIL	024276
445S 72" MIL	051471	477S 48" DBA	144656
445S 96" MIL	062261	477S 36" BLA NEOPRENE	072390
448S 36" DBA	117092	477S 48" MIL NEOPRENE	025060
448S 36" MIL	038781	477S 36" MIL VINYL	089975
448S 48" MIL	111712	477S 48" DBA VINYL	021980
448S 72" DBA	130861	477S 48" MIL VINYL	017278
448S 72" MIL	037440	477S 72" MIL VINYL	094703
		478S 36" MIL	144368
		478S 36" GLD SILICONE	088825
		480S 36" MIL	051495



Thresholds & Weatherstripping - Stock Numbers

480S 48" DBA	101556	504S 72" MIL	056390
480S 48" MIL	051496	505S 36" MIL	051542
480S 72" MIL	062474	506S 36" BLA	052729
481S 36" MIL NEOPRENE	055791	506S 36" MIL	054719
481S 48" MIL NEOPRENE	076605	506S 72" BLA	016492
481S 72" MIL NEOPRENE	055980	507S 36" MIL	039628
481S 36" MIL SILICONE	072476	508S 36" DBA	020721
481S 36" DBA VINYL	006126	508S 36" MIL	034315
481S 36" MIL VINYL	056073	508S 96" DBA	110506
481S 48" DBA VINYL	063958	515S 36" MIL PILE	026369
481S 48" MIL VINYL	051940	516S 36" MIL	124421
481S 72" DBA VINYL	050881	516S 72" MIL	128226
481S 72" MIL VINYL	054902	516S 36" MIL NEOPRENE	034721
483S 36" MIL	051503	516S 36" MIL SILICONE	064022
483S 48" DBA	066015	516S 36" MIL VINYL	033033
483S 72" DBA	004948	516S 72" MIL VINYL	034574
483S 72" MIL	001734	517S 72" MIL NEOPRENE	013993
484S 36" DBA	079872	517S 72" GLD VINYL	133469
484S 36" MIB	023355	518S 48" GLD VINYL	055794
484S 36" MIL	051516	518S 72" GLD VINYL	138533
484S 48" DBA	050841	520S 36" MIL	033055
484S 48" MIL	051517	520S 72" MIL	051539
484S 72" DBA	050882	520S 36" US10B NEOPRENE	029314
484S 72" MIB	066078	520S 36" US10B NEOPRENE NH	029318
484S 72" MIL	051519	520S 36" MIB NEOPRENE	003933
484S 96" MIL	088497	520S 36" MIL NEOPRENE	054613
490S 36" MIL	028681	520S 48" MIL NEOPRENE	056182
490S 72" MIL	028683	520S 72" US10B NEOPRENE	029312
492S 36" MIL	032347	520S 72" US10B NEOPRENE NH	029315
500S 36" DBA	084230	520S 72" MIL NEOPRENE	055935
500S 36" GLD	067584	520S 72" SCA NEOPRENE	046841
500S 72" GLD	058478	520S 36" US32D SILICONE	107239
501S 36" MIL	051524	520S 36" MIB SILICONE	016393
501S 72" MIL	050921	520S 36" MIL SILICONE	064059
504S 36" MIL	051534	520S 48" MIL SILICONE	080333
		520S 72" US32D SILICONE	053973
		520S 72" MIB SILICONE	081540
		520S 72" MIL SILICONE	064061



Thresholds & Weatherstripping - Stock Numbers

520S 36" DBA VINYL	054218	541S 36" DBA VINYL	053658
520S 36" MIB VINYL	067031	541S 36" MIB VINYL	000966
520S 36" MIL VINYL	051061	541S 36" MIL VINYL	051068
520S 36" SCA VINYL	001850	541S 48" CLR VINYL	095382
520S 36" SCB VINYL	120773	541S 48" MIL VINYL	051070
520S 48" DBA VINYL	079046	541S 72" MIB VINYL	000967
520S 48" MIB VINYL	024736	541S 72" MIL VINYL	051074
520S 48" MIL VINYL	051062	541S 36" MIB PILE	090733
520S 72" DBA VINYL	054454	541S 72" MIB PILE	090736
520S 72" MIL VINYL	051066	552S 36" MIB SILICONE	076183
520S 72" SCA VINYL	017347	552S 48" MIB SILICONE	121791
520S 72" SCB VINYL	120774	552S 36" 32D VINYL	108523
520S 96" MIL VINYL	057442	552S 36" MIL VINYL	051568
521S 36" MIL	048591	552S 48" MIL VINYL	051569
531S 72" MIL VINYL	019675	552S 96" MIL VINYL	057479
532S 36" MIL	051548	560S 36" MIL VINYL	051076
532S 36" DBA NEOPRENE	071073	560S 36" MIL VINYL NH	008752
532S 36" MIL SILICONE	073124	560S 48" MIL VINYL	051078
532S 72" MIB SILICONE	048686	560S 48" MIL VINYL NH	012801
532S 72" MIL SILICONE	054919	560S 72" MIL VINYL	051082
532S 36" US32D VINYL	107563	560S 72" MIL VINYL NH	009223
532S 36" MIB VINYL	080264	565S 36" SCA NEOPRENE	145379
532S 36" MIL VINYL	051552	565S 48" MIL NEOPRENE	008593
532S 48" MIL VINYL	051830	565S 48" SCA NEOPRENE	145380
532S 72" VINYL	062282	565S 36" MIL VINYL	057025
532S 72" MIL VINYL	051555	565S 36" SCA VINYL	137796
532S 96" MIL VINYL	053837	565S 48" SCA VINYL	137797
541S 36" 10B NEOPRENE	078694	566S 72" MIL VINYL	017021
541S 36" MIL NEOPRENE	054211	570S 36" MIL VINYL	054682
541S 48" 10B NEOPRENE	078680	572S 36" DBA	025594
541S 48" DBA NEOPRENE	000896	572S 72" MIL	030908
541S 48" MIL NEOPRENE	054059	575S 36" DBA VINYL	052358
541S 72" MIB NEOPRENE	055086	575S 36" MIL VINYL	051084
541S 72" MIL NEOPRENE	054060	575S 48" MIL VINYL	051086
541S 36" CLR VINYL	095393	575S 72" MIL VINYL	051090
		575S 96" MIL VINYL	052982
		580S 36" MIL VINYL	021041
		599S 48" DBA VINYL	134849



Thresholds & Weatherstripping - Stock Numbers

600S 36" MIL	051584	604S 72" MIL	063979
600S 48" MIL	022772	604S 72" SCA	094430
602S 36" DBA	099532	604S 96" MIL	062565
602S 36" MIB	076586	606S 36" MIB	133342
602S 36" MIL	051588	606S 72" MIB	133649
602S 36" SCA	062728	606S 96" MIB	133340
602S 48" US3	099576	608S 36" US3	051218
602S 48" DBA	091724	608S 36" MIB	026016
602S 48" MIB	079817	608S 36" MIL	006863
602S 48" MIL	051589	608S 48" MIL	106173
602S 72" DBA	031603	608S 72" US3	051219
602S 72" MIB	098820	608S 72" DBA	083909
602S 72" MIL	007924	608S 72" MIL	065732
602S 96" DBA	019819	608S 96" DBA	118427
602S 96" MIB	067002	608S 96" MIL	094020
602S 96" MIL	095471	611S 36" MIL	028678
603S 36" US10B	076299	611S 72" MIL	028679
603S 36" US3	104453	612S 36" US3	055085
603S 36" DBA	078404	612S 36" DBA	068418
603S 36" MIB	044651	612S 36" GLD	034953
603S 36" MIL	051590	612S 36" MIB	043816
603S 48" MIB	075536	612S 36" MIL	002098
603S 48" MIL	051591	612S 48" DBA	097784
603S 72" DBA	098807	612S 48" MIB	043764
603S 72" MIB	041237	612S 48" MIL	049253
604S 36" DBA	053623	612S 72" GLD	034940
604S 36" MIB	054606	612S 72" MIB	043626
604S 36" MIL	051592	612S 72" MIL	035799
604S 36" SCA	071847	859S 36" DBA	021458
604S 48" DBA	074415	859S 36" MIL	031358
604S 48" MIB	038861	870S 96" MIB NEOPRENE	038660
604S 48" MIL	051593		
604S 72" US3	048329		
604S 72" DBA	068183		
604S 72" MIB	048395		

Press-On Weatherstripping

726B 204" BROWN	108247
726B 216" BROWN	141854
726B 240" BROWN	110396
726B 252" BROWN	103765
726B 300" BROWN	137455



Thresholds & Weatherstripping - Stock Numbers

726S 204" CHARCOAL	052216	729S 252" BLACK	068776
726S 216" CHARCOAL	052583	729S 300" BLACK	068777
726S 240" CHARCOAL	052217	729T 204" TAN	082927
726S 252" CHARCOAL	052437	729T 240" TAN	103218
726S 260-FT CHARCOAL	053002	729T 252" TAN	021429
726S 264" CHARCOAL	052582	729T 300" TAN	082930
726S 300" CHARCOAL	052737	729W 204" WHITE	024763
726S 520-FT CHARCOAL	053070	729W 252" WHITE	027429
726T 204" TAN	068315	729W 300" WHITE	027430
726T 240" TAN	068312	736S 204" CHARCOAL	089698
726T 252" TAN	139885	736S 216" CHARCOAL	093251
726W 204" WHITE	054222	736S 240" CHARCOAL	096054
726W 216" WHITE	054799	736S 252" CHARCOAL	096055
726W 240" WHITE	054223	736S 260-FT CHARCOAL	095015
726W 252" WHITE	054224	736S 264" CHARCOAL	098132
726W 260-FT WHITE	054226	736S 300" CHARCOAL	090886
726W 264" WHITE	060177	736S 520-FT CHARCOAL	095014
726W 300" WHITE	054225	736T 204" TAN	018642
726W 520-FT WHITE	054227	736T 252" TAN	018641
728S 204" CHARCOAL	048276	736W 204" WHITE	096056
728S 216" CHARCOAL	051094	736W 216" WHITE	098957
728S 240" CHARCOAL	049528	736W 240" WHITE	096057
728S 252" CHARCOAL	061881	736W 252" WHITE	096088
728S 260-FT CHARCOAL	047334	736W 260-FT WHITE	095017
728S 264" CHARCOAL	061882	736W 264" WHITE	046032
728S 300" CHARCOAL	064421	736W 300" WHITE	096033
728S 520-FT CHARCOAL	002601	736W 520-FT WHITE	095016
728W 204" WHITE	050505	737S 204" CHARCOAL	035450
728W 240" WHITE	056601	737S 216" CHARCOAL	035449
728W 300" WHITE	074080	737S 240" CHARCOAL	035447
729B 204" BROWN	045920	737S 252" CHARCOAL	035422
729B 216" BROWN	055100	737S 260-FT CHARCOAL	035383
729B 252" BROWN	046133	737S 264" CHARCOAL	035393
729B 300" BROWN	079208	737S 300" CHARCOAL	035392
729S 204" BLACK	015885	737S 520-FT CHARCOAL	035382
		737W 204" WHITE	035381
		737W 216" WHITE	035380
		737W 240" WHITE	035358



Thresholds & Weatherstripping - Stock Numbers

737W 252" WHITE	035346	719W 72" x 84" WHITE	082487
737W 260' WHITE	035342	719W 84" WHITE	082517
737W 264" WHITE	035345	719W 84" x 84" WHITE	082490
737W 300" WHITE	035344	719W 96" WHITE	082518
737W 520' WHITE	035325	719W 108" WHITE	082519
719B 36" x 84" BROWN	082481	720B 36" x 84" BROWN FLEX INTUMECENT SINGLE WING	107435
719B 48" x 84" BROWN	085139	720B 48" X 84" BROWN FLEX INTUMESCENT SINGLE WING	107433
719B 72" x 84" BROWN	082483	720B 72" X 84" BROWN FLEX INTUMESCENT SINGLE WING	107434
719B 84" BROWN	082511	720B 84" x 84" BROWN FLEX INTUMECENT SINGLE WING	112842
719B 84" x 84" BROWN	082484	720G 36" x 84" GREY FLEX INTUMECENT SINGLE WING	112844
719B 96" BROWN	082514	720G 48" x 84" GREY FLEX INTUMECENT SINGLE WING	112846
719B 108" BROWN	082515	720S 36" x 84" CHARCOAL FLEX INTUM SINGLE WING	105952
719G 36" x 84" GREY	082498	720S 48" X 84" CHARCOAL FLEX INTUM SINGLE WING	105953
719G 48" x 84" GREY	085140	720S 72" X 84" CHARCOAL FLEX INTUM SINGLE WING	105954
719G 72" x 84" GREY	082502	720S 84" x 84" CHARCOAL FLEX INTUM SINGLE WING	105955
719G 84" GREY	082527	720S 96" X 96" CHARCOAL FLEX INTUM SINGLE WING	118211
719G 84" x 84" GREY	082503	720T 36" x 84" TAN FLEX INTUMECENT SINGLE WING	112851
719G 96" GREY	082530	720T 48" x 84" TAN FLEX INTUMECENT SINGLE WING	112853
719G 108" GREY	082532	720W 36" x 84" WHITE FLEX INTUMECENT SINGLE WING	112855
719S 36" x 84" CHARCOAL	082491	720W 48" x 84" WHITE FLEX INTUMECENT SINGLE WING	136649
719S 48" X 84" CHARCOAL	085084	720W 72" x 84" WHITE FLEX INTUMECENT SINGLE WING	136650
719S 72" x 84" CHARCOAL	082494	720W 84" x 84" WHITE FLEX INTUMECENT SINGLE WING	112857
719S 84" CHARCOAL	082522	721B 36" x 84" BROWN	029485
719S 84" x 84" CHARCOAL	082496	721B 48" x 84" BROWN	029488
719S 96" CHARCOAL	082524	721B 72" x 84" BROWN	029491
719S 108" CHARCOAL	082525	721B 84" BROWN	047510
719T 36" x 84" TAN	082504		
719T 48" x 84" TAN	085141		
719T 72" x 84" TAN	082507		
719T 84" TAN	082534		
719T 84" x 84" TAN	082506		
719T 96" TAN	082535		
719T 108" TAN	082538		
719W 36" x 84" WHITE	082485		
719W 48" x 84" WHITE	085144		



Thresholds & Weatherstripping - Stock Numbers

721B 84" x 84" BROWN	143529	722S 48" x 84" CHARCOAL	087063
721B 96" BROWN	047517	722S 72" x 84" CHARCOAL	087055
721B 108" BROWN	047518	722S 84" x 84" CHARCOAL	087054
721G 36" x 84" GREY	013457	722S 96" x 96" CHARCOAL	087005
721G 48" x 84" GREY	108615	722T 36" x 84" TAN	086777
721G 72" x 84" GREY	089314	722T 48" x 84" TAN	086775
721G 84" GREY	087654	722T 72" x 84" TAN	086754
721G 96" GREY	087652	722T 84" x 84" TAN	086752
721S 36" x 84" BLACK	029493	722T 96" x 96" TAN	086745
721S 48" x 84" BLACK	029494	722W 36" x 84" WHITE	086996
721S 72" x 84" BLACK	029496	722W 48" x 84" WHITE	086993
721S 84" BLACK	081187	722W 72" x 84" WHITE	086972
721S 84" x 84" BLACK	000002	722W 84" x 84" WHITE	086969
721S 96" BLACK	081186	722W 96" x 96" WHITE	086966
721S 96" x 96" BLACK	142009	724B 36" x 84" BROWN	047696
721S 108" BLACK	081735	724B 48" x 84" BROWN	138515
721T 36" x 84" TAN	029513	724B 72" x 84" BROWN	086997
721T 48" x 84" TAN	029515	724B 84" BROWN	047527
721T 72" x 84" TAN	029518	724B 96" BROWN	047528
721T 84" TAN	097047	724B 108" BROWN	047530
721T 96" TAN	062335	724G 36" X 84" GREY	096307
721T 108" TAN	123704	724G 48" X 84" GREY	047045
721W 36" x 84" WHITE	029520	724G 72" X 84" GREY	096358
721W 48" x 84" WHITE	029521	724G 84" GREY	089146
721W 72" x 84" WHITE	029523	724G 96" GREY	093403
721W 84" WHITE	059248	724S 36" x 84" CHARCOAL	089572
721W 84" x 84" WHITE	074859	724S 84" CHARCOAL	061283
721W 96" WHITE	059123	724S 84" x 84" CHARCOAL	109589
721W 108" WHITE	059122	724S 96" CHARCOAL	000241
722B 36" x 84" BROWN	086961	724S 108" CHARCOAL	014723
722B 48" x 84" BROWN	086929	724T 84" TAN	051666
722B 72" x 84" BROWN	086793	724T 96" TAN	051682
722B 84" x 84" BROWN	086791	724W 84" WHITE	033732
722B 96" x 96" BROWN	086780	724W 96" WHITE	107109
722S 36" x 84" CHARCOAL	087124	727S 36" x 84" CHARCOAL	051140
		727S 72" x 84" CHARCOAL	054064
		727S 84" CHARCOAL	051139
		727S 96" CHARCOAL	053646



Thresholds & Weatherstripping - Stock Numbers

734S 36" X 84" BROWN	026246	740S 36" CLR NEOPRENE	055452
734B 72" X 84" BROWN	026201	740S 36" DBA NEOPRENE	052434
734B 84" BROWN	026247	740S 36" GLD NEOPRENE	057701
734B 96" BROWN	026244	740S 42" CLR NEOPRENE	085096
734B 96" X 96" BROWN	026200	740S 42" DBA NEOPRENE	059866
734B 108" BROWN	026211	740S 42" GLD NEOPRENE	074922
734G 36" X 84" GREY	026193	740S 48" NEOPRENE	080708
734G 72" X 84" GREY	026189	740S 48" CLR NEOPRENE	087513
734G 84" GREY	026198	740S 48" DBA NEOPRENE	052435
734G 96" GREY	026197	740S 48" GLD NEOPRENE	066177
734G 96" X 96" GREY	026188	740S 36" CLR SILICONE	068926
734G 108" GREY	026194	740S 42" US32D SILICONE	017715
734S 36" X 84" BLACK	026327	740S 42" CLR SILICONE	069035
734S 72" X 84" BLACK	026322	740S 48" US32D SILICONE	027269
734S 84" BLACK	026357	740S 48" CLR SILICONE	068927
734S 96" BLACK	026330	742S 36" MIL NEOPRENE	054065
734S 96" X 96" BLACK	026321	742S 42" MIL NEOPRENE	061380
734S 108" BLACK	026329	742S 48" MIL NEOPRENE	000739
734T 36" X 84" TAN	026171	742S 36" MIL VINYL	053529
734T 72" X 84" TAN	026145	742S 42" MIL VINYL	058976
734T 84" TAN	026187	742S 48" MIL VINYL	053865
734T 96" X 96" TAN	026142	743S 36" MIL NEOPRENE	052842
734T 108" TAN	026172	743S 42" MIL NEOPRENE	056039
725S 84" NEOPRENE	060206	743S 48" MIL NEOPRENE	053078
725S 96" NEOPRENE	060504	747S 36" CLR NEOPRENE	053563
		747S 36" DBA NEOPRENE	053781
		747S 36" GLD NEOPRENE	016063
		747S 42" CLR NEOPRENE	087210
		747S 42" DBA NEOPRENE	057863
		747S 48" CLR NEOPRENE	084717
		747S 48" DBA NEOPRENE	053735
		747S 48" GLD NEOPRENE	058145
Auto-Door Bottoms		Door Bottoms & Sweeps	
730S 36" MIL NEOPRENE	072966	750S 36" US10B NEOPRENE	010703
730S 36" MIL NEOPRENE	051857	750S 36" US32D NEOPRENE	023937
730S 42" MIL NEOPRENE	054841	750S 36" CLR NEOPRENE	053564
730S 48" MIL NEOPRENE	051390	750S 36" DBA NEOPRENE	053069
730S 36" MIL SILICONE	046487		
730S 42" MIL SILICONE	034849		
730S 48" MIL SILICONE	087236		
740S 36" NEOPRENE	076463		



Thresholds & Weatherstripping - Stock Numbers

750S 36" GLD NEOPRENE	052905	753S 42" MIL NEOPRENE	067110
750S 42" US32D NEOPRENE	037601	753S 48" MIL NEOPRENE	051338
750S 42" CLR NEOPRENE	053565	754S 36" CLR NEOPRENE	083440
750S 42" DBA NEOPRENE	064869	754S 36" DBA NEOPRENE	052427
750S 42" GLD NEOPRENE	071669	754S 42" CLR NEOPRENE	083370
750S 48" US3 NEOPRENE	054200	754S 42" DBA NEOPRENE	005796
750S 48" US32D NEOPRENE	076771	754S 48" CLR NEOPRENE	083372
750S 48" CLR NEOPRENE	057658	756S 36" DBA VINYL	054378
750S 48" DBA NEOPRENE	053013	756S 36" GLD VINYL	058375
750S 48" GLD NEOPRENE	058143	756S 36" MIL VINYL	052010
750S 36" US32D SILICONE	040289	756S 42" MIL VINYL	061396
750S 36" CLR SILICONE	043444	756S 48" DBA VINYL	055418
750S 36" DBA SILICONE	006348	756S 48" MIL VINYL	052011
750S 36" MIB SILICONE	020948	759S 36" DBA VINYL	027134
750S 42" US32D SILICONE	095058	759S 36" GLD VINYL	066852
750S 42" MIB SILICONE	018436	759S 36" MIL VINYL	060170
750S 48" US32D SILICONE	055864	759S 42" DBA VINYL	027167
750S 48" CLR SILICONE	070213	759S 42" GLD VINYL	104864
750S 48" MIB SILICONE	020951	759S 42" MIL VINYL	036002
751S 36" DBA NEOPRENE	054176	759S 48" DBA VINYL	066858
751S 36" MIL NEOPRENE	054067	759S 48" GLD VINYL	093917
751S 36" DBA VINYL	073725	759S 48" MIL VINYL	032110
752S 36" DBA VINYL	015097	770S 36" MIL	051349
752S 36" GLD VINYL	057972	770S 36" DBA BRUSH	065591
752S 36" MIL VINYL	061376	770S 36" GLD BRUSH	040794
752S 42" DBA VINYL	027712	770S 36" MIL BRUSH	061333
752S 42" GLD VINYL	088346	770S 42" DBA BRUSH	065066
752S 42" MIL VINYL	067894	770S 42" MIL BRUSH	033809
752S 48" DBA VINYL	040624	770S 48" DBA BRUSH	046311
752S 48" GLD VINYL	039647	770S 48" MIL BRUSH	084855
752S 48" MIL VINYL	007958	770S 36" VINYL	075567
752S 48" MIL VINYL TEK	078452	770S 36" DBA VINYL	057644
753S 36" DBA NEOPRENE	061082	770S 36" GLD VINYL	055454
753S 36" GLD NEOPRENE	077227	770S 36" MIL VINYL	054681
753S 36" MIL NEOPRENE	051337	770S 36" WHP VINYL	048479
		770S 42" GLD VINYL	016288
		770S 42" MIL VINYL	067931
		770S 48" DBA VINYL	070746



Thresholds & Weatherstripping - Stock Numbers

770S 48" GLD VINYL	038496	778S 48" MIL VINYL	051366
770S 48" MIL VINYL	063484	779S 36" DBA NEOPRENE	022886
772S 36" MIL NEOPRENE	062461	779S 36" MIL NEOPRENE	025961
772S 48" DBA NEOPRENE	016372	779S 42" MIL NEOPRENE	035071
772S 36" MIL VINYL	051353	779S 48" MIL NEOPRENE	026920
772S 42" DBA VINYL	020595	779S 36" DBA VINYL	057067
772S 42" MIL VINYL	020590	779S 36" GLD VINYL	066396
772S 48" DBA VINYL	082218	779S 36" LBA VINYL	062297
772S 36" MIL PILE	051355	779S 36" MIL VINYL	054773
772S 48" MIL PILE	051356	779S 42" DBA VINYL	021025
774S 36" NEOPRENE	062304	779S 42" GLD VINYL	068655
774S 36" DBA NEOPRENE	064438	779S 42" MIL VINYL	058978
774S 36" MIL NEOPRENE	051357	779S 48" DBA VINYL	012715
774S 48" MIL NEOPRENE	051358	779S 48" GLD VINYL	032823
774S 36" MIL VINYL	051359	779S 48" MIL VINYL	057028
774S 48" DBA VINYL	061377	780S 36" MIL NEOPRENE	027342
774S 48" MIL VINYL	051360	780S 48" MIL NEOPRENE	029354
775S 36" MIL VINYL	080884	780S 36" DBA VINYL	059252
776S 42" CLR NEOPRENE	094490	780S 36" GLD VINYL	086619
777S 36" DBA NEOPRENE	035004	780S 36" MIL VINYL	054821
777S 36" MIL NEOPRENE	027008	780S 42" DBA VINYL	053662
777S 36" DBA VINYL	054611	780S 42" MIL VINYL	065433
777S 36" MIL VINYL	051363	780S 48" DBA VINYL	071002
778S 36" DBA NEOPRENE	015955	780S 48" MIL VINYL	055420
778S 36" MIL NEOPRENE	015977	781S 36" DBA VINYL	084580
778S 48" DBA NEOPRENE	058254	781S 36" GLD VINYL	097543
778S 36" VINYL	062294	781S 36" MIL VINYL	056499
778S 36" DBA VINYL	053780	781S 48" GLD VINYL	063709
778S 36" GLD VINYL	055193	781S 48" MIL VINYL	057029
778S 36" MIL VINYL	051365	782S 36" BLA NEOPRENE	081341
778S 42" DBA VINYL	054862	782S 36" DBA NEOPRENE	048578
778S 42" GLD VINYL	062642	782S 36" MIL NEOPRENE	032350
778S 42" MIL VINYL	059750	782S 42" GLD NEOPRENE	044501
778S 48" VINYL	062641	782S 48" MIL NEOPRENE	032330
778S 48" DBA VINYL	054896	782S 36" VINYL	005870
		782S 36" DBA VINYL	034338
		782S 36" GLD VINYL	039678
		782S 36" MIL VINYL	022288



Thresholds & Weatherstripping - Stock Numbers

782S 36" WHP VINYL	106288	872S 36" MIB NEOPRENE	022021
782S 42" DBA VINYL	014122	872S 42" US32D NEOPRENE	086947
782S 42" MIL VINYL	054861	872S 48" US32D NEOPRENE	142033
782S 48" MIL VINYL	034603		
783S 36" MIL	115282	Jamb Weatherstripping	
783S 36" GLD VINYL	098197	785S 36" MIL NEOPRENE	120166
783S 36" MIL VINYL	037956	785S 36" x 84" MIL NEOPRENE	120162
783S 48" MIL VINYL	037965	785S 36" x 96" GLD NEOPRENE	120178
787S 36" MIL NEOPRENE	055268	785S 36" x 96" MIL NEOPRENE	122126
789S 36" BLA PILE	037433	785S 48" DBA NEOPRENE	122470
789S 36" DBA PILE	044987	785S 72" x 84" DBA NEOPRENE	120174
789S 36" GLD PILE	032351	785S 72" x 84" MIL NEOPRENE	120163
789S 36" MIL PILE	036194	785S 84" DBA NEOPRENE	120177
789S 42" MIL PILE	036195	785S 84" GLD NEOPRENE	120173
789S 48" MIL PILE	036617	785S 84" MIL NEOPRENE	120164
801S 36" DBA BRUSH	059618	785S 96" DBA NEOPRENE	120172
801S 36" GLD BRUSH	063248	785S 96" MIL NEOPRENE	120171
801S 36" MIL BRUSH	053035	800S 36" MIL BRUSH	054784
801S 42" MIL BRUSH	055943	800S 36" x 84" MIL BRUSH	051373
801S 48" DBA BRUSH	067890	800S 48" x 84" MIL BRUSH	051374
801S 48" MIL BRUSH	054070	800S 72" x 84" MIL BRUSH	051375
802S 36" DBA BRUSH	054610	800S 72" x 96" MIL BRUSH	019037
802S 36" GLD BRUSH	054786	800S 84" DBA BRUSH	030583
802S 36" MIL BRUSH	053194	800S 84" MIL BRUSH	056636
802S 42" GLD BRUSH	052346	800S 96" MIL BRUSH	061569
802S 42" MIL BRUSH	065250	802S 36" DBA BRUSH	054610
802S 48" DBA BRUSH	061397	802S 36" GLD BRUSH	054786
802S 48" GLD BRUSH	067474	802S 36" MIL BRUSH	053194
802S 48" MIL BRUSH	054074	802S 36" x 84" MIL BRUSH	051379
806S 36" DBA BRUSH	032352	802S 48" DBA BRUSH	061397
806S 36" MIL BRUSH	035673	802S 48" GLD BRUSH	067474
806S 48" DBA BRUSH	029484	802S 48" MIL BRUSH	054074
806S 48" MIL BRUSH	031581	802S 48" x 84" MIL BRUSH	051380
872S 36" US32D NEOPRENE	044304	802S 72" MIL BRUSH	055939
872S 36" CLR NEOPRENE	095928	802S 72" x 84" MIL BRUSH	051381
		802S 84" BCA BRUSH	101313
		802S 84" BLA BRUSH	016491
		802S 84" DBA BRUSH	055941



Thresholds & Weatherstripping - Stock Numbers

802S 84" GLD BRUSH	054500	859S 48" MIL	067767
802S 84" MIL BRUSH	052979	859S 48" x 84" MIL	071926
802S 96" BCA BRUSH	020711	859S 48" x 96" MIL	042801
802S 96" DBA BRUSH	054257	859S 72" DBA	090769
802S 96" MIL BRUSH	058708	859S 72" MIL	095946
803S 36" MIL BRUSH	054075	859S 72" x 84" MIL	070969
803S 36" x 84" MIL BRUSH	051382	859S 72" x 96" MIL	091951
803S 48" x 96" MIL BRUSH	048945	859S 84" DBA	086427
803S 72" x 84" MIL BRUSH	051394	859S 84" GLD	121287
803S 72" x 96" BLA BRUSH	015019	859S 84" MIL	028610
803S 72" x 96" DBA BRUSH	030527	859S 96" MIL	091966
803S 84" MIL BRUSH	053077	859S 120" MIL	042496
808S 48" MIL BRUSH	043629	860S 36" x 84" MIL NEOPRENE	051234
808S 72" MIL BRUSH	040087	860S 36" x 84" MIL VINYL	091326
808S 84" DBA BRUSH	072589	861S 36" MIL NEOPRENE	065452
808S 84" MIL BRUSH	038341	861S 36" x 84" MIL NEOPRENE	051235
858S 36" MIL NEOPRENE	130478	861S 72" x 84" MIL NEOPRENE	051237
858S 36" x 84" DBA NEOPRENE	044314	861S 84" MIL NEOPRENE	065463
858S 36" x 84" MIL NEOPRENE	044093	862S 36" CLR NEOPRENE	083520
858S 36" x 96" MIL NEOPRENE	067056	862S 36" x 84" CLR NEOPRENE	083522
858S 36" x 108" MIL NEOPRENE	066990	862S 48" CLR NEOPRENE	060040
858S 48" x 84" MIL NEOPRENE	070916	862S 48" x 84" CLR NEOPRENE	084994
858S 48" x 96" MIL NEOPRENE	059302	862S 72" x 84" CLR NEOPRENE	083517
858S 72" MIL NEOPRENE	130479	862S 72" x 84" DBA NEOPRENE	058008
858S 72" x 84" DBA NEOPRENE	080024	862S 72" x 96" CLR NEOPRENE	083632
858S 72" x 84" MIL NEOPRENE	062940	862S 72" x 96" DBA NEOPRENE	055343
858S 72" x 96" DBA NEOPRENE	044319	862S 84" CLR NEOPRENE	083616
858S 72" x 96" MIL NEOPRENE	139335	862S 84" DBA NEOPRENE	073092
858S 84" MIL NEOPRENE	000001	862S 96" DBA NEOPRENE	061765
859S 36" x 84" DBA	031883	863S 36" x 84" CLR NEOPRENE	058992
859S 36" x 84" GLD	038948	863S 48" x 84" CLR NEOPRENE	092863
859S 36" x 84" MIL	080290	863S 72" x 84" CLR NEOPRENE	087142
859S 36" x 96" MIL	030375	863S 84" CLR NEOPRENE	084707
859S 36" x 108" MIL	030376	864S 36" CLR NEOPRENE	083568
859S 48" GLD	121288	864S 36" x 84" CLR NEOPRENE	057659
		864S 36" x 96" CLR NEOPRENE	083570
		864S 36" x 108" CLR NEOPRENE	062579
		864S 48" x 84" CLR NEOPRENE	086659



Thresholds & Weatherstripping - Stock Numbers

864S 48" x 96" CLR NEOPRENE	032695	866S 36" x 84" MIL NEOPRENE	056313
864S 72" x 84" CLR NEOPRENE	083572	866S 36" x 96" MIL NEOPRENE	031942
864S 72" x 84" DBA NEOPRENE	065293	866S 48" MIL NEOPRENE	006290
864S 84" CLR NEOPRENE	083573	866S 48" x 84" GLD NEOPRENE	078811
864S 96" CLR NEOPRENE	094658	866S 48" x 84" MIL NEOPRENE	037712
865S 36" DBA NEOPRENE	010688	866S 48" x 108" MIL NEOPRENE	089576
865S 36" GLD NEOPRENE	055359	866S 72" MIL NEOPRENE	055553
865S 36" MIL NEOPRENE	087913	866S 72" x 84" DBA NEOPRENE	092913
865S 36" x 84" DBA NEOPRENE	036985	866S 72" x 84" GLD NEOPRENE	110343
865S 36" x 84" GLD NEOPRENE	091572	866S 72" x 84" MIL NEOPRENE	007786
865S 36" x 84" MIL NEOPRENE	062415	866S 72" x 96" GLD NEOPRENE	105904
865S 36" x 96" DBA NEOPRENE	096197	866S 72" x 96" MIL NEOPRENE	103804
865S 36" x 96" MIL NEOPRENE	017295	866S 84" GLD NEOPRENE	078809
865S 36" x 108" DBA NEOPRENE	079468	866S 84" MIL NEOPRENE	042719
865S 36" x 108" MIL NEOPRENE	083004	866S 96" DBA NEOPRENE	031357
865S 48" MIL NEOPRENE	102562	866S 96" MIL NEOPRENE	055485
865S 48" x 84" DBA NEOPRENE	101633	866S 120" MIL NEOPRENE	074592
865S 48" x 84" GLD NEOPRENE	060542	870S 36" US32D NEOPRENE	043706
865S 48" x 84" MIL NEOPRENE	028997	870S 36" MIB NEOPRENE	037596
865S 48" x 96" DBA NEOPRENE	125536	870S 36" x 84" US10B NEOPRENE	020778
865S 48" x 96" MIL NEOPRENE	075191	870S 36" x 84" US32D NEOPRENE	041926
865S 48" x 108" MIL NEOPRENE	092260	870S 36" x 84" CLR NEOPRENE	059054
865S 72" MIL NEOPRENE	087915	870S 36" x 84" DBA NEOPRENE	053497
865S 72" x 84" DBA NEOPRENE	081104	870S 36" x 84" GLD NEOPRENE	016082
865S 72" x 84" GLD NEOPRENE	091571	870S 36" x 84" WHP NEOPRENE	044674
865S 72" x 84" MIL NEOPRENE	022917	870S 36" x 96" US32D NEOPRENE	001160
865S 72" x 96" DBA NEOPRENE	036353	870S 36" x 96" CLR NEOPRENE	083619
865S 72" x 96" MIL NEOPRENE	037449	870S 36" x 96" MIB NEOPRENE	022400
865S 84" MIL NEOPRENE	025286	870S 36" x 108" US10B NEOPRENE	048667
865S 96" GLD NEOPRENE	083908	870S 48" US32D NEOPRENE	107363
865S 96" MIL NEOPRENE	054907	870S 48" CLR NEOPRENE	068708
866S 36" DBA NEOPRENE TEK	103187	870S 48" x 84" US32D NEOPRENE	081517
866S 36" MIL NEOPRENE	055632	870S 48" x 84" CLR NEOPRENE	063110
866S 36" x 84" DBA NEOPRENE	040799	870S 48" x 96" CLR NEOPRENE	091229
866S 36" x 84" GLD NEOPRENE	067399	870S 72" US32D NEOPRENE	133064
		870S 72" CLR NEOPRENE	083870
		870S 72" x 84" US32D NEOPRENE	047924
		870S 72" x 84" CLR NEOPRENE	083596



Thresholds & Weatherstripping - Stock Numbers

870S 72" x 84" DBA NEOPRENE	053881	874S 96" MIL NEOPRENE	057221
870S 72" x 84" MIB NEOPRENE	003592	874S 120" US32D NEOPRENE	078861
870S 72" x 84" WHP NEOPRENE	044675	875S 36" CLR NEOPRENE	083401
870S 72" x 96" US32D NEOPRENE	001161	875S 36" x 84" CLR NEOPRENE	058096
870S 72" x 96" CLR NEOPRENE	084596	875S 36" x 96" MIB NEOPRENE	016481
870S 72" x 96" WHP NEOPRENE	044676	875S 36" x 108" CLR NEOPRENE	053915
870S 84" US32D NEOPRENE	054591	875S 48" CLR NEOPRENE	083402
870S 84" CLR NEOPRENE	083597	875S 48" x 84" CLR NEOPRENE	084882
870S 84" DBA NEOPRENE	060876	875S 72" x 84" CLR NEOPRENE	059921
870S 96" US32D NEOPRENE	097748	875S 84" CLR NEOPRENE	084251
870S 96" CLR NEOPRENE	083884	875S 96" MIB NEOPRENE	086938
871S 36" MIL NEOPRENE	023335	875S 36" x 84" CLR SILICONE	003880
871S 36" x 84" MIL NEOPRENE	051255	875S 36" x 84" MIB SILICONE	047315
871S 48" x 84" MIL NEOPRENE	051198	875S 72" x 84" MIB SILICONE	044101
871S 72" x 84" BLA NEOPRENE	106806	877S 36" x 84" MIL NEOPRENE	072544
871S 72" x 84" MIL NEOPRENE	051257	878S 36" DBA NEOPRENE	005555
871S 84" MIL NEOPRENE	063621	878S 36" x 84" CLR NEOPRENE	058993
873S 36" MIL NEOPRENE	053862	880S 36" x 84" BLA NEOPRENE	064900
873S 36" x 84" DBA NEOPRENE	053712	880S 36" x 84" MIL NEOPRENE	051275
873S 36" x 84" MIL NEOPRENE	051263	880S 72" x 84" MIL NEOPRENE	051277
873S 36" x 96" MIL NEOPRENE	058799	881S 36" MIL NEOPRENE	065849
873S 48" x 84" MIL NEOPRENE	051264	881S 36" x 84" NEOPRENE	035415
873S 72" x 84" MIL NEOPRENE	051265	881S 36" x 84" DBA NEOPRENE	084186
873S 84" DBA NEOPRENE	063162	881S 36" x 84" MIL NEOPRENE	051279
873S 84" MIL NEOPRENE	053864	881S 36" x 96" MIL NEOPRENE	087921
874S 36" US32D NEOPRENE	105906	881S 48" MIL NEOPRENE	058998
874S 36" x 84" US32D NEOPRENE	064413	881S 48" x 84" GLD NEOPRENE	058764
874S 36" x 84" MIL NEOPRENE	054083	881S 48" x 84" MIL NEOPRENE	051280
874S 48" US32D NEOPRENE	113653	881S 72" GLD NEOPRENE	092855
874S 48" x 84" US32D NEOPRENE	102263	881S 72" MIL NEOPRENE	068703
874S 72" x 84" US32D NEOPRENE	102266	881S 72" x 84" DBA NEOPRENE	062108
874S 72" x 96" US32D NEOPRENE	064095	881S 72" x 84" GLD NEOPRENE	034678
874S 72" x 96" MIL NEOPRENE	087114	881S 72" x 84" MIL NEOPRENE	051281
874S 84" MIL NEOPRENE	052592	881S 72" x 96" MIL NEOPRENE	087923
874S 96" CLR NEOPRENE	130963	881S 84" MIL NEOPRENE	054328
		881S 96" MIL NEOPRENE	087019
		881S 36" MIL SILICONE	065435
		881S 36" x 84" GLD SILICONE	076415



Thresholds & Weatherstripping - Stock Numbers

881S 36" x 84" MIL SILICONE	055461	881S 72" x 84" MIL PILE	068518
881S 36" x 96" MIL SILICONE	080370	882S 84" CLR BRUSH	092969
881S 36" x 108" MIL SILICONE	049936	882S 84" DBA BRUSH	092972
881S 48" MIL SILICONE	070160	882S 84" GLD BRUSH	092977
881S 48" x 84" MIL SILICONE	075414	882S 96" CLR BRUSH	092971
881S 48" x 96" MIL SILICONE	022364	882S 96" DBA BRUSH	092975
881S 48" x 108" MIL SILICONE	056004	882S 96" GLD BRUSH	092978
881S 72" MIL SILICONE	062770	883S 36" CLR BRUSH	092979
881S 72" x 84" MIL SILICONE	062773	883S 36" DBA BRUSH	092980
881S 72" x 96" MIL SILICONE	080371	883S 36" GLD BRUSH	092983
881S 84" MIL SILICONE	054669	883S 84" CLR BRUSH	022506
881S 96" MIL SILICONE	080374	884S 36" CLR VINYL	092987
881S 36" DBA VINYL	074308	884S 36" x 84" GLD VINYL	145335
881S 36" MIL VINYL	053349	884S 48" CLR VINYL	092988
881S 36" x 84" VINYL	000159	884S 84" VINYL	112086
881S 36" x 84" DBA VINYL	058981	884S 84" CLR VINYL	092989
881S 36" x 84" MIL VINYL	052013	884S 84" DBA VINYL	092992
881S 36" x 96" MIL VINYL	078158	884S 84" GLD VINYL	093003
881S 36" x 108" MIL VINYL	072388	884S 96" CLR VINYL	092990
881S 48" MIL VINYL	055205	884S 96" DBA VINYL	093002
881S 48" x 84" MIL VINYL	052014	884S 96" GLD VINYL	093004
881S 48" x 96" MIL VINYL	073151	885S 72" x 84" CLR NEOPRENE	095035
881S 72" MIL VINYL	053348	885S 84" NEOPRENE	062195
881S 72" x 84" DBA VINYL	058982	885S 84" CLR SILICONE	098428
881S 72" x 84" MIL VINYL	056386	885S 36" x 84" CLR VINYL	094826
881S 72" x 96" DBA VINYL	058983	885S 36" x 84" DBA VINYL	064909
881S 72" x 96" MIL VINYL	063628	885S 72" x 84" DBA VINYL	026261
881S 84" MIL VINYL	055208	885S 72" x 96" DBA VINYL	098563
881S 96" MIL VINYL	062481	885S 84" CLR VINYL	054716
881S 36" MIL PILE	061446	885S 96" DBA PILE	135972
881S 36" x 84" MIL PILE	065534	887S 36" GLD NEOPRENE	079264
881S 36" x 96" MIL PILE	050803	887S 36" MIL NEOPRENE	079257
881S 48" x 84" MIL PILE	079361	887S 36" x 84" DBA NEOPRENE	077377
881S 48" x 96" MIL PILE	055447	887S 36" x 84" GLD NEOPRENE	043484
881S 72" MIL PILE	073013	887S 36" x 84" MIL NEOPRENE	028597
		887S 36" x 96" DBA NEOPRENE	120479
		887S 36" x 96" MIL NEOPRENE	051296
		887S 36" x 108" DBA NEOPRENE	098609



Thresholds & Weatherstripping - Stock Numbers

887S 48" GLD NEOPRENE	128168	891S 72" x 84" MIL FVN	008055
887S 48" MIL NEOPRENE	060899	891S 36" x 84" DBA NEOPRENE	055108
887S 48" x 84" MIL NEOPRENE	094606	891S 36" x 84" GLD NEOPRENE	093250
887S 48" x 96 MIL NEOPRENE	099480	891S 36" x 84" MIL NEOPRENE	056722
887S 72" NEOPRENE INSERT	106085	891S 36" x 96" DBA NEOPRENE	014000
887S 72" GLD NEOPRENE	079265	891S 36" x 96" MIL NEOPRENE	057549
887S 72" MIL NEOPRENE	079256	891S 48" x 84" DBA NEOPRENE	057018
887S 72" x 84" DBA NEOPRENE	077376	891S 48" x 84" MIL NEOPRENE	057511
887S 72" x 84" MIL NEOPRENE	039633	891S 48" x 96" DBA NEOPRENE	033393
887S 72" x 96" MIL NEOPRENE	051295	891S 72" x 84" DBA NEOPRENE	057019
887S 84" DBA NEOPRENE	031298	891S 72" x 84" GLD NEOPRENE	074600
887S 84" GLD NEOPRENE	079396	891S 72" x 84" MIL NEOPRENE	057020
887S 84" MIL NEOPRENE	035833	891S 72" x 96" DBA NEOPRENE	019682
887S 96" DBA NEOPRENE	041751	891S 72" x 96" MIL NEOPRENE	061748
887S 96" GLD NEOPRENE	031297	891S 84" DBA NEOPRENE	008359
887S 96" MIL NEOPRENE	079258	891S 84" MIL NEOPRENE	073792
890S 36" x 84" DBA NEOPRENE	054834	891S 96" MIL NEOPRENE	025113
890S 36" x 84" MIL NEOPRENE	064142	891S 36" x 84" DBA SILICONE	057068
890S 48" x 84" MIL NEOPRENE	091396	891S 36" x 84" MIL SILICONE	057519
890S 72" x 84" DBA NEOPRENE	054835	891S 48" x 84" MIL SILICONE	059552
890S 72" x 84" MIL NEOPRENE	064143		
890S 72" x 96" MIL NEOPRENE	078079	891S 72" GASKET ONLY, SILICONE BLACK	134581
890S 84" MIL NEOPRENE	072200		
890S 36" x 84" MIL SILICONE	060628	891S 72" GASKET ONLY, SILICONE BLACK BKG	134598
890S 72" x 96" MIL SILICONE	093708	891S 72" x 84" MIL SILICONE	061696
890S 36" MIL VINYL	065300	891S 72" x 96" MIL SILICONE	081032
890S 36" x 84" DBA VINYL	053199		
890S 36" x 84" MIL VINYL	051287	891S 84" GASKET ONLY, SILICONE BLACK BKG	134783
890S 48" MIL VINYL	053842	891S 84" MIL SILICONE	056283
890S 48" x 84" MIL VINYL	051288	891S 96" MIL SILICONE	056284
890S 72" MIL VINYL	069373	891S 36" DBA VINYL	003929
890S 72" x 84" MIL VINYL	051302	891S 36" MIL VINYL	052986
890S 72" x 96" MIL VINYL	056203	891S 36" x 84" CLR VINYL	033882
890S 84" MIL VINYL	053181	891S 36" x 84" DBA VINYL	052356
890S 96" MIL VINYL	053841	891S 36" x 84" GLD VINYL	052599
		891S 36" x 84" MIL VINYL	051304
		891S 36" x 96" DBA VINYL	054437
		891S 36" x 96" MIL VINYL	053667
		891S 36" x 108" MIL VINYL	057520



Thresholds & Weatherstripping - Stock Numbers

891S 48" MIL VINYL	055375	896S 36" x 84" MIL NEOPRENE	033668
891S 48" x 84" DBA VINYL	052432	896S 48" x 84" MIL NEOPRENE	037316
891S 48" x 84" GLD VINYL	057871	896S 48" x 96" MIL NEOPRENE	050091
891S 48" x 84" MIL VINYL	051305	896S 72" x 84" MIL NEOPRENE	035258
891S 48" x 96" DBA VINYL	054216	896S 84" MIL NEOPRENE	035980
891S 48" x 96" MIL VINYL	056032	896S 96" MIL NEOPRENE	049422
891S 72" MIL VINYL	053692	896S 36" x 84" MIL SILICONE	066836
891S 72" x 84" DBA VINYL	052357	896S 48" x 84" MIL SILICONE	051154
891S 72" x 84" GLD VINYL	054126	896S 36" MIL VINYL	063497
891S 72" x 84" MIL VINYL	051306	896S 36" x 84" GLD VINYL	087327
891S 72" x 96" DBA VINYL	052433	896S 36" x 84" MIL VINYL	073543
891S 72" x 96" MIL VINYL	052431	896S 72" x 84" MIL VINYL	074012
891S 84" DBA VINYL	064207	896S 84" MIL VINYL	033779
891S 84" MIL VINYL	053031		
891S 96" DBA VINYL	071086	Astragals	
891S 96" MIL VINYL	053015	756S 84" DBA VINYL	054120
892S 36" x 84" DBA NEOPRENE	044791	756S 84" MIL VINYL	059622
892S 36" x 84" GLD NEOPRENE	047155	756S 96" DBA VINYL	020114
892S 36" x 84" MIL NEOPRENE	044788	756S 96" MIL VINYL	075551
892S 48" x 84" MIL NEOPRENE	044785	771S 84" MIL NEOPRENE	097923
892S 72" x 84" DBA NEOPRENE	048297	771S 96" MIL SILICONE	123173
892S 72" x 84" GLD NEOPRENE	071107	771S 84" MIL VINYL	037527
892S 72" x 84" MIL NEOPRENE	044786	771S 96" MIL VINYL	046239
892S 84" MIL NEOPRENE	044967	771S 84" MIL PILE	052983
893S 36" DBA PILE	055134	772S 84" DBA NEOPRENE	015390
893S 36" MIL PILE	051285	772S 96" MIL VINYL	064436
893S 36" x 84" MIL PILE	051314	772S 84" DBA PILE	098335
893S 72" x 84" MIL PILE	051313	774S 96" MIL NEOPRENE	059422
893S 72" x 84" WHP PILE	048452	774S 84" MIL VINYL	085136
893S 84" CLR PILE	085233	802S 84" BCA BRUSH	101313
893S 84" DBA PILE	058449	802S 84" BLA BRUSH	016491
893S 84" GLD PILE	064959	802S 84" DBA BRUSH	055941
893S 84" MIL PILE	053666	802S 84" GLD BRUSH	054500
893S 96" MIL PILE	056263	802S 84" MIL BRUSH	052979
896S 36" x 84" DBA NEOPRENE	036879	802S 96" BCA BRUSH	020711
		802S 96" DBA BRUSH	054257
		802S 96" MIL BRUSH	058708
		822S 96" MIB	060612



Thresholds & Weatherstripping - Stock Numbers

822S 96" MIB BULK	086203	837S 96" GLD SILICONE	079237
823S 96" MIB	066769	837S 96" MIL SILICONE	058141
824S 84" MIB	067302	837S 84" DBA VINYL	052439
824S 96" MIB	027194	837S 84" GLD VINYL	054867
835S 84" US32D	057965	837S 84" MIL VINYL	051405
835S 84" DBA	054076	837S 84" WHP VINYL	076481
835S 84" GLD	052598	837S 96" BCA VINYL	020677
835S 84" GYP	052218	837S 96" DBA VINYL	059436
835S 84" MIL	051399	837S 96" GLD VINYL	090519
835S 96" US32D	082492	837S 96" MIL VINYL	051406
835S 96" DBA	054077	837S 120" GLD VINYL	068238
835S 96" GYP	054078	837S 120" MIL VINYL	059619
835S 96" MIL	051401	838S 84" MIL PILE	056500
835S 120" US32D	019549	838S 96" MIL PILE	063241
835S 120" DBA	028190	839SW 84" MIL BRUSH	141943
835S 120" GYP	066347	839S 84" MIL BRUSH	141944
835S 120" MIL	072577	839S 96" MIL BRUSH	141947
836S 84" DBA	052438	839S 120" MIL BRUSH	141949
836S 84" GLD	067594	840S 84" MIL	085546
836S 84" MIL	051402	840S 84" DBA PILE	025356
836S 96" DBA	065451	840S 84" GLD PILE	054855
836S 96" GLD	013885	840S 84" MIL PILE	067672
836S 96" MIL	051404	840S 96" DBA PILE	085658
836S 120" DBA	056267	840S 96" MIL PILE	015073
836S 120" MIL	070159	844S 84" DBA NEOPRENE	031038
837S 84" DBA NEOPRENE	058049	844S 84" GLD NEOPRENE	049128
837S 84" GLD NEOPRENE	060491	844S 84" MIL NEOPRENE	024786
837S 84" MIL NEOPRENE	051407	844S 96" DBA NEOPRENE	033729
837S 96" DBA NEOPRENE	052767	844S 96" GLD NEOPRENE	026858
837S 96" MIL NEOPRENE	051408	844S 96" MIL NEOPRENE	030484
837S 120" MIL NEOPRENE	069420	844S 120" MIL NEOPRENE	044972
837S 84" DBA SILICONE	058625	845S 84" MIL PILE	051409
837S 84" GLD SILICONE	062464	846S 84" MIL	051410
837S 84" MIL SILICONE	056392	847S 84" DBA PILE	075287
837S 96" DBA SILICONE	058626	847S 84" GLD PILE	000606
		847S 96" GLD PILE	135979
		848S 84" DBA	075288
		848S 84" GLD	128894



Thresholds & Weatherstripping - Stock Numbers

849S 84" DBA	038794	810S 76" GLD	075081
849S 84" GLD	022999	810S 76" MIL	051398
849S 84" MIL	014074	810S 76" WHP	038076
849S 96" DBA	075587		
849S 96" GLD	080239		
849S 96" MIL	031904		
872S 84" US32D NEOPRENE	046184		
872S 84" CLR NEOPRENE	053566		
872S 84" DBA NEOPRENE	052859		
872S 84" GLD NEOPRENE	053173		
872S 96" US32D NEOPRENE	028509		
872S 96" CLR NEOPRENE	083594		
872S 120" US32D NEOPRENE	060244		
872S 120" CLR NEOPRENE	084691		
874S 84" MIL NEOPRENE	052592		
874S 96" CLR NEOPRENE	130963		
874S 96" MIL NEOPRENE	057221		
874S 120" US32D NEOPRENE	078861		

Spring Bronze

820S 100'	057516
822S 96" MIB	060612
822S 96" MIB BULK	086203
823S 96" MIB	066769
824S 96" MIB	027194

Rain Drips

810S 40" US32D	134678
810S 40" AWP	057538
810S 40" DBA	052360
810S 40" GLD	052597
810S 40" MIL	051396
810S 40" WHP	038074
810S 76" US32D	134680
810S 76" DBA	052924



Sliding Door Hardware

TABLE OF CONTENTS

B	W
Bi-Fold Door Hardware	Wall Mount 9710 Series 22
9570 Packaged Sets 13	
9860 Packaged Sets and 9861 Packaged Sets 14	
9890 Packaged Sets and 9891 Packaged Sets 15	
By-Pass Door Hardware	
9110 Packaged Sets and 9130 Packaged Sets 4	
9514 Packaged Sets and 9583 Packaged Sets 5	
9611 Packaged Sets and 9612 Packaged Sets 6	
9614 Packaged Sets and 9683 Packaged Sets 7	
9673 Packaged Sets and 9674 Packaged Sets 8	
9675 Packaged Sets and 9676 Packaged Sets 9	
9844 Packaged Sets and 9845 Packaged Sets 10	
9875 Packaged Sets 11	
9885 Packaged Sets and 9886 Packaged Sets 12	
C	
Components for Sliding Door Hardware 23-32	
D	
Door Selection Chart..... 3	
H	
How to Order 2	
L	
Lead Times 2	
P	
Pocket Door Hardware	
9110 Packaged Sets and 9130 Packaged Sets 16	
9628 9629 9630 9631 Framed Kits..... 17	
9678 Packaged Sets 18	
9850 Framed Kits..... 19	
9878 Packaged Sets 20	
9901 Packaged Sets 21	
Q	
Quick Ship..... 2	
S	
Side Mount Selection Chart..... 2	

Sliding Door Hardware

General Information

Lead Times

Stock items will typically ship within 5-10 business days and the anticipated ship date will be included with each order acknowledgement. Non-stock items will typically ship within 2 weeks depending on seasonal volume and order complexity. The anticipated ship date will be included with each order acknowledgement. Custom orders that require a request for quote are subject to longer lead times.

Quick Ship

The items throughout this price book that have prices in **bold and red** are items included in the Hager Quick Ship Program and ship in three days or less. When ordering these products, please visit www.hagerco.com and click on 'Quick Ship' in the footer. You will be prompted to log in with your My Hager account name and password and then you may begin ordering.

HOW TO ORDER:

EXAMPLE: 9710 Wall Mount Packaged Set For 1 Door CLA 72"

STOCK NUMBER: 160958

ITEM NUMBER: 9710007200000CLA

Side Mount Selection Chart					
Door thickness	3/4" (19mm)	1" (25.4mm)	1-1/8" (29mm)	1-3/8" (35mm)	1-3/4" (44mm)
Front hanger	B	B	A or B	B	A
Rear hanger	A	A	Same as front	B	B
Door gap	3/4"	1/2"	11/16"	9/16"	3/8"
Item #		Description			
Hanger A	9200	Single wheel hanger-offset A			
Hanger B	9201	Single wheel hanger-offset B			
Hanger B	9202	Twin wheel hanger- offset B			
Hanger A	9203	Twin wheel hanger- offset A			
Hanger A	9400	Micro cam hanger-offset A			
Hanger B	9401	Micro cam hanger-offset B			

Hanger Mount Selection Example:

Door thickness: 1-1/8"

Door weight: 60 lbs.

Select single, twin or micro cam hanger

Front hanger: 9400

Rear hanger: 9400

Note: Hanger is stamped "A" or "B" for easy identification for consideration for 9514, 9583, 9614, 9683, 9844 and 9845 by-pass packaged sets located on pages 5, 7 and 10.



Sliding Door Hardware

Maximum Weight Per Door	Packaged Sets	Description	Parts Bags	Track	Page #
By-Pass					
60#	9514	Aluminum track & hardware for 3/4" & 1-3/8" thick doors.	9814	9810	5
60#	9583	Aluminum track & hardware for 3/4" & 1-3/8" thick doors, for 3 doors.	9400/9401 hangers	9810	5
60#	9614	Aluminum track with grooved fascia & hardware for 1-3/8" thick doors.	9540	9820	7
60#	9683	Aluminum track with grooved fascia & hardware for 1-3/8" thick doors.	9401 hangers	9820	7
60#	9844	Galvanized steel & hardware for 1-1/8" & 1-3/8" thick doors.	9540	9840	10
60#	9845	Galvanized steel & hardware for 1-1/8" & 1-3/8" thick doors for 3 doors.	9400/9401 hangers	9840	10
125#	9673	Heavy duty aluminum box track with grooved fascia & hardware for 1-3/8" & 1-3/4" thick doors.	9679	9603	8
125#	9675	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9679	9602	9
150#	9611	Aluminum double box track & hardware for 1-3/8" & 1-3/4" thick doors.	9892	9821	6
150#	9674	Heavy duty aluminum box track with grooved fascia & hardware for 1-3/8" & 1-3/4" thick doors.	9680	9603	8
150#	9676	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9680	9602	9
175#	9110	Heavy duty aluminum I-beam track and hardware for 1" thick doors and up. *Must order 2 per by pass.*	9109	9101	4
250#	9612	Aluminum double box track & hardware for 1-3/8" & 1-3/4" thick doors.	9893	9821	6
250#	9875	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9827 hangers	9801	11
250#	9885	Heavy duty aluminum double track with smooth fascia & hardware for 1-3/8" & 1-3/4" thick doors.	9827 hangers	9803	12
250#	9886	Heavy duty aluminum double track with smooth fascia & hardware for 1-3/8" & 1-3/4" thick doors.	9827 hangers	9803	12
275#	9130	Heavy duty aluminum I-beam track and hardware for 1" thick doors and up. *Must order 2 per by pass.*	9129	9101	4
Bi-Fold Sets					
50#	9570	Aluminum track & hardware for 1-1/8" & 1-3/4" thick doors.	9569	9601	13
125#	9860	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9894	9821	14
125#	9861	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9894	9821	14
125#	9890	Heavy duty aluminum box track & hardware for 1-1/8" & 1-3/4" thick doors. Up to 75 lbs per panel for multi fold applications.	9827 hangers	9801	15
125#	9891	"Heavy duty aluminum box track & hardware for 1-1/8" & 1-3/4" thick doors.	9827 hangers	9801	15
Pocket Door Sets					
125#	9678	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9632	9601	18
150#	9678	Heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9633	9101	18
175#	9110	Heavy duty aluminum I-beam track & hardware for 1" thick doors and up.	9109	9101	16
250#	9878	Aluminum box track & hardware for 1-3/8" thick doors and up.	9742	9801	20
250#	9901	Extra heavy duty aluminum box track & hardware for 1-3/8" & 1-3/4" thick doors.	9895	9821	21
275#	9130	Heavy duty aluminum I-beam track & hardware for 1" thick doors and up.	9129	9101	16
Pocket Door Frame Kits					
All Pocket Door Framed Kits for 1-3/8" Thick Doors					
125#	9631	Pocket Door Packaged Sets for 3'0" wide 6'8" high door	9606 hangers	9601	17
150#	9628	Pocket Door Packaged Sets for 3'0" wide 7'0" high door	9606 hangers	9601	17
150#	9629	Pocket Door Packaged Sets for 3'0" wide 8'0" high door	9606 hangers	9601	17
150#	9630	Pocket Door Packaged Sets for 3'0" wide 9'0" high door	9606 hangers	9601	17
250#	9850	Pocket Door Packaged Sets for 4'0" wide 8'0" high door	9827 hangers	9801	19
250#	9850	Pocket Door Packaged Sets for 4'0" wide 8'6" high door	9827 hangers	9801	19
Wall Mount Sets					
250#	9710	Heavy duty aluminum track & hardware for 1" & 1-3/4" thick doors.	9711	9703	20



Sliding Door Hardware - 9110 and 9130 Packaged Sets - By-Pass



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
Heavy duty aluminum i-beam track & hardware for 1" (25mm) thick doors. 9110 Pkg Sets for doors up to 175 lbs (79 kg) per door. Contents: 9101 track, 9109 parts bag						
9110-60	Packaged set for 2'6" door	60" (1524 mm)		114.15	135334	5
9110-72	Packaged set for 3'0" door	72" (1829 mm)		126.15	135335	
9110-84	Packaged set for 3'6" door	84" (2134 mm)		137.45	135336	
9110-96	Packaged set for 4'0" door	96" (2438 mm)		149.55	135337	
9110-120	Packaged set for 5'0" door	120" (3048 mm)		154.00	135338	
9110-144	Packaged set for 6'0" door	144" (3658 mm)		180.35	135339	

***Must order 2 each 9110 packaged sets**

9130 Pkg Sets for doors up to 275 lbs (125 kg) per door.

Contents: 9101 track, 9129 parts bag

9130-60	Packaged set for 2'6" door	60" (1524 mm)		145.80	135340	5
9130-72	Packaged set for 3'0" door	72" (1829 mm)		156.30	135341	
9130-84	Packaged set for 3'6" door	84" (2134 mm)		157.85	135342	
9130-96	Packaged set for 4'0" door	96" (2438 mm)		172.10	135343	
9130-120	Packaged set for 5'0" door	120" (3048 mm)		203.70	135344	
9130-144	Packaged set for 6'0" door	144" (3658 mm)		227.30	135346	

***Must order 2 each 9130 packaged sets**



9101-60	I-Beam track only, heavy duty aluminum	60" (1524 mm)	AL	53.25	023278	5
9101-72	I-beam track only, heavy duty aluminum	72" (1829 mm)	AL	66.65	096508	
9101-84	I-beam track only, heavy duty aluminum	84" (2134 mm)	AL	79.40	096509	
9101-96	I-beam track only, heavy duty aluminum	96" (2438 mm)	AL	84.90	096707	
9101-120	I-beam track only, heavy duty aluminum	120" (3048 mm)	AL	111.05	096511	
9101-144	I-beam track only, heavy duty aluminum	144" (3658 mm)	AL	133.65	096512	
9101-192	I-beam track only, heavy duty aluminum	192" (4877 mm)	AL	177.45	096513	

Item #	Parts Bags					
9109	2 ea. 9102 two wheel hangers, 1 ea. 9115 floor guide. Up to 175 lbs (79 kg) per door.		55.30	135690	10	
9129	2 ea. 9105 four wheel hangers, 1 ea. 9115 floor guide. Up to 275 lbs (125 kg) per door.		81.60	135315	10	

Item #	Components					
9102	2 Wheel Hanger - For use with 9101 track	US2C	24.25	135310	20	
9105	4 Wheel Hanger - For use with 9101 track	US2C	36.40	135312	40	
9115	Bottom Door Guide	US2C	8.60	096522	50	



Sliding Door Hardware - 9514 and 9583 Packaged Sets - By-Pass



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
	Aluminum track & hardware For 3/4" (19 mm) and 1-3/8" (35mm) thick doors. 9514 Pkg Sets for doors up to 60 lbs (27 kg) each for two (2) doors. Contents: 9810 track, 9814 parts bag. Refer to side mount selection chart for combination of hangers.					
9514-48	By-pass set for two 24" doors	48" (1219 mm)		36.40	099662	5
9514-60	By-pass set for two 30" doors	60" (1524 mm)		39.40	099663	
9514-72	By-pass set for two 36" doors	72" (1829 mm)		43.90	099666	
9514-96	By-pass set for two 48" doors	96" (2438 mm)		58.30	017418	
	9583 Pkg Sets for doors up to 60 lbs (27 kg) each for three (32") doors. Contents: 9810 track, 2 ea. 9400 hangers, 4 ea. 9401 hangers, 2 ea. 9353 guides, 3 ea. 2610 pulls					
9583-96		96" (2438 mm)		66.65	029415	5
9810-46	Aluminum track	46-3/8" (1178 mm)	AL	15.35	019702	10
9810-58	Aluminum track	58-3/8" (1483 mm)	AL	18.30	019703	
9810-70	Aluminum track	70-3/8" (1788 mm)	AL	22.25	019704	
9810-93	Aluminum track	93-3/8" (2372 mm)	AL	28.80	019705	
9810-120	Aluminum track	120" (3048 mm)	AL	36.40	016570	
9810-144	Aluminum track	144" (3658 mm)	AL	48.45	026064	
Item #	Parts Bags					
9814	2 ea. 9400 hangers, 2 ea. 9401 hangers, 2 ea. 2610 pulls, 1 ea. 9353 guide			14.50	016772	10
9841	For 1" to 1-1/8", specify 9841 parts bag. 4 ea. 9401 hangers, 2 ea. 9865 pulls, 1 ea. 9351 guide			7.85	099665	10
Item #	Components					
2610	Finger Pull		US3	0.90	013049	500
	Material: Brass		US4	0.90	071953	
	Overall Diameter: 31/32"		US5	0.90	067282	
	Finger Pull Diameter: 3/4"		US10A	0.90	068711	
	Pull Clearance: 5/16"		US15	0.90	040589	
	Projection: 1/32"		US15A	0.90	040590	
			US26	0.90	013047	
			US26D	0.90	071169	
9351	Door Guide			2.55	096563	50
9353	Adjustable Door Guide			2.55	096564	20
9400	Cam Adjustable Hanger - Small 3/8" (10 mm) offset A		US2C	3.25	017417	100
9401	Cam Adjustable Hanger - Large 11/16" (18 mm) offset B		US2C	3.25	096566	100
9865	Plastic Pull		Plastic	0.95	098993	50
	Overall Diameter: 1-31/32"					
	Finger Pull Diameter: 1-19/32"					
	Pull Clearance: 11/32"					
	Projection: 5/64"					



Sliding Door Hardware - 9611 and 9612 Packaged Sets - By-Pass



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors.						
9611 Pkg Sets for doors up to 150 lbs (68 kg) each.						
9573 spacer kit is used for 1-3/4" (4 mm) doors. No spacer kit required for 1-3/8" (35 mm) doors.						
Contents: 2 ea. 9821 tracks, 9892 parts bag						
9611-60	By-pass set for two 30" doors	60" (1524 mm)		123.15	019404	5
9611-72	By-pass set for two 36" doors	72" (1829 mm)		132.45	019402	
9611-96	By-pass set for two 48" doors	96" (2438 mm)		160.20	019389	
9612 Pkg Sets for doors up to 250 lbs (113 kg) each.						
Contents: 2 pcs 9821 Track, 9893 Parts bag						
9612-60	By-pass set for two 30" doors	60" (1524 mm)		154.80	019368	5
9612-72	By-pass set for two 36" doors	72" (1829 mm)		165.50	019362	
9612-96	By-pass set for two 48" doors	96" (2438 mm)		180.20	019378	
9821-59	Aluminum box track	59" (1499 mm)	AL	30.00	019084	10
9821-71	Aluminum box track	71" (1803 mm)	AL	37.20	019062	
9821-96	Aluminum box track	96" (2438 mm)	AL	49.55	019061	
9821-144	Aluminum box track	144" (3658 mm)	AL	71.80	019050	
Grooved fascia for painting						
9709-48	Aluminum grooved fascia, 2-3/4" (70 mm) wide	48" (1219 mm)	AL	33.40	023321	10
9709-60	Aluminum grooved fascia, 2-3/4" (70 mm) wide	60" (1524 mm)	AL	50.05	023322	
9709-72	Aluminum grooved fascia, 2-3/4" (70 mm) wide	72" (1829 mm)	AL	57.45	096603	
9709-96	Aluminum grooved fascia, 2-3/4" (70 mm) wide	96" (2438 mm)	AL	68.60	096604	
Item #	Parts Bags					
9892	4 ea. 9824 four-wheel hangers w/ top mount plate, 1 ea. 9909 guide, 9573 spacer kit	51.15		019421		10
9893	4 ea. 9825 four-wheel ball bearing hangers w/ top mount plate, 1 ea. 9909 guide, 9573 spacer kit	95.75		019418		10
Item #	Components					
9573	Spacer Kit - 3/8" use with 9821 track - For doors 1-3/4" thick	4.80		019014		5
9824	4 Wheel Hanger w/ Top Mount Plate	27.00		135320		20
9825	4 Wheel Ball Bearing Hanger w/ Top Mount Plate	33.95		135321		10
9909	Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)	US2C	7.85	097528		20



Sliding Door Hardware - 9614 and 9683 Packaged Sets - By-Pass



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
Aluminum track & hardware with 1-3/4" (44 mm) grooved fascia. For 1-3/8" (35 mm) thick doors.						
9614 Pkg Sets for doors up to 60 lbs (27 kg).						
Contents: 9820 track, 9540 parts bag. Refer to side mount selection chart on page 2 for combination of hangers.						
9614-48	By-pass set for two 24" doors	48" (1219 mm)		45.50	099091	5
9614-60	By-pass set for two 30" doors	60" (1524 mm)		51.55	099756	
9614-72	By-pass set for two 36" doors	72" (1829 mm)		59.00	016652	
9683 Pkg Sets for three (3) 32" doors and doors up to 60 lbs. (27 kg) each.						
Contents: 9820 track, 6 ea. 9401 hangers, 2 ea. 9351 guides, and 3 ea. 2610 pulls						
9683-96	By-pass set for three 32" doors	96" (2438 mm)		83.20	022329	
Grooved fascia for painting						
9820-48	Aluminum track with 1-3/4" grooved fascia	48" (1219 mm)	AL	28.20	000461	5
9820-60	Aluminum track with 1-3/4" grooved fascia	60" (1524 mm)	AL	35.00	000462	
9820-72	Aluminum track with 1-3/4" grooved fascia	72" (1829 mm)	AL	40.90	000463	
9820-96	Aluminum track with 1-3/4" grooved fascia	96" (2438 mm)	AL	60.50	099664	
9820-120	Aluminum track with 1-3/4" grooved fascia	120" (3048 mm)	AL	69.65	000464	
9820-144	Aluminum track with 1-3/4" grooved fascia	144" (3658 mm)	AL	90.75	000460	
Item #	Parts Bags					
9540	4 ea. 9401 hangers, 2 ea. 2610 pull, 1 ea. 9351 guide			9.25	017419	10
9544*	4 ea. 9202 hangers, 2 ea. 2630 pull, 1 ea. 9351 guide			13.75	017035	
9841	4 ea. 9401 hangers, 2 ea. 9865 pull, 1 ea. 9351 guide			7.85	099665	
9842	4 ea. 9401 hangers, 2 ea. 2630 pull, 1 ea., 9351 guide			10.80	017424	
9843*	4 ea. 9202 hangers, 2 ea. 9865 pull, 1 ea. 9351 guide			12.30	016912	
Used to increase door weight capacity to 75 lbs						
Item #	Components					
2610	Finger Pull		US3	0.90	013049	500
	Material: Brass		US4	0.90	071953	
	Overall Diameter: 31/32"		US5	0.90	067282	
	Finger Pull Diameter: 3/4"		US10A	0.90	068711	
	Pull Clearance: 5/16"		US15	0.90	040589	
	Projection: 1/32"		US15A	0.90	040590	
			US26	0.90	013047	
		US26D	0.90	071169		
2630	Round Flush Pull		US3	3.95	051919	50
	Material: Brass		US4	3.95	073783	
	Overall Diameter: 2-7/16"		US5	3.95	053163	
	Finger Pull Diameter: 2-1/16"		US10A	3.95	073053	
	Pull Clearance: 11/32"		US15	3.95	073056	
	Projection: 3/32"		US15A	3.95	005307	
			US26	3.95	023430	
		US26D	3.95	023431		
9202	Twin Wheel Hanger - Large 11/16" (18 mm) offset B		US2C	3.25	096562	100
9351	Door Guide			2.55	096563	50
9401	Cam Adjustable Hanger - Large 11/16" (18 mm) offset B		US2C	3.25	096566	100
9865	Plastic Pull		Plastic	0.95	098993	50
	Overall Diameter: 1-31/32"					
	Finger Pull Diameter: 1-19/32"					
	Pull Clearance: 11/32"					
	Projection: 5/64"					



Sliding Door Hardware - 9673 and 9674 Packaged Sets - By-Pass



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.	
	Heavy duty aluminum double box track & hardware with 2-5/8" (66 mm) grooved fascia. For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors. 9673 Pkg Sets for doors up to 125 lbs (57 kg). Contents: 9603 track, 9679 parts bag						
9673-48	By-pass set for two 24" doors	48" (1219 mm)		131.45	137170	5	
9673-60	By-pass set for two 30" doors	60" (1524 mm)		141.95	137171		
9673-72	By-pass set for two 36" doors	72"(1829 mm)		150.25	137172		
9673-96	By-pass set for two 48" doors	96" (2438 mm)		184.25	137173		
	9674 Pkg Sets for doors up to 150 lbs (68 kg).						
9674-48	By-pass set for two 24" doors	48" (1219 mm)		172.10	136345	5	
9674-60	By-pass set for two 30" doors	60" (1524 mm)		181.95	136346		
9674-72	By-pass set for two 36" doors	72" (1829 mm)		196.25	136347		
9674-96	By-pass set for two 48" doors	96" (2438 mm)		227.30	136349		
	Double box track w/ built in grooved fascia. Grooved fascia for painting.						
9603-48	Aluminum box track with grooved fascia	48" (1219 mm)	AL	59.00	135288	5	
9603-60	Aluminum box track with grooved fascia	60" (1524 mm)	AL	71.10	135289		
9603-72	Aluminum box track with grooved fascia	72" (1829 mm)	AL	84.65	135290		
9603-96	Aluminum box track with grooved fascia	96" (2438 mm)	AL	110.40	135291		
9603-120	Aluminum box track with grooved fascia	120" (3048 mm)	AL	138.25	029359		
9603-144	Aluminum box track with grooved fascia	144" (3658 mm)	AL	169.95	029360		
Item #	Parts Bags						
9575	4 ea. 9572 hangers w/ top mount plate, 1 ea. 9909 guide			26.65	137167	5	
9679	4 ea. 9605 hangers w/ top mount plate, 1 ea. 9909 guide			37.20	096600		
9680	4 ea. 9606 ball bearing hangers w/ top mount plate, 1 ea. 9909 guide			87.65	136357		
Item #	Components						
9572	4 Wheel Hanger w/ Top Mount Plate			US2D	11.50	135316	20
9605	4 Wheel Hanger w/ Top Mount Plate			US2D	5.40	135317	20
9606	4 Wheel Ball Bearing Hanger w/ Top Mount Plate			US2D	16.80	135318	20
9909	Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)			US2C	7.85	097528	20



Sliding Door Hardware - 9675 and 9676 Packaged Sets - By-Pass



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
Heavy duty aluminum double box track & hardware For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors. 9675 Pkg Sets for doors up to 125 lbs (57 kg) each. Contents: 9602 track, 9679 parts bag						
9675-48	By-pass set for two 24" doors	48" (1219 mm)		86.20	137175	5
9675-60	By-pass set for two 30" doors	60" (1524 mm)		92.25	137176	
9675-72	By-pass set for two 36" doors	72" (1829 mm)		101.25	137177	
9675-96	By-pass set for two 48" doors	96" (2438 mm)		119.40	137178	
9676 Pkg Sets for doors up to 150 lbs (68 kg) each.						
9676-48	By-pass set for two 24" doors	48" (1219 mm)		131.45	136350	5
9676-60	By-pass set for two 30" doors	60" (1524 mm)		132.90	136351	
9676-72	By-pass set for two 36" doors	72" (1829 mm)		146.55	136352	
9676-96	By-pass set for two 48" doors	96" (2438 mm)		162.40	136353	
Grooved fascia for painting						
9709-48	Aluminum grooved fascia, 2-3/4" (70 mm) wide	48" (1219 mm)	AL	33.40	023321	10
9709-60	Aluminum grooved fascia, 2-3/4" (70 mm) wide	60" (1524 mm)	AL	50.05	023322	
9709-72	Aluminum grooved fascia, 2-3/4" (70 mm) wide	72" (1829 mm)	AL	57.45	096603	
9709-96	Aluminum grooved fascia, 2-3/4" (70 mm) wide	96" (2438 mm)	AL	65.05	096604	
9602-46	Double box track only, heavy duty aluminum	46" (1168 mm)	AL	31.95	096582	5
9602-58	Double box track only, heavy duty aluminum	58" (1473 mm)	AL	39.40	096583	
9602-70	Double box track only, heavy duty aluminum	70" (1778 mm)	AL	45.50	096584	
9602-94	Double box track only, heavy duty aluminum	94" (2388 mm)	AL	59.00	096585	
9602-118	Double box track only, heavy duty aluminum	118" (2997 mm)	AL	71.10	096586	
9602-142	Double box track only, heavy duty aluminum	142" (3607 mm)	AL	84.65	096587	
Parts Bags						
9575	4 ea. 9572 hangers w/ top mount plate, 1 ea. 9909 guide			26.65	137167	5
9679	4 ea. 9605 hangers w/ top mount plate, 1 ea. 9909 guide			37.20	096600	5
9680	4 ea. 9606 ball bearing hangers w/ top mount plate, 1 ea. 9909 guide			87.65	136357	5
Components						
9572	4 Wheel Hanger w/ Top Mount Plate		US2D	11.50	135316	20
9605	4 Wheel Hanger w/ Top Mount Plate		US2D	5.40	135317	20
9606	4 Wheel Ball Bearing Hanger w/ Top Mount Plate		US2D	16.80	135318	20
9909	Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)		US2C	7.85	097528	20



Sliding Door Hardware - 9844 and 9845 Packaged Sets - By-Pass



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
	Galvanized steel track & hardware For 1-1/8" (29 mm) and 1-3/8" (35 mm) thick doors, use 9844 pkg set. For doors 3/4" (19 mm), 1" (25 mm), and 1-3/4" (44 mm) thick, use track 9840.					
	9844 Pkg Sets for doors up to 60 lbs (27 kg).					
	Contents: 9840 track and 9540 parts bag. Refer to side mount selection chart on page 2 for combination of hangers.					
9844-48	By-pass set for two 24" doors	48" (1219 mm)		28.80	096652	5
9844-60	By-pass set for two 30" doors	60" (1524 mm)		31.95	096653	
9844-72	By-pass set for two 36" doors	72" (1829 mm)		35.00	096654	
9844-96	By-pass set for two 48" doors	96" (2438 mm)		44.70	096655	
	9845 Pkg Sets for three (3) doors and doors up to 60 lbs. (27 kg) per door.					
	Contents: 9840 track, 2 ea. 9400 hangers, 4 ea. 9401 hangers, 2 ea. 9353 guides, and 3 ea. 2610 pulls					
9845-96	By-pass Set for three 32" doors	96" (2438 mm)		51.55	096668	5
9840-46	Galvanized steel track	45-1/2" (1156 mm)	US2H	9.25	000931	10
9840-58	Galvanized steel track	57-1/2" (1461 mm)	US2H	10.80	000932	
9840-70	Galvanized steel track	69-1/2" (1765 mm)	US2H	13.05	000933	
9840-93	Galvanized steel track	92-1/2" (2350 mm)	US2H	16.80	017006	
9840-120	Galvanized steel track	120" (3048 mm)	US2H	21.65	017854	
9840-144	Galvanized steel track	144" (3658 mm)	US2H	26.00	017855	
Item #	Parts Bags					
9540	4 ea. 9401 hangers, 2 ea. 2610 pulls, 1 ea., 9351 guide			9.25	017419	10
9544*	4 ea. 9202 hangers, 2 ea. 2630 pulls, 1 ea., 9351 guide			13.75	017035	
9841	4 ea. 9401 hangers, 2 ea. 9865 pulls, 1 ea., 9351 guide			7.85	099665	
9842	4 ea. 9401 hangers, 2 ea. 2630 pulls, 1 ea., 9351 guide			10.80	017424	
9843*	4 ea. 9202 hangers, 2 ea. 9865 pulls, 1 ea., 9351 guide			12.30	016912	
	Used to increase door weight capacity to 75 pounds					
Item #	Components					
2610	Finger Pull		US3	0.90	013049	500
	Material: Brass		US4	0.90	071953	
	Overall Diameter: 31/32"		US5	0.90	067282	
	Finger Pull Diameter: 3/4"		US10A	0.90	068711	
	Pull Clearance: 5/16"		US15	0.90	040589	
	Projection: 1/32"		US15A	0.90	040590	
			US26	0.90	013047	
2630	Round Flush Pull		US3	3.95	051919	50
	Material: Brass		US4	3.95	073783	
	Overall Diameter: 2-7/16"		US5	3.95	053163	
	Finger Pull Diameter: 2-1/16"		US10A	3.95	073053	
	Pull Clearance: 11/32"		US15	3.95	073056	
	Projection: 3/32"		US15A	3.95	005307	
			US26	3.95	023430	
9202	Twin Wheel Hanger - Large 11/16" (18 mm) offset B		US26D	3.95	023431	
			US2C	3.25	096562	100
9351	Door Guide			2.55	096563	50
9400	Cam Adjustable Hanger - Small 3/8" (10 mm) offset A		US2C	3.25	017417	100
9401	Cam Adjustable Hanger - Large 11/16" (18 mm) offset B		US2C	3.25	096566	100
9865	Plastic Pull		Plastic	0.95	098993	50
	Overall Diameter: 1-31/32", Finger Pull Diameter: 1-19/32", Pull Clearance: 11/32", Projection: 5/64"					



Sliding Door Hardware - 9875 Packaged Sets - By-Pass



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
	Heavy duty aluminum box track & hardware For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors. 9574 spacer kit is used for 1-3/4" (4 mm) doors. No spacer kit required for 1-3/8" (35 mm) doors. 9875 Pkg Sets for doors up to 250 lbs (113 kg). Contents: 2 ea. 9801 tracks, 4 ea. 9827 hangers w/ top mount plate, 1 ea. 9574 space, 1 ea. 9909 guide					
9875-48	By-pass set for two 24" doors	48" (1219 mm)		178.25	137420	6
9875-60	By-pass set for two 30" doors	60" (1524 mm)		224.95	137421	
9875-72	By-pass set for two 36" doors	72" (1829 mm)		237.00	137422	
9875-96	By-pass set for two 48" doors	96" (2438 mm)		265.65	137423	
	Grooved fascia for painting					
9809-72	Aluminum grooved fascia, 3-7/8" (98 mm) thick	72" (1829 mm)	AL	89.95	096646	10
9809-96	Aluminum grooved fascia, 3-7/8" (98 mm) thick	96" (2438 mm)	AL	117.80	096647	
9801-72	Box track only, heavy duty aluminum	72" (1829 mm)	AL	48.45	096641	10
9801-96	Box track only, heavy duty aluminum	96" (2438 mm)	AL	65.05	096642	
9801-120	Box track only, heavy duty aluminum	120" (3048 mm)	AL	81.60	096643	
9801-144	Box track only, heavy duty aluminum	144" (3658 mm)	AL	106.55	096644	
9801-192	Box track only, heavy duty aluminum	192" (4877 mm)	AL	141.95	096645	
Item #	Components					
9574	Spacer Kit - For use with 9801 - For doors 1-3/8" and 1-3/4" thick			4.80	015991	5
9827	4 Wheel Ball bearing Hanger w/ Top Mount Plate			39.40	018292	10
9909	Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)			US2C 7.85	097528	20



Sliding Door Hardware - 9885 and 9886 Packaged Sets - By-Pass



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
Heavy duty aluminum double box track with 3-1/2" (89 mm) smooth fascia & hardware, for two doors. For 1-3/8" (35 mm) and 1-3/4" (44 mm) thick doors. 9885 Pkg Sets for two (2) doors up to 250 lbs (113 kg) each. Contents: 9803 track, 4 ea. 9827 hangers w/ top mount plate, 1 ea. 9909 guide, 1 ea. 9815 center stop for 9886 only.						
9885-48	By-pass set for two 24" doors	48" (1219 mm)		203.15	137463	1
9885-60	By-pass set for two 30" doors	60" (1524 mm)		227.95	137464	
9885-72	By-pass set for two 36" doors	72" (1829 mm)		253.70	137465	
9885-96	By-pass set for two 48" doors	96" (2438 mm)		288.90	137470	
9886 Pkg Sets for four (4) 24" doors up to 250 lbs. (113 kg) each. Contents: 9803 track, 8 ea. 9827 hangers w/ top mount plate, 2 ea. 9815 center stops, 2 ea. 9909 adjustable door guides.						
9886-96	By-pass set for four 24" doors	96" (2438 mm)		411.90	137471	1
Fascia is meant to be accompanied by decorative trim.						
9803-48	Double box track w/ smooth fascia, heavy duty aluminum	48" (1219 mm)	AL	101.25	022482	2
9803-60	Double box track w/ smooth fascia, heavy duty aluminum	60" (1524 mm)	AL	126.95	022483	
9803-72	Double box track w/ smooth fascia, heavy duty aluminum	72" (1829 mm)	AL	151.05	022484	
9803-96	Double box track w/ smooth fascia, heavy duty aluminum	96" (2438 mm)	AL	202.30	022485	
9803-120	Double box track w/ smooth fascia, heavy duty aluminum	120" (3048 mm)	AL	252.15	022486	
9803-144	Double box track w/ smooth fascia, heavy duty aluminum	144" (3658 mm)	AL	302.75	022487	
Item #	Components					
9815	Bumper Stop			6.90	096648	20
9827	4 Wheel Ball bearing Hanger w/ Top Mount Plate			39.40	018292	10
9909	Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)		US2C	7.85	097528	20



Sliding Door Hardware - 9570 Packaged Sets - Bi-Fold



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
Aluminum box track & hardware for 1" (25 mm) - 1-3/4" (44 mm) thick doors.						
9570 Pkg Sets for doors up to 50 lbs (23 kg) bi-fold, 30 lbs per multi fold.						
Contents for 2 door set: 9601 Track, 9569 parts bag.						
9570-36	Bi-fold set for two 18" doors	36" (914 mm)	AL	51.55	137161	6
9570-48	Bi-fold set for four 12" doors	48" (1219 mm)	AL	75.70	137162	
9570-60	Bi-fold set for four 15" doors	60" (1524 mm)	AL	81.60	137163	
9570-72	Bi-fold set for four 18" doors	72" (1829 mm)	AL	87.65	137164	
9570-96	Bi-fold set for four 24" doors	96" (2438 mm)	AL	99.05	137165	
9601-35	Aluminum box track	35" (889 mm)	AL	12.30	097461	10
9601-47	Aluminum box track	47" (1194 mm)	AL	16.80	096576	
9601-59	Aluminum box track	59" (1499 mm)	AL	21.70	096577	
9601-71	Aluminum box track	71" (1803 mm)	AL	23.65	096578	
9601-96	Aluminum box track	96" (2438 mm)	AL	36.65	096579	
9601-120	Aluminum box track	120" (3048 mm)	AL	40.90	096580	
9601-144	Aluminum box track	144" (3658 mm)	AL	48.45	096581	
Item #	Parts Bags					
9569	1 ea. 9572 hanger w/ top mount plate, 9618 pivot set, 9559 aligner, 9558 knob and 9815 bumper stop, 3 ea. 9220 hinges			22.80	016913	10
Item #	Components					
9220	Non-Mortise Bi-Fold Hinge with Screws		US2D	1.75	099119	600
9558	Wood Knob Knob Diameter: 1-1/2" Base Diameter: 15/16" Fasteners: #8 x 1-3/4" PPHWS		Wood	1.70	096567	100
9559	Aligner		US2D	0.95	096568	200
9572	4 Wheel Hanger w/ Top Mount Plate		US2D	11.50	135316	20
9815	Bumper Stop			6.90	096648	20
9618	Pivot Set - For 9570 series		-	7.85	137182	10



Sliding Door Hardware - 9860 and 9861 Packaged Sets - Bi-Fold



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
Heavy duty aluminum box track & hardware. For 1-3/8"(35mm) and 1-3/4"(44mm) thick doors.						
9860 Pkg Sets for doors up to 125 lbs (57 kg) per panel bi-fold.						
Contents: 9821 track, 1 ea. 9894 parts bag, and 3 ea. 1741 hinges						
9860-30	Bi-fold set for two 15" doors	30" (762 mm)		96.55	019456	6
9860-36	Bi-fold set for two 18" doors	36" (914 mm)		104.05	019452	
9860-48	Bi-fold set for two 24" doors	48" (1219 mm)		116.25	019451	
9861 Pkg Sets for doors up to 125 lbs. (57 kg) per panel for multi-fold.						
Contents: 9821 track, 2 ea. 9894 parts bag, and 6 ea. 1741 hinges						
9861-48	Bi-fold set for four 12" doors	48" (1219 mm)		185.55	019446	6
9861-60	Bi-fold set for four 15" doors	60" (1524 mm)		192.35	019439	
9861-72	Bi-fold set for four 18" doors	72" (1829 mm)		205.70	019438	
9861-96	Bi-fold set for four 24" doors	96" (2438 mm)		225.60	019437	
9821-59	Aluminum box track	59" (1499 mm)	AL	30.00	019084	10
9821-71	Aluminum box track	71" (1803 mm)	AL	37.20	019062	
9821-96	Aluminum box track	96" (2438 mm)	AL	49.55	019061	
9821-144	Aluminum box track	144" (3658 mm)	AL	71.80	019050	
Item # Parts Bags						
9894	1 ea. 9825 hanger w/ top mount plate, 9828 bi-fold pivot, 9815 bumper stop, 9559 aligner			85.45	019435	10
Item # Components						
1741	Full Mortise Plain Bearing Hinges with Screws 3-1/2" x 3-1/2"		US2D	1.85	029658	50
9559	Aligner		US2D	0.95	096568	200
9815	Bumper Stop			6.90	096648	20
9825	Ball Bearing Hanger w/ Top Mount Plate			33.95	135321	10
9828	Heavy Duty Pivot Set with 9815 Bumper Stop			49.05	018286	10



Sliding Door Hardware - 9890 and 9891 Packaged Sets - Bi-Fold



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
Heavy duty aluminum box track & hardware for 1-1/8"(29mm) and 1-3/4"(44mm) thick doors. 9890 Pkg Sets for doors up to 125 lbs (57 kg). Contents: 9801 track, 9827 hangers w/ top mount plate, 9828 pivots & 1741 hinges (3 ea. for 2 doors, 6 ea. for 4 doors)						
9890-30	Bi-fold set for two 15" doors	30" (762 mm)		103.60	017732	6
9890-36	Bi-fold set for two 18" doors	36" (914 mm)		107.90	017444	
9890-48	Bi-fold set for two 24" doors	48" (1219 mm)		120.90	017439	
9891-48	Bi-fold set for four 12" doors	48" (1219 mm)		184.00	017438	6
9891-60	Bi-fold set for four 15" doors	60" (1524 mm)		194.05	017437	
9891-72	Bi-fold set for four 18" doors	72" (1829 mm)		208.40	017436	
9891-96	Bi-fold set for four 24" doors	96" (2438 mm)		229.25	017434	
9801-48	Aluminum box track	48" (1219 mm)	AL	32.30	040426	6
9801-72	Aluminum box track	72" (1829 mm)	AL	48.45	096641	
9801-96	Aluminum box track	96" (2438 mm)	AL	65.05	096642	
9801-120	Aluminum box track	120" (3048 mm)	AL	81.60	096643	
9801-144	Aluminum box track	144" (3658 mm)	AL	106.55	096644	
9801-192	Aluminum box track	192" (4877 mm)	AL	141.95	096645	
Item #	Components					
1741	Full Mortise Plain Bearing Hinges with Screws 3-1/2" x 3-1/2"		US2D	1.85	029658	50
9827	4 Wheel Ball bearing Hanger w/ Top Mount Plate			39.40	018292	10
9828	Heavy Duty Pivot Set with 9815 Bumper Stop			49.05	018286	10



Sliding Door Hardware - 9110 and 9130 Packaged Sets - Pocket Door



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.	
Heavy duty aluminum i-beam track & hardware for 1"(25mm) thick doors. 9110 Pkg Sets for doors up to 175 lbs (79 kg) per door. Contents: 9101 track, 9109 parts bag							
9110-60	Packaged set for 2'6" door	60" (1524 mm)		114.15	135334	5	
9110-72	Packaged set for 3'0" door	72" (1829 mm)		126.15	135335		
9110-84	Packaged set for 3'6" door	84" (2134 mm)		137.45	135336		
9110-96	Packaged set for 4'0" door	96" (2438 mm)		149.55	135337		
9110-120	Packaged set for 5'0" door	120" (3048 mm)		154.00	135338		
9110-144	Packaged set for 6'0" door	144" (3658 mm)		180.35	135339		
9130 Pkg Sets for doors up to 275 lbs (125 kg) per door. Contents: 9101 track, 9129 parts bag							
9130-60	Packaged set for 2'6" door	60" (1524 mm)		145.80	135340	5	
9130-72	Packaged set for 3'0" door	72" (1829 mm)		156.30	135341		
9130-84	Packaged set for 3'6" door	84" (2134 mm)		157.85	135342		
9130-96	Packaged set for 4'0" door	96" (2438 mm)		172.10	135343		
9130-120	Packaged set for 5'0" door	120" (3048 mm)		203.70	135344		
9130-144	Packaged set for 6'0" door	144" (3658 mm)		227.30	135346		
9101-72	I-beam track only, heavy duty aluminum	72" (1829 mm)	AL	66.65	096508	5	
9101-84	I-beam track only, heavy duty aluminum	84" (2134 mm)	AL	79.40	096509		
9101-96	I-beam track only, heavy duty aluminum	96" (2438 mm)	AL	84.90	096707		
9101-120	I-beam track only, heavy duty aluminum	120" (3048 mm)	AL	111.05	096511		
9101-144	I-beam track only, heavy duty aluminum	144" (3658 mm)	AL	133.65	096512		
9101-192	I-beam track only, heavy duty aluminum	192" (4877 mm)	AL	177.45	096513		
Item #	Parts Bags						
9109	2 ea. 9102 two wheel hangers, 1 ea. 9115 floor guide. Up to 175 lbs (79 kg) per door.			55.30	135690	10	
9129	2 ea. 9105 four wheel hangers, 1 ea. 9115 floor guide Up to 275 lbs (125 kg) per door.			81.60	135315	10	
Item #	Components						
9102	2 Wheel Hanger - For use with 9101 track			US2C	24.25	135310	20
9105	4 Wheel Hanger - For use with 9101 track			US2C	36.40	135312	40
9115	Bottom Door Guide			US2C	8.60	096522	50



Sliding Door Hardware - 9628 | 9629 | 9630 | 9631 - Pocket Door Framed Kits



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9628	For 3'0" wide x 9'0" high doors up to 150 lbs (68 kg) per door.	108" (2743 mm)	AL	238.55	136339	1
9629	For 3'0" wide x 8'0" high doors up to 150 lbs (68 kg) per door.	96" (2134 mm)	AL	217.35	136341	1
9630	For 3'0" wide x 7'0" high doors up to 150 lbs (68 kg) per door.	84" (2134 mm)	AL	212.90	136343	1
9631	For 3'0" wide x 6'8" high doors up to 150 lbs (68 kg) per door.	80" (2032 mm)	AL	136.00	137180	1

Note: Packaged sets contents: 9601 track, 1 header assembly, 2 pair of split studs, 2 floor plates and 2 end brackets, 2 each 9606 ball bearing hangers w/ top mount plate, 1 each 9881 bumper, and 1 each 9883 door guide set. For 1-3/8"(35mm) and 1-3/4"(44 mm) thick doors.



Item #	Replacement Parts					
9601-71	Aluminum Box Track	71" (1803 mm)	AL	23.65	096578	10
9601-84	Aluminum Box Track	84" (2134 mm)	AL	31.95	045141	
9601-96	Aluminum Box Track	96" (2438 mm)	AL	36.65	096579	
9601-120	Aluminum Box Track	120" (3048 mm)	AL	40.90	096580	
9601-144	Aluminum Box Track	144" (3658 mm)	AL	48.45	096581	
9606	4 Wheel Ball Bearing Hanger w/ Top Mount Plate		US2D	16.80	135318	20
9881	Rubber Bumper			0.95	096685	80
9883	2-Piece Door Guide set with screws			3.60	096686	100



Sliding Door Hardware - 9678 Packaged Sets - Pocket Door



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
Heavy duty aluminum box track & hardware 9678 Pkg Sets up to 125 lbs. (57 kg) per door. Contents: 9601 track, 9632 parts bag. For 1-3/8"(35mm) and 1-3/4"(44mm) thick doors.						
9678-72	Pocket set for 3' door	72" (1829 mm)		80.80	136354	6
9678-96	Pocket set for 4' door	96" (2438 mm)		96.75	136356	
9601-71	Box track only, heavy duty aluminum	71" (1803 mm)	AL	23.65	096578	6
9601-84	Box track only, heavy duty aluminum	84" (2134 mm)	AL	31.95	045141	
9601-96	Box track only, heavy duty aluminum	96" (2438 mm)	AL	36.65	096579	
9601-120	Box track only, heavy duty aluminum	120" (3048 mm)	AL	40.90	096580	
9601-144	Box track only, heavy duty aluminum	144" (3658 mm)	AL	48.45	096581	
Item #	Parts Bags					
9632	2 ea. 9605 hangers w/ top mount plate, 1 ea. 9883 door guide, 1 ea. 9881 bumper. Up to 125 lbs (57 kg) per door.			31.95	135322	10
9633	2 ea. 9606 ball bearing hangers w/ top mount plate, 1 ea. 9883 door guide, 1 ea. 9881 bumper. Up to 150 lbs (69 kg) per door.			52.95	135323	
Item #	Components					
9605	4 Wheel Hanger w/ Top Mount Plate		US2D	5.40	135317	20
9606	4 Wheel Ball Bearing Hanger w/ Top Mount Plate		US2D	16.80	135318	20
9881	Rubber Bumper			0.95	096685	80
9883	2-Piece Door Guide set with screws			3.60	096686	100



Sliding Door Hardware - 9850 - Pocket Door Framed Kits



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9850	For 4'0" wide x 8'0" high doors, up to 250 lbs. (113 kg) per door.	96" (2438 mm)	AL	381.80	139083	1
	For 4'0" wide x 8'6" high doors, up to 250 lbs. (113 kg) per door.	102" (2591 mm)	AL	445.10	139085	1
Note: Packaged sets contents: 9801 track, 1 header assembly, 3 pairs of split studs, 2 each 9827 hangers w/ top mount plate, 1 ea. 9881 bumper, 1ea. 9883 door guide set, 3 floor plates and 2 end brackets. For 1-3/8"(35mm) and 1-3/4"(44mm) thick doors.						
Item #	Replacement Parts					
9801-72	Box Track only, Heavy Duty Aluminum	72" (1829 mm)	AL	48.45	096641	5
9801-96	Box Track only, Heavy Duty Aluminum	96" (2438 mm)	AL	65.05	096642	
9801-120	Box Track only, Heavy Duty Aluminum	120" (3048 mm)	AL	81.60	096643	
9801-144	Box Track only, Heavy Duty Aluminum	144" (3658 mm)	AL	106.55	096644	
9801-192	Box Track only, Heavy Duty Aluminum	192" (4877 mm)	AL	141.95	096645	
9827	4 Wheel Ball bearing Hanger w/ Top Mount Plate			39.40	018292	10
9881	Rubber Bumper			0.95	096685	80
9883	2-Piece Door Guide set with screws			3.60	096686	100



Sliding Door Hardware - 9878 Packaged Sets - Pocket Door



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9878 Pkg Sets						
For doors up to 250 lbs. (113 kg) per door. For doors 1-3/8" (35 mm) thick and up.						
Contents: 9801 track, 9742 parts bag						
9878-72	Pocket set for 3' door	72" (1829 mm)		131.00	137425	6
9878-96	Pocket set for 4' door	96" (2438 mm)		174.55	137426	
9801-72	Box track only, heavy duty aluminum	72" (1829 mm)	AL	48.45	096641	10
9801-96	Box track only, heavy duty aluminum	96" (2438 mm)	AL	65.05	096642	
9801-120	Box track only, heavy duty aluminum	120" (3048 mm)	AL	81.60	096643	
9801-144	Box track only, heavy duty aluminum	144" (3658 mm)	AL	106.55	096644	
9801-192	Box track only, heavy duty aluminum	192" (4877 mm)	AL	141.95	096645	
Item # Parts Bags						
9742	2 ea. 9827 hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper			83.20	137418	10
Item # Components						
9827	4 Wheel Ball bearing Hanger w/ Top Mount Plate			39.40	018292	10
9881	Rubber Bumper			0.95	096685	80
9883	2-Piece Door Guide set with screws			3.60	096686	100



Sliding Door Hardware - 9901 Packaged Sets - Pocket Door



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
Extra heavy duty aluminum box track & hardware for 1-3/8"(35mm) and 1-3/4"(44mm) thick doors. 9901 Packaged Sets for doors up to 250 lbs. (113 kg) Contents: 9821 track, 9895 parts bag						
9901-72	Pocket set for 3' doors	72" (1829 mm)		137.55	019361	6
9901-96	Pocket set for 4' doors	96" (2438 mm)		154.00	019358	
9821-59	Aluminum box track	59" (1499 mm)	AL	30.00	019084	10
9821-71	Aluminum box track	71" (1803 mm)	AL	37.20	019062	
9821-96	Aluminum box track	96" (2438 mm)	AL	49.55	019061	
9821-144	Aluminum box track	144" (3658 mm)	AL	71.80	019050	
Item #	Parts Bags					
9895	2 ea. 9825 hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper			67.85	019408	10
Item #	Components					
9825	Ball Bearing Hanger w/ Top Mount Plate			33.95	135321	10
9881	Rubber Bumper			0.95	096685	80
9883	2-Piece Door Guide set with screws			3.60	096686	100



Sliding Door Hardware - 9710 Packaged Sets - Wall-Mount



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
	Heavy duty aluminum wall-mount box track, anodized fascia, end caps and hardware for 1"(25mm) and 1-3/4"(44mm) thick doors. 9710 Pkg Sets for heavy duty single doors and bi-parting doors up to 250 lbs. (113kg) Contents of Packaged Sets: 9703 track, 9704 fascia, 9705 end caps and 9711 parts bags. (2 ea. 9711 parts bags included in 144" pkg set.)					
9710-60	Wall-Mount Packaged Set for 1 Door	60" (1524 mm)	CLA	215.60	160955	1
9710-72	Wall-Mount Packaged Set for 1 Door	72" (1829 mm)	CLA	228.80	160958	
9710-96	Wall-Mount Packaged Set for 1 Door	96" (2438 mm)	CLA	264.00	160959	
9710-144	Wall-Mount Packaged Set for 1 or 2 Doors	144" (3658 mm)	CLA	440.00	160991	
9710-60	Wall-Mount Packaged Set for 1 Door	60" (1524 mm)	DBA	269.50	160961	1
9710-72	Wall-Mount Packaged Set for 1 Door	72" (1829 mm)	DBA	286.00	160962	
9710-96	Wall-Mount Packaged Set for 1 Door	96" (2438 mm)	DBA	330.00	160963	
9710-144	Wall-Mount Packaged Set for 1 or 2 Doors	144" (3658 mm)	DBA	560.25	160989	
9703-60	Wall-Mount Track-mill finish	60" (1524 mm)	ALM	64.70	160984	5
9703-72	Wall-Mount Track-mill finish	72" (1829 mm)	ALM	68.65	160985	
9703-96	Wall-Mount Track-mill finish	96" (2438 mm)	ALM	79.20	160986	
9703-144	Wall-Mount Track-mill finish	144" (3658 mm)	ALM	152.00	160988	
9703-60	Wall-Mount Track- dark bronze anodized	60" (1524 mm)	DBA	100.00	160993	5
9703-72	Wall-Mount Track- dark bronze anodized	72" (1829 mm)	DBA	106.50	160994	
9703-96	Wall-Mount Track- dark bronze anodized	96" (2438 mm)	DBA	123.00	160995	
9703-144	Wall-Mount Track- dark bronze anodized	144" (3658 mm)	DBA	236.00	160996	
9704-60	Wall-Mount Fascia- clear anodized	60" (1524 mm)	CLA	84.15	161003	5
9704-72	Wall-Mount Fascia- clear anodized	72" (1829 mm)	CLA	89.25	161004	
9704-96	Wall-Mount Fascia- clear anodized	96" (2438 mm)	CLA	103.00	161005	
9704-144	Wall-Mount Fascia- clear anodized	144" (3658 mm)	CLA	198.00	161006	
9704-60	Wall-Mount Fascia-dark bronze anodized	60" (1524 mm)	DBA	130.00	161009	5
9704-72	Wall-Mount Fascia-dark bronze anodized	72" (1829 mm)	DBA	138.70	161010	
9704-96	Wall-Mount Fascia-dark bronze anodized	96" (2438 mm)	DBA	159.75	161011	
9704-144	Wall-Mount Fascia-dark bronze anodized	144" (3658 mm)	DBA	306.00	161012	
Item #	Parts Bags					
9705	End Cap Set- anodized		CLA	66.00	161013	10
			DBA	79.20	161014	10
9711	Parts Bag: 2 ea. 9827 hangers w/ top mount plate, 1 ea. 9115 bottom door guide, 4 ea 9815 bumper stops			65.00	161015	10
Item #	Components					
9115	Bottom Door Guide		US2C	8.60	096522	50
9815	Bumper Stop			6.90	096648	20
9827	4 Wheel Ball Bearing Hanger w/ Top Mount Plate			39.40	018292	10




Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
330D	Pocket Door Latch		US3	15.65	086840	20
	Material: Cast brass		US5	17.90	086841	
	Fits: 1-3/8" - 1-3/4" door		US10	26.85	066707	
	Size: 2-3/4" x 2-1/2"		US10B	26.85	056768	
	Finger Pull Extends: 1-3/8"		US15	26.85	078972	
	Fasteners: #6 x 5/8" OPHWS		US15A	26.85	054061	
			US19	26.85	054570	
			US26	17.90	086837	
			US26D	17.90	086838	
330L	Privacy Pocket Door Latch		US3	22.40	143162	20
	Material: Brass		US5	23.90	143164	
	Size: 2-3/4" x 2-1/2"		US10	31.80	014365	
	Finger Pull Extends: 1-3/8"		US10B	31.80	143158	
	Strike: 1" x 2-1/4"		US15	31.80	143159	
	1-3/8" doors		US15A	31.80	143160	
	Fasteners: #6 x 5/8" OPHWS; #6 x 3/4" FPHWS		US19	31.80	143166	
			US26	23.90	143167	
			US26D	23.90	143161	
330M	Privacy Pocket Door Latch		US3	22.40	143172	20
	Material: Brass		US5	23.90	143178	
	Size: 2-3/4" x 2-1/2"		US10	31.80	143168	
	Finger Pull Extends: 1-3/8"		US10B	31.80	143169	
	Strike: 1" x 2-1/4"		US15	31.80	143173	
	1-3/4" doors		US15A	31.80	143174	
	Fasteners: #6 x 5/8" OPHWS; #6 x 3/4" FPHWS		US19	31.80	143175	
			US26	23.90	143170	
			US26D	23.90	143171	
1741	Full Mortise Plain Bearing Hinges with Screws 3-1/2" x 3-1/2"		US2D	1.85	029658	50
2610	Finger Pull		US3	0.90	013049	500
	Material: Brass		US4	0.90	071953	
	Overall Diameter: 31/32"		US5	0.90	067282	
	Finger Pull Diameter: 3/4"		US10A	0.90	068711	
	Pull Clearance: 5/16"		US15	0.90	040589	
	Projection: 1/32"		US15A	0.90	040590	
			US26	0.90	013047	
			US26D	0.90	071169	
2620	Round Flush Pull		US3	1.50	013081	50
	Material: Brass		US4	1.50	072997	
	Overall Diameter: 31/32"		US5	1.50	072148	
	Finger Pull Diameter: 1-11/16"		US10A	1.50	072534	
	Pull Clearance: 11/32"		US15	1.50	072624	
	Projection: 5/64"		US15A	1.50	072158	
			US26	1.50	072554	
			US26D	1.50	075322	



Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
2630	Round Flush Pull		US3	3.95	051919	50
	Material: Brass		US4	3.95	073783	
	Overall Diameter: 2-7/16"		US5	3.95	053163	
	Finger Pull Diameter: 2-1/16"		US10A	3.95	073053	
	Pull Clearance: 11/32"		US15	3.95	073056	
	Projection: 3/32"		US15A	3.95	005307	
			US26	3.95	023430	
			US26D	3.95	023431	
2640	Oblong Flush Pull		US3	5.55	096760	50
	Material: Brass		US4	5.55	075056	
	Size: 1-5/16" x 2-3/4"		US5	5.55	074270	
	Cup Clearance: 5/16"		US10A	5.55	074533	
	Fasteners: #6 x 5/8" OPHWS		US15	5.55	074711	
			US15A	5.55	074350	
			US26	5.55	026751	
			US26D	5.55	074664	
9101-60	I-Beam track, heavy duty aluminum	60" (1524 mm)	AL	53.25	023278	5
9101-72	I-Beam track, heavy duty aluminum	72" (1829 mm)	AL	66.65	096508	
9101-84	I-Beam track, heavy duty aluminum	84" (2134 mm)	AL	79.40	096509	
9101-96	I-Beam track, heavy duty aluminum	96" (2438 mm)	AL	84.90	096707	
9101-120	I-Beam track, heavy duty aluminum	120" (3048 mm)	AL	111.05	096511	
9101-144	I-Beam track, heavy duty aluminum	144" (3658 mm)	AL	133.65	096512	
9101-192	I-Beam track, heavy duty aluminum	192" (4877 mm)	AL	177.45	096513	
9102	2 Wheel Hanger		US2C	24.25	135310	20
9105	4 Wheel Hanger		US2C	36.40	135312	40
9109	Parts Bag: 2 ea. 9102 two wheel hangers, 1 ea. 9115 floor guide			55.30	135690	10
9111	Bottom Roller Guide		US2C	4.00	096516	20
9113	Stop		AL	52.35	135314	10
9114-72	Bottom Guide Track- 72"	72" (1829 mm)	AL	39.40	096519	5
9114-96	Bottom Guide Track- 96"	96" (2438 mm)	AL	52.35	096520	5
9114-144	Bottom Guide Track- 144"	144" (3658 mm)	AL	78.65	096521	5



Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9115	Bottom Door Guide		US2C	8.60	096522	50
9121	Roller Guide - For use with 9122 guide		US2C	16.15	137181	20
9122-48	Bottom Guide Channel - 3/4" wide x 5/8" tall	48" (1219 mm)	AL	20.55	096557	5
9122-60	Bottom Guide Channel - 3/4" wide x 5/8" tall	60" (1524 mm)	AL	25.85	096558	5
9122-72	Bottom Guide Channel - 3/4" wide x 5/8" tall	72" (1829 mm)	AL	30.35	096559	5
9122-96	Bottom Guide Channel - 3/4" wide x 5/8" tall	96" (2438 mm)	AL	40.25	096560	5
9122-120	Bottom Guide Channel - 3/4" wide x 5/8" tall	120" (3048 mm)	AL	50.70	096605	5
9122-132	Bottom Guide Channel - 3/4" wide x 5/8" tall	132" (3353 mm)	AL	55.30	096606	5
9122-144	Bottom Guide Channel - 3/4" wide x 5/8" tall	144" (3658 mm)	AL	60.50	096607	5
9122-192	Bottom Guide Channel - 3/4" wide x 5/8" tall	192" (4877 mm)	AL	80.80	096608	5
9128	Bottom Pivot Bolt and Door Plate with Bottom Pivot Floor Bracket		US2C	38.45	023150	10
9129	Parts Bag: 2 ea. 9105 4-wheel hangers, 1 ea. 9115 floor guide			81.60	135315	10
9169	Top Pivot Assembly		US2C	8.60	096635	10
9200	Hanger - Small 3/8" (10 mm) offset A			1.75	016575	100
9201	Hanger - Large 11/16" (18 mm) offset B		US2C	1.75	096561	100
9202	Twin Wheel Hanger - Large 11/16" (18 mm) offset B		US2C	3.25	096562	100
9203	Twin Wheel Hanger - Small 3/8" (10 mm) offset A		US2C	3.25	017007	100
9220	Non-Mortise Bi-Fold Hinge with Screws		US2D	1.75	099119	600
9262	Keyed Lock for pocket door applications		US3	42.45	098994	6
			US26D	43.55	016724	



Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9264	Keyed Lock for bifold applications		US3	36.40	016725	6
	Keyed Lock - Keyed Alike		US3	36.40	002801	
9268	Keyed Lock for bypass applications		US3	40.90	016726	6
			US26D	41.70	099251	
	Keyed Lock - Keyed Alike		US3	40.90	002804	6
			US26D	41.70	002802	
9351	Door Guide			2.55	096563	50
9353	Adjustable Door Guide			2.55	096564	20
9354	Carpet Riser		US2C	1.75	003633	50
			US2D	1.75	096565	50
9400	Cam Adjustable Hanger - Small 3/8" (10 mm) offset A		US2C	3.25	017417	100
9401	Cam Adjustable Hanger - Large 11/16" (18 mm) offset B		US2C	3.25	096566	100
9540	Parts Bag: 4 ea. 9401 hangers, 2 ea. 2610 pulls, 1 ea. 9351 guide			9.25	017419	10
9544	Parts Bag: 4 ea. 9202 hangers, 2 ea. 2630 pulls, 1 ea. 9351 guide Used to increase door weight capacity to 75 lbs			13.75	017035	10
9558	Wood Knob Knob Diameter: 1-1/2" Base Diameter: 15/16" Fasteners: #8 x 1-3/4" PPHWS		Wood	1.70	096567	100
9559	Aligner		US2D	0.95	096568	200
9566	Knob		US3	6.45	099824	100
	Material: Zinc		US4	7.25	098635	
	Knob Diameter: 1-1/4"		US5	7.25	028859	
	Projection: 1"		US10A	7.25	098634	
	Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS		US10B	7.25	098633	
			US15	7.25	098632	
			US15A	7.25	098629	
			US26	6.45	098628	
			US26D	7.25	098627	



Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9567	Rose - For use with 9566 knob Material: Zinc Base Diameter: 1-3/4" Projection: 15/32" Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS		US3	3.05	099825	100
			US4	3.20	098626	
			US5	3.20	018102	
			US10A	3.20	098625	
			US10B	3.20	098624	
			US15	3.20	098623	
			US15A	3.20	098622	
			US26	3.05	098621	
			US26D	3.20	098620	
9569	Parts Bag: 1 ea. 9572 hanger w/ top mount plate, 9618 pivot set, 9559 aligner, 9558 knob and 9815 bumper stop, 3 ea. 9220 hinges			22.80	016913	10
9572	4-Wheel Hanger w/ Top Mount Plate		US2D	11.50	135316	20
9573	Spacer Kit - 3/8" use with 9821 track - For doors 1-3/4" thick			4.80	019014	5
9574	Spacer Kit - For use with 9801 - For doors 1-3/8" and 1-3/4" thick			4.80	015991	5
9575	Parts Bag : 4 ea. 9572 hangers w/ top mount plate, 1 ea. 9909 guide			26.65	137167	5
9601-71	Aluminum Box Track	71" (1803 mm)	AL	23.65	096578	
9601-84	Aluminum Box Track	84" (2134 mm)	AL	31.95	045141	
9601-96	Aluminum Box Track	96" (2438 mm)	AL	36.65	096579	
9601-120	Aluminum Box Track	120" (3048 mm)	AL	40.90	096580	
9601-144	Aluminum Box Track	144" (3658 mm)	AL	48.45	096581	
9602-46	Double box track only, heavy duty aluminum	46" (1168 mm)	AL	31.95	096582	5
9602-58	Double box track only, heavy duty aluminum	58" (1473 mm)	AL	39.40	096583	
9602-70	Double box track only, heavy duty aluminum	70" (1778 mm)	AL	45.50	096584	
9602-94	Double box track only, heavy duty aluminum	94" (2388 mm)	AL	59.00	096585	
9602-118	Double box track only, heavy duty aluminum	118" (2997 mm)	AL	71.10	096586	
9602-142	Double box track only, heavy duty aluminum	142" (3607 mm)	AL	84.65	096587	



Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9603-48	Aluminum box track with fascia	48" (1219 mm)	AL	59.00	135288	5
9603-60	Aluminum box track with fascia	60" (1524 mm)	AL	71.10	135289	
9603-72	Aluminum box track with fascia	72" (1829 mm)	AL	84.65	135290	
9603-96	Aluminum box track with fascia	96" (2438 mm)	AL	110.40	135291	
9603-120	Aluminum box track with fascia	120" (3048 mm)	AL	138.25	029359	
9603-144	Aluminum box track with fascia	144" (3658 mm)	AL	169.95	029360	
9605	4-Wheel Hanger w/ Top Mount Plate		US2D	5.40	135317	20
9606	4-Wheel Ball Bearing w/ Top Mount Plate		US2D	16.80	135318	20
9610	Replacement Top Mount Plate		US2C	1.75	142410	20
9618	Pivot Set - For 9570 series		-	7.85	137182	10
9632	Pocket Parts Bag -125 lbs (57 kg) Consists of: 2 ea. 9605 hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper			31.95	135322	10
9633	Parts Bag : 2 ea. 9606 ball bearing hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper			52.95	135323	10
9634	Pocket Door Adapter Kit For 1-3/4" (45 mm) thick doors			8.25	097519	10
9639	Double Pocket Door Adapter Kit Joins two frames in middle of doorway		US2C	23.65	096595	1
9679	4 ea. 9605 hangers w/ top mount plate, 1 ea. 9909 guide			37.20	137179	20
9680	4 ea. 9606 ball bearing hangers w/ top mount plate, 1 ea. 9909 guide			87.65	136357	20



Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9703-60	Wall-Mount Track-mill finish	60" (1524 mm)	ALM	64.70	160984	5
9703-72	Wall-Mount Track-mill finish	72" (1829 mm)	ALM	68.65	160985	
9703-96	Wall-Mount Track-mill finish	96" (2438 mm)	ALM	79.20	160986	
9703-144	Wall-Mount Track-mill finish	144" (3658 mm)	ALM	152.00	160988	
9703-60	Wall-Mount Track- dark bronze anodized	60" (1524 mm)	DBA	100.00	160993	5
9703-72	Wall-Mount Track- dark bronze anodized	72" (1829 mm)	DBA	106.50	160994	
9703-96	Wall-Mount Track- dark bronze anodized	96" (2438 mm)	DBA	123.00	160995	
9703-144	Wall-Mount Track- dark bronze anodized	144" (3658 mm)	DBA	236.00	160996	
9704-60	Wall-Mount Fascia- clear anodized	60" (1524 mm)	CLA	84.15	161003	5
9704-72	Wall-Mount Fascia- clear anodized	72" (1829 mm)	CLA	89.25	161004	
9704-96	Wall-Mount Fascia- clear anodized	96" (2438 mm)	CLA	103.00	161005	
9704-144	Wall-Mount Fascia- clear anodized	144" (3658 mm)	CLA	198.00	161006	
9704-60	Wall-Mount Fascia-dark bronze anodized	60" (1524 mm)	DBA	130.00	161009	5
9704-72	Wall-Mount Fascia-dark bronze anodized	72" (1829 mm)	DBA	138.70	161010	
9704-96	Wall-Mount Fascia-dark bronze anodized	96" (2438 mm)	DBA	159.75	161011	
9704-144	Wall-Mount Fascia-dark bronze anodized	144" (3658 mm)	DBA	306.00	161012	
9705	End Cap Set- anodized		CLA	66.00	161013	10
			DBA	79.20	161014	10
9709-60	Fascia only, 2-3/4" (70 mm) wide	60" (1524 mm)	AL	50.05	023322	
9709-72	Fascia only, 2-3/4" (70 mm) wide	72" (1829 mm)	AL	57.45	096603	
9709-96	Fascia only, 2-3/4" (70 mm) wide	96" (2438 mm)	AL	65.05	096604	
9711	Parts Bag: 2 ea. 9827 hangers w/ top mount plate, 1 ea. 9115 bottom door guide, 4 ea. 9815 bumper stops			65.00	161015	10
9742	Parts Bag: 2 ea. 9816 hangers w/ top mount plate, 1 ea. 9883 guide set, 1 ea. 9881 bumper			83.20	137418	10
9801-72	Box Track, Heavy Duty Aluminum	72" (1829 mm)	AL	48.45	096641	5
9801-96	Box Track, Heavy Duty Aluminum	96" (2438 mm)	AL	65.05	096642	
9801-120	Box Track, Heavy Duty Aluminum	120" (3048 mm)	AL	81.60	096643	
9801-144	Box Track, Heavy Duty Aluminum	144" (3658 mm)	AL	106.55	096644	
9801-192	Box Track, Heavy Duty Aluminum	192" (4877 mm)	AL	141.95	096645	
9803-48	Double Box Track w/ Fascia, Heavy Duty Aluminum	48" (1219 mm)	AL	101.25	022482	2
9803-60	Double Box Track w/ Fascia, Heavy Duty Aluminum	60" (1524 mm)	AL	126.95	022483	
9803-72	Double Box Track w/ Fascia, Heavy Duty Aluminum	72" (1829 mm)	AL	151.05	022484	
9803-96	Double Box Track w/ Fascia, Heavy Duty Aluminum	96" (2438 mm)	AL	202.30	022485	
9803-120	Double Box Track w/ Fascia, Heavy Duty Aluminum	120" (3048 mm)	AL	252.15	022486	
9803-144	Double Box Track w/ Fascia, Heavy Duty Aluminum	144" (3658 mm)	AL	302.75	022487	
9809-72	Aluminum Fascia, 3-7/8" (98 mm) high	72" (1829 mm)	AL	89.95	096646	10
9809-96	Aluminum Fascia, 3-7/8" (98 mm) high	96" (2438 mm)	AL	117.80	096647	



Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9810-46	Aluminum Track	46-3/8" (1178 mm)	AL	15.35	019702	10
9810-58	Aluminum Track	58-3/8" (1483 mm)	AL	18.30	019703	
9810-70	Aluminum Track	70-3/8" (1788 mm)	AL	22.25	019704	
9810-93	Aluminum Track	93-3/8" (2372 mm)	AL	28.80	019705	
9810-120	Aluminum Track	120" (3048 mm)	AL	36.40	016570	
9810-144	Aluminum Track	144" (3658 mm)	AL	48.45	026064	
9814	Parts bag: 2 ea. 9400 hangers, 2 ea. 9401 hangers, 2 ea. 2610 pulls, 1 ea. 9353 guide set. For 1" to 1-1/8" doors, specify 9841 parts bag.			14.50	016772	10
9815	Bumper Stop			6.90	096648	20
9820-48	Aluminum track with 1-3/4" fascia	48" (1219 mm)	AL	28.20	000461	5
9820-60	Aluminum track with 1-3/4" fascia	60" (1524 mm)	AL	35.00	000462	
9820-72	Aluminum track with 1-3/4" fascia	72" (1829 mm)	AL	40.90	000463	
9820-84	Aluminum track with 1-3/4" fascia	84" (2134 mm)	AL	55.30	028175	
9820-96	Aluminum track with 1-3/4" fascia	96" (2438 mm)	AL	60.50	099664	
9820-120	Aluminum track with 1-3/4" fascia	120" (3048 mm)	AL	69.65	000464	
9820-144	Aluminum track with 1-3/4" fascia	144" (3658 mm)	AL	90.75	000460	
9821-59	Aluminum Box Track	59" (1499 mm)	AL	30.00	019084	10
9821-71	Aluminum Box Track	71" (1803 mm)	AL	37.20	019062	
9821-96	Aluminum Box Track	96" (2438 mm)	AL	49.55	019061	
9821-144	Aluminum Box Track	144" (3658 mm)	AL	71.80	019050	
9824	4-Wheel Hanger w/ Top Mount Plate			27.00	135320	20
9825	4-Wheel Ball Bearing Hanger w/ Top Mount Plate			33.95	135321	10
9827	4-Wheel Ball bearing Hanger w/ Top Mount Plate			39.40	018292	10
9828	Heavy Duty Pivot Set with 9815 Bumper Stop			49.05	018286	10



Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9840-46	Galvanized Steel Track	45-1/2" (1156 mm)	US2H	9.25	000931	10
9840-58	Galvanized Steel Track	57-1/2" (1461 mm)	US2H	10.80	000932	
9840-70	Galvanized Steel Track	69-1/2" (1765 mm)	US2H	13.05	000933	
9840-81	Galvanized Steel Track	80-1/2" (2045 mm)	US2H	15.35	017893	
9840-93	Galvanized Steel Track	92-1/2" (2350 mm)	US2H	16.80	017006	
9840-120	Galvanized Steel Track	120" (3048 mm)	US2H	21.65	017854	
9840-144	Galvanized Steel Track	144" (3658 mm)	US2H	26.00	017855	
9841	Parts Bag: 4 ea. 9402 hangers, 2 ea. 9865 pulls, 1 ea. 9351 guide			7.85	099665	10
9842	Parts Bag: 4 ea. 9402 hangers, 2 ea. 9630 pulls, 1 ea. 9351 guide			10.80	017424	10
9843	Parts Bag: 4 ea. 9401 hangers, 2 ea. 9865 pulls, 1 ea. 9351 guide Used to increase door weight capacity to 75 lbs			12.30	016912	10
9865	Plastic Pull Overall Diameter: 1-31/32" Finger Pull Diameter: 1-19/32" Pull Clearance: 11/32" Projection: 5/64"		Plastic	0.95	098993	50
9877	Door Guide, 2 pieces required per door			1.75	016843	50
9880	Stop		US2C	1.75	096684	10
9881	Rubber Bumper			0.95	096685	80
9882	Pocket Door Edge Pull Material: Brass Finger Pull Extends: 3/4" Faceplate: 3/4" x 3-7/8" Fasteners: #6 x 5/8" FPHWS		US3 US4 US10 US10B US26 US26D	13.85 16.75 13.85 16.75 16.75 16.75	049582 049583 049578 049580 049579 049581	100



Sliding Door Hardware - Components



Item #	Description	Length	Finish	2015 List	Stock No.	Case Qty.
9883	2-Piece Door Guide Set with Screws			3.60	096686	100
9884	Pocket Door Edge Pull Material: Zinc Finger Pull Extends: 1-1/16" Faceplate: 21/32" x 3-1/2" Fasteners: #6 x 5/8" FPHWS		US3	7.35	099056	40
9889	1-Piece Guide			1.75	096687	20
9892	Parts Bag: 4 ea. 9824 4-wheel hangers w/ top mount plate, 1 ea. 9909 guide, 1 ea. 9573 spacer kit			51.15	019421	10
9893	Parts Bag: 4 ea. 9825 4-wheel ball bearing hangers w/ top mount plate, 1 ea. 9909 guide, 1ea. 9573 spacer kit			95.75	019418	10
9894	Parts Bag: 1 ea. 9825 4-wheel ball bearing hanger w/ top mount plate, 1 ea. 9828 pivot set with 9815 bumper stop, 9559 aligner			85.45	019435	10
9895	Parts Bag: 2 ea. 9825 4-wheel ball bearing hangers w/ top mount plate, 1 ea. 9883 guide, 1 ea. 9881 bumper			67.85	019408	10
9900	Reversible Side Mount Bracket		US2C	6.90	003775	20
9909	Heavy Duty Adjustable Door Guide From 3/4" to 1-3/4" (19 mm to 44 mm)		US2C	7.85	097528	20



TABLE OF CONTENTS

A

Architectural Hinges

1191.....	11
1279.....	11
BB1191.....	11
BB1279.....	11
BB1168.....	11
BB1199.....	11

D

Door Controls

Door Closers.....	8
Miscellaneous	8
Patch Fittings	8

E

Euroline Hinges

7191.....	12
7192.....	12
BB6191.....	12

Exit Devices

Exit Device Trim.....	9
Rim Exit Devices	9
SVR Exit Devices.....	9

L

Locks

Cast Hollow Lever	7
Cylinders.....	5
Function Key.....	2
Lock Bodies.....	5
Lock Functions	3-4
Miscellaneous	5
Solid Lever.....	6
Tube Lever	6

T

Trim and Auxilliary

Coat and Hat Hooks	10
Door Stops	10
Flush Bolts.....	10
Miscellaneous	10
Signage.....	10



Lock Functions

Euroline Introduction

Most of us in the door hardware industry are familiar with ANSI - American National Standards Institute, BHMA - Builders Hardware Manufacturers Association, along with UL - Underwriters Laboratories and Intertek. However these standards and fire codes, which are strictly enforced in the United States and Canada, are not customary in approximately 90% of the rest of the world.

European standards - EN and CE - are dominant in Europe, the Middle East and most of Asia. Any hardware products sold into areas that embrace these standards must meet their cycle and fire tests, which are completely different than those of ANSI and UL.


Hager Companies launched the Euroline in late 2008 to provide a comprehensive product line that meets and exceeds EN and CE standards. It currently consists of a complete product portfolio including hinges, trim and auxiliary, door controls, exit devices, mortise locks, cylinders, levers, and accessories.

Since that time the product line has expanded and Hager Companies has been successful in marketing in Latin America, the Middle East and Asia. In addition, our Euroline products recently passed separate stringent fire tests in Mainland China. This will allow Hager Companies to furnish our products throughout the Peoples Republic of China on commercial buildings.


As always, service is our number one priority and that is true for our global customers as well. We have representatives across the globe as well as distribution centers in Dubai, United Arab Emirates and Zhuhai, China.

European locksets are sold in component form: lock body, lever set and cylinder. This allows end users to mix and match cylinders, levers and lock bodies from a vast array of different manufacturers. It also allows multiple mechanical and electronic keyways to be used interchangeably. This modular approach allows for greater flexibility on the jobsite.









Lock Components



Symbol Key



Lock Functions

Picture	Function	Function Description	Required Parts
	Passage	Latch bolt operated by lever from either side at all times.	3800U-55L Leverset
	Bathroom Indicator	Latch bolt operated by lever from either side at all times. Dead bolt operated by thumbturn from inside and by emergency release with indicator from outside.	3800U-55B Leverset 2-669-0736
	Privacy	Latch bolt operated by lever from either side at all times. Dead bolt operated by thumbturn from inside and by emergency release from outside.	3800U-55S Leverset 3000R
	Classroom	Latch bolt operated by lever from either side. Dead bolt operated by key from outside. Operating inside lever retracts both latchbolt and deadbolt simultaneously.	3800U-55P Leverset Split Spindle* 3000H
	Storeroom	Latch bolt operated by key from outside or by operating inside lever. Outside lever never retracts latch.	3800U-55M Leverset Half Spindle** 3000H
	Security Storeroom	Latch bolt operated by key from outside or by operating inside lever. Outside lever never retracts latch. Auxiliary dead latch.	3800U-55T Leverset Half Spindle** 3000H
	Exit	Latch bolt operated by lever from either side. Dead bolt operated by key from outside and by thumbturn from inside. Operating inside lever retracts both latchbolt and deadbolt simultaneously.	3800U-55P Leverset Split Spindle* 3000C
	Entrance	Latch bolt operated by lever from either side. Dead bolt operated by key from either side.	3800U-55S Leverset 3000D









* Use the split spindle in place of the spindle that comes with the leverset.

** Use the half spindle going into the inside lever in place of the spindle that comes with the leverset.

*** Do not install the spindle that comes with the leverset.



Lock Functions

Picture	Function	Function Description	Required Parts
	Bedroom	Latch bolt operated by lever from either side. Dead bolt operated by thumbturn from inside and emergency release from outside. Operating inside lever retracts both latchbolt and deadbolt simultaneously.	3800U-55P Leverset Split Spindle* 3000R
	Dormitory	Latch bolt operated by lever from either side. Dead bolt operated by key from outside and thumbturn from inside.	3800U-55S Leverset 3000C
	Institutional	Latch bolt operated by key from either side. Neither lever retracts latch.	3800U-55M Leverset*** 3000D
	Security Institutional	Latch bolt operated by key from either side. Neither lever retracts latch. Auxiliary dead latch.	3800U-55T Leverset*** 3000D
	Security Classroom	Latch bolt operated by lever from either side. Dead bolt operated by key from inside or outside. Operating inside lever retracts both latchbolt and deadbolt simultaneously.	3800U-55P Leverset Split Spindle* 3000D
	Double Dead Bolt	Dead bolt operated by key from either side. No latch.	3800U-55F 3000D
	Privacy Dead Bolt	Dead bolt operated by key from outside and by thumbturn from inside. No latch.	3800U-55F 3000C
	Single Deadbolt	Dead bolt operated by key from outside only. No Latch	3800U-55F 3000H

* Use the split spindle in place of the spindle that comes with the leverset.

** Use the half spindle going into the inside lever in place of the spindle that comes with the leverset.

*** Do not install the spindle that comes with the leverset.



Locks

Products	Description	2015 List	Box Qty.	Carton Qty.
Lock Bodies				
3800U-20H	Sliding Door Mortise Lock - 20 mm - US32D	25.85	1	20
3800U-60H	Sliding Door Mortise Lock - 60 mm - US32D	25.85	1	20
3800U-55B	Bathroom Mortise Lock Body - US32D	28.00	1	20
3800U-55D	Deadlock Small Mortise Lock Body - US32D	23.35	1	20
3800U-55F	Deadbolt Mortise Lock Body - US32D	28.00	1	20
3800U-55L	Latch Mortise Lock Body - US32D	28.00	1	20
3800U-55M*	Nightlatch Mortise Lock Body - US32D	28.00	1	20
3800U-60N	Latch Small Mortise Lock Body - US32D	23.35	1	20
3800U-55P*	Anti-Panic Mortise Lock Body - US32D	28.00	1	20
3800U-55S	Sash Mortise Lock Body - 55 mm Backset - US32D	25.35	1	20
3800U-55T*	Night Latch with Anti-Thrust Bolt Mortise Lock Body - US32D	28.00	1	20
Cylinders				
3000-40H	Half Cylinder - 40 mm - US15	18.25	1	60
3000-45H	Half Cylinder - 45 mm - US15	20.50	1	60
3000-50H	Half Cylinder - 50 mm - US15 - Hager H1 Keyway	20.50	1	60
3000-60C	Thumbturn Cylinder - 60 mm - US15	23.60	1	60
3000-60D	Double Cylinder - 60 mm - US15	20.75	1	60
3000-70C	Thumbturn Cylinder - 70 mm - US15	27.25	1	60
3000-70D	Double Cylinder - 70 mm - US15	24.15	1	60
3000-75C	Thumbturn Cylinder - 75 mm - US 15 - Hager H1 Keyway	27.25	1	60
3000-75D	Double Cylinder - 75 mm - US15 - Hager H1 Keyway	24.15	1	60
3000-60R	Thumbturn Cylinder with Emergency Release - 60 mm - US15	19.95	1	60
3000-70R	Thumbturn Cylinder with Emergency Release - 70 mm - US15	21.75	1	60
3000-80R	Thumbturn Cylinder with Emergency Release - 80 mm - US15	25.75	1	60
3000-80D	Double Cylinder - 80 mm - US15	26.70	1	60
3000-80C	Thumbturn Cylinder - 80 mm - US15	29.50	1	60
Miscellaneous				
3910	Padlock - US26D	49.75	1	54
2-669-1364	Blank Cylinder Rose	3.15	20	200
2-669-0644	Replacement Rose Kit - US32D	5.90	10	20
2-669-0645	Lever Spindle Extension Kit (Circular Rose Levers)	8.85	N/A	100
2-669-1363	Lever Spindle Extension Kit (Square Rose Levers)	8.85	N/A	100
2-669-0732	Half Spindle - For Nightlatch Mortise Lock	6.25	1	500
2-669-0733	Split Spindle - For Anti-Panic Mortise Lock	7.80	1	500
2-669-0735	Strike Dust Box - White	1.65	1	100
2-669-0736	Bathroom Turn Indicator w/ Emergency Release - US32D	22.55	1	50

316 Stainless Steel Forend and Strike Plate Adder: \$2.95 each

*Must order half spindle (2-669-0732) with 3800U-M and 3800U-55T and must order split spindle (2-669-0733) with 3800U-55P.

U/M - Each

Notes: 1. Additional finishes available on most items. Inquire with Hager Customer Service for pricing on US1, US3, US4, US5, US10B, and US32.
2. All cylinders available uncombined with removable pins. Inquire with Hager Customer Service for pricing.



04/01/2015
www.hagerco.com

Locks

Products	Description	2015 List	Box Qty.	Carton Qty.
Solid Levers				
6807	Solid Lever - US32D	51.55	1	20
6808	Solid Lever - US32D	51.55	1	20
6809	Solid Lever - US32D	54.50	1	20
6810	Solid Lever - US32D	51.55	1	20
6814	Solid Lever - US32/US32D Dual Polished	50.30	1	20
6815	Solid Lever - US32D	45.15	1	20
6817	Solid Lever - US32D	44.40	1	20
6818	Solid Lever - US32D	49.30	1	20
6822	Solid Lever - US32D	41.90	1	20
6823	Solid Lever - US32D (Handed)	65.35	1	20
6824	Solid Lever - US32D	49.30	1	20
6826	Solid Lever - US32D	39.30	1	20
6827	Solid Lever - US32D	50.55	1	20
6830	Solid Lever - US32/US32D Dual Polished (Handed)	71.45	1	20
6831	Solid Lever - US32D (Handed)	61.35	1	20
6832	Solid Lever - US32/US32D Dual Polished	48.55	1	20
Tube Levers				
6801	Tube Lever - US32D	23.60	1	20
6802	Tube Lever - US32D	23.60	1	20
6803	Tube Lever - US32D	23.60	1	20
6805	Tube Lever - US32D	23.60	1	20
6806	Tube Lever - US32D	23.60	1	20
6811	Tube Lever - US32D	25.20	1	20
6812	Tube Lever - US32D	28.00	1	20
6813	Tube Lever - US32/US32D Dual Polished	28.00	1	20
6820	Tube Lever - US32D	23.25	1	20
6821	Tube Lever - US32/US32D Dual Polished	24.75	1	20

U/M - Each

Note: Additional finishes available on most items. Inquire with Hager Customer Service for pricing on US1, US3, US4, US5, US10B, and US32.



Locks

Products	Description	2015 List	Box Qty.	Carton Qty.
Cast Hollow Levers				
6816	Cast Hollow Lever - US32/US32D Dual Polished	41.20	1	20
6819	Cast Hollow Lever - US32/US32D Dual Polished	48.90	1	20
6825	Cast Hollow Lever - US32D	45.05	1	20
6828	Cast Hollow Lever - US32/US32D Dual Polished	47.10	1	20
6829	Cast Hollow Lever - US32D	45.35	1	20

U/M - Each

Note: Additional finishes available on most items. Inquire with Hager Customer Service for pricing on US1, US3, US4, US5, US10B, and US32.

Keying Charges:

Master Keyed (MK/GMK): Add \$21.10 to list price of lock.

Extra Cut Keys: \$6.05

Blank Keys: \$3.30

Key Marking (Standard Key Symbols): \$1.85

Key Marking (Non-Standard Key Symbols): \$5.75



Door Controls

Products	Description	2015 List	Box Qty.	Carton Qty.
Door Closers				
5800C	Concealed - Size 3 - Aluminum	85.40	1	10
5800D	Concealed - EN Certified - Adjustable 2 to 4 - Aluminum	201.30	1	10
5800F	Floor Spring - Size 3 - US32D	172.90	1	4
5800H	Heavy Duty Floor Spring - Size 3-6 - US32D	380.00	1	4
5800R	Surface - EN Certified - Adjustable 2 to 5 - Backcheck - Aluminum	137.25	1	10
5800V	Surface - Adjustable 2 to 4 - Backcheck - Aluminum	61.00	1	10
5800X	Surface - EN Certified - Adjustable 3 to 6 - Backcheck - Aluminum	131.15	1	10
5815F	Floor Spring - Size 3 - Hold Open - US32D	172.90	1	4
5815H	Heavy Duty Floor Spring - Size 3-6 - Hold Open - US32D	380.00	1	4
Miscellaneous				
2-659-0087	Sliding Arm for Surface Door Closer - Aluminum - 5800R, X, V	36.15	1	25
2-659-0088	Metal Cover for Surface Door Closer - US32D - 5800R	34.70	1	17
2-659-0097	Parallel Arm Bracket - Aluminum - 5800R, X, V	8.55	1	100
2-659-0149	Hold Open Arm for Surface Door Closer - 5800R, X, V	39.80	1	10
2-659-0150	15 mm Top Pivot for use with 5800F/5815F Floor Closers and 652 Patch Fitting	17.65	1	10
Patch Fittings				
651	Bottom Patch Fitting - US32	24.40	1	20
652	Top Patch Fitting - US32	24.40	1	20
653	Overpanel Patch Fitting - US32	24.40	1	20
654	Corner Overpanel and Sidelight Patch Fitting - US32	39.65	1	20
655	Bottom Lock Patch Fitting - US32	51.85	1	20

U/M - Each

Note: Additional finishes available on most items. Inquire with Hager Customer Service for pricing on US1, US3, US4, US5, US10B, US32, BRZ, DBZ, and GLD.



Exit Devices

Products	Description	2015 List	Box Qty.	Carton Qty.
Rim Exit Devices				
4201R	Push Bar Rim Exit Device - 915 mm - ALM	145.00	1	4
4201R	Push Bar Rim Exit Device - 915 mm - US32D	195.00	1	4
4201R	Push Bar Rim Exit Device - 1219 mm - ALM	160.00	1	4
4201R	Push Bar Rim Exit Device - 1219 mm - US32D	210.00	1	4
Surface Vertical Rod Exit Devices				
4201S	Push Bar Surface Vertical Rod Exit Device - 915 mm x 2135 mm - ALM	190.00	1	4
4201S	Push Bar Surface Vertical Rod Exit Device - 915 mm x 2135 mm - US32D	235.00	1	4
4201S	Push Bar Surface Vertical Rod Exit Device - 1219 mm x 2438 mm - ALM	205.00	1	4
4201S	Push Bar Surface Vertical Rod Exit Device - 1219 mm x 2438 mm - US32D	250.00	1	4
Trim				
42CE	Cylinder Escutcheon Trim - William Lever - US32D	115.95	1	20
42KE	Key-in-Lever Trim - Withnell Lever - US32D	68.10	1	12

U/M - Each

Note: Additional finishes available on most items. Inquire with Hager Customer Service for pricing on US1, US3, US4, US5, US10B, and US32.



Trim & Auxiliary

Products	Description	2015 List	Box Qty.	Carton Qty.
Flushbolts				
280E	Dust Proof Strike - US32D	9.55	10	300
1420	Manual Flush Bolt - US32D	17.35	2	100
Door Stops				
248E	Pedestal Door Stop - US32D	8.70	10	200
248U	Pedestal Door Stop - US32D	14.50	10	100
Signage				
371F	Signage - Female - US32D	8.70	10	20
371H	Signage - Disabled - US32D	8.70	10	20
371M	Signage - Male - US32D	8.70	10	20
371S	Signage - No Smoking - US32D	8.70	10	20
371U	Signage - Universal - US32D	8.70	10	20
Coat and Hat Hooks				
6630	Coat and Hat Hook - US32D	9.00	10	200
6640	Coat and Hat Hook - US32D	9.20	10	200
Miscellaneous				
299D	Concealed Door Chain - US32D	24.60	1	48
1757	Door Viewer - US3, US26D	7.70	1	200
277E	Surface Bolt - 127 mm US15	10.70	1	50
277T	Indicator Thumbturn Bolt - US32D	16.05	1	50

U/M - Each

Note: Additional finishes available on most items. Inquire with Hager Customer Service for pricing on US1, US3, US4, US5, US10B, and US32.



Architectural Hinges

Products	Description	2015 List	Box Qty.	Carton Qty.
1279	76 x 76 mm - US26D - .097	11.25	2	100
	89 x 89 mm - US26D - .119	11.50	3	48
	102 x 102 mm - US26D - .129	11.80	3	48
	114 x 102 mm - US26D - .134	12.25	3	48
	114 x 114 mm - US26D - .134	12.25	3	48
BB1279	89 x 89 mm - US26D - .119	13.40	3	48
	102 x 102 mm - US26D - .129	16.55	3	48
	114 x 102 mm - US26D - .134	18.40	3	48
	114 x 114 mm - US26D - .134	18.40	3	48
BB1168	114 x 102 mm - US26D - .180	34.15	3	48
	114 x 114 mm - US26D - .180	34.15	3	48
1191	76 x 76 mm - US32D - .097	16.25	2	100
	89 x 89 mm - US32D - .119	20.90	3	48
	102 x 102 mm - US32D - .129	24.05	3	48
	114 x 102 mm - US32D - .134	30.85	3	48
	114 x 114 mm - US32D - .134	30.85	3	48
BB1191	89 x 89 mm - US32D - .119	22.70	3	48
	102 x 102 mm - US32D - .129	29.70	3	48
	114 x 102 mm - US32D - .134*	38.40	3	48
	114 x 114 mm - US32D - .134*	38.40	3	48
	127 x 114 mm - US32D (Handed)	57.95	3	24
BB1199	114 x 102 mm - US32D - .180* (Handed)	61.00	3	48
	114 x 114 mm - US32D - .180* (Handed)	61.00	3	48
	127 x 114 mm - US32D (Handed)	89.60	3	24

U/M - Each

Non-Removable Pin (NRP) Adder:	\$3.65 each
Hospital Tip (HT) Adder:	\$7.30 each
Safety Stud (SH) Adder:	\$5.10 each
Round Corner (RC) Adder:	\$2.90 each
Stainless Steel Pin (114 mm) Adder:	\$3.65 each
Protective Clear Coat Adder:	\$0.50 each

Notes: -Additional finishes available on most items. Inquire with Hager Customer Service for pricing on US3, US4, US5, US10B, and US32.
 -For pricing on sizes not listed, please contact your Hager Sales Representative.

* Available in 316 Stainless Steel. Add \$20.25 to list price of hinge.



Euroline Hinges

Products	Description	2015 List	Box Qty.	Carton Qty.
BB6191	89 x 89 mm - US3	18.50	2	48
	89 x 89 mm - US5	16.00	2	48
	89 x 89 mm - US10B	16.00	2	48
	89 x 89 mm - US32D	12.85	2	48
	102 x 76 mm - US3	21.35	2	48
	102 x 76 mm - US5	16.00	2	48
	102 x 76 mm - US10B	16.00	2	48
	102 x 76 mm - US32D	12.15	2	48
	102 x 89 mm - US3	23.80	2	48
	102 x 89 mm - US5	17.65	2	48
	102 x 89 mm - US10B	17.65	2	48
	102 x 89 mm - US32D	14.10	2	48
	102 x 102 mm - US3	24.60	2	48
	102 x 102 mm - US5	19.10	2	48
	102 x 102 mm - US10B	19.15	2	48
	102 x 102 mm - US32D	14.95	2	48
	127 x 89 mm - US3	28.90	2	48
	127 x 89 mm - US5	22.10	2	48
	127 x 89 mm - US10B	22.10	2	48
	127 x 89 mm - US32D	17.90	2	48
7191	102 x 76 mm - US32D (Handed)	12.00	2	60
	102 x 102 mm - US32D (Handed)	14.70	2	60
7192	102 x 76 mm - US32D (Handed)	13.20	2	60
	102 x 102 mm - US32D (Handed)	15.15	2	60

U/M - Each

Please note that minimum order for case quantities only, no broken cases.

Non-Removable Pin (NRP) Adder: \$3.65 each
 Protective Clear Coat Adder: \$0.50 each

Notes: - Additional finishes available on most items. Inquire with Hager Customer Service for pricing on US3, US4, US5, US10B, and US32.
 - For pricing on sizes not listed, please contact your Hager Sales Representative.

